TEST REPORT

No. I22Z70331-WMD03

for

SAMSUNG Electronics Co., Ltd.

Multi-band GSM/WCDMA/LTE/5GNR Phone with Bluetooth,WLAN

Model Name: SM-A146U

FCC ID: ZCASMA146U

with

Hardware Version: REV1.0

Software Version: A146U.001

Issued Date: 2022-11-18

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S.Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504

Email: cttl_terminals@caict.ac.cn, website: www.caict.ac.cn

©Copyright. All rights reserved by CTTL

REPORT HISTORY

Report Number	Revision	Description	Issue Date
I22Z70331-WMD03	Rev.0	1st edition	2022-11-14
I22Z70331-WMD03	Rev.1	2nd edition Modified the client information. Updated the results of LTE Band 48 in A.2.	2022-11-15
I22Z70331-WMD03	Rev.2	3rd edition Updated the results of LTE Band 26(824MHz~849MHz) in A.1.3. Removed a battery information.	2022-11-18

Note: the latest revision of the test report supersedes all previous version.

©Copyright. All rights reserved by CTTL.

CONTENTS

1. LABORATORY 4

1.1. INTR TEST ODUCTION & ACCREDITATION 4

1.2. TESTING LOCATION 4

1.3. TESTING ENVIRONMENT 5

1.4. PROJECT DATA 5

1.5. SIGNATURE 5

2. CLIENT INFORMATION 6

2.1. APPLICANT INFORMATION 6

2.2. MANUFACTURER INFORMATION 6

3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE) 7

3.1. ABOUT EUT 7

3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST 7

3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST 7

4. REFERENCE DOCUMENTS 8

4.1. DOCUMENTS SUPPLIED BY APPLICANT 8

4.2. REFERENCE DOCUMENTS FOR TESTING 8

5. LABORATORY ENVIRONMENT 9

6. SUMMARY OF TEST RESULT 10

7. TEST EQUIPMENT UTILIZED 16

ANNEX A: MEASUREMENT RESULTS 17

A.1 OUTPUT POWER 17
A.2 EMISSION LIMIT 98
A.3 FREQUENCY STABILITY 119
A.4 OCCUPIED BANDWIDTH 129
A.5 EMISSION BANDWIDTH 207
A.6 BAND EDGE COMPLIANCE 285
A.7 CONDUCTED SPURIOUS EMISSION 371
A.8 PEAK-TO-AVERAGE POWER RATIO 385
A.9 END USER DEVICE ADDITIONAL REQUIREMENT (CBSD PROTOCOL) 387

ANNEX B: ACCREDITATION CERTIFICATE 390

©Copyright. All rights reserved by CTTL.

1. Test Laboratory

1.1. Introduction & Accreditation

Telecommunication Technology Labs, CAICT is an ISO/IEC 17025:2017 accredited test laboratory under NATIONAL VOLUNTARY LABORATORY ACCREDITATION PROGRAM (NVLAP) with lab code 600118-0 and is also an FCC accredited test laboratory (CN5017), and ISED accredited test laboratory (CN0066). The detail accreditation scope can be found on NVLAP website.

1.2. Testing Location

Location 1: CTTL (huayuan North Road)

Address: No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191

Location 2: CTTL (BDA)

Address: No. 18A, Kangding Street, Beijing Economic-Technology Development Area, Beijing, 100176, P.R. China

©Copyright. All rights reserved by CTTL.

1.3. Testing Environment

Normal Temperature: 15-35℃

Relative Humidity: 20-75%

1.4. Project Data

Testing Start Date: 2022-09-14

Testing End Date: 2022-11-10

1.5. Signature

Dong Yuan

(Prepared this test report)

Zhou Yu

(Reviewed this test report)

Zhao Hui Lin

Deputy Director of the laboratory

(Approved this test report)

©Copyright. All rights reserved by CTTL.

2. Client Information

2.1. Applicant Information

Company Name:	SAMSUNG Electronics Co., Ltd.
Address /Post:	19 Chapin Rd.,Building D Pine Brook, NJ 07058
Contact:	Jenni Chun
Email:	j1.chun@samsung.com
Telephone:	+1-201-937-4203

2.2. Manufacturer Information

Company Name:	SAMSUNG Electronics Co., Ltd.
Address /Post:	Samsung R5, Maetan dong 129, Samsung ro Youngtong gu, Suwon city 443 742, Korea
Contact:	Kobe Cho
Email:	ggobi.cho@samsung.com
Telephone:	+82 - 10 - 2722 - 4159

©Copyright. All rights reserved by CTTL.

3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

3.1. About EUT

Description	Multi-band GSM/WCDMA/LTE/5GNR Phone with Bluetooth,WLAN
Model Name	SM-A146U
FCC ID	ZCASMA146U
Antenna	Embedded
Output power	27.51dBm maximum EIRP measured for LTE Band41
Extreme vol. Limits	3.5VDC to 4.4VDC (nominal: 3.85VDC)
Extreme temp. Tolerance	-10°C to +55°C

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of CTTL.

3.2. Internal Identification of EUT used during the test

EUT ID*	SN	HW Version	SW Version	Date of receipt
UT02a	2270331UT02a	REV1.0	A146U.001	2022-09-14
UT30a	2270331UT30a	REV1.0	A146U.001	2022-09-20

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE used during the test

AE ID*	Description
AE1	Battery

AE1

Model	WT-S-W1
Manufacturer	SCUD (Fujian) Electronics CO.,LTD
Capacitance	5000mAh

*AE ID: is used to identify the test sample in the lab internally.

©Copyright. All rights reserved by CTTL.

4. Reference Documents

4.1. Documents supplied by applicant

EUT parameters are supplied by the customer, which are the bases of testing. CAICT is not responsible for the accuracy of customer supplied technical information that may affect the test results (for example, antenna gain and loss of customer supplied cable).

4.2. Reference Documents for testing

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 24	PERSONAL COMMUNICATIONS SERVICES	10-1-21 Edition
FCC Part 22	PUBLIC MOBILE SERVICES	10-1-21 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-21 Edition
FCC Part 90	PRIVATE LAND MOBILE RADIO SERVICES	10-1-21 Edition
FCC Part 96	CITIZENS BROADBAND RADIO SERVICE	10-1-21 Edition
ANSI/TIA-603-E	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards	2016
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB 971168 D01	MEASUREMENT GUIDANCE FOR CERTIFICATION OF LICENSED DIGITAL TRANSMITTERS	v03r01
KDB 940660 D01	CERTIFICATION AND TEST PROCEDURES FOR CITIZENS BROADBAND RADIO SERVICE DEVICES AUTHORIZED UNDER PART 96	v03

©Copyright. All rights reserved by CTTL.

5. Laboratory Environment

Control room / conducted chamber did not exceed following limits along the EMC testing:

Temperature	Min. = 15 ˚C, Max. = 35 ˚C
Relative humidity	Min. =20 %, Max. = 80 %
Shielding effectiveness	> 110 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 0.5 Ω

Semi-anechoic chamber SAC did not exceed following limits along the EMC testing:

Temperature	Min. = 15 ˚C, Max. = 35 ˚C
Relative humidity	Min. = 15 %, Max. = 75 %
Shielding effectiveness	0.014MHz - 1MHz, >60dB; 1MHz - 1000MHz, >90dB.
Electrical insulation	> 2 MΩ
Ground system resistance	< 4Ω
Normalised site attenuation (NSA)	< ± 4 dB, 3m/10m distance, from 30 to 1000 MHz
Site voltage standing-wave ratio (S_{VSWR})	Between 0 and 6 dB, from 1GHz to 18GHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 6000 MHz

Fully-anechoic chamber FAC did not exceed following limits along the EMC testing:

Temperature	Min. = 15 ˚C, Max. = 30 ˚C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 1 Ω
Site voltage standing-wave ratio (S_{VSWR})	Between 0 and 6 dB, from 1GHz to 18GHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 6000 MHz

©Copyright. All rights reserved by CTTL.

6. Summary Of Test Result

LTE Band 2

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	24.232	P
2	Emission Limit	2.1051/24.238	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	24.238	P
6	Band Edge Compliance	24.238	P
7	Conducted Spurious Emission	24.238	P
8	Peak-to-Average Power Ratio	24.232	P

LTE Band 4

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

LTE Band 5

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	22.913	P
2	Emission Limit	2.1051/22.917	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	22.917	P
6	Band Edge Compliance	22.917	P
7	Conducted Spurious Emission	22.917	P

©Copyright. All rights reserved by CTTL.

LTE Band 7

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

LTE Band 12

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

LTE Band 13

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

©Copyright. All rights reserved by CTTL.

LTE Band 14

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	90.542	P
2	Emission Limit	2.1051/90.543	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	2.1049	P
6	Band Edge Compliance	90.543	P
7	Conducted Spurious Emission	90.543	P

LTE Band 25

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	24.232	P
2	Emission Limit	2.1051/24.238	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	24.238	P
6	Band Edge Compliance	24.238	P
7	Conducted Spurious Emission	24.238	P
8	Peak-to-Average Power Ratio	24.232	P

LTE Band 26(814MHz~824MHz)

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	90.635	P
2	Emission Limit	2.1051/90.691	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	2.1049	P
6	Band Edge Compliance	90.691	P
7	Conducted Spurious Emission	90.691	P

©Copyright. All rights reserved by CTTL.

LTE Band 26(824MHz~849MHz)

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	22.913	P
2	Emission Limit	2.1051/22.917	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	22.917	P
6	Band Edge Compliance	22.917	P
7	Conducted Spurious Emission	22.917	P

LTE Band 30

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

LTE Band 38

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

©Copyright. All rights reserved by CTTL.

LTE Band 41

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

LTE Band 48

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	96.41	P
2	Emission Limit	96.41	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	96.41	P
6	Band Edge Compliance	96.41	P
7	Conducted Spurious Emission	96.41	P
8	Peak-to-Average Power Ratio	96.41	P
9	End User Device Additional Requirements (CBSD Protocol)	96.47	P

LTE Band 66

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

©Copyright. All rights reserved by CTTL.

LTE Band 71

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

Terms used in Verdict column

P	Pass. The EUT complies with the essential requirements in the standard.
NP	Not Performed. The test was not performed by CTTL.
NA	Not Applicable.The test was not applicable.
BR	Re-use test data from basic model report.
F	Fail. The EUT does not comply with the essential requirements in the standard.

All the test results are based on normal power.

LTE Band 41 is tested by power class 2.

Explanation of worst-case configuration

The worst-case scenario for all measurements is based on the conducted output power measurement investigation results. Output power was measured on QPSK,16QAM and 64QAM modulations. It was found that QPSK was the worst case. All testing was performed using QPSK modulations to represent the worst case unless otherwise stated. The test results shown in the following sections represent the worst case emission.

©Copyright. All rights reserved by CTTL.

7. Test Equipment Utilized

Description	Type	Series Number	Manufacture	Cal Due Date	Calibration Interval
Wideband Radio Communication Tester	CMW500	159082	R&S	2023-01-17	25 months
Spectrum Analyzer	FSU	200030	R&S	2023-05-25	1 year
Signal&Spectrum Analyzer	FSW	104038	R&S	2023-06-20	1 year
Climate Chamber	SH-242	93008556	ESPEC	2023-12-23	3 years
Test Receiver	E4440A	MY48250642	Agilent	2023-03-10	1 year
EMI Antenna	VULB9163	9163-482	Schwarzbeck	2022-11-16	1 year
EMI Antenna	LB-7180-NF	J203001300005	A-INFO	2023-02-23	1 year
EMI Antenna	3117	00058889	ETS-Lindgren	2022-11-07	1 year
EMI Antenna	9117	167	Schwarzbeck	2023-08-03	1 year
EMI Antenna	LB-7180-NF	J211060826	A-INFO	2023-02-27	1 year
Signal Generator	SMF100A	101295	R&S	2022-12-23	1 year
Power Amplifier	5S1G4	0341863	AR	/	/
Universal Radio Communication Tester	CMW500	143008	R&S	2022-12-01	1 year
Universal Radio Communication Tester	MT8821C	Anritsu	6262257899	2023-05-15	1 year

Note: the EMI Antenna which Series Number is 00058889 was before Cal Due Date when used.

©Copyright. All rights reserved by CTTL.

Annex A: Measurement Results

A.1 Output Power

A.1.1 Summary

During the process of testing, the EUT was controlled via communication tester to ensure max power transmission and proper modulation.

In all cases, output power is within the specified limits.

A.1.2 Conducted

A.1.2.1 Method of Measurements

The EUT was set up for the max output power with pseudo random data modulation.

These measurements were done at 3 frequencies (bottom, middle and top of operational frequency range) for each bandwidth.

The results below include a correction factor for cable loss that is provided by the customer.

A.1.2.2 Measurement Result

LTE band 2

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
1.4MHz	1 RB high	1909.3	24.67	23.89	22.80
		1880.0	24.69	23.87	22.79
		1850.7	24.56	23.81	22.73
	1 RB low	1909.3	24.65	23.88	22.80
		1880.0	24.65	23.84	22.83
		1850.7	24.56	23.71	22.69
	50% RB mid	1909.3	24.65	23.61	22.75
		1880.0	24.66	23.69	22.75
		1850.7	24.55	23.57	22.65
	100% RB	1909.3	23.67	22.74	21.61
		1880.0	23.67	22.71	21.61
		1850.7	23.58	22.59	21.48
3MHz	1 RB high	1908.5	24.64	23.82	22.86
		1880.0	24.67	23.91	22.79
		1851.5	24.61	23.70	22.70
	1 RB low	1908.5	24.60	23.87	22.67
		1880.0	24.66	23.88	22.73
		1851.5	24.55	23.74	22.64
	50% RB mid	1908.5	23.58	22.69	21.63
		1880.0	23.62	22.66	21.59
		1851.5	23.57	22.66	21.57
	100% RB	1908.5	23.61	22.65	21.59

©Copyright. All rights reserved by CTTL.

		1880.0	23.62	22.62	21.64
		1851.5	23.60	22.62	21.54
5MHz	1 RB high	1907.5	24.72	23.85	22.81
		1880.0	24.72	23.83	22.83
		1852.5	24.63	23.87	22.70
	1 RB low	1907.5	24.66	23.90	22.69
		1880.0	24.69	23.96	22.81
		1852.5	24.62	23.80	22.74
	50% RB mid	1907.5	23.66	22.62	21.60
		1880.0	23.64	22.65	21.65
		1852.5	23.61	22.64	21.64
	100% RB	1907.5	23.63	22.63	21.60
		1880.0	23.69	22.70	21.67
		1852.5	23.60	22.58	21.58
10MHz	1 RB high	1905.0	24.67	23.90	22.79
		1880.0	24.72	23.91	22.83
		1855.0	24.61	23.73	22.69
	1 RB low	1905.0	24.73	23.85	22.88
		1880.0	24.68	23.81	22.69
		1855.0	24.60	23.86	22.64
	50% RB mid	1905.0	23.63	22.60	21.61
		1880.0	23.59	22.67	21.61
		1855.0	23.58	22.57	21.53
	100% RB	1905.0	23.67	22.66	21.62
		1880.0	23.67	22.63	21.62
		1855.0	23.59	22.53	21.54
15MHz	1 RB high	1902.5	24.59	23.85	22.72
		1880.0	24.55	23.72	22.74
		1857.5	24.53	23.69	22.72
	1 RB low	1902.5	24.59	23.81	22.67
		1880.0	24.60	23.86	22.72
		1857.5	24.53	23.73	22.69
	50% RB mid	1902.5	23.59	22.63	21.60
		1880.0	23.58	22.66	21.66
		1857.5	23.55	22.55	21.57
	100% RB	1902.5	23.60	22.54	21.54
		1880.0	23.65	22.62	21.62
		1857.5	23.52	22.58	21.55
20MHz	1 RB high	1900.0	24.58	23.87	22.69
		1880.0	24.56	23.76	22.64
		1860.0	24.58	23.79	22.60
	1 RB low	1900.0	24.65	23.90	22.74
		1880.0	24.58	23.70	22.68

©Copyright. All rights reserved by CTTL.

		1860.0	24.54	23.68	22.59
	50% RB mid	1900.0	23.67	22.66	21.61
		1880.0	23.69	22.63	21.66
		1860.0	23.60	22.61	21.54
	100% RB	1900.0	23.63	22.60	21.57
		1880.0	23.62	22.61	21.58
		1860.0	23.65	22.60	21.55

©Copyright. All rights reserved by CTTL.

LTE band 4

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
1.4MHz	1 RB high	1754.3	24.67	23.96	22.83
		1732.5	24.66	23.87	22.77
		1710.7	24.62	23.80	22.76
	1 RB low	1754.3	24.71	24.05	22.90
		1732.5	24.67	23.92	22.79
		1710.7	24.62	23.82	22.72
	50% RB mid	1754.3	24.68	23.75	22.79
		1732.5	24.72	23.71	22.75
		1710.7	24.61	23.59	22.72
	100% RB	1754.3	23.71	22.76	21.58
		1732.5	23.68	22.75	21.63
		1710.7	23.64	22.68	21.60
3MHz	1 RB high	1753.5	24.67	23.87	22.82
		1732.5	24.66	23.91	22.78
		1711.5	24.66	23.85	22.81
	1 RB low	1753.5	24.75	24.01	22.87
		1732.5	24.68	23.92	22.88
		1711.5	24.63	23.89	22.76
	50% RB mid	1753.5	23.71	22.73	21.70
		1732.5	23.65	22.65	21.65
		1711.5	23.63	22.72	21.68
	100% RB	1753.5	23.74	22.72	21.76
		1732.5	23.63	22.63	21.60
		1711.5	23.60	22.71	21.64
5MHz	1 RB high	1752.5	24.75	23.92	22.80
		1732.5	24.66	23.81	22.72
		1712.5	24.69	23.81	22.71
	1 RB low	1752.5	24.81	23.94	22.89
		1732.5	24.74	23.88	22.80
		1712.5	24.68	23.86	22.75
	50% RB mid	1752.5	23.73	22.74	21.73
		1732.5	23.70	22.66	21.68
		1712.5	23.63	22.62	21.61
	100% RB	1752.5	23.71	22.71	21.72
		1732.5	23.63	22.63	21.65
		1712.5	23.62	22.71	21.63
10MHz	1 RB high	1750.0	24.72	23.92	22.74
		1732.5	24.65	23.90	22.73
		1715.0	24.64	23.87	22.75
	1 RB low	1750.0	24.72	23.99	22.84

©Copyright. All rights reserved by CTTL.

		1732.5	24.68	23.77	22.78
		1715.0	24.67	23.86	22.79
	50% RB mid	1750.0	23.73	22.75	21.71
		1732.5	23.65	22.65	21.67
		1715.0	23.64	22.63	21.65
	100% RB	1750.0	23.80	22.71	21.77
		1732.5	23.68	22.70	21.62
		1715.0	23.65	22.66	21.61
15MHz	1 RB high	1747.5	24.66	23.87	22.83
		1732.5	24.61	23.79	22.78
		1717.5	24.67	23.77	22.77
	1 RB low	1747.5	24.76	23.88	22.81
		1732.5	24.56	23.83	22.72
		1717.5	24.59	23.81	22.75
	50% RB mid	1747.5	23.66	22.65	21.66
		1732.5	23.61	22.58	21.63
		1717.5	23.58	22.60	21.63
	100% RB	1747.5	23.70	22.66	21.70
		1732.5	23.61	22.64	21.60
		1717.5	23.60	22.57	21.56
20MHz	1 RB high	1745.0	24.64	23.88	22.71
		1732.5	24.67	23.82	22.77
		1720.0	24.61	23.78	22.71
	1 RB low	1745.0	24.58	23.82	22.65
		1732.5	24.60	23.81	22.64
		1720.0	24.58	23.75	22.63
	50% RB mid	1745.0	23.70	22.67	21.65
		1732.5	23.61	22.65	21.58
		1720.0	23.62	22.63	21.56
	100% RB	1745.0	23.68	22.66	21.70
		1732.5	23.67	22.62	21.59
		1720.0	23.52	22.47	21.55

©Copyright. All rights reserved by CTTL.

LTE band 5

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
1.4MHz	1 RB high	848.3	24.78	24.02	23.06
		836.5	24.73	23.95	23.03
		824.7	24.63	23.86	22.91
	1 RB low	848.3	24.74	23.96	23.04
		836.5	24.72	23.89	23.00
		824.7	24.70	23.94	22.97
	50% RB mid	848.3	24.80	23.83	22.96
		836.5	24.74	23.75	22.95
		824.7	24.73	23.74	22.90
	100% RB	848.3	23.75	22.95	21.81
		836.5	23.77	22.91	21.82
		824.7	23.70	22.84	21.78
3MHz	1 RB high	847.5	24.80	23.97	23.01
		836.5	24.73	23.94	23.07
		825.5	24.63	23.93	22.88
	1 RB low	847.5	24.71	23.82	22.97
		836.5	24.72	24.03	22.99
		825.5	24.70	23.90	22.99
	50% RB mid	847.5	23.73	22.94	21.91
		836.5	23.74	22.91	21.88
		825.5	23.65	22.81	21.78
	100% RB	847.5	23.71	22.89	21.83
		836.5	23.71	22.88	21.83
		825.5	23.63	22.77	21.79
5MHz	1 RB high	846.5	24.81	23.99	23.03
		836.5	24.75	23.92	23.06
		826.5	24.78	23.99	22.93
	1 RB low	846.5	24.77	23.95	22.98
		836.5	24.81	23.91	23.00
		826.5	24.74	24.06	23.02
	50% RB mid	846.5	23.69	22.81	21.84
		836.5	23.72	22.88	21.91
		826.5	23.68	22.76	21.80
	100% RB	846.5	23.75	22.86	21.81
		836.5	23.72	22.84	21.85
		826.5	23.69	22.88	21.81
10MHz	1 RB high	844.0	24.85	24.02	23.00
		836.5	24.81	23.85	22.87
		829.0	24.74	23.89	22.87
	1 RB low	844.0	24.84	23.94	22.98

©Copyright. All rights reserved by CTTL.

		836.5	24.76	23.88	22.90
		829.0	24.77	23.93	22.91
	50% RB mid	844.0	23.77	22.91	21.85
		836.5	23.71	22.90	21.86
		829.0	23.69	22.85	21.78
	100% RB	844.0	23.71	22.84	21.82
		836.5	23.79	22.85	21.83
		829.0	23.69	22.79	21.80

©Copyright. All rights reserved by CTTL.

LTE band 7

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
5MHz	1 RB high	2567.5	24.06	23.33	22.29
		2535.0	24.03	23.42	22.32
		2502.5	23.65	22.98	21.88
	1 RB low	2567.5	24.09	23.50	22.38
		2535.0	24.01	23.45	22.35
		2502.5	23.63	22.95	21.95
	50% RB mid	2567.5	23.21	22.22	21.21
		2535.0	23.17	22.13	21.13
		2502.5	22.75	21.73	20.72
	100% RB	2567.5	23.25	22.26	21.27
		2535.0	23.17	22.17	21.12
		2502.5	22.80	21.72	20.76
10MHz	1 RB high	2565.0	24.01	23.37	22.20
		2535.0	24.02	23.47	22.31
		2505.0	23.71	23.03	22.01
	1 RB low	2565.0	24.15	23.43	22.33
		2535.0	24.02	23.46	22.30
		2505.0	23.58	22.98	21.84
	50% RB mid	2565.0	23.27	22.25	21.24
		2535.0	23.20	22.16	21.16
		2505.0	22.79	21.82	20.80
	100% RB	2565.0	23.30	22.22	21.27
		2535.0	23.19	22.15	21.16
		2505.0	22.84	21.76	20.72
15MHz	1 RB high	2562.5	23.87	23.29	22.20
		2535.0	23.89	23.30	22.22
		2507.5	23.70	23.11	21.94
	1 RB low	2562.5	23.96	23.44	22.31
		2535.0	23.94	23.38	22.17
		2507.5	23.51	22.86	21.72
	50% RB mid	2562.5	23.20	22.27	21.23
		2535.0	23.15	22.09	21.16
		2507.5	22.71	21.77	20.77
	100% RB	2562.5	23.24	22.26	21.15
		2535.0	23.14	22.14	21.04
		2507.5	22.72	21.80	20.78
20MHz	1 RB high	2560.0	24.05	23.31	22.34
		2535.0	23.93	23.35	22.16
		2510.0	23.69	23.01	21.91
	1 RB low	2560.0	24.05	23.29	22.27

©Copyright. All rights reserved by CTTL.

		2535.0	23.80	23.04	22.00
		2510.0	23.47	22.68	21.61
	50% RB mid	2560.0	23.30	22.30	21.32
		2535.0	23.11	22.10	21.02
		2510.0	22.68	21.71	20.64
	100% RB	2560.0	23.23	22.27	21.26
		2535.0	23.10	22.00	20.99
		2510.0	22.72	21.65	20.62

©Copyright. All rights reserved by CTTL.

LTE band 12

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
1.4MHz	1 RB high	715.3	24.72	23.89	22.84
		707.5	24.69	23.85	22.83
		699.7	24.72	23.93	22.83
	1 RB low	715.3	24.71	23.87	22.77
		707.5	24.71	23.96	22.85
		699.7	24.70	23.92	22.86
	50% RB mid	715.3	24.73	23.83	22.76
		707.5	24.74	23.78	22.81
		699.7	24.70	23.77	22.80
	100% RB	715.3	23.72	22.84	21.63
		707.5	23.72	22.77	21.65
		699.7	23.75	22.80	21.62
3MHz	1 RB high	714.5	24.79	23.85	22.83
		707.5	24.73	23.97	22.83
		700.5	24.79	23.99	22.92
	1 RB low	714.5	24.74	23.90	22.90
		707.5	24.78	24.01	22.89
		700.5	24.77	23.99	22.86
	50% RB mid	714.5	23.70	22.77	21.70
		707.5	23.71	22.78	21.73
		700.5	23.75	22.87	21.79
	100% RB	714.5	23.70	22.76	21.67
		707.5	23.71	22.75	21.62
		700.5	23.81	22.78	21.75
5MHz	1 RB high	713.5	24.75	23.83	22.82
		707.5	24.76	23.95	22.79
		701.5	24.71	23.84	22.83
	1 RB low	713.5	24.74	24.02	22.90
		707.5	24.82	23.93	22.87
		701.5	24.80	23.96	22.89
	50% RB mid	713.5	23.72	22.72	21.75
		707.5	23.72	22.79	21.71
		701.5	23.77	22.76	21.76
	100% RB	713.5	23.76	22.75	21.71
		707.5	23.72	22.73	21.71
		701.5	23.82	22.75	21.76
10MHz	1 RB high	711.0	24.70	23.79	22.73
		707.5	24.67	23.90	22.69
		704.0	24.68	23.88	22.82
	1 RB low	711.0	24.75	23.91	22.86

©Copyright. All rights reserved by CTTL.

		707.5	24.76	23.97	22.83
		704.0	24.74	23.90	22.81
	50% RB mid	711.0	23.74	22.71	21.65
		707.5	23.70	22.70	21.66
		704.0	23.66	22.70	21.66
	100% RB	711.0	23.78	22.77	21.77
		707.5	23.64	22.63	21.57
		704.0	23.65	22.59	21.59

©Copyright. All rights reserved by CTTL.

LTE band 13

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
5MHz	1 RB high	784.5	24.41	23.66	22.63
		782.0	24.40	23.66	22.60
		779.5	24.41	23.73	22.57
	1 RB low	784.5	24.43	23.83	22.72
		782.0	24.46	23.82	22.67
		779.5	24.55	23.77	22.69
	50% RB mid	784.5	23.51	22.51	21.49
		782.0	23.54	22.52	21.52
		779.5	23.53	22.56	21.54
	100% RB	784.5	23.48	22.52	21.46
		782.0	23.55	22.59	21.55
		779.5	23.48	22.54	21.49
10MHz	1 RB high	782.0	24.21	23.48	22.74
	1 RB low	782.0	24.46	23.78	22.92
	50% RB mid	782.0	23.46	22.44	21.75
	100% RB	782.0	23.51	22.48	21.73

©Copyright. All rights reserved by CTTL.

LTE band 14

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
5MHz	1 RB high	795.5	24.70	24.10	22.86
		793.0	24.67	24.01	22.87
		790.5	24.77	24.08	22.93
	1 RB low	795.5	24.73	24.05	22.89
		793.0	24.72	24.14	22.90
		790.5	24.67	24.03	22.88
	50% RB mid	795.5	23.79	22.79	21.83
		793.0	23.79	22.81	21.80
		790.5	23.88	22.86	21.79
	100% RB	795.5	23.73	22.78	21.75
		793.0	23.85	22.85	21.78
		790.5	23.84	22.78	21.81
10MHz	1 RB high	793.0	24.58	23.90	22.82
	1 RB low	793.0	24.66	23.90	22.82
	50% RB mid	793.0	23.74	22.83	21.80
	100% RB	793.0	23.80	22.80	21.80

©Copyright. All rights reserved by CTTL.

LTE band 25

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
1.4MHz	1 RB high	1914.3	24.64	23.77	22.73
		1882.5	24.66	23.84	22.78
		1850.7	24.60	23.83	22.68
	1 RB low	1914.3	24.60	23.83	22.78
		1882.5	24.65	23.85	22.80
		1850.7	24.60	23.79	22.77
	50% RB mid	1914.3	24.64	23.69	22.69
		1882.5	24.68	23.65	22.70
		1850.7	24.63	23.57	22.71
	100% RB	1914.3	23.64	22.73	21.56
		1882.5	23.69	22.69	21.59
		1850.7	23.64	22.66	21.56
3MHz	1 RB high	1913.5	24.65	23.80	22.82
		1882.5	24.70	23.76	22.75
		1851.5	24.60	23.82	22.68
	1 RB low	1913.5	24.69	23.84	22.84
		1882.5	24.71	23.80	22.81
		1851.5	24.62	23.89	22.75
	50% RB mid	1913.5	23.63	22.71	21.61
		1882.5	23.63	22.65	21.63
		1851.5	23.60	22.70	21.63
	100% RB	1913.5	23.60	22.66	21.66
		1882.5	23.57	22.64	21.59
		1851.5	23.59	22.64	21.52
5MHz	1 RB high	1912.5	24.69	23.88	22.85
		1882.5	24.75	23.96	22.84
		1852.5	24.68	23.82	22.75
	1 RB low	1912.5	24.72	23.89	22.82
		1882.5	24.70	23.92	22.83
		1852.5	24.72	23.78	22.78
	50% RB mid	1912.5	23.64	22.63	21.68
		1882.5	23.66	22.65	21.67
		1852.5	23.65	22.59	21.62
	100% RB	1912.5	23.64	22.67	21.64
		1882.5	23.67	22.70	21.69
		1852.5	23.68	22.65	21.62
10MHz	1 RB high	1910.0	24.74	23.94	22.79
		1882.5	24.75	23.91	22.80
		1855.0	24.71	23.93	22.68
	1 RB low	1910.0	24.80	24.04	22.85

©Copyright. All rights reserved by CTTL.

		1882.5	24.78	23.83	22.71
		1855.0	24.69	23.88	22.75
	50% RB mid	1910.0	23.75	22.74	21.61
		1882.5	23.73	22.70	21.66
		1855.0	23.72	22.64	21.65
	100% RB	1910.0	23.71	22.66	21.72
		1882.5	23.73	22.67	21.65
		1855.0	23.67	22.62	21.62
15MHz	1 RB high	1907.5	24.71	23.91	22.74
		1882.5	24.70	23.99	22.67
		1857.5	24.64	23.78	22.74
	1 RB low	1907.5	24.76	23.97	22.86
		1882.5	24.64	23.87	22.73
		1857.5	24.64	23.87	22.75
	50% RB mid	1907.5	23.74	22.63	21.69
		1882.5	23.72	22.65	21.62
		1857.5	23.63	22.57	21.61
	100% RB	1907.5	23.77	22.72	21.65
		1882.5	23.68	22.67	21.63
		1857.5	23.66	22.58	21.61
20MHz	1 RB high	1905.0	24.65	23.82	22.62
		1882.5	24.69	23.70	22.74
		1860.0	24.54	23.65	22.63
	1 RB low	1905.0	24.60	23.83	22.69
		1882.5	24.56	23.68	22.66
		1860.0	24.60	23.80	22.64
	50% RB mid	1905.0	23.72	22.77	21.69
		1882.5	23.68	22.65	21.70
		1860.0	23.68	22.65	21.57
	100% RB	1905.0	23.75	22.73	21.65
		1882.5	23.62	22.64	21.58
		1860.0	23.73	22.65	21.57

©Copyright. All rights reserved by CTTL.

LTE band 26(814MHz~824MHz)

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
1.4MHz	1 RB high	823.3	24.46	23.68	22.77
		819.0	24.44	23.56	22.60
		814.7	24.46	23.58	22.63
	1 RB low	823.3	24.45	23.70	22.77
		819.0	24.45	23.55	22.58
		814.7	24.41	23.52	22.59
	50% RB mid	823.3	24.50	23.76	22.82
		819.0	24.44	23.72	22.83
		814.7	24.54	23.70	22.77
	100% RB	823.3	23.60	22.59	22.00
		819.0	23.53	22.60	21.95
		814.7	23.57	22.59	21.96
3MHz	1 RB high	822.5	24.49	23.58	22.61
		819.0	24.41	23.49	22.54
		815.5	24.49	23.58	22.61
	1 RB low	822.5	24.42	23.52	22.57
		819.0	24.43	23.52	22.63
		815.5	24.44	23.56	22.64
	50% RB mid	822.5	23.50	22.70	21.61
		819.0	23.45	22.64	21.54
		815.5	23.46	22.69	21.59
	100% RB	822.5	23.53	22.61	21.67
		819.0	23.49	22.57	21.63
		815.5	23.49	22.59	21.64
5MHz	1 RB high	821.5	24.63	23.60	22.97
		819.0	24.59	23.59	22.93
		816.5	24.61	23.60	22.96
	1 RB low	821.5	24.56	23.55	22.94
		819.0	24.58	23.59	22.97
		816.5	24.59	23.57	22.98
	50% RB mid	821.5	23.52	22.72	21.72
		819.0	23.54	22.72	21.73
		816.5	23.54	22.74	21.73
	100% RB	821.5	23.56	22.65	21.69
		819.0	23.52	22.65	21.70
		816.5	23.53	22.64	21.71
10MHz	1 RB high	819.0	24.53	23.60	22.61
	1 RB low	819.0	24.50	23.56	22.61
	50% RB mid	819.0	23.62	22.81	21.80
	100% RB	819.0	23.58	22.71	21.68

©Copyright. All rights reserved by CTTL.

LTE band 26(824MHz~849MHz)

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
1.4MHz	1 RB high	848.3	24.36	23.50	22.53
		836.5	24.37	23.51	22.85
		824.7	24.48	23.64	22.65
	1 RB low	848.3	24.37	23.56	22.55
		836.5	24.35	23.51	22.84
		824.7	24.51	23.61	22.65
	50% RB mid	848.3	24.50	23.60	22.60
		836.5	24.42	23.69	22.73
		824.7	24.59	23.72	22.66
	100% RB	848.3	23.50	22.79	21.70
		836.5	23.55	22.51	21.90
		824.7	23.56	22.88	21.77
3MHz	1 RB high	847.5	24.36	23.44	22.47
		836.5	24.44	23.54	22.58
		825.5	24.43	23.49	22.54
	1 RB low	847.5	24.42	23.54	22.61
		836.5	24.40	23.50	22.62
		825.5	24.52	23.62	22.68
	50% RB mid	847.5	23.40	22.65	21.49
		836.5	23.42	22.63	21.54
		825.5	23.42	22.64	21.53
	100% RB	847.5	23.48	22.56	21.63
		836.5	23.46	22.54	21.62
		825.5	23.49	22.59	21.67
5MHz	1 RB high	846.5	24.53	23.50	22.84
		836.5	24.61	23.61	22.93
		826.5	24.65	23.63	22.96
	1 RB low	846.5	24.57	23.58	22.87
		836.5	24.61	23.64	22.96
		826.5	24.66	23.69	22.99
	50% RB mid	846.5	23.39	22.74	21.61
		836.5	23.49	22.70	21.66
		826.5	23.48	22.69	21.68
	100% RB	846.5	23.54	22.61	21.66
		836.5	23.49	22.62	21.66
		826.5	23.54	22.64	21.71
10MHz	1 RB high	844.0	24.49	23.50	22.53
		836.5	24.52	23.57	22.60
		829.0	24.54	23.58	22.63
	1 RB low	844.0	24.42	23.48	22.51

©Copyright. All rights reserved by CTTL.

		836.5	24.54	23.58	22.65
		829.0	24.50	23.57	22.60
	50% RB mid	844.0	23.42	22.79	21.61
		836.5	23.57	22.76	21.76
		829.0	23.58	22.79	21.78
	100% RB	844.0	23.49	22.66	21.60
		836.5	23.57	22.72	21.68
		829.0	23.58	22.72	21.70
15MHz	1 RB high	841.5	24.34	23.82	22.98
		836.5	24.39	23.85	23.02
		831.5	24.40	23.86	22.95
	1 RB low	841.5	24.43	23.90	22.96
		836.5	24.40	23.91	22.97
		831.5	24.40	23.91	22.99
	50% RB mid	841.5	23.47	22.66	21.62
		836.5	23.49	22.64	21.68
		831.5	23.52	22.68	21.66
	100% RB	841.5	23.46	22.60	21.65
		836.5	23.55	22.67	21.69
		831.5	23.55	22.68	21.69

©Copyright. All rights reserved by CTTL.

LTE band 30

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
5MHz	1 RB high	2312.5	23.64	22.76	21.86
		2310.0	23.61	22.83	21.89
		2307.5	23.57	22.77	21.83
	1 RB low	2312.5	23.65	22.76	21.88
		2310.0	23.58	22.73	21.92
		2307.5	23.61	22.74	21.92
	50% RB mid	2312.5	22.52	21.70	20.69
		2310.0	22.49	21.67	20.70
		2307.5	22.55	21.68	20.67
	100% RB	2312.5	22.57	21.75	20.75
		2310.0	22.55	21.70	20.67
		2307.5	22.51	21.76	20.65
10MHz	1 RB high	2310.0	23.60	22.87	21.89
	1 RB low	2310.0	23.60	22.81	21.88
	50% RB mid	2310.0	22.56	21.70	20.72
	100% RB	2310.0	22.61	21.69	20.74

©Copyright. All rights reserved by CTTL.

LTE band 38

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
5MHz	1 RB high	2617.5	23.63	22.81	21.56
		2595.0	23.64	22.84	21.58
		2572.5	23.70	22.89	21.62
	1 RB low	2617.5	23.66	22.81	21.59
		2595.0	23.68	22.85	21.62
		2572.5	23.70	22.89	21.65
	50% RB mid	2617.5	22.56	21.59	20.62
		2595.0	22.60	21.59	20.64
		2572.5	22.63	21.65	20.67
	100% RB	2617.5	22.60	21.62	20.65
		2595.0	22.63	21.65	20.67
		2572.5	22.66	21.64	20.67
10MHz	1 RB high	2615.0	23.59	22.77	21.52
		2595.0	23.62	22.83	21.55
		2575.0	23.69	22.87	21.61
	1 RB low	2615.0	23.60	22.78	21.52
		2595.0	23.70	22.90	21.62
		2575.0	23.73	22.94	21.66
	50% RB mid	2615.0	22.55	21.57	20.61
		2595.0	22.57	21.60	20.67
		2575.0	22.58	21.59	20.67
	100% RB	2615.0	22.58	21.59	20.55
		2595.0	22.63	21.64	20.57
		2575.0	22.65	21.66	20.60
15MHz	1 RB high	2612.5	23.56	22.71	21.48
		2595.0	23.49	22.70	21.42
		2577.5	23.62	22.81	21.55
	1 RB low	2612.5	23.59	22.76	21.49
		2595.0	23.63	22.82	21.56
		2577.5	23.70	22.91	21.65
	50% RB mid	2612.5	22.55	21.51	20.49
		2595.0	22.57	21.60	20.57
		2577.5	22.57	21.59	20.55
	100% RB	2612.5	22.56	21.56	20.52
		2595.0	22.61	21.62	20.56
		2577.5	22.61	21.60	20.59
20MHz	1 RB high	2610.0	23.39	22.41	20.88
		2595.0	23.38	22.38	20.93
		2580.0	23.36	22.42	20.90
	1 RB low	2610.0	23.45	22.46	20.98

©Copyright. All rights reserved by CTTL.

		2595.0	23.46	22.49	21.01
		2580.0	23.55	22.60	21.10
	50% RB mid	2610.0	22.41	21.41	20.37
		2595.0	22.48	21.47	20.42
		2580.0	22.49	21.49	20.45
	100% RB	2610.0	22.42	21.41	20.37
		2595.0	22.41	21.43	20.41
		2580.0	22.48	21.48	20.43

©Copyright. All rights reserved by CTTL.

LTE band 41

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
5MHz	1 RB high	2687.5	26.72	25.72	24.51
		2593.0	26.69	25.70	24.51
		2498.5	26.52	25.56	24.35
	1 RB low	2687.5	26.76	25.75	24.56
		2593.0	26.74	25.75	24.55
		2498.5	26.57	25.58	24.41
	50% RB mid	2687.5	25.63	24.64	23.66
		2593.0	25.61	24.58	23.62
		2498.5	25.44	24.43	23.47
	100% RB	2687.5	25.66	24.68	23.68
		2593.0	25.61	24.61	23.76
		2498.5	25.49	24.51	23.50
10MHz	1 RB high	2685.0	25.99	25.71	24.48
		2593.0	26.62	25.69	24.44
		2501.0	26.46	25.53	24.30
	1 RB low	2685.0	25.82	25.77	24.53
		2593.0	26.71	25.77	24.54
		2501.0	26.51	25.57	24.37
	50% RB mid	2685.0	25.65	24.69	23.68
		2593.0	25.60	24.63	23.66
		2501.0	25.44	24.46	23.51
	100% RB	2685.0	25.69	24.71	23.65
		2593.0	25.65	24.66	23.59
		2501.0	25.48	24.48	23.42
15MHz	1 RB high	2682.5	26.56	25.65	24.42
		2593.0	26.54	25.62	24.39
		2503.5	26.36	25.45	24.22
	1 RB low	2682.5	26.64	25.74	24.51
		2593.0	26.67	25.74	24.52
		2503.5	26.42	25.51	24.29
	50% RB mid	2682.5	25.64	24.62	23.62
		2593.0	25.59	24.56	23.56
		2503.5	25.35	24.35	23.32
	100% RB	2682.5	25.68	24.67	23.65
		2593.0	25.59	24.55	23.70
		2503.5	25.41	24.38	23.38
20MHz	1 RB high	2680.0	26.35	25.47	24.26
		2593.0	26.32	25.43	24.21
		2506.0	26.22	25.31	24.08
	1 RB low	2680.0	26.48	25.58	24.36

©Copyright. All rights reserved by CTTL.

		2593.0	26.48	25.59	24.40
		2506.0	26.28	25.36	24.14
	50% RB mid	2680.0	25.53	24.61	23.55
		2593.0	25.47	24.53	23.46
		2506.0	25.27	24.30	23.28
	100% RB	2680.0	25.52	24.57	23.54
		2593.0	25.45	24.48	23.46
		2506.0	25.27	24.29	23.26

©Copyright. All rights reserved by CTTL.

LTE band 48

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
5MHz	1 RB high	3697.5	23.78	22.78	21.39
		3625.0	23.84	22.81	21.43
		3552.5	23.71	22.67	21.34
	1 RB low	3697.5	23.85	22.77	21.42
		3625.0	23.89	22.83	21.44
		3552.5	23.75	22.68	21.35
	50% RB mid	3697.5	22.73	21.65	20.72
		3625.0	22.77	21.70	20.74
		3552.5	22.65	21.57	20.63
	100% RB	3697.5	22.72	21.75	20.77
		3625.0	22.78	21.80	20.80
		3552.5	22.67	21.68	20.66
10MHz	1 RB high	3695.0	23.76	22.76	21.35
		3625.0	23.81	22.78	21.37
		3555.0	23.74	22.71	21.32
	1 RB low	3695.0	23.76	22.77	21.35
		3625.0	23.84	22.80	21.42
		3555.0	23.70	22.68	21.29
	50% RB mid	3695.0	22.67	21.73	20.74
		3625.0	22.74	21.77	20.80
		3555.0	22.66	21.64	20.68
	100% RB	3695.0	22.72	21.73	20.73
		3625.0	22.79	21.77	20.76
		3555.0	22.68	21.72	20.65
15MHz	1 RB high	3692.5	23.69	22.74	21.32
		3625.0	23.78	22.75	21.34
		3557.5	23.71	22.71	21.31
	1 RB low	3692.5	23.77	22.73	21.33
		3625.0	23.81	22.81	21.39
		3557.5	23.67	22.65	21.26
	50% RB mid	3692.5	22.74	21.71	20.73
		3625.0	22.72	21.72	20.73
		3557.5	22.66	21.61	20.63
	100% RB	3692.5	22.71	21.77	20.74
		3625.0	22.73	21.74	20.73
		3557.5	22.65	21.68	20.66
20MHz	1 RB high	3690.0	23.71	22.72	21.32
		3625.0	23.73	22.70	21.32

©Copyright. All rights reserved by CTTL.

		3560.0	23.73	22.70	21.29
	1 RB low	3690.0	23.73	22.69	21.29
		3625.0	23.81	22.78	21.38
		3560.0	23.67	22.64	21.24
	50% RB mid	3690.0	22.82	21.81	20.78
		3625.0	22.82	21.81	20.79
		3560.0	22.76	21.75	20.70
	100% RB	3690.0	22.76	21.79	20.76
		3625.0	22.77	21.77	20.74
		3560.0	22.72	21.73	20.67

©Copyright. All rights reserved by CTTL.

LTE band 66

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
1.4MHz	1 RB high	1779.3	24.66	23.77	22.82
		1745.0	24.63	23.93	22.81
		1710.7	24.58	23.70	22.69
	1 RB low	1779.3	24.68	23.85	22.83
		1745.0	24.65	23.85	22.86
		1710.7	24.59	23.76	22.71
	50% RB mid	1779.3	24.73	23.69	22.71
		1745.0	24.63	23.65	22.66
		1710.7	24.58	23.64	22.62
	100% RB	1779.3	23.73	22.80	21.67
		1745.0	23.65	22.65	21.54
		1710.7	23.65	22.70	21.57
3MHz	1 RB high	1778.5	24.69	23.87	22.86
		1745.0	24.67	23.95	22.83
		1711.5	24.59	23.83	22.71
	1 RB low	1778.5	24.71	23.94	22.83
		1745.0	24.65	23.95	22.81
		1711.5	24.61	23.82	22.73
	50% RB mid	1778.5	23.68	22.76	21.71
		1745.0	23.65	22.71	21.62
		1711.5	23.59	22.67	21.62
	100% RB	1778.5	23.68	22.72	21.71
		1745.0	23.60	22.71	21.58
		1711.5	23.60	22.60	21.56
5MHz	1 RB high	1777.5	24.79	23.90	22.87
		1745.0	24.76	23.96	22.87
		1712.5	24.60	23.85	22.66
	1 RB low	1777.5	24.77	23.91	22.88
		1745.0	24.72	24.06	22.83
		1712.5	24.64	23.89	22.73
	50% RB mid	1777.5	23.69	22.72	21.75
		1745.0	23.68	22.65	21.65
		1712.5	23.58	22.58	21.56
	100% RB	1777.5	23.71	22.73	21.69
		1745.0	23.70	22.68	21.71
		1712.5	23.59	22.62	21.59
10MHz	1 RB high	1775.0	24.75	23.93	22.83
		1745.0	24.73	24.04	22.87
		1715.0	24.62	23.81	22.71
	1 RB low	1775.0	24.74	24.02	22.89

©Copyright. All rights reserved by CTTL.

		1745.0	24.69	23.94	22.82
		1715.0	24.66	23.85	22.67
	50% RB mid	1775.0	23.76	22.79	21.76
		1745.0	23.67	22.74	21.70
		1715.0	23.56	22.57	21.59
	100% RB	1775.0	23.76	22.75	21.76
		1745.0	23.73	22.78	21.74
		1715.0	23.65	22.59	21.54
15MHz	1 RB high	1772.5	24.67	23.79	22.80
		1745.0	24.66	23.94	22.82
		1717.5	24.55	23.75	22.72
	1 RB low	1772.5	24.72	23.87	22.87
		1745.0	24.69	23.90	22.80
		1717.5	24.57	23.72	22.72
	50% RB mid	1772.5	23.77	22.76	21.76
		1745.0	23.68	22.68	21.73
		1717.5	23.55	22.54	21.57
	100% RB	1772.5	23.72	22.72	21.78
		1745.0	23.70	22.75	21.65
		1717.5	23.57	22.58	21.50
20MHz	1 RB high	1770.0	24.61	23.81	22.67
		1745.0	24.63	23.79	22.67
		1720.0	24.50	23.68	22.57
	1 RB low	1770.0	24.60	23.76	22.71
		1745.0	24.55	23.75	22.67
		1720.0	24.51	23.66	22.55
	50% RB mid	1770.0	23.74	22.67	21.70
		1745.0	23.64	22.67	21.61
		1720.0	23.51	22.52	21.54
	100% RB	1770.0	23.70	22.71	21.74
		1745.0	23.64	22.66	21.64
		1720.0	23.49	22.45	21.46

©Copyright. All rights reserved by CTTL.

LTE band 71

Bandwidth	RB size/offset	Frequency (MHz)	Power (dBm)		
			QPSK	16QAM	64QAM
5MHz	1 RB high	695.5	24.33	23.52	22.47
		680.5	24.37	23.62	22.51
		665.5	24.42	23.62	22.45
	1 RB low	695.5	24.41	23.59	22.56
		680.5	24.43	23.56	22.52
		665.5	24.55	23.69	22.63
	50% RB mid	695.5	23.30	22.33	21.30
		680.5	23.39	22.38	21.31
		665.5	23.47	22.44	21.49
	100% RB	695.5	23.33	22.36	21.31
		680.5	23.40	22.40	21.42
		665.5	23.45	22.48	21.44
10MHz	1 RB high	693.0	24.42	23.60	22.42
		680.5	24.46	23.64	22.54
		668.0	24.47	23.74	22.56
	1 RB low	693.0	24.48	23.77	22.50
		680.5	24.49	23.68	22.52
		668.0	24.64	23.75	22.59
	50% RB mid	693.0	23.45	22.48	21.39
		680.5	23.48	22.44	21.42
		668.0	23.52	22.47	21.45
	100% RB	693.0	23.59	22.52	21.42
		680.5	23.61	22.45	21.45
		668.0	23.56	22.57	21.45
15MHz	1 RB high	690.5	24.27	23.50	22.37
		680.5	24.30	23.47	22.38
		670.5	24.35	23.55	22.45
	1 RB low	690.5	24.42	23.65	22.54
		680.5	24.46	23.67	22.53
		670.5	24.55	23.68	22.58
	50% RB mid	690.5	23.36	22.34	21.40
		680.5	23.41	22.42	21.42
		670.5	23.41	22.45	21.43
	100% RB	690.5	23.38	22.34	21.26
		680.5	23.47	22.39	21.39
		670.5	23.42	22.35	21.36
20MHz	1 RB high	688.0	24.53	23.69	22.58
		680.5	24.43	22.62	22.53
		673.0	24.47	23.66	22.63
	1 RB low	688.0	24.70	23.81	22.78

©Copyright. All rights reserved by CTTL.

		680.5	24.63	22.65	22.73
		673.0	24.68	23.91	22.75
	50% RB mid	688.0	23.56	22.56	21.56
		680.5	23.58	22.59	21.54
		673.0	23.63	22.64	21.57
	100% RB	688.0	23.56	22.45	21.48
		680.5	23.64	22.62	21.54
		673.0	23.51	22.54	21.56

©Copyright. All rights reserved by CTTL.

LTE CA Band 41C

Bandwidth	Frequency (MHz)	Frequency (MHz)	Modulation	PCC RB		SCC RB		Conducted Power(dBm)
				Size	Offset	Size	Offset	
5MHz/ 20MHz	2583.8	2595.5	QPSK	25	0	100	0	21.23
				1	24	1	0	22.98
			16QAM	25	0	100	0	20.20
				1	24	1	0	22.04
			64QAM	25	0	100	0	20.26
				1	24	1	0	19.94
10MHz/ 15MHz	2585.9	2597.9	QPSK	50	0	75	0	21.28
				1	49	1	0	23.19
			16QAM	50	0	75	0	20.29
				1	49	1	0	22.24
			64QAM	50	0	75	0	20.33
				1	49	1	0	19.92
10MHz/ 20MHz	2583.6	2598.0	QPSK	50	0	100	0	21.29
				1	49	1	0	23.13
			16QAM	50	0	100	0	20.29
				1	49	1	0	22.12
			64QAM	50	0	100	0	20.28
				1	49	1	0	19.83
15MHz/ 10MHz	2588.1	2600.1	QPSK	75	0	50	0	21.32
				1	74	1	0	23.26
			16QAM	75	0	50	0	20.25
				1	74	1	0	22.26
			64QAM	75	0	50	0	20.33
				1	74	1	0	19.95
15MHz/ 15MHz	2585.5	2600.5	QPSK	75	0	75	0	21.39
				1	74	1	0	23.37
			16QAM	75	0	75	0	20.32
				1	74	1	0	22.37
			64QAM	75	0	75	0	20.36
				1	74	1	0	20.04
15MHz/ 20MHz	2583.3	2600.4	QPSK	75	0	100	0	21.28
				1	74	1	0	23.20
			16QAM	75	0	100	0	20.25
				1	74	1	0	22.25
			64QAM	75	0	100	0	20.26
				1	74	1	0	19.92
20MHz/ 5MHz	2590.5	2602.2	QPSK	100	0	25	0	21.29
				1	99	1	0	23.10
			16QAM	100	0	25	0	20.32
				1	99	1	0	22.04

©Copyright. All rights reserved by CTTL.

			64QAM	100	0	25	0	20.24
				1	99	1	0	20.29
20MHz/ 10MHz	2588.1	2602.5	QPSK	100	0	50	0	21.28
				1	99	1	0	23.16
			16QAM	100	0	50	0	20.27
				1	99	1	0	22.03
			64QAM	100	0	50	0	20.32
				1	99	1	0	20.23
20MHz/ 15MHz	2585.6	2602.7	QPSK	100	0	75	0	21.29
				1	99	1	0	23.27
			16QAM	100	0	75	0	20.28
				1	99	1	0	22.20
			64QAM	100	0	75	0	20.28
				1	99	1	0	20.38
20MHz/ 20MHz	2583.1	2602.9	QPSK	100	0	100	0	21.24
				1	99	1	0	23.17
			16QAM	100	0	100	0	20.29
				1	99	1	0	22.11
			64QAM	100	0	100	0	20.23
				1	99	1	0	20.28

©Copyright. All rights reserved by CTTL.

A.1.3 Radiated

A.1.3.1 Description

This is the test for the maximum radiated power from the EUT.

Rule Part 22.913(a) specifies "Mobile stations are limited to 2.0 watts EIRP."

Rule Part 24.232(b) specifies, "Mobile/portable stations are limited to 2 watts e.i.r.p. Peak power" and 24.232(c) specifies that "Peak transmit power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms-equivalent voltage."

Rule Part 27.50(a)(3) specifies "For mobile and portable stations transmitting in the 2305–2315 MHz band or the 2350–2360 MHz band, the average EIRP must not exceed 50 milliwatts within any 1 megahertz of authorized bandwidth, except that for mobile and portable stations compliant with 3GPP LTE standards or another advanced mobile broadband protocol that avoids concentrating energy at the edge of the operating band the average EIRP must not exceed 250 milliwatts within any 5 megahertz of authorized bandwidth but may exceed 50 milliwatts within any 1 megahertz of authorized bandwidth."

Rule Part 27.50(b) specifies "Portable stations (hand-held devices) transmitting in the 746–757 MHz, 776–788 MHz, and 805–806 MHz bands are limited to 3 watts ERP".

Rule Part 27.50(c) specifies "Portable stations (hand-held de-vices) are limited to 3 watts ERP."

Rule Part 27.50(d) specifies " Fixed, mobile, and portable (handheld) stations operating in the 1710–1755 MHz band and mobile and portable stations operating in the 1695–1710 MHz and 1755–1780 MHz bands are limited to 1 watt EIRP "Rule Part 27.50(h)(2) specifies "Mobile stations are limited to 2.0 watts EIRP."

Rule Part 27.50(h) (2) specifies "Mobile stations are limited to 2.0 watts EIRP."

Rule Part 90.542(a) (7) Portable stations (hand-held devices) transmitting in the 758-768 MHz band and the 788-798 MHz band are limited to 3 watts ERP.

Rule Part 90.635(b) specifies "The maximum output power of the transmitter for mobile stations is 100 watts (50dBm)".

Rule Part 96.41(b) the maximum effective isotropic radiated power (EIRP) of any End User Device is 23 dBm/10megahertz.

A.1.3.2 Method of Measurement

The measurements procedures in ANSI C63.26 are used.

1. EUT was placed on a 0.8/1.5 meter high non-conductive stand at a 3 meter test distance from the receive antenna. A receiving antenna was placed on the antenna mast 3 meters from the EUT for emission measurements. The receiving antenna shall be varied from 1 to 4m in height above the reference ground. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the EUT through 360° and the EUT is manipulated through all orthogonal planes representative of its typical use. The test is carried out with both vertical and horizontal polarization of the receiving antenna.The radiated emission measurements of all transmit frequencies in three channels (High, Middle, Low) were measured with rms detector.

©Copyright. All rights reserved by CTTL.



2. The EUT is then put into continuously transmitting mode at its maximum power level during the test. And the maximum value of the receiver should be recorded as (Pr).
3. The EUT shall be replaced by a substitution antenna. The test setup refers to figure below.



In the chamber, a substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power (P_{Mea}) is applied to the input of the substitution antenna. Adjust the level of the signal generator output until the value of the receiver reaches the previously recorded (P_r). The power of signal source (P_{Mea}) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.

4. An amplifier should be connected to the Signal Source output port. And the cable should be connected between the amplifier and the substitution antenna.
   The cable loss (P_{cl}), the substitution antenna Gain (G_a) and the amplifier Gain (P_{Ag}) should be recorded after test.
   The measurement results are obtained as described below:
   Power (EIRP) = $P_{Mea} + P_{Ag} - P_{cl} + G_a$
5. This value is EIRP since the measurement is calibrated using an antenna of known gain (unit dBi) and known input power.
6. ERP can be calculated from EIRP by subtracting the gain of the dipole, ERP = EIRP - 2.15.

The antenna gain provided by the client may affect the validity of the measurement results in this report, and the client shall bear the impact and consequences arising therefrom.

©Copyright. All rights reserved by CTTL.

A.1.3.3 Measurement result

LTE Band 2-EIRP

Limits: ≤33dBm (2W)

LTE Band 2_1.4MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1850.70	-21.86	2.92	43.75	4.87	23.84	33.00	9.16	H
1880.00	-22.00	2.85	43.75	4.82	23.72	33.00	9.28	H
1909.30	-23.27	2.87	43.77	4.76	22.39	33.00	10.61	H

LTE Band 2_3MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1851.50	-21.94	2.87	43.75	4.87	23.81	33.00	9.19	H
1880.00	-22.03	2.85	43.75	4.82	23.69	33.00	9.31	H
1908.50	-23.17	2.89	43.78	4.76	22.48	33.00	10.52	H

LTE Band 2_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1852.50	-21.92	2.87	43.75	4.87	23.83	33.00	9.17	H
1880.00	-21.99	2.85	43.75	4.82	23.73	33.00	9.27	H
1907.50	-23.08	2.84	43.77	4.77	22.62	33.00	10.38	H

LTE Band 2_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1855.00	-21.72	2.88	43.74	4.86	24.00	33.00	9.00	H
1880.00	-21.99	2.85	43.75	4.82	23.73	33.00	9.27	H
1905.00	-22.93	2.87	43.77	4.77	22.74	33.00	10.26	H

LTE Band 2_15MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1857.50	-21.48	2.87	43.75	4.86	24.26	33.00	8.74	H
1880.00	-22.03	2.85	43.75	4.82	23.69	33.00	9.31	H
1902.50	-22.89	2.86	43.77	4.78	22.80	33.00	10.20	H

LTE Band 2_20 MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1860.00	-21.42	2.86	43.75	4.85	24.32	33.00	8.68	H
1880.00	-22.01	2.85	43.75	4.82	23.71	33.00	9.29	H
1900.00	-22.72	2.87	43.77	4.78	22.96	33.00	10.04	H

©Copyright. All rights reserved by CTTL.

LTE Band 2_1.4MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1850.70	-22.59	2.92	43.75	4.87	23.11	33.00	9.89	H
1880.00	-22.77	2.85	43.75	4.82	22.95	33.00	10.05	H
1909.30	-24.02	2.87	43.77	4.76	21.64	33.00	11.36	H

LTE Band 2_3MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1851.50	-22.70	2.87	43.75	4.87	23.05	33.00	9.95	H
1880.00	-22.79	2.85	43.75	4.82	22.93	33.00	10.07	H
1908.50	-23.94	2.89	43.78	4.76	21.71	33.00	11.29	H

LTE Band 2_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1852.50	-22.71	2.87	43.75	4.87	23.04	33.00	9.96	H
1880.00	-22.79	2.85	43.75	4.82	22.93	33.00	10.07	H
1907.50	-23.88	2.84	43.77	4.77	21.82	33.00	11.18	H

LTE Band 2_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1855.00	-22.51	2.88	43.74	4.86	23.21	33.00	9.79	H
1880.00	-22.79	2.85	43.75	4.82	22.93	33.00	10.07	H
1905.00	-23.70	2.87	43.77	4.77	21.97	33.00	11.03	H

LTE Band 2_15MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1857.50	-22.25	2.87	43.75	4.86	23.49	33.00	9.51	H
1880.00	-21.02	2.85	43.75	4.82	24.70	33.00	8.30	V
1902.50	-23.62	2.86	43.77	4.78	22.07	33.00	10.93	H

LTE Band 2_20 MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1860.00	-22.21	2.86	43.75	4.85	23.53	33.00	9.47	H
1880.00	-22.79	2.85	43.75	4.82	22.93	33.00	10.07	H
1900.00	-23.48	2.87	43.77	4.78	22.20	33.00	10.80	H

©Copyright. All rights reserved by CTTL.

LTE Band 2_1.4MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1850.70	-23.70	2.92	43.75	4.87	22.00	33.00	11.00	H
1880.00	-23.85	2.85	43.75	4.82	21.87	33.00	11.13	H
1909.30	-25.11	2.87	43.77	4.76	20.55	33.00	12.45	H

LTE Band 2_3MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1851.50	-23.79	2.87	43.75	4.87	21.96	33.00	11.04	H
1880.00	-23.86	2.85	43.75	4.82	21.86	33.00	11.14	H
1908.50	-25.00	2.89	43.78	4.76	20.65	33.00	12.35	H

LTE Band 2_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1852.50	-23.80	2.87	43.75	4.87	21.95	33.00	11.05	H
1880.00	-23.88	2.85	43.75	4.82	21.84	33.00	11.16	H
1907.50	-24.95	2.84	43.77	4.77	20.75	33.00	12.25	H

LTE Band 2_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1855.00	-23.58	2.88	43.74	4.86	22.14	33.00	10.86	H
1880.00	-23.87	2.85	43.75	4.82	21.85	33.00	11.15	H
1905.00	-24.80	2.87	43.77	4.77	20.87	33.00	12.13	H

LTE Band 2_15MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1857.50	-23.32	2.87	43.75	4.86	22.42	33.00	10.58	H
1880.00	-23.88	2.85	43.75	4.82	21.84	33.00	11.16	H
1902.50	-24.70	2.86	43.77	4.78	20.99	33.00	12.01	H

LTE Band 2_20 MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1860.00	-23.31	2.86	43.75	4.85	22.43	33.00	10.57	H
1880.00	-23.90	2.85	43.75	4.82	21.82	33.00	11.18	H
1900.00	-24.59	2.87	43.77	4.78	21.09	33.00	11.91	H

©Copyright. All rights reserved by CTTL.

LTE Band 4- EIRP

Limits: ≤30dBm (1W)

LTE Band 4_1.4MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1710.70	-23.95	3.17	44.10	5.12	22.10	30.00	7.90	H
1732.50	-23.06	3.33	44.14	5.08	22.83	30.00	7.17	H
1754.30	-22.22	3.76	44.14	5.04	23.20	30.00	6.80	H

LTE Band 4_3MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1711.50	-23.79	3.40	44.10	5.12	22.03	30.00	7.97	H
1732.50	-23.07	3.33	44.14	5.08	22.82	30.00	7.18	H
1753.50	-22.20	3.80	44.13	5.04	23.17	30.00	6.83	H

LTE Band 4_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1712.50	-23.41	3.66	44.10	5.12	22.15	30.00	7.85	H
1732.50	-23.05	3.33	44.14	5.08	22.84	30.00	7.16	H
1752.50	-22.17	3.82	44.14	5.05	23.20	30.00	6.80	H

LTE Band 4_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1715.00	-23.42	3.56	44.10	5.11	22.23	30.00	7.77	H
1732.50	-23.03	3.33	44.14	5.08	22.86	30.00	7.14	H
1750.00	-23.01	3.00	44.15	5.05	23.19	30.00	6.81	H

LTE Band 4_15MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1717.50	-23.60	3.47	44.11	5.11	22.15	30.00	7.85	H
1732.50	-23.05	3.33	44.14	5.08	22.84	30.00	7.16	H
1747.50	-22.71	3.34	44.15	5.05	23.15	30.00	6.85	H

LTE Band 4_20 MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1720.00	-23.63	3.37	44.11	5.10	22.21	30.00	7.79	H
1732.50	-23.03	3.33	44.14	5.08	22.86	30.00	7.14	H
1745.00	-21.77	3.68	44.16	5.06	23.77	30.00	6.23	H

©Copyright. All rights reserved by CTTL.

LTE Band 4_1.4MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1710.70	-24.61	3.17	44.10	5.12	21.44	30.00	8.56	H
1732.50	-23.80	3.33	44.14	5.08	22.09	30.00	7.91	H
1754.30	-22.94	3.76	44.14	5.04	22.48	30.00	7.52	H

LTE Band 4_3MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1711.50	-24.42	3.40	44.10	5.12	21.40	30.00	8.60	H
1732.50	-23.81	3.33	44.14	5.08	22.08	30.00	7.92	H
1753.50	-22.92	3.80	44.13	5.04	22.45	30.00	7.55	H

LTE Band 4_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1712.50	-24.05	3.66	44.10	5.12	21.51	30.00	8.49	H
1732.50	-23.81	3.33	44.14	5.08	22.08	30.00	7.92	H
1752.50	-22.93	3.82	44.14	5.05	22.44	30.00	7.56	H

LTE Band 4_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1715.00	-24.10	3.56	44.10	5.11	21.55	30.00	8.45	H
1732.50	-23.81	3.33	44.14	5.08	22.08	30.00	7.92	H
1750.00	-23.78	3.00	44.15	5.05	22.42	30.00	7.58	H

LTE Band 4_15MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1717.50	-24.27	3.47	44.11	5.11	21.48	30.00	8.52	H
1732.50	-23.79	3.33	44.14	5.08	22.10	30.00	7.90	H
1747.50	-23.46	3.34	44.15	5.05	22.40	30.00	7.60	H

LTE Band 4_20 MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1720.00	-24.25	3.37	44.11	5.10	21.59	30.00	8.41	H
1732.50	-23.81	3.33	44.14	5.08	22.08	30.00	7.92	H
1745.00	-23.07	3.68	44.16	5.06	22.47	30.00	7.53	H

©Copyright. All rights reserved by CTTL.

LTE Band 4_1.4MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1710.70	-25.82	3.17	44.10	5.12	20.23	30.00	9.77	H
1732.50	-24.91	3.33	44.14	5.08	20.98	30.00	9.02	H
1754.30	-24.06	3.76	44.14	5.04	21.36	30.00	8.64	H

LTE Band 4_3MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1711.50	-25.65	3.40	44.10	5.12	20.17	30.00	9.83	H
1732.50	-24.90	3.33	44.14	5.08	20.99	30.00	9.01	H
1753.50	-24.02	3.80	44.13	5.04	21.35	30.00	8.65	H

LTE Band 4_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1712.50	-25.21	3.66	44.10	5.12	20.35	30.00	9.65	H
1732.50	-24.91	3.33	44.14	5.08	20.98	30.00	9.02	H
1752.50	-24.02	3.82	44.14	5.05	21.35	30.00	8.65	H

LTE Band 4_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1715.00	-25.24	3.56	44.10	5.11	20.41	30.00	9.59	H
1732.50	-24.90	3.33	44.14	5.08	20.99	30.00	9.01	H
1750.00	-24.87	3.00	44.15	5.05	21.33	30.00	8.67	H

LTE Band 4_15MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1717.50	-25.38	3.47	44.11	5.11	20.37	30.00	9.63	H
1732.50	-24.90	3.33	44.14	5.08	20.99	30.00	9.01	H
1747.50	-24.55	3.34	44.15	5.05	21.31	30.00	8.69	H

LTE Band 4_20 MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1720.00	-25.38	3.37	44.11	5.10	20.46	30.00	9.54	H
1732.50	-24.90	3.33	44.14	5.08	20.99	30.00	9.01	H
1745.00	-24.18	3.68	44.16	5.06	21.36	30.00	8.64	H

©Copyright. All rights reserved by CTTL.

LTE Band 5-ERP

Limits: ≤38.45dBm (7W)

LTE Band 5_1.4MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
824.70	-23.84	2.26	45.79	0.95	2.15	18.49	38.45	19.96	V
836.50	-23.16	2.26	45.66	0.82	2.15	18.91	38.45	19.54	V
848.30	-23.26	2.27	45.55	0.80	2.15	18.67	38.45	19.78	H

LTE Band 5_3MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
825.50	-23.86	2.26	45.79	0.94	2.15	18.46	38.45	19.99	V
836.50	-23.40	2.26	45.66	0.82	2.15	18.67	38.45	19.78	V
847.50	-23.32	2.27	45.56	0.81	2.15	18.63	38.45	19.82	H

LTE Band 5_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
826.50	-23.75	2.25	45.77	0.93	2.15	18.55	38.45	19.90	V
836.50	-23.29	2.26	45.66	0.82	2.15	18.78	38.45	19.67	V
846.50	-23.24	2.26	45.56	0.82	2.15	18.73	38.45	19.72	V

LTE Band 5_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
829.00	-23.42	2.25	45.77	0.90	2.15	18.85	38.45	19.60	V
836.50	-23.10	2.26	45.66	0.82	2.15	18.97	38.45	19.48	V
844.00	-23.09	2.26	45.59	0.82	2.15	18.91	38.45	19.54	V

©Copyright. All rights reserved by CTTL.

LTE Band 5_1.4MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
824.70	-24.57	2.26	45.79	0.95	2.15	17.76	38.45	20.69	V
836.50	-24.02	2.26	45.66	0.82	2.15	18.05	38.45	20.40	V
848.30	-23.99	2.27	45.55	0.80	2.15	17.94	38.45	20.51	H

LTE Band 5_3MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
825.50	-24.63	2.26	45.79	0.94	2.15	17.69	38.45	20.76	V
836.50	-24.13	2.26	45.66	0.82	2.15	17.94	38.45	20.51	V
847.50	-23.99	2.27	45.56	0.81	2.15	17.96	38.45	20.49	H

LTE Band 5_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
826.50	-24.57	2.25	45.77	0.93	2.15	17.73	38.45	20.72	V
836.50	-24.05	2.26	45.66	0.82	2.15	18.02	38.45	20.43	V
846.50	-23.96	2.26	45.56	0.82	2.15	18.01	38.45	20.44	V

LTE Band 5_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
829.00	-24.21	2.25	45.77	0.90	2.15	18.06	38.45	20.39	V
836.50	-23.85	2.26	45.66	0.82	2.15	18.22	38.45	20.23	V
844.00	-23.90	2.26	45.59	0.82	2.15	18.10	38.45	20.35	V

©Copyright. All rights reserved by CTTL.

LTE Band 5_1.4MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
824.70	-25.48	2.26	45.79	0.95	2.15	16.85	38.45	21.60	V
836.50	-25.01	2.26	45.66	0.82	2.15	17.06	38.45	21.39	V
848.30	-24.93	2.27	45.55	0.80	2.15	17.00	38.45	21.45	H

LTE Band 5_3MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
825.50	-25.54	2.26	45.79	0.94	2.15	16.78	38.45	21.67	V
836.50	-25.06	2.26	45.66	0.82	2.15	17.01	38.45	21.44	V
847.50	-24.98	2.27	45.56	0.81	2.15	16.97	38.45	21.48	H

LTE Band 5_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
826.50	-25.50	2.25	45.77	0.93	2.15	16.80	38.45	21.65	V
836.50	-24.98	2.26	45.66	0.82	2.15	17.09	38.45	21.36	V
846.50	-25.08	2.26	45.56	0.82	2.15	16.89	38.45	21.56	V

LTE Band 5_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
829.00	-25.14	2.25	45.77	0.90	2.15	17.13	38.45	21.32	V
836.50	-24.84	2.26	45.66	0.82	2.15	17.23	38.45	21.22	V
844.00	-24.85	2.26	45.59	0.82	2.15	17.15	38.45	21.30	V

©Copyright. All rights reserved by CTTL.

LTE Band 7- EIRP

Limits: ≤33 dBm (2W)

LTE Band 7_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2502.50	-24.62	3.58	45.68	6.10	23.58	33.00	9.42	H
2535.00	-22.24	3.63	44.82	6.16	25.11	33.00	7.89	H
2567.50	-23.29	3.65	44.92	6.22	24.20	33.00	8.80	H

LTE Band 7_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2505.00	-24.64	3.59	45.64	6.11	23.52	33.00	9.48	H
2535.00	-21.92	3.63	44.82	6.16	25.43	33.00	7.57	H
2565.00	-22.94	3.65	44.97	6.22	24.60	33.00	8.40	H

LTE Band 7_15MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2507.50	-23.83	3.59	44.92	6.11	23.61	33.00	9.39	H
2535.00	-21.99	3.63	44.82	6.16	25.36	33.00	7.64	H
2562.50	-23.20	3.65	45.67	6.21	25.03	33.00	7.97	H

LTE Band 7_20 MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2510.00	-24.06	3.58	45.36	6.12	23.84	33.00	9.16	H
2535.00	-21.90	3.63	44.82	6.16	25.45	33.00	7.55	H
2560.00	-22.66	3.63	45.98	6.21	25.90	33.00	7.10	H

©Copyright. All rights reserved by CTTL.

LTE Band 7_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2502.50	-25.24	3.58	45.68	6.10	22.96	33.00	10.04	H
2535.00	-23.07	3.63	44.82	6.16	24.28	33.00	8.72	H
2567.50	-23.89	3.65	44.92	6.22	23.60	33.00	9.40	H

LTE Band 7_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2505.00	-24.64	3.59	45.64	6.11	23.52	33.00	9.48	H
2535.00	-23.12	3.63	44.82	6.16	24.23	33.00	8.77	H
2565.00	-23.54	3.65	44.97	6.22	24.00	33.00	9.00	H

LTE Band 7_15MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2507.50	-24.42	3.59	44.92	6.11	23.02	33.00	9.98	H
2535.00	-23.08	3.63	44.82	6.16	24.27	33.00	8.73	H
2562.50	-23.79	3.65	45.67	6.21	24.44	33.00	8.56	H

LTE Band 7_20 MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2510.00	-25.78	3.58	45.36	6.12	22.12	33.00	10.88	H
2535.00	-23.10	3.63	44.82	6.16	24.25	33.00	8.75	H
2560.00	-24.39	3.63	45.98	6.21	24.17	33.00	8.83	H

©Copyright. All rights reserved by CTTL.

LTE Band 7_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2502.50	-26.24	3.58	45.68	6.10	21.96	33.00	11.04	H
2535.00	-24.19	3.63	44.82	6.16	23.16	33.00	9.84	H
2567.50	-25.00	3.65	44.92	6.22	22.49	33.00	10.51	H

LTE Band 7_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2505.00	-26.38	3.59	45.64	6.11	21.78	33.00	11.22	H
2535.00	-23.51	3.63	44.82	6.16	23.84	33.00	9.16	H
2565.00	-22.94	3.65	44.97	6.22	24.60	33.00	8.40	H

LTE Band 7_15MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2507.50	-25.53	3.59	44.92	6.11	21.91	33.00	11.09	H
2535.00	-23.20	3.63	44.82	6.16	24.15	33.00	8.85	H
2562.50	-24.90	3.65	45.67	6.21	23.33	33.00	9.67	H

LTE Band 7_20 MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2510.00	-25.78	3.58	45.36	6.12	22.12	33.00	10.88	H
2535.00	-23.72	3.63	44.82	6.16	23.63	33.00	9.37	H
2560.00	-24.39	3.63	45.98	6.21	24.17	33.00	8.83	H

©Copyright. All rights reserved by CTTL.

LTE Band 12 - ERP

Limits: ≤34.77dBm (3W)

LTE Band 12_1.4MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
699.70	-20.49	1.90	44.66	0.77	2.15	20.89	34.77	13.88	V
707.50	-20.84	1.91	44.94	0.62	2.15	20.66	34.77	14.11	V
715.30	-21.01	1.92	45.26	0.50	2.15	20.68	34.77	14.09	V

LTE Band 12_3MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
700.50	-20.58	1.90	44.68	0.76	2.15	20.81	34.77	13.96	V
707.50	-20.90	1.91	44.94	0.62	2.15	20.60	34.77	14.17	V
714.50	-21.08	1.92	45.26	0.50	2.15	20.61	34.77	14.16	V

LTE Band 12_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
701.50	-20.73	1.90	44.81	0.74	2.15	20.77	34.77	14.00	V
707.50	-20.88	1.91	44.94	0.62	2.15	20.62	34.77	14.15	V
713.50	-21.07	1.92	45.22	0.50	2.15	20.58	34.77	14.19	V

LTE Band 12_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
704.00	-20.79	1.91	44.93	0.70	2.15	20.78	34.77	13.99	V
707.50	-20.92	1.91	44.94	0.62	2.15	20.58	34.77	14.19	V
711.00	-21.19	1.92	45.19	0.53	2.15	20.46	34.77	14.31	V

©Copyright. All rights reserved by CTTL.

LTE Band 12_1.4MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
699.70	-21.19	1.90	44.66	0.77	2.15	20.19	34.77	14.58	V
707.50	-21.55	1.91	44.94	0.62	2.15	19.95	34.77	14.82	V
715.30	-21.73	1.92	45.26	0.50	2.15	19.96	34.77	14.81	V

LTE Band 12_3MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
700.50	-21.30	1.90	44.68	0.76	2.15	20.09	34.77	14.68	V
707.50	-21.65	1.91	44.94	0.62	2.15	19.85	34.77	14.92	V
714.50	-21.84	1.92	45.26	0.50	2.15	19.85	34.77	14.92	V

LTE Band 12_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
701.50	-21.47	1.90	44.81	0.74	2.15	20.03	34.77	14.74	V
707.50	-21.64	1.91	44.94	0.62	2.15	19.86	34.77	14.91	V
713.50	-21.83	1.92	45.22	0.50	2.15	19.82	34.77	14.95	V

LTE Band 12_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
704.00	-21.54	1.91	44.93	0.70	2.15	20.03	34.77	14.74	V
707.50	-21.67	1.91	44.94	0.62	2.15	19.83	34.77	14.94	V
711.00	-21.95	1.92	45.19	0.53	2.15	19.70	34.77	15.07	V

©Copyright. All rights reserved by CTTL.

LTE Band 12_1.4MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
699.70	-22.30	1.90	44.66	0.77	2.15	19.08	34.77	15.69	V
707.50	-22.66	1.91	44.94	0.62	2.15	18.84	34.77	15.93	V
715.30	-22.82	1.92	45.26	0.50	2.15	18.87	34.77	15.90	V

LTE Band 12_3MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
700.50	-22.38	1.90	44.68	0.76	2.15	19.01	34.77	15.76	V
707.50	-22.66	1.91	44.94	0.62	2.15	18.84	34.77	15.93	V
714.50	-22.91	1.92	45.26	0.50	2.15	18.78	34.77	15.99	V

LTE Band 12_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
701.50	-22.57	1.90	44.81	0.74	2.15	18.93	34.77	15.84	V
707.50	-22.74	1.91	44.94	0.62	2.15	18.76	34.77	16.01	V
713.50	-22.92	1.92	45.22	0.50	2.15	18.73	34.77	16.04	V

LTE Band 12_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
704.00	-22.61	1.91	44.93	0.70	2.15	18.96	34.77	15.81	V
707.50	-22.76	1.91	44.94	0.62	2.15	18.74	34.77	16.03	V
711.00	-23.04	1.92	45.19	0.53	2.15	18.61	34.77	16.16	V

©Copyright. All rights reserved by CTTL.

LTE Band 13- ERP

Limits: ≤34.77 dBm (3W)

LTE Band 13_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
779.50	-20.51	2.01	45.64	0.04	2.15	21.01	34.77	13.76	V
782.00	-20.59	2.01	45.65	0.09	2.15	20.99	34.77	13.78	V
784.50	-20.72	2.01	45.67	0.16	2.15	20.95	34.77	13.82	V

LTE Band 13_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
782.00	-20.65	2.01	45.65	0.09	2.15	20.93	34.77	13.84	V

LTE Band 13_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
779.50	-21.14	2.01	45.64	0.04	2.15	20.38	34.77	14.39	V
782.00	-21.20	2.01	45.65	0.09	2.15	20.38	34.77	14.39	V
784.50	-21.34	2.01	45.67	0.16	2.15	20.33	34.77	14.44	V

LTE Band 13_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
782.00	-21.28	2.01	45.65	0.09	2.15	20.30	34.77	14.47	V

LTE Band 13_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
779.50	-22.20	2.01	45.64	0.04	2.15	19.32	34.77	15.45	V
782.00	-22.31	2.01	45.65	0.09	2.15	19.27	34.77	15.50	V
784.50	-22.44	2.01	45.67	0.16	2.15	19.23	34.77	15.54	V

LTE Band 13_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
782.00	-22.37	2.01	45.65	0.09	2.15	19.21	34.77	15.56	V

©Copyright. All rights reserved by CTTL.

LTE Band 14- ERP

Limits: ≤34.77 dBm (3W)

LTE Band 14_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
790.50	-20.83	2.02	45.71	0.18	2.15	20.89	34.77	13.88	V
793.00	-20.98	2.03	45.72	0.19	2.15	20.75	34.77	14.02	V
795.50	-21.44	2.03	45.74	0.20	2.15	20.32	34.77	14.45	V

LTE Band 14_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
793.00	-20.99	2.03	45.72	0.19	2.15	20.74	34.77	14.03	V

LTE Band 14_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
790.50	-21.45	2.02	45.71	0.18	2.15	20.27	34.77	14.50	V
793.00	-21.62	2.03	45.72	0.19	2.15	20.11	34.77	14.66	V
795.50	-22.05	2.03	45.74	0.20	2.15	19.71	34.77	15.06	V

LTE Band 14_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
793.00	-21.61	2.03	45.72	0.19	2.15	20.12	34.77	14.65	V

LTE Band 14_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
790.50	-22.54	2.02	45.71	0.18	2.15	19.18	34.77	15.59	V
793.00	-22.70	2.03	45.72	0.19	2.15	19.03	34.77	15.74	V
795.50	-23.16	2.03	45.74	0.20	2.15	18.60	34.77	16.17	V

LTE Band 14_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
793.00	-22.71	2.03	45.72	0.19	2.15	19.02	34.77	15.75	V

©Copyright. All rights reserved by CTTL.

LTE Band 25- EIRP

Limits: ≤33dBm (2W)

LTE Band 25_1.4MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1850.70	-22.05	2.92	43.75	4.87	23.65	33.00	9.35	H
1882.50	-21.75	3.13	43.75	4.81	23.68	33.00	9.32	H
1914.30	-22.91	2.89	43.78	4.75	22.73	33.00	10.27	H

LTE Band 25_3MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1851.50	-22.18	2.87	43.75	4.87	23.57	33.00	9.43	H
1882.50	-21.79	3.13	43.75	4.81	23.64	33.00	9.36	H
1913.50	-23.02	2.88	43.78	4.76	22.64	33.00	10.36	H

LTE Band 25_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1852.50	-22.22	2.87	43.75	4.87	23.53	33.00	9.47	H
1882.50	-21.81	3.13	43.75	4.81	23.62	33.00	9.38	H
1912.50	-23.03	2.86	43.77	4.76	22.64	33.00	10.36	H

LTE Band 25_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1855.00	-22.10	2.88	43.74	4.86	23.62	33.00	9.38	H
1882.50	-21.83	3.13	43.75	4.81	23.60	33.00	9.40	H
1910.00	-23.16	2.88	43.77	4.76	22.49	33.00	10.51	H

LTE Band 25_15MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1857.50	-21.82	2.87	43.75	4.86	23.92	33.00	9.08	H
1882.50	-21.81	3.13	43.75	4.81	23.62	33.00	9.38	H
1907.50	-23.09	2.84	43.77	4.77	22.61	33.00	10.39	H

LTE Band 25_20 MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1860.00	-21.76	2.86	43.75	4.85	23.98	33.00	9.02	H
1882.50	-21.85	3.13	43.75	4.81	23.58	33.00	9.42	H
1905.00	-23.08	2.87	43.77	4.77	22.59	33.00	10.41	H

©Copyright. All rights reserved by CTTL.

LTE Band 25_1.4MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1850.70	-22.79	2.92	43.75	4.87	22.91	33.00	10.09	H
1882.50	-22.51	3.13	43.75	4.81	22.92	33.00	10.08	H
1914.30	-23.65	2.89	43.78	4.75	21.99	33.00	11.01	H

LTE Band 25_3MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1851.50	-22.96	2.87	43.75	4.87	22.79	33.00	10.21	H
1882.50	-22.58	3.13	43.75	4.81	22.85	33.00	10.15	H
1913.50	-23.78	2.88	43.78	4.76	21.88	33.00	11.12	H

LTE Band 25_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1852.50	-23.02	2.87	43.75	4.87	22.73	33.00	10.27	H
1882.50	-22.61	3.13	43.75	4.81	22.82	33.00	10.18	H
1912.50	-23.85	2.86	43.77	4.76	21.82	33.00	11.18	H

LTE Band 25_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1855.00	-22.80	2.88	43.74	4.86	22.92	33.00	10.08	H
1882.50	-22.63	3.13	43.75	4.81	22.80	33.00	10.20	H
1910.00	-23.95	2.88	43.77	4.76	21.70	33.00	11.30	H

LTE Band 25_15MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1857.50	-22.62	2.87	43.75	4.86	23.12	33.00	9.88	H
1882.50	-22.60	3.13	43.75	4.81	22.83	33.00	10.17	H
1907.50	-23.88	2.84	43.77	4.77	21.82	33.00	11.18	H

LTE Band 25_20 MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1860.00	-22.55	2.86	43.75	4.85	23.19	33.00	9.81	H
1882.50	-22.64	3.13	43.75	4.81	22.79	33.00	10.21	H
1905.00	-26.68	2.87	43.77	4.77	18.99	33.00	14.01	H

©Copyright. All rights reserved by CTTL.

LTE Band 25_1.4MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1850.70	-23.90	2.92	43.75	4.87	21.80	33.00	11.20	H
1882.50	-23.61	3.13	43.75	4.81	21.82	33.00	11.18	H
1914.30	-24.77	2.89	43.78	4.75	20.87	33.00	12.13	H

LTE Band 25_3MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1851.50	-24.03	2.87	43.75	4.87	21.72	33.00	11.28	H
1882.50	-23.65	3.13	43.75	4.81	21.78	33.00	11.22	H
1913.50	-24.87	2.88	43.78	4.76	20.79	33.00	12.21	H

LTE Band 25_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1852.50	-24.10	2.87	43.75	4.87	21.65	33.00	11.35	H
1882.50	-23.69	3.13	43.75	4.81	21.74	33.00	11.26	H
1912.50	-24.95	2.86	43.77	4.76	20.72	33.00	12.28	H

LTE Band 25_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1855.00	-23.97	2.88	43.74	4.86	21.75	33.00	11.25	H
1882.50	-23.71	3.13	43.75	4.81	21.72	33.00	11.28	H
1910.00	-25.04	2.88	43.77	4.76	20.61	33.00	12.39	H

LTE Band 25_15MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1857.50	-23.70	2.87	43.75	4.86	22.04	33.00	10.96	H
1882.50	-23.67	3.13	43.75	4.81	21.76	33.00	11.24	H
1907.50	-24.96	2.84	43.77	4.77	20.74	33.00	12.26	H

LTE Band 25_20 MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1860.00	-23.63	2.86	43.75	4.85	22.11	33.00	10.89	H
1882.50	-23.72	3.13	43.75	4.81	21.71	33.00	11.29	H
1905.00	-24.95	2.87	43.77	4.77	20.72	33.00	12.28	H

©Copyright. All rights reserved by CTTL.

LTE Band 26(814MHz~824MHz)- ERP

Limits: ≤50dBm (100W)

LTE Band 26_1.4MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
814.70	-23.96	2.13	45.86	0.89	2.15	18.51	50.00	31.49	V
819.00	-24.00	2.19	45.84	1.05	2.15	18.55	50.00	31.45	V
823.30	-23.17	2.24	45.79	0.55	2.15	18.78	50.00	31.22	V

LTE Band 26_3MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
815.50	-24.00	2.14	45.87	0.93	2.15	18.51	50.00	31.49	V
819.00	-24.08	2.19	45.84	1.05	2.15	18.47	50.00	31.53	V
822.50	-23.10	2.23	45.81	0.33	2.15	18.66	50.00	31.34	V

LTE Band 26_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
816.50	-24.00	2.16	45.88	0.98	2.15	18.55	50.00	31.45	V
819.00	-24.06	2.19	45.84	1.05	2.15	18.49	50.00	31.51	V
821.50	-23.51	2.22	45.82	0.71	2.15	18.65	50.00	31.35	V

LTE Band 26_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
819.00	-24.15	2.19	45.84	1.05	2.15	18.40	50.00	31.60	V

©Copyright. All rights reserved by CTTL.

LTE Band 26_1.4MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
814.70	-24.58	2.13	45.86	0.89	2.15	17.89	50.00	32.11	V
819.00	-24.73	2.19	45.84	1.05	2.15	17.82	50.00	32.18	V
823.30	-23.90	2.24	45.79	0.55	2.15	18.05	50.00	31.95	V

LTE Band 26_3MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
815.50	-24.73	2.14	45.87	0.93	2.15	17.78	50.00	32.22	V
819.00	-24.83	2.19	45.84	1.05	2.15	17.72	50.00	32.28	V
822.50	-23.84	2.23	45.81	0.33	2.15	17.92	50.00	32.08	V

LTE Band 26_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
816.50	-24.80	2.16	45.88	0.98	2.15	17.75	50.00	32.25	V
819.00	-24.70	2.19	45.84	1.05	2.15	17.85	50.00	32.15	V
821.50	-24.19	2.22	45.82	0.71	2.15	17.97	50.00	32.03	V

LTE Band 26_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
819.00	-24.57	2.19	45.84	1.05	2.15	17.98	50.00	32.02	V

©Copyright. All rights reserved by CTTL.

LTE Band 26_1.4MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
814.70	-25.64	2.13	45.86	0.89	2.15	16.83	50.00	33.17	V
819.00	-25.66	2.19	45.84	1.05	2.15	16.89	50.00	33.11	V
823.30	-24.85	2.24	45.79	0.55	2.15	17.10	50.00	32.90	V

LTE Band 26_3MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
815.50	-25.67	2.14	45.87	0.93	2.15	16.84	50.00	33.16	V
819.00	-25.74	2.19	45.84	1.05	2.15	16.81	50.00	33.19	V
822.50	-24.77	2.23	45.81	0.33	2.15	16.99	50.00	33.01	V

LTE Band 26_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
816.50	-25.69	2.16	45.88	0.98	2.15	16.86	50.00	33.14	V
819.00	-25.83	2.19	45.84	1.05	2.15	16.72	50.00	33.28	V
821.50	-25.24	2.22	45.82	0.71	2.15	16.92	50.00	33.08	V

LTE Band 26_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
819.00	-25.66	2.19	45.84	1.05	2.15	16.89	50.00	33.11	V

©Copyright. All rights reserved by CTTL.

LTE Band 26(824MHz~849MHz) - ERP

Limits: ≤38.45dBm (7W)

LTE Band 26_1.4MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
824.70	-23.62	2.26	45.79	0.95	2.15	18.71	38.45	19.74	V
836.50	-23.06	2.26	45.66	0.82	2.15	19.01	38.45	19.44	V
848.30	-22.69	2.27	45.55	0.80	2.15	19.24	38.45	19.21	H

LTE Band 26_3MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
825.50	-23.53	2.26	45.79	0.94	2.15	18.79	38.45	19.66	V
836.50	-23.03	2.26	45.66	0.82	2.15	19.04	38.45	19.41	V
847.50	-22.78	2.27	45.56	0.81	2.15	19.17	38.45	19.28	H

LTE Band 26_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
826.50	-23.48	2.25	45.77	0.93	2.15	18.82	38.45	19.63	V
836.50	-23.00	2.26	45.66	0.82	2.15	19.07	38.45	19.38	V
846.50	-22.90	2.26	45.56	0.82	2.15	19.07	38.45	19.38	H

LTE Band 26_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
829.00	-23.33	2.25	45.77	0.90	2.15	18.94	38.45	19.51	V
836.50	-23.05	2.26	45.66	0.82	2.15	19.02	38.45	19.43	V
844.00	-23.44	2.26	45.59	0.82	2.15	18.56	38.45	19.89	V

LTE Band 26_15MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
831.50	-23.31	2.12	45.71	0.87	2.15	19.00	38.45	19.45	V
836.50	-23.06	2.26	45.66	0.82	2.15	19.01	38.45	19.44	V
841.50	-23.22	2.26	45.61	0.82	2.15	18.80	38.45	19.65	V

©Copyright. All rights reserved by CTTL.

LTE Band 26_1.4MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
824.70	-24.35	2.26	45.79	0.95	2.15	17.98	38.45	20.47	V
836.50	-23.78	2.26	45.66	0.82	2.15	18.29	38.45	20.16	V
848.30	-23.42	2.27	45.55	0.80	2.15	18.51	38.45	19.94	H

LTE Band 26_3MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
825.50	-24.27	2.26	45.79	0.94	2.15	18.05	38.45	20.40	V
836.50	-23.77	2.26	45.66	0.82	2.15	18.30	38.45	20.15	V
847.50	-23.50	2.27	45.56	0.81	2.15	18.45	38.45	20.00	H

LTE Band 26_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
826.50	-24.25	2.25	45.77	0.93	2.15	18.05	38.45	20.40	V
836.50	-23.74	2.26	45.66	0.82	2.15	18.33	38.45	20.12	V
846.50	-23.93	2.26	45.56	0.82	2.15	18.04	38.45	20.41	H

LTE Band 26_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
829.00	-24.09	2.25	45.77	0.90	2.15	18.18	38.45	20.27	V
836.50	-23.77	2.26	45.66	0.82	2.15	18.30	38.45	20.15	V
844.00	-24.21	2.26	45.59	0.82	2.15	17.79	38.45	20.66	V

LTE Band 26_15MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
831.50	-24.06	2.12	45.71	0.87	2.15	18.25	38.45	20.20	V
836.50	-23.78	2.26	45.66	0.82	2.15	18.29	38.45	20.16	V
841.50	-24.00	2.26	45.61	0.82	2.15	18.02	38.45	20.43	V

©Copyright. All rights reserved by CTTL.

LTE Band 26_1.4MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
824.70	-25.28	2.26	45.79	0.95	2.15	17.05	38.45	21.40	V
836.50	-24.74	2.26	45.66	0.82	2.15	17.33	38.45	21.12	V
848.30	-24.37	2.27	45.55	0.80	2.15	17.56	38.45	20.89	H

LTE Band 26_3MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
825.50	-25.18	2.26	45.79	0.94	2.15	17.14	38.45	21.31	V
836.50	-24.71	2.26	45.66	0.82	2.15	17.36	38.45	21.09	V
847.50	-24.37	2.27	45.56	0.81	2.15	17.58	38.45	20.87	H

LTE Band 26_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
826.50	-25.18	2.25	45.77	0.93	2.15	17.12	38.45	21.33	V
836.50	-24.70	2.26	45.66	0.82	2.15	17.37	38.45	21.08	V
846.50	-24.60	2.26	45.56	0.82	2.15	17.37	38.45	21.08	H

LTE Band 26_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
829.00	-25.05	2.25	45.77	0.90	2.15	17.22	38.45	21.23	V
836.50	-24.76	2.26	45.66	0.82	2.15	17.31	38.45	21.14	V
844.00	-25.17	2.26	45.59	0.82	2.15	16.83	38.45	21.62	V

LTE Band 26_15MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
831.50	-25.03	2.12	45.71	0.87	2.15	17.28	38.45	21.17	V
836.50	-24.75	2.26	45.66	0.82	2.15	17.32	38.45	21.13	V
841.50	-24.93	2.26	45.61	0.82	2.15	17.09	38.45	21.36	V

©Copyright. All rights reserved by CTTL.

LTE Band 30- EIRP

Limits: ≤24 dBm (250mW)

LTE Band 30_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2307.50	-23.24	3.48	44.55	5.52	23.35	24.00	0.65	H
2310.00	-22.90	3.48	44.55	5.53	23.70	24.00	0.30	H
2312.50	-23.12	3.48	44.56	5.54	23.50	24.00	0.50	H

LTE Band 30_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2310.00	-22.85	3.48	44.55	5.53	23.75	24.00	0.25	H

LTE Band 30_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2307.50	-23.78	3.48	44.55	5.52	22.81	24.00	1.19	H
2310.00	-23.53	3.48	44.55	5.53	23.07	24.00	0.93	H
2312.50	-23.68	3.48	44.56	5.54	22.94	24.00	1.06	H

LTE Band 30_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2310.00	-23.57	3.48	44.55	5.53	23.03	24.00	0.97	H

LTE Band 30_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2307.50	-24.39	3.48	44.55	5.52	22.20	24.00	1.80	H
2310.00	-24.62	3.48	44.55	5.53	21.98	24.00	2.02	H
2312.50	-24.73	3.48	44.56	5.54	21.89	24.00	2.11	H

LTE Band 30_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2310.00	-24.60	3.48	44.55	5.53	22.00	24.00	2.00	H

©Copyright. All rights reserved by CTTL.

LTE Band 38-EIRP

Limits: ≤33dBm (2W)

LTE Band 38_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2572.50	-23.36	3.66	44.92	6.23	24.13	33.00	8.87	H
2595.00	-22.94	3.69	44.91	6.27	24.55	33.00	8.45	H
2617.50	-23.13	3.68	44.94	6.31	24.44	33.00	8.56	H

LTE Band 38_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2575.00	-23.01	3.66	44.92	6.23	24.48	33.00	8.52	H
2595.00	-22.85	3.69	44.91	6.27	24.64	33.00	8.36	H
2615.00	-22.73	3.68	44.94	6.31	24.84	33.00	8.16	H

LTE Band 38_15MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2577.50	-22.97	3.66	44.92	6.23	24.52	33.00	8.48	H
2595.00	-22.83	3.69	44.91	6.27	24.66	33.00	8.34	H
2612.50	-22.76	3.68	44.94	6.30	24.80	33.00	8.20	H

LTE Band 38_20MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2580.00	-22.62	3.67	44.92	6.24	24.87	33.00	8.13	H
2595.00	-22.31	3.69	44.91	6.27	25.18	33.00	7.82	H
2610.00	-23.02	3.68	44.94	6.30	24.54	33.00	8.46	H

©Copyright. All rights reserved by CTTL.

LTE Band 38_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2572.50	-23.62	3.66	44.92	6.23	23.87	33.00	9.13	H
2595.00	-23.67	3.69	44.91	6.27	23.82	33.00	9.18	V
2617.50	-23.91	3.68	44.94	6.31	23.66	33.00	9.34	H

LTE Band 38_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2575.00	-23.21	3.66	44.92	6.23	24.28	33.00	8.72	H
2595.00	-23.64	3.69	44.91	6.27	23.85	33.00	9.15	H
2615.00	-23.58	3.68	44.94	6.31	23.99	33.00	9.01	H

LTE Band 38_15MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2577.50	-23.15	3.66	44.92	6.23	24.34	33.00	8.66	H
2595.00	-23.61	3.69	44.91	6.27	23.88	33.00	9.12	H
2612.50	-23.56	3.68	44.94	6.30	24.00	33.00	9.00	H

LTE Band 38_20MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2580.00	-22.88	3.67	44.92	6.24	24.61	33.00	8.39	H
2595.00	-23.15	3.69	44.91	6.27	24.34	33.00	8.66	H
2610.00	-23.84	3.68	44.94	6.30	23.72	33.00	9.28	H

©Copyright. All rights reserved by CTTL.

LTE Band 38_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2572.50	-25.10	3.66	44.92	6.23	22.39	33.00	10.61	H
2595.00	-24.65	3.69	44.91	6.27	22.84	33.00	10.16	H
2617.50	-24.92	3.68	44.94	6.31	22.65	33.00	10.35	H

LTE Band 38_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2575.00	-24.75	3.66	44.92	6.23	22.74	33.00	10.26	H
2595.00	-24.62	3.69	44.91	6.27	22.87	33.00	10.13	H
2615.00	-24.65	3.68	44.94	6.31	22.92	33.00	10.08	H

LTE Band 38_15MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2577.50	-24.57	3.66	44.92	6.23	22.92	33.00	10.08	H
2595.00	-24.61	3.69	44.91	6.27	22.88	33.00	10.12	H
2612.50	-24.57	3.68	44.94	6.30	22.99	33.00	10.01	H

LTE Band 38_20MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2580.00	-24.33	3.67	44.92	6.24	23.16	33.00	9.84	H
2595.00	-23.96	3.69	44.91	6.27	23.53	33.00	9.47	H
2610.00	-24.89	3.68	44.94	6.30	22.67	33.00	10.33	H

©Copyright. All rights reserved by CTTL.

LTE band 41-HPUE - EIRP

Limits: ≤33dBm (2W)

LTE Band 41_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2498.50	-24.20	3.58	45.59	6.10	23.91	33.00	9.09	H
2593.00	-20.00	3.69	44.93	6.27	27.51	33.00	5.49	H
2687.50	-22.19	3.73	44.98	6.44	25.50	33.00	7.50	H

LTE Band 41_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2501.00	-24.07	3.58	45.65	6.10	24.10	33.00	8.90	H
2593.00	-20.54	3.69	44.93	6.27	26.97	33.00	6.03	H
2685.00	-21.86	3.73	44.98	6.43	25.82	33.00	7.18	H

LTE Band 41_15MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2503.50	-24.19	3.58	45.65	6.11	23.99	33.00	9.01	H
2593.00	-20.52	3.69	44.93	6.27	26.99	33.00	6.01	H
2682.50	-22.07	3.73	44.98	6.43	25.61	33.00	7.39	H

LTE Band 41_20MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2506.00	-23.93	3.59	45.15	6.11	23.74	33.00	9.26	H
2593.00	-20.54	3.69	44.93	6.27	26.97	33.00	6.03	H
2680.00	-21.71	3.73	44.97	6.42	25.95	33.00	7.05	H

©Copyright. All rights reserved by CTTL.

LTE Band 41_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2498.50	-24.97	3.58	45.59	6.10	23.14	33.00	9.86	H
2593.00	-20.76	3.69	44.93	6.27	26.75	33.00	6.25	V
2687.50	-22.96	3.73	44.98	6.44	24.73	33.00	8.27	H

LTE Band 41_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2501.00	-24.74	3.58	45.65	6.10	23.43	33.00	9.57	H
2593.00	-21.28	3.69	44.93	6.27	26.23	33.00	6.77	H
2685.00	-22.65	3.73	44.98	6.43	25.03	33.00	7.97	H

LTE Band 41_15MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2503.50	-24.88	3.58	45.65	6.11	23.30	33.00	9.70	H
2593.00	-21.28	3.69	44.93	6.27	26.23	33.00	6.77	H
2682.50	-22.81	3.73	44.98	6.43	24.87	33.00	8.13	H

LTE Band 41_20MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2506.00	-24.72	3.59	45.15	6.11	22.95	33.00	10.05	H
2593.00	-21.31	3.69	44.93	6.27	26.20	33.00	6.80	H
2680.00	-22.47	3.73	44.97	6.42	25.19	33.00	7.81	H

©Copyright. All rights reserved by CTTL.

LTE Band 41_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2498.50	-25.98	3.58	45.59	6.10	22.13	33.00	10.87	H
2593.00	-21.74	3.69	44.93	6.27	25.77	33.00	7.23	H
2687.50	-23.95	3.73	44.98	6.44	23.74	33.00	9.26	H

LTE Band 41_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2501.00	-25.76	3.58	45.65	6.10	22.41	33.00	10.59	H
2593.00	-22.29	3.69	44.93	6.27	25.22	33.00	7.78	H
2685.00	-23.61	3.73	44.98	6.43	24.07	33.00	8.93	H

LTE Band 41_15MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2503.50	-25.94	3.58	45.65	6.11	22.24	33.00	10.76	H
2593.00	-22.26	3.69	44.93	6.27	25.25	33.00	7.75	H
2682.50	-23.80	3.73	44.98	6.43	23.88	33.00	9.12	H

LTE Band 41_20MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
2506.00	-25.72	3.59	45.15	6.11	21.95	33.00	11.05	H
2593.00	-22.30	3.69	44.93	6.27	25.21	33.00	7.79	H
2680.00	-23.47	3.73	44.97	6.42	24.19	33.00	8.81	H

©Copyright. All rights reserved by CTTL.

LTE band CA41- EIRP

Limits: ≤33dBm (2W)

LTE_B41C_5MHz+20MHz_QPSK

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2499.30	2511.00	-24.15	3.58	45.61	6.10	23.98	33.00	9.02	H
2583.80	2595.50	-24.02	3.67	44.92	6.25	23.48	33.00	9.52	H
2668.30	2680.00	-23.57	3.74	44.96	6.41	24.06	33.00	8.94	H

LTE_B41C_10MHz+20MHz_QPSK

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2501.50	2515.90	-24.98	3.58	45.66	6.10	23.20	33.00	9.80	H
2583.60	2598.00	-24.92	3.67	44.92	6.24	22.57	33.00	10.43	H
2665.60	2680.00	-23.57	3.73	44.96	6.40	24.06	33.00	8.94	H

LTE_B41C_15MHz+20MHz_QPSK

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2503.80	2520.90	-25.20	3.58	45.65	6.11	22.98	33.00	10.02	H
2583.30	2595.50	-22.94	3.67	44.92	6.24	24.55	33.00	8.45	H
2662.90	2680.00	-24.17	3.72	44.96	6.40	23.47	33.00	9.53	H

LTE_B41C_20MHz+5MHz_QPSK

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2506.00	2517.70	-24.44	3.59	45.15	6.11	23.23	33.00	9.77	H
2590.50	2602.50	-23.40	3.69	44.93	6.26	24.10	33.00	8.90	H
2675.00	2686.70	-24.58	3.74	44.97	6.42	23.07	33.00	9.93	H

LTE_B41C_20MHz+10MHz_QPSK

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2506.00	2520.40	-24.32	3.59	45.15	6.11	23.35	33.00	9.65	H
2588.10	2602.50	-23.26	3.69	44.93	6.26	24.24	33.00	8.76	H
2670.10	2684.50	-24.09	3.74	44.97	6.41	23.55	33.00	9.45	H

©Copyright. All rights reserved by CTTL.

LTE_B41C_20MHz+15MHz_QPSK

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2506.00	2523.00	-24.05	3.59	45.15	6.11	23.62	33.00	9.38	H
2585.60	2602.70	-22.66	3.68	44.92	6.25	24.83	33.00	8.17	H
2665.10	2682.20	-23.53	3.73	44.96	6.40	24.10	33.00	8.90	H

LTE_B41C_15MHz+15MHz_QPSK

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2503.50	2518.50	-25.55	3.58	45.65	6.11	22.63	33.00	10.37	H
2585.50	2600.50	-22.55	3.68	44.92	6.25	24.94	33.00	8.06	H
2667.50	2682.50	-23.31	3.74	44.96	6.41	24.32	33.00	8.68	H

LTE_B41C_20MHz+20MHz_QPSK

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2506.00	2525.80	-24.15	3.59	45.15	6.11	23.52	33.00	9.48	H
2583.10	2602.90	-26.63	3.67	44.92	6.24	20.86	33.00	12.14	H
2660.20	2680.00	-24.27	3.71	44.96	6.39	23.37	33.00	9.63	H

LTE_B41C_15MHz+10MHz_QPSK

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2503.50	2515.50	-25.49	3.58	45.65	6.11	22.69	33.00	10.31	H
2588.10	2600.10	-22.80	3.69	44.93	6.26	24.70	33.00	8.30	H
2672.70	2684.70	-23.51	3.74	44.97	6.42	24.14	33.00	8.86	H

LTE_B41C_10MHz+15MHz_QPSK

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2501.50	2513.30	-25.25	3.58	45.66	6.10	22.93	33.00	10.07	H
2585.90	2597.90	-23.31	3.68	44.92	6.25	24.18	33.00	8.82	H
2670.50	2680.00	-23.62	3.74	44.97	6.42	24.03	33.00	8.97	H

©Copyright. All rights reserved by CTTL.

LTE_B41C_5MHz+20MHz_16QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2499.30	2511.00	-25.99	3.58	45.61	6.10	22.14	33.00	10.86	H
2583.80	2595.50	-24.74	3.67	44.92	6.25	22.76	33.00	10.24	H
2668.30	2680.00	-23.98	3.74	44.96	6.41	23.65	33.00	9.35	H

LTE_B41C_10MHz+20MHz_16QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2501.50	2515.90	-24.98	3.58	45.66	6.10	23.20	33.00	9.80	H
2583.60	2598.00	-23.96	3.67	44.92	6.24	23.53	33.00	9.47	H
2665.60	2680.00	-25.01	3.73	44.96	6.40	22.62	33.00	10.38	H

LTE_B41C_15MHz+20MHz_16QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2503.80	2520.90	-25.76	3.58	45.65	6.11	22.42	33.00	10.58	H
2583.30	2595.50	-23.74	3.67	44.92	6.24	23.75	33.00	9.25	H
2662.90	2680.00	-24.98	3.72	44.96	6.40	22.66	33.00	10.34	H

LTE_B41C_20MHz+5MHz_16QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2506.00	2517.70	-24.96	3.59	45.15	6.11	22.71	33.00	10.29	H
2590.50	2602.50	-23.95	3.69	44.93	6.26	23.55	33.00	9.45	H
2675.00	2686.70	-25.14	3.74	44.97	6.42	22.51	33.00	10.49	H

LTE_B41C_20MHz+10MHz_16QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2506.00	2520.40	-24.88	3.59	45.15	6.11	22.79	33.00	10.21	H
2588.10	2602.50	-23.81	3.69	44.93	6.26	23.69	33.00	9.31	H
2670.10	2684.50	-24.64	3.74	44.97	6.41	23.00	33.00	10.00	H

©Copyright. All rights reserved by CTTL.

LTE_B41C_20MHz+15MHz_16QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2506.00	2523.00	-24.61	3.59	45.15	6.11	23.06	33.00	9.94	H
2585.60	2602.70	-23.19	3.68	44.92	6.25	24.30	33.00	8.70	H
2665.10	2682.20	-24.07	3.73	44.96	6.40	23.56	33.00	9.44	H

LTE_B41C_15MHz+15MHz_16QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2503.50	2518.50	-26.39	3.58	45.65	6.11	21.79	33.00	11.21	H
2585.50	2600.50	-23.12	3.68	44.92	6.25	24.37	33.00	8.63	H
2667.50	2682.50	-23.87	3.74	44.96	6.41	23.76	33.00	9.24	H

LTE_B41C_20MHz+20MHz_16QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2506.00	2525.80	-24.70	3.59	45.15	6.11	22.97	33.00	10.03	H
2583.10	2602.90	-27.19	3.67	44.92	6.24	20.30	33.00	12.70	H
2660.20	2680.00	-24.81	3.71	44.96	6.39	22.83	33.00	10.17	H

LTE_B41C_15MHz+10MHz_16QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2503.50	2515.50	-25.98	3.58	45.65	6.11	22.20	33.00	10.80	H
2588.10	2600.10	-23.33	3.69	44.93	6.26	24.17	33.00	8.83	H
2672.70	2684.70	-24.08	3.74	44.97	6.42	23.57	33.00	9.43	H

LTE_B41C_10MHz+15MHz_16QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2501.50	2513.30	-25.78	3.58	45.66	6.10	22.40	33.00	10.60	H
2585.90	2597.90	-23.84	3.68	44.92	6.25	23.65	33.00	9.35	H
2670.50	2680.00	-24.13	3.74	44.97	6.42	23.52	33.00	9.48	H

©Copyright. All rights reserved by CTTL.

LTE_B41C_5MHz+20MHz_64QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2499.30	2511.00	-27.54	3.58	45.61	6.10	20.59	33.00	12.41	H
2583.80	2595.50	-26.99	3.67	44.92	6.25	20.51	33.00	12.49	H
2668.30	2680.00	-27.21	3.74	44.96	6.41	20.42	33.00	12.58	H

LTE_B41C_10MHz+20MHz_64QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2501.50	2515.90	-28.10	3.58	45.66	6.10	20.08	33.00	12.92	H
2583.60	2598.00	-27.25	3.67	44.92	6.24	20.24	33.00	12.76	H
2665.60	2680.00	-27.60	3.73	44.96	6.40	20.03	33.00	12.97	H

LTE_B41C_15MHz+20MHz_64QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2503.80	2520.90	-28.03	3.58	45.65	6.11	20.15	33.00	12.85	H
2583.30	2595.50	-25.84	3.67	44.92	6.24	21.65	33.00	11.35	H
2662.90	2680.00	-26.83	3.72	44.96	6.40	20.81	33.00	12.19	H

LTE_B41C_20MHz+5MHz_64QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2506.00	2517.70	-27.11	3.59	45.15	6.11	20.56	33.00	12.44	H
2590.50	2602.50	-26.02	3.69	44.93	6.26	21.48	33.00	11.52	H
2675.00	2686.70	-27.20	3.74	44.97	6.42	20.45	33.00	12.55	H

LTE_B41C_20MHz+10MHz_64QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2506.00	2520.40	-27.01	3.59	45.15	6.11	20.66	33.00	12.34	H
2588.10	2602.50	-25.90	3.69	44.93	6.26	21.60	33.00	11.40	H
2670.10	2684.50	-26.72	3.74	44.97	6.41	20.92	33.00	12.08	H

©Copyright. All rights reserved by CTTL.

LTE_B41C_20MHz+15MHz_64QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2506.00	2523.00	-25.05	3.59	45.15	6.11	22.62	33.00	10.38	H
2585.60	2602.70	-26.66	3.68	44.92	6.25	20.83	33.00	12.17	H
2665.10	2682.20	-26.53	3.73	44.96	6.40	21.10	33.00	11.90	H

LTE_B41C_15MHz+15MHz_64QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2503.50	2518.50	-26.55	3.58	45.65	6.11	21.63	33.00	11.37	H
2585.50	2600.50	-24.92	3.68	44.92	6.25	22.57	33.00	10.43	H
2667.50	2682.50	-26.65	3.74	44.96	6.41	20.98	33.00	12.02	H

LTE_B41C_20MHz+20MHz_64QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2506.00	2525.80	-26.94	3.59	45.15	6.11	20.73	33.00	12.27	H
2583.10	2602.90	-29.35	3.67	44.92	6.24	18.14	33.00	14.86	H
2660.20	2680.00	-27.00	3.71	44.96	6.39	20.64	33.00	12.36	H

LTE_B41C_15MHz+10MHz_16QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2503.50	2515.50	-28.13	3.58	45.65	6.11	20.05	33.00	12.95	H
2588.10	2600.10	-25.53	3.69	44.93	6.26	21.97	33.00	11.03	H
2672.70	2684.70	-26.19	3.74	44.97	6.42	21.46	33.00	11.54	H

LTE_B41C_10MHz+15MHz_16QAM

Frequency(MHz)	Frequency(MHz)	Pmea(dBm)	Cable Loss(dB)	PAg(dB)	Antenna Gain(dBi)	RMS EIRP(dBm)	Limit(dBm)	Margin(dB)	Polarization
2501.50	2513.30	-27.93	3.58	45.66	6.10	20.25	33.00	12.75	H
2585.90	2597.90	-26.00	3.68	44.92	6.25	21.49	33.00	11.51	H
2670.50	2680.00	-26.28	3.74	44.97	6.42	21.37	33.00	11.63	H

©Copyright. All rights reserved by CTTL.

LTE band 48 - EIRP

Limits: ≤23dBm/10MHz

LTE Band 48_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm/10MHz)	Limit (dBm/10MHz)	Margin (dB)	Polarization
3552.50	-30.77	4.31	43.19	8.23	20.34	23.00	2.66	H
3625.00	-30.02	4.37	43.69	8.26	21.57	23.00	1.43	V
3697.50	-31.30	4.45	44.32	8.30	20.87	23.00	2.13	H

LTE Band 48_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm/10MHz)	Limit (dBm/10MHz)	Margin (dB)	Polarization
3555.00	-30.66	4.31	43.20	8.23	20.46	23.00	2.54	H
3625.00	-30.11	4.37	43.69	8.26	21.48	23.00	1.52	H
3695.00	-31.79	4.45	44.77	8.30	20.83	23.00	2.17	H

LTE Band 48_15MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm/10MHz)	Limit (dBm/10MHz)	Margin (dB)	Polarization
3557.50	-32.32	4.32	44.81	8.23	20.40	23.00	2.60	H
3625.00	-30.05	4.37	43.69	8.26	21.54	23.00	1.46	H
3692.50	-31.23	4.46	44.20	8.30	20.81	23.00	2.19	H

LTE Band 48_20MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm/10MHz)	Limit (dBm/10MHz)	Margin (dB)	Polarization
3560.00	-30.98	4.32	43.34	8.23	20.27	23.00	2.73	H
3625.00	-29.87	4.37	43.69	8.26	21.72	23.00	1.28	H
3690.00	-32.05	4.47	44.91	8.30	20.69	23.00	2.31	H

©Copyright. All rights reserved by CTTL.

LTE Band 48_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm/10MHz)	Limit (dBm/10MHz)	Margin (dB)	Polarization
3552.50	-32.61	4.31	44.09	8.23	19.39	23.00	3.61	H
3625.00	-32.19	4.37	44.75	8.26	20.45	23.00	2.55	V
3697.50	-31.65	4.45	43.74	8.30	19.94	23.00	3.06	H

LTE Band 48_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm/10MHz)	Limit (dBm/10MHz)	Margin (dB)	Polarization
3555.00	-31.93	4.31	43.54	8.23	19.53	23.00	3.47	H
3625.00	-32.08	4.37	44.75	8.26	20.56	23.00	2.44	H
3695.00	-32.88	4.45	44.94	8.30	19.91	23.00	3.09	H

LTE Band 48_15MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm/10MHz)	Limit (dBm/10MHz)	Margin (dB)	Polarization
3557.50	-32.13	4.32	43.77	8.23	19.55	23.00	3.45	H
3625.00	-32.03	4.37	44.75	8.26	20.61	23.00	2.39	H
3692.50	-32.67	4.46	44.77	8.30	19.94	23.00	3.06	H

LTE Band 48_20MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm/10MHz)	Limit (dBm/10MHz)	Margin (dB)	Polarization
3560.00	-33.29	4.32	44.69	8.23	19.31	23.00	3.69	H
3625.00	-31.79	4.37	44.75	8.26	20.85	23.00	2.15	H
3690.00	-32.68	4.47	44.64	8.30	19.79	23.00	3.21	H

©Copyright. All rights reserved by CTTL.

LTE Band 48_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm/10MHz)	Limit (dBm/10MHz)	Margin (dB)	Polarization
3552.50	-33.17	4.31	43.63	8.23	18.38	23.00	4.62	H
3625.00	-33.37	4.37	44.97	8.26	19.49	23.00	3.51	V
3697.50	-31.89	4.45	43.02	8.30	18.99	23.00	4.01	H

LTE Band 48_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm/10MHz)	Limit (dBm/10MHz)	Margin (dB)	Polarization
3555.00	-33.23	4.31	43.81	8.23	18.50	23.00	4.50	H
3625.00	-33.30	4.37	44.97	8.26	19.56	23.00	3.44	H
3695.00	-33.92	4.45	44.96	8.30	18.89	23.00	4.11	H

LTE Band 48_15MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm/10MHz)	Limit (dBm/10MHz)	Margin (dB)	Polarization
3557.50	-32.43	4.32	43.07	8.23	18.55	23.00	4.45	H
3625.00	-33.21	4.37	44.97	8.26	19.65	23.00	3.35	H
3692.50	-33.53	4.46	44.59	8.30	18.90	23.00	4.10	H

LTE Band 48_20MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm/10MHz)	Limit (dBm/10MHz)	Margin (dB)	Polarization
3560.00	-32.87	4.32	43.27	8.23	18.31	23.00	4.69	H
3625.00	-32.98	4.37	44.97	8.26	19.88	23.00	3.12	H
3690.00	-32.85	4.47	43.80	8.30	18.78	23.00	4.22	H

©Copyright. All rights reserved by CTTL.

LTE Band 66- EIRP

Limits: ≤30dBm (1W)

LTE Band 66_1.4MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1710.70	-23.25	3.17	44.10	5.12	22.80	30.00	7.20	H
1745.00	-23.45	3.68	44.16	5.06	22.09	30.00	7.91	H
1779.30	-23.01	3.04	44.03	5.00	22.98	30.00	7.02	H

LTE Band 66_3MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1711.50	-23.45	3.40	44.10	5.12	22.37	30.00	7.63	H
1745.00	-23.50	3.68	44.16	5.06	22.04	30.00	7.96	H
1778.50	-22.99	3.04	44.03	5.00	23.00	30.00	7.00	H

LTE Band 66_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1712.50	-23.78	3.66	44.10	5.12	21.78	30.00	8.22	H
1745.00	-22.80	3.68	44.16	5.06	22.74	30.00	7.26	H
1777.50	-22.57	3.04	44.04	5.00	23.43	30.00	6.57	H

LTE Band 66_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1715.00	-23.94	3.56	44.10	5.11	21.71	30.00	8.29	H
1745.00	-22.84	3.68	44.16	5.06	22.70	30.00	7.30	H
1775.00	-23.07	3.05	44.05	5.01	22.93	30.00	7.07	H

LTE Band 66_15MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1717.50	-24.15	3.47	44.11	5.11	21.60	30.00	8.40	H
1745.00	-22.83	3.68	44.16	5.06	22.71	30.00	7.29	H
1772.50	-22.97	3.05	44.06	5.01	23.05	30.00	6.95	H

LTE Band 66_20MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1720.00	-24.08	3.37	44.11	5.10	21.76	30.00	8.24	H
1745.00	-22.79	3.68	44.16	5.06	22.75	30.00	7.25	H
1770.00	-23.14	3.05	44.07	5.01	22.90	30.00	7.10	H

©Copyright. All rights reserved by CTTL.

LTE Band 66_1.4MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1710.70	-24.04	3.17	44.10	5.12	22.01	30.00	7.99	H
1745.00	-23.85	3.68	44.16	5.06	21.69	30.00	8.31	H
1779.30	-24.33	3.04	44.03	5.00	21.66	30.00	8.34	H

LTE Band 66_3MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1711.50	-24.49	3.40	44.10	5.12	21.33	30.00	8.67	H
1745.00	-23.92	3.68	44.16	5.06	21.62	30.00	8.38	H
1778.50	-23.35	3.04	44.03	5.00	22.64	30.00	7.36	H

LTE Band 66_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1712.50	-24.56	3.66	44.10	5.12	21.00	30.00	9.00	H
1745.00	-23.56	3.68	44.16	5.06	21.98	30.00	8.02	H
1777.50	-23.37	3.04	44.04	5.00	22.63	30.00	7.37	H

LTE Band 66_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1715.00	-24.70	3.56	44.10	5.11	20.95	30.00	9.05	H
1745.00	-23.60	3.68	44.16	5.06	21.94	30.00	8.06	H
1775.00	-23.84	3.05	44.05	5.01	22.16	30.00	7.84	H

LTE Band 66_15MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1717.50	-24.88	3.47	44.11	5.11	20.87	30.00	9.13	H
1745.00	-23.59	3.68	44.16	5.06	21.95	30.00	8.05	H
1772.50	-23.75	3.05	44.06	5.01	22.27	30.00	7.73	H

LTE Band 66_20MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1720.00	-24.85	3.37	44.11	5.10	20.99	30.00	9.01	H
1745.00	-23.57	3.68	44.16	5.06	21.97	30.00	8.03	H
1770.00	-23.91	3.05	44.07	5.01	22.13	30.00	7.87	H

©Copyright. All rights reserved by CTTL.

LTE Band 66_1.4MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1710.70	-25.13	3.17	44.10	5.12	20.92	30.00	9.08	H
1745.00	-25.95	3.68	44.16	5.06	19.59	30.00	10.41	H
1779.30	-26.39	3.04	44.03	5.00	19.60	30.00	10.40	H

LTE Band 66_3MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1711.50	-25.54	3.40	44.10	5.12	20.28	30.00	9.72	H
1745.00	-26.99	3.68	44.16	5.06	18.55	30.00	11.45	H
1778.50	-25.41	3.04	44.03	5.00	20.58	30.00	9.42	H

LTE Band 66_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1712.50	-25.64	3.66	44.10	5.12	19.92	30.00	10.08	H
1745.00	-24.60	3.68	44.16	5.06	20.94	30.00	9.06	H
1777.50	-24.44	3.04	44.04	5.00	21.56	30.00	8.44	H

LTE Band 66_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1715.00	-25.80	3.56	44.10	5.11	19.85	30.00	10.15	H
1745.00	-24.68	3.68	44.16	5.06	20.86	30.00	9.14	H
1775.00	-24.90	3.05	44.05	5.01	21.10	30.00	8.90	H

LTE Band 66_15MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1717.50	-25.96	3.47	44.11	5.11	19.79	30.00	10.21	H
1745.00	-24.64	3.68	44.16	5.06	20.90	30.00	9.10	H
1772.50	-24.83	3.05	44.06	5.01	21.19	30.00	8.81	H

LTE Band 66_20MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1720.00	-25.94	3.37	44.11	5.10	19.90	30.00	10.10	H
1745.00	-24.64	3.68	44.16	5.06	20.90	30.00	9.10	H
1770.00	-25.01	3.05	44.07	5.01	21.03	30.00	8.97	H

©Copyright. All rights reserved by CTTL.

LTE Band 71- ERP

Limits: ≤34.77 dBm (3W)

LTE Band 71_5MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
665.50	-22.39	1.87	44.73	0.78	2.15	19.10	34.77	15.67	H
680.50	-21.79	1.88	44.72	0.78	2.15	19.67	34.77	15.10	H
695.50	-21.67	1.89	44.67	0.77	2.15	19.73	34.77	15.04	H

LTE Band 71_10MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
668.00	-22.52	1.87	44.75	0.78	2.15	18.99	34.77	15.78	H
680.50	-21.88	1.88	44.72	0.78	2.15	19.58	34.77	15.19	H
693.00	-21.36	1.89	44.67	0.77	2.15	20.04	34.77	14.73	H

LTE Band 71_15MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
670.50	-22.59	1.88	44.75	0.78	2.15	18.91	34.77	15.86	H
680.50	-21.93	1.88	44.72	0.78	2.15	19.53	34.77	15.24	H
690.50	-22.22	1.89	44.73	0.77	2.15	19.25	34.77	15.52	H

LTE Band 71_20MHz_QPSK

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
673.00	-22.39	1.88	44.71	0.78	2.15	19.07	34.77	15.70	H
680.50	-23.78	1.88	44.72	0.78	2.15	17.68	34.77	17.09	H
688.00	-23.88	1.89	44.72	0.77	2.15	17.58	34.77	17.19	H

©Copyright. All rights reserved by CTTL.

LTE Band 71_5MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
665.50	-23.15	1.87	44.73	0.78	2.15	18.34	34.77	16.43	H
680.50	-22.56	1.88	44.72	0.78	2.15	18.90	34.77	15.87	H
695.50	-22.42	1.89	44.67	0.77	2.15	18.98	34.77	15.79	H

LTE Band 71_10MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
668.00	-23.28	1.87	44.75	0.78	2.15	18.23	34.77	16.54	H
680.50	-22.62	1.88	44.72	0.78	2.15	18.84	34.77	15.93	H
693.00	-22.60	1.89	44.67	0.77	2.15	18.80	34.77	15.97	H

LTE Band 71_15MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
670.50	-23.32	1.88	44.75	0.78	2.15	18.18	34.77	16.59	H
680.50	-22.66	1.88	44.72	0.78	2.15	18.80	34.77	15.97	H
690.50	-22.99	1.89	44.73	0.77	2.15	18.48	34.77	16.29	H

LTE Band 71_20MHz_16QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
673.00	-23.15	1.88	44.71	0.78	2.15	18.31	34.77	16.46	H
680.50	-22.69	1.88	44.72	0.78	2.15	18.77	34.77	16.00	H
688.00	-22.77	1.89	44.72	0.77	2.15	18.69	34.77	16.08	H

©Copyright. All rights reserved by CTTL.

LTE Band 71_5MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
665.50	-24.28	1.87	44.73	0.78	2.15	17.21	34.77	17.56	H
680.50	-23.64	1.88	44.72	0.78	2.15	17.82	34.77	16.95	H
695.50	-23.51	1.89	44.67	0.77	2.15	17.89	34.77	16.88	H

LTE Band 71_10MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
668.00	-24.41	1.87	44.75	0.78	2.15	17.10	34.77	17.67	H
680.50	-23.75	1.88	44.72	0.78	2.15	17.71	34.77	17.06	H
693.00	-23.70	1.89	44.67	0.77	2.15	17.70	34.77	17.07	H

LTE Band 71_15MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
670.50	-24.43	1.88	44.75	0.78	2.15	17.07	34.77	17.70	H
680.50	-23.77	1.88	44.72	0.78	2.15	17.69	34.77	17.08	H
690.50	-24.07	1.89	44.73	0.77	2.15	17.40	34.77	17.37	H

LTE Band 71_20MHz_64QAM

Frequency (MHz)	P_{Mea} (dBm)	P_{cl} (dB)	P_{Ag} (dB)	G_a (dBi)	Correction (dB)	ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
673.00	-24.25	1.88	44.71	0.78	2.15	17.21	34.77	17.56	H
680.50	-23.78	1.88	44.72	0.78	2.15	17.68	34.77	17.09	H
688.00	-23.88	1.89	44.72	0.77	2.15	17.58	34.77	17.19	H

Frequency: 1770.00MHz

Peak EIRP (dBm) = PMea (-28.36dBm) + Ga (5.01dBi) +PAg (44.07dB) - Pcl (3.05dB) =17.68dBm

Note: Expanded measurement uncertainty is U = 0.578 dB, k = 2.

©Copyright. All rights reserved by CTTL.