



802.11a_5825MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:13:27

802.11ac20_5745MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:17:57

802.11ac20_5785MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:21:48

802.11ac20_5825MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:25:48

802.11ac40_5755MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:30:19

802.11ac40_5795MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:35:35

802.11ax20_5745MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:41:20

802.11ax20_5785MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:47:06

802.11ax20_5825MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:51:39

802.11ax40_5755MHz_RU_Full



ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:58:40

802.11ax40_5795MHz_RU_Full



ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 14:04:43

CONDUCTED TRANSMITTER OUTPUT POWER**Environmental Conditions & Test Information**

Test Date:	2026-01-22
Temperature:	24.3 °C
Relative Humidity:	48 %
ATM Pressure:	103.4 kPa
Test Result:	Pass
Test Engineer:	Hugh Wu

*Test Mode: Transmitting***5150-5250MHz**

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5180	13.20	24	Pass
	5200	13.16	24	Pass
	5240	12.49	24	Pass
802.11ac20	5180	12.16	24	Pass
	5200	12.25	24	Pass
	5240	11.50	24	Pass
802.11ac40	5190	9.21	24	Pass
	5230	8.91	24	Pass
802.11ax20_RU_Full	5180	12.16	24	Pass
	5200	12.11	24	Pass
	5240	11.38	24	Pass
802.11ax40_RU_Full	5190	10.56	24	Pass
	5230	9.87	24	Pass

Note: EUT is a client device.

5250-5350MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5260	11.64	24	Pass
	5300	11.45	24	Pass
	5320	10.80	24	Pass
802.11ac20	5260	11.69	24	Pass
	5300	11.00	24	Pass
	5320	10.70	24	Pass
802.11ac40	5270	9.42	24	Pass
	5310	8.84	24	Pass
802.11ax20_RU_Full	5260	12.75	24	Pass
	5300	12.72	24	Pass
	5320	12.58	24	Pass
802.11ax40_RU_Full	5270	10.67	24	Pass
	5310	10.69	24	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5500	11.29	24	Pass
	5600	13.50	24	Pass
	5700	13.69	24	Pass
	5720	12.61	24	Pass
802.11ac20	5500	11.63	24	Pass
	5600	13.55	24	Pass
	5700	13.66	24	Pass
	5720	12.4	24	Pass
802.11ac40	5510	10.69	24	Pass
	5590	13.08	24	Pass
	5670	13.07	24	Pass
	5710	12.50	24	Pass
802.11ax20_RU_Full	5500	11.35	24	Pass
	5600	13.30	24	Pass
	5700	13.47	24	Pass
	5720	12.02	24	Pass
802.11ax40_RU_Full	5510	10.38	24	Pass
	5590	13.01	24	Pass
	5670	12.48	24	Pass
	5710	12.71	24	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5745	17.9	30	Pass
	5785	17.58	30	Pass
	5825	17.02	30	Pass
802.11ac20	5745	17.59	30	Pass
	5785	17.48	30	Pass
	5825	17.19	30	Pass
802.11ac40	5755	17.48	30	Pass
	5795	17.41	30	Pass
802.11ax20_RU_Full	5745	17.70	30	Pass
	5785	17.47	30	Pass
	5825	17.20	30	Pass
802.11ax40_RU_Full	5755	17.66	30	Pass
	5795	17.29	30	Pass

POWER SPECTRAL DENSITY**Environmental Conditions & Test Information**

Test Date:	2026-02-09	2026-02-10
Temperature:	24.9 °C	24.5 °C
Relative Humidity:	60 %	58 %
ATM Pressure:	102.8 kPa	102.4 kPa
Test Result:	Pass	Pass
Test Engineer:	Hugh Wu	Hugh Wu

*Test Mode: Transmitting***Power Spectral Density****5150-5250MHz**

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5180	2.20	0.29	2.49	11	Pass
	5200	2.10	0.29	2.39	11	Pass
	5240	1.43	0.29	1.72	11	Pass
802.11ac20	5180	1.03	0.29	1.32	11	Pass
	5200	0.94	0.29	1.23	11	Pass
	5240	0.14	0.29	0.43	11	Pass
802.11ac40	5190	-5.01	0.54	-4.47	11	Pass
	5230	-5.52	0.54	-4.98	11	Pass
802.11ax20_RU_Full	5180	0.56	0.35	0.91	11	Pass
	5200	0.64	0.35	0.99	11	Pass
	5240	-0.14	0.35	0.21	11	Pass
802.11ax40_RU_Full	5190	-4.21	0.63	-3.58	11	Pass
	5230	-4.72	0.63	-4.09	11	Pass

5250-5350MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5260	0.67	0.27	0.94	11	Pass
	5300	0.54	0.27	0.81	11	Pass
	5320	-0.16	0.27	0.11	11	Pass
802.11ac20	5260	0.27	0.48	0.75	11	Pass
	5300	-0.29	0.48	0.19	11	Pass
	5320	-0.46	0.48	0.02	11	Pass
802.11ac40	5270	-5.13	0.99	-4.14	11	Pass
	5310	-5.77	0.99	-4.78	11	Pass
802.11ax20_RU_Full	5260	1.23	0.34	1.57	11	Pass
	5300	1.06	0.34	1.40	11	Pass
	5320	1.01	0.34	1.35	11	Pass
802.11ax40_RU_Full	5270	-3.94	0.77	-3.17	11	Pass
	5310	-3.85	0.77	-3.08	11	Pass

5470-5725MHz



Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5500	0.25	0.26	0.51	11	Pass
	5600	2.07	0.26	2.33	11	Pass
	5700	2.16	0.26	2.42	11	Pass
	5720	2.12	0.26	2.38	11	Pass
802.11ac20	5500	-0.11	0.38	0.27	11	Pass
	5600	1.70	0.38	2.08	11	Pass
	5700	1.80	0.38	2.18	11	Pass
	5720	1.63	0.38	2.01	11	Pass
802.11ac40	5510	-3.13	0.59	-2.54	11	Pass
	5590	-1.66	0.59	-1.07	11	Pass
	5670	-2.09	0.59	-1.50	11	Pass
	5710	-2.29	0.59	-1.70	11	Pass
802.11ax20_RU_Full	5500	-0.56	0.65	0.09	11	Pass
	5600	1.19	0.65	1.84	11	Pass
	5700	1.26	0.65	1.91	11	Pass
	5720	1.23	0.65	1.88	11	Pass
802.11ax40_RU_Full	5510	-4.55	0.68	-3.87	11	Pass
	5590	-2.28	0.68	-1.60	11	Pass
	5670	-1.76	0.68	-1.08	11	Pass
	5710	-1.93	0.68	-1.25	11	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	5745	3.36	0.26	3.62	30	Pass
	5785	2.94	0.26	3.20	30	Pass
	5825	2.49	0.26	2.75	30	Pass
802.11ac20	5745	2.45	0.30	2.75	30	Pass
	5785	2.59	0.30	2.89	30	Pass
	5825	2.25	0.30	2.55	30	Pass
802.11ac40	5755	-1.38	0.51	-0.87	30	Pass
	5795	-0.55	0.51	-0.04	30	Pass
802.11ax20_RU_Full	5745	2.46	0.44	2.90	30	Pass
	5785	2.17	0.44	2.61	30	Pass
	5825	1.95	0.44	2.39	30	Pass
802.11ax40_RU_Full	5755	-0.70	0.92	0.22	30	Pass
	5795	-0.97	0.92	-0.05	30	Pass



Result = Reading + Duty Cycle Factor

5150-5250MHz





ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 15:33:46

ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 15:39:30



ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 15:47:17


ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 16:56:47



ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 17:02:12


ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 17:06:40

802.11ac40_5190MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 17:13:26

802.11ac40_5230MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 17:18:33

802.11ax20_5180MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 16:25:35

802.11ax20_5200MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 16:30:24

802.11ax20_5240MHz_RU_Full



ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 16:36:32


802.11ax40_5190MHz_RU_Full



ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 16:42:46


5250-5350MHz

802.11ax40_5230MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 16:48:06

802.11a_5260MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 17:25:00

802.11a_5300MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 18:46:13

802.11a_5320MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 18:54:55

802.11ac20_5260MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 17:42:34

802.11ac20_5300MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 19:08:11

802.11ac20_5320MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 19:12:27

802.11ac40_5270MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 19:20:55

802.11ac40_5310MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 9.FEB.2026 19:41:31

802.11ax20_5260MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 09:26:25

802.11ax20_5300MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 09:48:17

802.11ax20_5320MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 09:52:46

802.11ax40_5270MHz_RU_Full



ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 09:59:17


802.11ax40_5310MHz_RU_Full



ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 10:05:24


5470-5725MHz

802.11a_5500MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 10:11:16

802.11a_5600MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 10:16:13

802.11a_5700MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 10:20:25

802.11a_5720MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 10:25:21

802.11ac20_5500MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 10:29:58

802.11ac20_5600MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 10:34:49

802.11ac20_5700MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 10:39:45

802.11ac20_5720MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 10:44:22

802.11ac40_5510MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 10:49:20

802.11ac40_5590MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 10:54:02

802.11ac40_5670MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 10:59:32

802.11ac40_5710MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 11:04:53

802.11ax20_5500MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 11:11:47

802.11ax20_5600MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 11:18:55

802.11ax20_5700MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 11:23:26

802.11ax20_5720MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 11:28:03

802.11ax40_5510MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 11:34:25

802.11ax40_5590MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 11:41:04

802.11ax40_5670MHz_RU_Full



ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 11:46:22


802.11ax40_5710MHz_RU_Full



ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 11:52:14


5725-5850MHz

802.11a_5745MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 11:57:30

802.11a_5785MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 12:04:03

802.11a_5825MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:15:01

802.11ac20_5745MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:19:30

802.11ac20_5785MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:23:20

802.11ac20_5825MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:27:22

802.11ac40_5755MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:32:43

802.11ac40_5795MHz




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:38:10

802.11ax20_5745MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:43:04

802.11ax20_5785MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:48:51

802.11ax20_5825MHz_RU_Full




ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 13:53:28

802.11ax40_5755MHz_RU_Full



ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 14:01:10

802.11ax40_5795MHz_RU_Full



ProjectNo.:RKSA251229001 Tester:Neil Zhou
Date: 10.FEB.2026 14:07:11

EUT PHOTOGRAPHS

Please refer to the attachment EXHIBIT A - EUT EXTERNAL PHOTOGRAPHS and EXHIBIT B - INTERNAL PHOTOGRAPHS.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment EXHIBIT D - TEST SETUP PHOTOGRAPHS.

Declarations

1. The laboratory is not responsible for the authenticity of any information provided by the applicant. Information from the applicant that may affect test results is marked with “★”.
2. The test data was only valid for the test sample(s).
3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
5. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor $k=2$ with the 95.45% confidence interval.

*******END OF REPORT*******