



1.6dB Bandwidth

Test Mode	Test Channel	Ant	EBW[MHz]	Limit	Verdict
BLE	2402	Ant1	0.6710	0.5	PASS
BLE	2440	Ant1	0.6817	0.5	PASS
BLE	2480	Ant1	0.6917	0.5	PASS


6dB Bandwidth_BLE_2402_Ant1



6dB Bandwidth_BLE_2440_Ant1



6dB Bandwidth_BLE_2480_Ant1




2.Occupied Bandwidth

Test Mode	Test Channel	Ant	OBW[MHz]	Limit[MHz]	Verdict
-----------	--------------	-----	----------	------------	---------


3.Maximum peak conducted output power

Test Mode	Test Channel	Ant	Power[dBm]	Limit[dBm]	Verdict
BLE	2402	Ant1	2.480	30	PASS
BLE	2440	Ant1	1.638	30	PASS
BLE	2480	Ant1	0.356	30	PASS


Maximum peak conducted output power_BLE_2402_Ant1



Maximum peak conducted output power_BLE_2440_Ant1




Maximum peak conducted output power_BLE_2480_Ant1




4.Maximum Peak power spectral density

Test Mode	Test Channel	Ant	PSD[dBm/3KHz]	Limit[dBm/3KHz]	Verdict
BLE	2402	Ant1	-12.815	8.00	PASS
BLE	2440	Ant1	-13.864	8.00	PASS
BLE	2480	Ant1	-14.977	8.00	PASS


Maximum Peak power spectral density_BLE_2402_Ant1



Maximum Peak power spectral density_BLE_2440_Ant1




Maximum Peak power spectral density_BLE_2480_Ant1




5.Band-edge for RF Conducted Emissions

Test Mode	Test Channel	Ant	Carrier Power[dBm]	Max. Spurious Level [dBm]	Limit [dBm]	Verdict
BLE	2402	Ant1	1.696	-49.930	-18.3	PASS
BLE	2480	Ant1	-0.467	-50.123	-20.47	PASS

Band-edge for RF Conducted Emissions_BLE_2402_Ant1





Band-edge for RF Conducted Emissions_BLE_2480_Ant1




6.RF Conducted Spurious Emissions


Test Mode	Test Channel	Ant	StartFre [MHz]	StopFre [MHz]	RBW [kHz]	VBW [kHz]	Pref[dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BLE	2402	Ant1	30	25000	100	300	1.531	-43.469	<-18.469	PASS
BLE	2440	Ant1	30	25000	100	300	0.713	-44.404	<-19.287	PASS
BLE	2480	Ant1	30	25000	100	300	-0.688	-43.695	<-20.688	PASS

RF Conducted Spurious Emissions_BLE_2402_Ant1



RF Conducted Spurious Emissions_BLE_2440_Ant1







7.Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
BLE	2402	Ant1	2310.0	-42.72	2	0	54.53	PEAK	74	PASS
BLE	2402	Ant1	2310.0	-54.33	2	0	42.93	AV	54	PASS
BLE	2402	Ant1	2390.0	-42.42	2	0	54.83	PEAK	74	PASS
BLE	2402	Ant1	2390.0	-54.10	2	0	43.16	AV	54	PASS
BLE	2480	Ant1	2483.5	-44.09	2	0	53.17	PEAK	74	PASS
BLE	2480	Ant1	2483.5	-53.86	2	0	43.40	AV	54	PASS
BLE	2480	Ant1	2500.0	-40.58	2	0	56.68	PEAK	74	PASS
BLE	2480	Ant1	2500.0	-53.73	2	0	43.53	AV	54	PASS


Restrict-band band-edge measurements_BLE_2402_Ant1_PEAK



Restrict-band band-edge measurements_BLE_2402_Ant1_AV



Restrict-band band-edge measurements_BLE_2480_Ant1_PEAK




Frequency

Auto Tune

Center Freq
2.489000000 GHzStart Freq
2.478000000 GHzStop Freq
2.500000000 GHzCF Step
2.200000 MHz
Auto ManFreq Offset
0 Hz

Restrict-band band-edge measurements_BLE_2480_Ant1_AV



Frequency

Auto Tune

Center Freq
2.489000000 GHzStart Freq
2.478000000 GHzStop Freq
2.500000000 GHzCF Step
2.200000 MHz
Auto ManFreq Offset
0 Hz

8.Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BLE	2440	Ant1	100	PASS

