



NVNT	ac20	5180	Ant1	5138.4	-46.55	4.24	52.92	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5149.6	-55.56	4.24	43.91	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-49.43	4.24	50.04	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-55.41	4.24	44.06	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-51.5	4.24	47.97	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-57.14	4.24	42.33	Average	54	Pass
NVNT	ac20	5240	Ant1	5351.76	-47.38	4.24	52.09	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5434.32	-56.41	4.24	43.06	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-48.89	4.24	50.58	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-56.72	4.24	42.75	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-50.14	4.24	49.33	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-58.17	4.24	41.30	Average	54	Pass
NVNT	ac40	5190	Ant1	5143.13	-46.11	4.24	53.36	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5149.7	-54.36	4.24	45.11	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-49.69	4.24	49.78	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5150	-54.2	4.24	45.27	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-50.33	4.24	49.14	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-56.92	4.24	42.55	Average	54	Pass
NVNT	ac40	5230	Ant1	5437.32	-46.51	4.24	52.96	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5447.31	-56.05	4.24	43.42	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-48.66	4.24	50.81	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-56.47	4.24	43.00	Average	54	Pass
NVNT	ac80	5210	Ant1	5350	-50.84	4.24	48.63	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5350	-56.58	4.24	42.89	Average	54	Pass
NVNT	ac80	5210	Ant1	5422.05	-46.67	4.24	52.80	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5425.68	-55.44	4.24	44.03	Average	54	Pass
NVNT	ac80	5210	Ant1	5460	-48.96	4.24	50.51	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5460	-55.76	4.24	43.71	Average	54	Pass
NVNT	ac80	5210	Ant1	4500	-51.23	4.24	48.24	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	4500	-57.81	4.24	41.66	Average	54	Pass
NVNT	ac80	5210	Ant1	5015.87	-46.37	4.24	53.10	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5149.38	-54.46	4.24	45.01	Average	54	Pass
NVNT	ac80	5210	Ant1	5150	-46.78	4.24	52.69	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5150	-54.2	4.24	45.27	Average	54	Pass
NVNT	ax20	5180	Ant1	4500	-52.16	4.24	47.31	Peak	68.2	Pass
NVNT	ax20	5180	Ant1	4500	-58.34	4.24	41.13	Average	54	Pass
NVNT	ax20	5180	Ant1	5078.2	-46.25	4.24	53.22	Peak	68.2	Pass
NVNT	ax20	5180	Ant1	5149.6	-55.62	4.24	43.85	Average	54	Pass
NVNT	ax20	5180	Ant1	5150	-47.75	4.24	51.72	Peak	68.2	Pass
NVNT	ax20	5180	Ant1	5150	-55.1	4.24	44.37	Average	54	Pass
NVNT	ax20	5240	Ant1	5350	-48.94	4.24	50.53	Peak	68.2	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




NVNT	ax20	5240	Ant1	5350	-57.15	4.24	42.32	Average	54	Pass
NVNT	ax20	5240	Ant1	5421.6	-46.42	4.24	53.05	Peak	68.2	Pass
NVNT	ax20	5240	Ant1	5449.44	-56.4	4.24	43.07	Average	54	Pass
NVNT	ax20	5240	Ant1	5460	-49.07	4.24	50.40	Peak	68.2	Pass
NVNT	ax20	5240	Ant1	5460	-56.75	4.24	42.72	Average	54	Pass
NVNT	ax40	5190	Ant1	4500	-50.25	4.24	49.22	Peak	68.2	Pass
NVNT	ax40	5190	Ant1	4500	-57.93	4.24	41.54	Average	54	Pass
NVNT	ax40	5190	Ant1	5146.78	-45.73	4.24	53.74	Peak	68.2	Pass
NVNT	ax40	5190	Ant1	5149.7	-54.94	4.24	44.53	Average	54	Pass
NVNT	ax40	5190	Ant1	5150	-49.03	4.24	50.44	Peak	68.2	Pass
NVNT	ax40	5190	Ant1	5150	-54.32	4.24	45.15	Average	54	Pass
NVNT	ax40	5230	Ant1	5350	-51.04	4.24	48.43	Peak	68.2	Pass
NVNT	ax40	5230	Ant1	5350	-57.04	4.24	42.43	Average	54	Pass
NVNT	ax40	5230	Ant1	5407.89	-46.59	4.24	52.88	Peak	68.2	Pass
NVNT	ax40	5230	Ant1	5414.1	-56.1	4.24	43.37	Average	54	Pass
NVNT	ax40	5230	Ant1	5460	-48.45	4.24	51.02	Peak	68.2	Pass
NVNT	ax40	5230	Ant1	5460	-56.42	4.24	43.05	Average	54	Pass
NVNT	ax80	5210	Ant1	5350	-59.91	4.24	39.56	Peak	68.2	Pass
NVNT	ax80	5210	Ant1	5350	-65.82	4.24	33.65	Average	54	Pass
NVNT	ax80	5210	Ant1	5393.34	-55.5	4.24	43.97	Peak	68.2	Pass
NVNT	ax80	5210	Ant1	5358.36	-65.27	4.24	34.20	Average	54	Pass
NVNT	ax80	5210	Ant1	5460	-60.58	4.24	38.89	Peak	68.2	Pass
NVNT	ax80	5210	Ant1	5460	-66.01	4.24	33.46	Average	54	Pass
NVNT	ax80	5210	Ant1	4500	-51.48	4.24	47.99	Peak	68.2	Pass
NVNT	ax80	5210	Ant1	4500	-57.95	4.24	41.52	Average	54	Pass
NVNT	ax80	5210	Ant1	5013.5	-46.31	4.24	53.16	Peak	68.2	Pass
NVNT	ax80	5210	Ant1	5149.38	-54.56	4.24	44.91	Average	54	Pass
NVNT	ax80	5210	Ant1	5150	-49.68	4.24	49.79	Peak	68.2	Pass
NVNT	ax80	5210	Ant1	5150	-54.38	4.24	45.09	Average	54	Pass


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT a 5180MHz Ant1 Peak




Restrict Band NVNT a 5180MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT a 5240MHz Ant1 Peak




Restrict Band NVNT a 5240MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n40 5190MHz Ant1 Peak




Restrict Band NVNT n40 5190MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac20 5240MHz Ant1 Peak




Restrict Band NVNT ac20 5240MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac40 5190MHz Ant1 Peak




Restrict Band NVNT ac40 5190MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac40 5230MHz Ant1 Peak




Restrict Band NVNT ac40 5230MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac80 5210MHz Ant1 Peak




Restrict Band NVNT ac80 5210MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac80 5210MHz Ant1 Peak




Restrict Band NVNT ac80 5210MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax20 5180MHz Ant1 Peak




Restrict Band NVNT ax20 5180MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax20 5240MHz Ant1 Peak




Restrict Band NVNT ax20 5240MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax40 5190MHz Ant1 Peak




Restrict Band NVNT ax40 5190MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax40 5230MHz Ant1 Peak




Restrict Band NVNT ax40 5230MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax80 5210MHz Ant1 Peak




Restrict Band NVNT ax80 5210MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax80 5210MHz Ant1 Peak



Restrict Band NVNT ax80 5210MHz Ant1 Average

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant2	4500	-60.44	4.24	39.03	Peak	68.2	Pass
NVNT	a	5180	Ant2	4500	-68.28	4.24	31.19	Average	54	Pass
NVNT	a	5180	Ant2	5148.2	-53.85	4.24	45.62	Peak	68.2	Pass
NVNT	a	5180	Ant2	5149.6	-62.43	4.24	37.04	Average	54	Pass
NVNT	a	5180	Ant2	5150	-53.64	4.24	45.83	Peak	68.2	Pass
NVNT	a	5180	Ant2	5150	-61.49	4.24	37.98	Average	54	Pass
NVNT	a	5240	Ant2	5350	-48.88	4.24	50.59	Peak	68.2	Pass
NVNT	a	5240	Ant2	5350	-57.19	4.24	42.28	Average	54	Pass
NVNT	a	5240	Ant2	5403.36	-47.06	4.24	52.41	Peak	68.2	Pass
NVNT	a	5240	Ant2	5443.44	-56.54	4.24	42.93	Average	54	Pass
NVNT	a	5240	Ant2	5460	-49.47	4.24	50.00	Peak	68.2	Pass
NVNT	a	5240	Ant2	5460	-56.94	4.24	42.53	Average	54	Pass
NVNT	n20	5180	Ant2	4500	-52.63	4.24	46.84	Peak	68.2	Pass
NVNT	n20	5180	Ant2	4500	-58.43	4.24	41.04	Average	54	Pass
NVNT	n20	5180	Ant2	5010.3	-46.87	4.24	52.60	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5149.6	-55.65	4.24	43.82	Average	54	Pass
NVNT	n20	5180	Ant2	5150	-51.09	4.24	48.38	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5150	-55.55	4.24	43.92	Average	54	Pass
NVNT	n20	5240	Ant2	5350	-50.3	4.24	49.17	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5350	-57.32	4.24	42.15	Average	54	Pass
NVNT	n20	5240	Ant2	5396.4	-46.86	4.24	52.61	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5439.6	-56.37	4.24	43.10	Average	54	Pass
NVNT	n20	5240	Ant2	5460	-48.14	4.24	51.33	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5460	-56.85	4.24	42.62	Average	54	Pass
NVNT	n40	5190	Ant2	4500	-61.35	4.24	38.12	Peak	68.2	Pass
NVNT	n40	5190	Ant2	4500	-68.12	4.24	31.35	Average	54	Pass
NVNT	n40	5190	Ant2	5148.97	-51.38	4.24	48.09	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5149.7	-58.48	4.24	40.99	Average	54	Pass
NVNT	n40	5190	Ant2	5150	-50.6	4.24	48.87	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5150	-58.44	4.24	41.03	Average	54	Pass
NVNT	n40	5230	Ant2	5350	-50.14	4.24	49.33	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5350	-57.15	4.24	42.32	Average	54	Pass
NVNT	n40	5230	Ant2	5440.02	-46.49	4.24	52.98	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5458.92	-56.19	4.24	43.28	Average	54	Pass
NVNT	n40	5230	Ant2	5460	-48.86	4.24	50.61	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5460	-56.78	4.24	42.69	Average	54	Pass
NVNT	ac20	5180	Ant2	4500	-49.99	4.24	49.48	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	4500	-58.33	4.24	41.14	Average	54	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ac20	5180	Ant2	5135.6	-46.03	4.24	53.44	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5149.6	-55.43	4.24	44.04	Average	54	Pass
NVNT	ac20	5180	Ant2	5150	-49.89	4.24	49.58	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5150	-55.49	4.24	43.98	Average	54	Pass
NVNT	ac20	5240	Ant2	5350	-49.81	4.24	49.66	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5350	-57.18	4.24	42.29	Average	54	Pass
NVNT	ac20	5240	Ant2	5411.76	-46.98	4.24	52.49	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5456.16	-56.53	4.24	42.94	Average	54	Pass
NVNT	ac20	5240	Ant2	5460	-50.05	4.24	49.42	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5460	-56.71	4.24	42.76	Average	54	Pass
NVNT	ac40	5190	Ant2	4500	-51.53	4.24	47.94	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	4500	-58.42	4.24	41.05	Average	54	Pass
NVNT	ac40	5190	Ant2	5069.4	-46.47	4.24	53.00	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5148.24	-54.66	4.24	44.81	Average	54	Pass
NVNT	ac40	5190	Ant2	5150	-49.25	4.24	50.22	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5150	-54.77	4.24	44.70	Average	54	Pass
NVNT	ac40	5230	Ant2	5350	-51.43	4.24	48.04	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5350	-56.73	4.24	42.74	Average	54	Pass
NVNT	ac40	5230	Ant2	5393.58	-47.3	4.24	52.17	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5444.34	-55.94	4.24	43.53	Average	54	Pass
NVNT	ac40	5230	Ant2	5460	-48.23	4.24	51.24	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5460	-56.59	4.24	42.88	Average	54	Pass
NVNT	ac80	5210	Ant2	5350	-50.73	4.24	48.74	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5350	-56.98	4.24	42.49	Average	54	Pass
NVNT	ac80	5210	Ant2	5437.56	-46.37	4.24	53.10	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5427.66	-55.59	4.24	43.88	Average	54	Pass
NVNT	ac80	5210	Ant2	5460	-49.97	4.24	49.50	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5460	-56.06	4.24	43.41	Average	54	Pass
NVNT	ac80	5210	Ant2	4500	-51.68	4.24	47.79	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	4500	-57.67	4.24	41.80	Average	54	Pass
NVNT	ac80	5210	Ant2	5018.24	-46.97	4.24	52.50	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5149.38	-54.69	4.24	44.78	Average	54	Pass
NVNT	ac80	5210	Ant2	5150	-49.39	4.24	50.08	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5150	-54.71	4.24	44.76	Average	54	Pass
NVNT	ax20	5180	Ant2	4500	-51.38	4.24	48.09	Peak	68.2	Pass
NVNT	ax20	5180	Ant2	4500	-58.38	4.24	41.09	Average	54	Pass
NVNT	ax20	5180	Ant2	4987.9	-45.42	4.24	54.05	Peak	68.2	Pass
NVNT	ax20	5180	Ant2	5148.2	-55.79	4.24	43.68	Average	54	Pass
NVNT	ax20	5180	Ant2	5150	-48.57	4.24	50.90	Peak	68.2	Pass
NVNT	ax20	5180	Ant2	5150	-55.65	4.24	43.82	Average	54	Pass
NVNT	ax20	5240	Ant2	5350	-49.81	4.24	49.66	Peak	68.2	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




NVNT	ax20	5240	Ant2	5350	-57.4	4.24	42.07	Average	54	Pass
NVNT	ax20	5240	Ant2	5441.28	-46.99	4.24	52.48	Peak	68.2	Pass
NVNT	ax20	5240	Ant2	5445.6	-56.44	4.24	43.03	Average	54	Pass
NVNT	ax20	5240	Ant2	5460	-49.42	4.24	50.05	Peak	68.2	Pass
NVNT	ax20	5240	Ant2	5460	-56.63	4.24	42.84	Average	54	Pass
NVNT	ax40	5190	Ant2	4500	-52.36	4.24	47.11	Peak	68.2	Pass
NVNT	ax40	5190	Ant2	4500	-58.11	4.24	41.36	Average	54	Pass
NVNT	ax40	5190	Ant2	4724.11	-46.76	4.24	52.71	Peak	68.2	Pass
NVNT	ax40	5190	Ant2	5148.24	-55.1	4.24	44.37	Average	54	Pass
NVNT	ax40	5190	Ant2	5150	-48.28	4.24	51.19	Peak	68.2	Pass
NVNT	ax40	5190	Ant2	5150	-54.9	4.24	44.57	Average	54	Pass
NVNT	ax40	5230	Ant2	5350	-50.27	4.24	49.20	Peak	68.2	Pass
NVNT	ax40	5230	Ant2	5350	-57.25	4.24	42.22	Average	54	Pass
NVNT	ax40	5230	Ant2	5357.67	-47.13	4.24	52.34	Peak	68.2	Pass
NVNT	ax40	5230	Ant2	5438.13	-56.19	4.24	43.28	Average	54	Pass
NVNT	ax40	5230	Ant2	5460	-48.99	4.24	50.48	Peak	68.2	Pass
NVNT	ax40	5230	Ant2	5460	-56.56	4.24	42.91	Average	54	Pass
NVNT	ax80	5210	Ant2	5350	-59.61	4.24	39.86	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5350	-66.4	4.24	33.07	Average	54	Pass
NVNT	ax80	5210	Ant2	5429.64	-56.53	4.24	42.94	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5408.19	-65.24	4.24	34.23	Average	54	Pass
NVNT	ax80	5210	Ant2	5460	-59.67	4.24	39.80	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5460	-65.95	4.24	33.52	Average	54	Pass
NVNT	ax80	5210	Ant2	4500	-51.73	4.24	47.74	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	4500	-57.74	4.24	41.73	Average	54	Pass
NVNT	ax80	5210	Ant2	5036.41	-46.17	4.24	53.30	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5149.38	-54.74	4.24	44.73	Average	54	Pass
NVNT	ax80	5210	Ant2	5150	-49.46	4.24	50.01	Peak	68.2	Pass
NVNT	ax80	5210	Ant2	5150	-54.14	4.24	45.33	Average	54	Pass


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT a 5180MHz Ant2 Peak




Restrict Band NVNT a 5180MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT a 5240MHz Ant2 Peak




Restrict Band NVNT a 5240MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n20 5180MHz Ant2 Peak




Restrict Band NVNT n20 5180MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n20 5240MHz Ant2 Peak




Restrict Band NVNT n20 5240MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n40 5190MHz Ant2 Peak




Restrict Band NVNT n40 5190MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n40 5230MHz Ant2 Peak




Restrict Band NVNT n40 5230MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac20 5180MHz Ant2 Peak




Restrict Band NVNT ac20 5180MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac20 5240MHz Ant2 Peak




Restrict Band NVNT ac20 5240MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac40 5190MHz Ant2 Peak




Restrict Band NVNT ac40 5190MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac40 5230MHz Ant2 Peak




Restrict Band NVNT ac40 5230MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac80 5210MHz Ant2 Peak




Restrict Band NVNT ac80 5210MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac80 5210MHz Ant2 Peak




Restrict Band NVNT ac80 5210MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax20 5180MHz Ant2 Peak




Restrict Band NVNT ax20 5180MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax20 5240MHz Ant2 Peak




Restrict Band NVNT ax20 5240MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax40 5190MHz Ant2 Peak




Restrict Band NVNT ax40 5190MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax40 5230MHz Ant2 Peak




Restrict Band NVNT ax40 5230MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax80 5210MHz Ant2 Peak




Restrict Band NVNT ax80 5210MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax80 5210MHz Ant2 Peak



Restrict Band NVNT ax80 5210MHz Ant2 Average

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



MIMO

Condition	Mode	Frequency (MHz)	Ant1 Power (dBm)	Ant2 Power (dBm)	SUM	Gain (dBi)	Total E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	5180	-51.46	-52.63	-49.00	7.25	53.48	Peak	68.2	Pass
NVNT	n20	5180	-58.15	-58.43	-55.28	7.25	47.20	Average	54	Pass
NVNT	n20	5180	-46.15	-46.87	-43.48	7.25	58.99	Peak	68.2	Pass
NVNT	n20	5180	-55.53	-55.65	-52.58	7.25	49.90	Average	54	Pass
NVNT	n20	5180	-48.57	-51.09	-46.64	7.25	55.84	Peak	68.2	Pass
NVNT	n20	5180	-55.41	-55.55	-52.47	7.25	50.01	Average	54	Pass
NVNT	n20	5240	-50.48	-50.3	-47.38	7.25	55.10	Peak	68.2	Pass
NVNT	n20	5240	-57.04	-57.32	-54.17	7.25	48.31	Average	54	Pass
NVNT	n20	5240	-46.79	-46.86	-43.81	7.25	58.66	Peak	68.2	Pass
NVNT	n20	5240	-56.46	-56.37	-53.40	7.25	49.07	Average	54	Pass
NVNT	n20	5240	-50.21	-48.14	-46.04	7.25	56.44	Peak	68.2	Pass
NVNT	n20	5240	-56.7	-56.85	-53.76	7.25	48.71	Average	54	Pass
NVNT	n40	5190	-61.84	-61.35	-58.58	7.25	43.90	Peak	68.2	Pass
NVNT	n40	5190	-68.14	-68.12	-65.12	7.25	37.36	Average	54	Pass
NVNT	n40	5190	-52.1	-51.38	-48.71	7.25	53.76	Peak	68.2	Pass
NVNT	n40	5190	-57.98	-58.48	-55.21	7.25	47.27	Average	54	Pass
NVNT	n40	5190	-52.27	-50.6	-48.34	7.25	54.13	Peak	68.2	Pass
NVNT	n40	5190	-56.63	-58.44	-54.43	7.25	48.05	Average	54	Pass
NVNT	n40	5230	-50.91	-50.14	-47.50	7.25	54.98	Peak	68.2	Pass
NVNT	n40	5230	-56.9	-57.15	-54.01	7.25	48.46	Average	54	Pass
NVNT	n40	5230	-46.61	-46.49	-43.54	7.25	58.94	Peak	68.2	Pass
NVNT	n40	5230	-56.07	-56.19	-53.12	7.25	49.36	Average	54	Pass
NVNT	n40	5230	-49.83	-48.86	-46.31	7.25	56.17	Peak	68.2	Pass
NVNT	n40	5230	-56.34	-56.78	-53.54	7.25	48.93	Average	54	Pass
NVNT	ac20	5180	-51.76	-49.99	-47.78	7.25	54.70	Peak	68.2	Pass
NVNT	ac20	5180	-58.3	-58.33	-55.30	7.25	47.17	Average	54	Pass
NVNT	ac20	5180	-46.55	-46.03	-43.27	7.25	59.21	Peak	68.2	Pass
NVNT	ac20	5180	-55.56	-55.43	-52.48	7.25	49.99	Average	54	Pass
NVNT	ac20	5180	-49.43	-49.89	-46.64	7.25	55.83	Peak	68.2	Pass
NVNT	ac20	5180	-55.41	-55.49	-52.44	7.25	50.04	Average	54	Pass
NVNT	ac20	5240	-51.5	-49.81	-47.56	7.25	54.91	Peak	68.2	Pass
NVNT	ac20	5240	-57.14	-57.18	-54.15	7.25	48.33	Average	54	Pass
NVNT	ac20	5240	-47.38	-46.98	-44.17	7.25	58.31	Peak	68.2	Pass
NVNT	ac20	5240	-56.41	-56.53	-53.46	7.25	49.02	Average	54	Pass
NVNT	ac20	5240	-48.89	-50.05	-46.42	7.25	56.06	Peak	68.2	Pass
NVNT	ac20	5240	-56.72	-56.71	-53.70	7.25	48.77	Average	54	Pass
NVNT	ac40	5190	-50.14	-51.53	-47.77	7.25	54.71	Peak	68.2	Pass
NVNT	ac40	5190	-58.17	-58.42	-55.28	7.25	47.19	Average	54	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ac40	5190	-46.11	-46.47	-43.28	7.25	59.20	Peak	68.2	Pass
NVNT	ac40	5190	-54.36	-54.66	-51.50	7.25	50.98	Average	54	Pass
NVNT	ac40	5190	-49.69	-49.25	-46.45	7.25	56.02	Peak	68.2	Pass
NVNT	ac40	5190	-54.2	-54.77	-51.47	7.25	51.01	Average	54	Pass
NVNT	ac40	5230	-50.33	-51.43	-47.83	7.25	54.64	Peak	68.2	Pass
NVNT	ac40	5230	-56.92	-56.73	-53.81	7.25	48.66	Average	54	Pass
NVNT	ac40	5230	-46.51	-47.3	-43.88	7.25	58.60	Peak	68.2	Pass
NVNT	ac40	5230	-56.05	-55.94	-52.98	7.25	49.49	Average	54	Pass
NVNT	ac40	5230	-48.66	-48.23	-45.43	7.25	57.05	Peak	68.2	Pass
NVNT	ac40	5230	-56.47	-56.59	-53.52	7.25	48.96	Average	54	Pass
NVNT	ac80	5210	-50.84	-50.73	-47.77	7.25	54.70	Peak	68.2	Pass
NVNT	ac80	5210	-56.58	-56.98	-53.77	7.25	48.71	Average	54	Pass
NVNT	ac80	5210	-46.67	-46.37	-43.51	7.25	58.97	Peak	68.2	Pass
NVNT	ac80	5210	-55.44	-55.59	-52.50	7.25	49.97	Average	54	Pass
NVNT	ac80	5210	-48.96	-49.97	-46.43	7.25	56.05	Peak	68.2	Pass
NVNT	ac80	5210	-55.76	-56.06	-52.90	7.25	49.58	Average	54	Pass
NVNT	ac80	5210	-51.23	-51.68	-48.44	7.25	54.04	Peak	68.2	Pass
NVNT	ac80	5210	-57.81	-57.67	-54.73	7.25	47.75	Average	54	Pass
NVNT	ac80	5210	-46.37	-46.97	-43.65	7.25	58.83	Peak	68.2	Pass
NVNT	ac80	5210	-54.46	-54.69	-51.56	7.25	50.91	Average	54	Pass
NVNT	ac80	5210	-46.78	-49.39	-44.88	7.25	57.60	Peak	68.2	Pass
NVNT	ac80	5210	-54.2	-54.71	-51.44	7.25	51.04	Average	54	Pass
NVNT	ax20	5180	-52.16	-51.38	-48.74	7.25	53.74	Peak	68.2	Pass
NVNT	ax20	5180	-58.34	-58.38	-55.35	7.25	47.13	Average	54	Pass
NVNT	ax20	5180	-46.25	-45.42	-42.80	7.25	59.67	Peak	68.2	Pass
NVNT	ax20	5180	-55.62	-55.79	-52.69	7.25	49.78	Average	54	Pass
NVNT	ax20	5180	-47.75	-48.57	-45.13	7.25	57.35	Peak	68.2	Pass
NVNT	ax20	5180	-55.1	-55.65	-52.36	7.25	50.12	Average	54	Pass
NVNT	ax20	5240	-48.94	-49.81	-46.34	7.25	56.13	Peak	68.2	Pass
NVNT	ax20	5240	-57.15	-57.4	-54.26	7.25	48.21	Average	54	Pass
NVNT	ax20	5240	-46.42	-46.99	-43.69	7.25	58.79	Peak	68.2	Pass
NVNT	ax20	5240	-56.4	-56.44	-53.41	7.25	49.07	Average	54	Pass
NVNT	ax20	5240	-49.07	-49.42	-46.23	7.25	56.25	Peak	68.2	Pass
NVNT	ax20	5240	-56.75	-56.63	-53.68	7.25	48.80	Average	54	Pass
NVNT	ax40	5190	-50.25	-52.36	-48.17	7.25	54.31	Peak	68.2	Pass
NVNT	ax40	5190	-57.93	-58.11	-55.01	7.25	47.47	Average	54	Pass
NVNT	ax40	5190	-45.73	-46.76	-43.20	7.25	59.27	Peak	68.2	Pass
NVNT	ax40	5190	-54.94	-55.1	-52.01	7.25	50.47	Average	54	Pass
NVNT	ax40	5190	-49.03	-48.28	-45.63	7.25	56.85	Peak	68.2	Pass
NVNT	ax40	5190	-54.32	-54.9	-51.59	7.25	50.89	Average	54	Pass
NVNT	ax40	5230	-51.04	-50.27	-47.63	7.25	54.85	Peak	68.2	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ax40	5230	-57.04	-57.25	-54.13	7.25	48.34	Average	54	Pass
NVNT	ax40	5230	-46.59	-47.13	-43.84	7.25	58.64	Peak	68.2	Pass
NVNT	ax40	5230	-56.1	-56.19	-53.13	7.25	49.34	Average	54	Pass
NVNT	ax40	5230	-48.45	-48.99	-45.70	7.25	56.78	Peak	68.2	Pass
NVNT	ax40	5230	-56.42	-56.56	-53.48	7.25	49.00	Average	54	Pass
NVNT	ax80	5210	-59.91	-59.61	-56.75	7.25	45.73	Peak	68.2	Pass
NVNT	ax80	5210	-65.82	-66.4	-63.09	7.25	39.39	Average	54	Pass
NVNT	ax80	5210	-55.5	-56.53	-52.97	7.25	49.50	Peak	68.2	Pass
NVNT	ax80	5210	-65.27	-65.24	-62.24	7.25	40.23	Average	54	Pass
NVNT	ax80	5210	-60.58	-59.67	-57.09	7.25	45.39	Peak	68.2	Pass
NVNT	ax80	5210	-66.01	-65.95	-62.97	7.25	39.51	Average	54	Pass
NVNT	ax80	5210	-51.48	-51.73	-48.59	7.25	53.88	Peak	68.2	Pass
NVNT	ax80	5210	-57.95	-57.74	-54.83	7.25	47.64	Average	54	Pass
NVNT	ax80	5210	-46.31	-46.17	-43.23	7.25	59.25	Peak	68.2	Pass
NVNT	ax80	5210	-54.56	-54.74	-51.64	7.25	50.84	Average	54	Pass
NVNT	ax80	5210	-49.68	-49.46	-46.56	7.25	55.92	Peak	68.2	Pass
NVNT	ax80	5210	-54.38	-54.14	-51.25	7.25	51.23	Average	54	Pass




D.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
NVNT	a	5200	Ant1	5199.98	-20000	-3.85	25	Pass
NVNT	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
NVNT	n20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
NVNT	n20	5200	Ant1	5200	0	0	25	Pass
NVNT	n20	5240	Ant1	5240	0	0	25	Pass
NVNT	n40	5190	Ant1	5190	0	0	25	Pass
NVNT	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
NVNT	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
NVNT	ac20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
NVNT	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
NVNT	ac40	5190	Ant1	5190	0	0	25	Pass
NVNT	ac40	5230	Ant1	5230	0	0	25	Pass
NVNT	ac80	5210	Ant1	5210	0	0	25	Pass
NVNT	ax20	5180	Ant1	5180	0	0	25	Pass
NVNT	ax20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
NVNT	ax20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
NVNT	ax40	5190	Ant1	5190	0	0	25	Pass
NVNT	ax40	5230	Ant1	5230	0	0	25	Pass
NVNT	ax80	5210	Ant1	5210	0	0	25	Pass


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Freq. Stability NVNT a 5180MHz Ant1




Freq. Stability NVNT a 5200MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Freq. Stability NVNT a 5240MHz Ant1




Freq. Stability NVNT n20 5180MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Freq. Stability NVNT n20 5200MHz Ant1




Freq. Stability NVNT n20 5240MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Freq. Stability NVNT n40 5190MHz Ant1




Freq. Stability NVNT n40 5230MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Freq. Stability NVNT ac20 5180MHz Ant1



Freq. Stability NVNT ac20 5200MHz Ant1

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com