



NVNT	ac20	5260	Ant1	4500	-58.87	4.24	40.60	Average	54	Pass
NVNT	ac20	5260	Ant1	5033.52	-47.24	4.24	52.23	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	5046.78	-56.64	4.24	42.83	Average	54	Pass
NVNT	ac20	5260	Ant1	5150	-49.28	4.24	50.19	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	5150	-57.32	4.24	42.15	Average	54	Pass
NVNT	ac20	5320	Ant1	5350	-47.44	4.24	52.03	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5350	-57.1	4.24	42.37	Average	54	Pass
NVNT	ac20	5320	Ant1	5353.4	-46.75	4.24	52.72	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5350.6	-56.92	4.24	42.55	Average	54	Pass
NVNT	ac20	5320	Ant1	5460	-50.6	4.24	48.87	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5460	-57.99	4.24	41.48	Average	54	Pass
NVNT	ac40	5270	Ant1	4500	-52.6	4.24	46.87	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	4500	-59.11	4.24	40.36	Average	54	Pass
NVNT	ac40	5270	Ant1	4872.6	-47.26	4.24	52.21	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	4806.99	-56.35	4.24	43.12	Average	54	Pass
NVNT	ac40	5270	Ant1	5150	-50.9	4.24	48.57	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	5150	-57.53	4.24	41.94	Average	54	Pass
NVNT	ac40	5310	Ant1	5350	-44.68	4.24	54.79	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5350	-56.54	4.24	42.93	Average	54	Pass
NVNT	ac40	5310	Ant1	5350.8	-44.04	4.24	55.43	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5350.2	-56.04	4.24	43.43	Average	54	Pass
NVNT	ac40	5310	Ant1	5460	-52.13	4.24	47.34	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5460	-57.64	4.24	41.83	Average	54	Pass
NVNT	ac80	5290	Ant1	5350	-48.39	4.24	51.08	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5350	-56.52	4.24	42.95	Average	54	Pass
NVNT	ac80	5290	Ant1	5361.25	-46.44	4.24	53.03	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5352	-56.46	4.24	43.01	Average	54	Pass
NVNT	ac80	5290	Ant1	5460	-50.74	4.24	48.73	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5460	-57.31	4.24	42.16	Average	54	Pass
NVNT	ac80	5290	Ant1	4500	-50.98	4.24	48.49	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	4500	-58.95	4.24	40.52	Average	54	Pass
NVNT	ac80	5290	Ant1	5051.58	-47.76	4.24	51.71	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5060.28	-56.33	4.24	43.14	Average	54	Pass
NVNT	ac80	5290	Ant1	5150	-50.47	4.24	49.00	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5150	-57.21	4.24	42.26	Average	54	Pass
NVNT	ax20	5260	Ant1	4500	-52.65	4.24	46.82	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	4500	-59.04	4.24	40.43	Average	54	Pass
NVNT	ax20	5260	Ant1	4976.58	-45.94	4.24	53.53	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	5041.32	-56.67	4.24	42.80	Average	54	Pass
NVNT	ax20	5260	Ant1	5150	-50.94	4.24	48.53	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	5150	-57.31	4.24	42.16	Average	54	Pass


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ax20	5320	Ant1	5350	-46.61	4.24	52.86	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5350	-56.75	4.24	42.72	Average	54	Pass
NVNT	ax20	5320	Ant1	5351.6	-44.68	4.24	54.79	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5350	-56.75	4.24	42.72	Average	54	Pass
NVNT	ax20	5320	Ant1	5460	-50.5	4.24	48.97	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5460	-57.79	4.24	41.68	Average	54	Pass
NVNT	ax40	5270	Ant1	4500	-52.58	4.24	46.89	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	4500	-59.2	4.24	40.27	Average	54	Pass
NVNT	ax40	5270	Ant1	5102.64	-47.71	4.24	51.76	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	4806.99	-56.57	4.24	42.90	Average	54	Pass
NVNT	ax40	5270	Ant1	5150	-50.62	4.24	48.85	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	5150	-57.43	4.24	42.04	Average	54	Pass
NVNT	ax40	5310	Ant1	5350	-49.61	4.24	49.86	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5350	-56.53	4.24	42.94	Average	54	Pass
NVNT	ax40	5310	Ant1	5350.6	-46.49	4.24	52.98	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5350	-56.53	4.24	42.94	Average	54	Pass
NVNT	ax40	5310	Ant1	5460	-51.11	4.24	48.36	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5460	-57.75	4.24	41.72	Average	54	Pass
NVNT	ax80	5290	Ant1	5350	-50.34	4.24	49.13	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5350	-56.31	4.24	43.16	Average	54	Pass
NVNT	ax80	5290	Ant1	5351.75	-45.34	4.24	54.13	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5350.5	-55.92	4.24	43.55	Average	54	Pass
NVNT	ax80	5290	Ant1	5460	-50.51	4.24	48.96	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5460	-57.54	4.24	41.93	Average	54	Pass
NVNT	ax80	5290	Ant1	4500	-52.78	4.24	46.69	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	4500	-58.88	4.24	40.59	Average	54	Pass
NVNT	ax80	5290	Ant1	5079.42	-47.7	4.24	51.77	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5048.97	-56.32	4.24	43.15	Average	54	Pass
NVNT	ax80	5290	Ant1	5150	-50.05	4.24	49.42	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5150	-57.36	4.24	42.11	Average	54	Pass



Restrict Band NVNT a 5260MHz Ant1 Peak




Restrict Band NVNT a 5260MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT a 5320MHz Ant1 Peak




Restrict Band NVNT a 5320MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n20 5260MHz Ant1 Peak




Restrict Band NVNT n20 5260MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n20 5320MHz Ant1 Peak




Restrict Band NVNT n20 5320MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n40 5270MHz Ant1 Peak




Restrict Band NVNT n40 5270MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n40 5310MHz Ant1 Peak




Restrict Band NVNT n40 5310MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac20 5260MHz Ant1 Peak




Restrict Band NVNT ac20 5260MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac20 5320MHz Ant1 Peak




Restrict Band NVNT ac20 5320MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac40 5270MHz Ant1 Peak




Restrict Band NVNT ac40 5270MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac40 5310MHz Ant1 Peak




Restrict Band NVNT ac40 5310MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac80 5290MHz Ant1 Peak




Restrict Band NVNT ac80 5290MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac80 5290MHz Ant1 Peak




Restrict Band NVNT ac80 5290MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax20 5260MHz Ant1 Peak




Restrict Band NVNT ax20 5260MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax20 5320MHz Ant1 Peak




Restrict Band NVNT ax20 5320MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax40 5270MHz Ant1 Peak




Restrict Band NVNT ax40 5270MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax40 5310MHz Ant1 Peak




Restrict Band NVNT ax40 5310MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax80 5290MHz Ant1 Peak




Restrict Band NVNT ax80 5290MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax80 5290MHz Ant1 Peak



Restrict Band NVNT ax80 5290MHz Ant1 Average

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant2	4500	-52.29	4.24	47.18	Peak	68.2	Pass
NVNT	a	5260	Ant2	4500	-58.98	4.24	40.49	Average	54	Pass
NVNT	a	5260	Ant2	4729.32	-47.57	4.24	51.90	Peak	68.2	Pass
NVNT	a	5260	Ant2	5056.14	-56.66	4.24	42.81	Average	54	Pass
NVNT	a	5260	Ant2	5150	-49.36	4.24	50.11	Peak	68.2	Pass
NVNT	a	5260	Ant2	5150	-57.27	4.24	42.20	Average	54	Pass
NVNT	a	5320	Ant2	5350	-50.44	4.24	49.03	Peak	68.2	Pass
NVNT	a	5320	Ant2	5350	-57.62	4.24	41.85	Average	54	Pass
NVNT	a	5320	Ant2	5416	-48.16	4.24	51.31	Peak	68.2	Pass
NVNT	a	5320	Ant2	5429.2	-57.6	4.24	41.87	Average	54	Pass
NVNT	a	5320	Ant2	5460	-49.56	4.24	49.91	Peak	68.2	Pass
NVNT	a	5320	Ant2	5460	-57.78	4.24	41.69	Average	54	Pass
NVNT	n20	5260	Ant2	4500	-51.3	4.24	48.17	Peak	68.2	Pass
NVNT	n20	5260	Ant2	4500	-58.81	4.24	40.66	Average	54	Pass
NVNT	n20	5260	Ant2	4722.3	-47.35	4.24	52.12	Peak	68.2	Pass
NVNT	n20	5260	Ant2	5029.62	-56.66	4.24	42.81	Average	54	Pass
NVNT	n20	5260	Ant2	5150	-49.17	4.24	50.30	Peak	68.2	Pass
NVNT	n20	5260	Ant2	5150	-57.14	4.24	42.33	Average	54	Pass
NVNT	n20	5320	Ant2	5350	-46.75	4.24	52.72	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5350	-56.75	4.24	42.72	Average	54	Pass
NVNT	n20	5320	Ant2	5350.8	-45.55	4.24	53.92	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5350	-56.75	4.24	42.72	Average	54	Pass
NVNT	n20	5320	Ant2	5460	-50.94	4.24	48.53	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5460	-57.73	4.24	41.74	Average	54	Pass
NVNT	n40	5270	Ant2	4500	-51.71	4.24	47.76	Peak	68.2	Pass
NVNT	n40	5270	Ant2	4500	-58.95	4.24	40.52	Average	54	Pass
NVNT	n40	5270	Ant2	5084.01	-47.34	4.24	52.13	Peak	68.2	Pass
NVNT	n40	5270	Ant2	4807.8	-56.26	4.24	43.21	Average	54	Pass
NVNT	n40	5270	Ant2	5150	-50.18	4.24	49.29	Peak	68.2	Pass
NVNT	n40	5270	Ant2	5150	-57.27	4.24	42.20	Average	54	Pass
NVNT	n40	5310	Ant2	5350	-47.75	4.24	51.72	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5350	-56.29	4.24	43.18	Average	54	Pass
NVNT	n40	5310	Ant2	5350.4	-47.73	4.24	51.74	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5350.2	-56.28	4.24	43.19	Average	54	Pass
NVNT	n40	5310	Ant2	5460	-52.17	4.24	47.30	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5460	-57.47	4.24	42.00	Average	54	Pass
NVNT	ac20	5260	Ant2	4500	-52.67	4.24	46.80	Peak	68.2	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ac20	5260	Ant2	4500	-58.81	4.24	40.66	Average	54	Pass
NVNT	ac20	5260	Ant2	4932.12	-46.78	4.24	52.69	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	5022.6	-56.6	4.24	42.87	Average	54	Pass
NVNT	ac20	5260	Ant2	5150	-49.1	4.24	50.37	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	5150	-57	4.24	42.47	Average	54	Pass
NVNT	ac20	5320	Ant2	5350	-50.09	4.24	49.38	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5350	-56.81	4.24	42.66	Average	54	Pass
NVNT	ac20	5320	Ant2	5351.8	-45.21	4.24	54.26	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5350	-56.81	4.24	42.66	Average	54	Pass
NVNT	ac20	5320	Ant2	5460	-50.96	4.24	48.51	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5460	-57.81	4.24	41.66	Average	54	Pass
NVNT	ac40	5270	Ant2	4500	-50.04	4.24	49.43	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	4500	-59.02	4.24	40.45	Average	54	Pass
NVNT	ac40	5270	Ant2	4998.96	-47.39	4.24	52.08	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	4807.8	-56.13	4.24	43.34	Average	54	Pass
NVNT	ac40	5270	Ant2	5150	-50.72	4.24	48.75	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	5150	-57.22	4.24	42.25	Average	54	Pass
NVNT	ac40	5310	Ant2	5350	-48.53	4.24	50.94	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5350	-56.3	4.24	43.17	Average	54	Pass
NVNT	ac40	5310	Ant2	5350.6	-44.24	4.24	55.23	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5350	-56.3	4.24	43.17	Average	54	Pass
NVNT	ac40	5310	Ant2	5460	-51.84	4.24	47.63	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5460	-57.42	4.24	42.05	Average	54	Pass
NVNT	ac80	5290	Ant2	5350	-50.6	4.24	48.87	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5350	-56.26	4.24	43.21	Average	54	Pass
NVNT	ac80	5290	Ant2	5355.5	-47.51	4.24	51.96	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5351.25	-56.09	4.24	43.38	Average	54	Pass
NVNT	ac80	5290	Ant2	5460	-50.57	4.24	48.90	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5460	-57.13	4.24	42.34	Average	54	Pass
NVNT	ac80	5290	Ant2	4500	-53.02	4.24	46.45	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	4500	-59	4.24	40.47	Average	54	Pass
NVNT	ac80	5290	Ant2	4844.52	-47.5	4.24	51.97	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5073.33	-56.13	4.24	43.34	Average	54	Pass
NVNT	ac80	5290	Ant2	5150	-50.98	4.24	48.49	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5150	-57.04	4.24	42.43	Average	54	Pass
NVNT	ax20	5260	Ant2	4500	-53.22	4.24	46.25	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	4500	-58.91	4.24	40.56	Average	54	Pass
NVNT	ax20	5260	Ant2	4715.28	-46.99	4.24	52.48	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	5070.96	-56.56	4.24	42.91	Average	54	Pass
NVNT	ax20	5260	Ant2	5150	-49.56	4.24	49.91	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	5150	-57.12	4.24	42.35	Average	54	Pass


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ax20	5320	Ant2	5350	-46.8	4.24	52.67	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5350	-56.83	4.24	42.64	Average	54	Pass
NVNT	ax20	5320	Ant2	5354.2	-45.79	4.24	53.68	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5350	-56.83	4.24	42.64	Average	54	Pass
NVNT	ax20	5320	Ant2	5460	-51.45	4.24	48.02	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5460	-57.81	4.24	41.66	Average	54	Pass
NVNT	ax40	5270	Ant2	4500	-51.14	4.24	48.33	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	4500	-58.92	4.24	40.55	Average	54	Pass
NVNT	ax40	5270	Ant2	5020.02	-47.76	4.24	51.71	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	4806.99	-56.41	4.24	43.06	Average	54	Pass
NVNT	ax40	5270	Ant2	5150	-51.12	4.24	48.35	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	5150	-57.14	4.24	42.33	Average	54	Pass
NVNT	ax40	5310	Ant2	5350	-47.44	4.24	52.03	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5350	-56.27	4.24	43.20	Average	54	Pass
NVNT	ax40	5310	Ant2	5350.6	-46.89	4.24	52.58	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5350	-56.27	4.24	43.20	Average	54	Pass
NVNT	ax40	5310	Ant2	5460	-51.45	4.24	48.02	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5460	-57.56	4.24	41.91	Average	54	Pass
NVNT	ax80	5290	Ant2	5350	-45.66	4.24	53.81	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5350	-55.86	4.24	43.61	Average	54	Pass
NVNT	ax80	5290	Ant2	5350	-45.66	4.24	53.81	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5350.25	-55.72	4.24	43.75	Average	54	Pass
NVNT	ax80	5290	Ant2	5460	-51.47	4.24	48.00	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5460	-57.27	4.24	42.20	Average	54	Pass
NVNT	ax80	5290	Ant2	4500	-51.34	4.24	48.13	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	4500	-58.94	4.24	40.53	Average	54	Pass
NVNT	ax80	5290	Ant2	5117.7	-47.4	4.24	52.07	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5034.18	-56.27	4.24	43.20	Average	54	Pass
NVNT	ax80	5290	Ant2	5150	-51.64	4.24	47.83	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5150	-57.15	4.24	42.32	Average	54	Pass



Restrict Band NVNT a 5260MHz Ant2 Peak




Restrict Band NVNT a 5260MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT a 5320MHz Ant2 Peak




Restrict Band NVNT a 5320MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n20 5260MHz Ant2 Peak




Restrict Band NVNT n20 5260MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n20 5320MHz Ant2 Peak




Restrict Band NVNT n20 5320MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n40 5270MHz Ant2 Peak




Restrict Band NVNT n40 5270MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n40 5310MHz Ant2 Peak




Restrict Band NVNT n40 5310MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac20 5260MHz Ant2 Peak




Restrict Band NVNT ac20 5260MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac20 5320MHz Ant2 Peak




Restrict Band NVNT ac20 5320MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac40 5270MHz Ant2 Peak




Restrict Band NVNT ac40 5270MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac40 5310MHz Ant2 Peak




Restrict Band NVNT ac40 5310MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac80 5290MHz Ant2 Peak




Restrict Band NVNT ac80 5290MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac80 5290MHz Ant2 Peak




Restrict Band NVNT ac80 5290MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax20 5260MHz Ant2 Peak




Restrict Band NVNT ax20 5260MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax20 5320MHz Ant2 Peak




Restrict Band NVNT ax20 5320MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax40 5270MHz Ant2 Peak




Restrict Band NVNT ax40 5270MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax40 5310MHz Ant2 Peak




Restrict Band NVNT ax40 5310MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax80 5290MHz Ant2 Peak




Restrict Band NVNT ax80 5290MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax80 5290MHz Ant2 Peak



Restrict Band NVNT ax80 5290MHz Ant2 Average

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

**MIMO**

Condition	Mode	Frequency (MHz)	Ant1 Power (dBm)	Ant2 Power (dBm)	SUM	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	5260	-52.46	-51.3	-48.83	7.25	53.65	Peak	68.2	Pass
NVNT	n20	5260	-59.18	-58.81	-55.98	7.25	46.50	Average	54	Pass
NVNT	n20	5260	-46.46	-47.35	-43.87	7.25	58.61	Peak	68.2	Pass
NVNT	n20	5260	-56.66	-56.66	-53.65	7.25	48.83	Average	54	Pass
NVNT	n20	5260	-50.01	-49.17	-46.56	7.25	55.92	Peak	68.2	Pass
NVNT	n20	5260	-57.4	-57.14	-54.26	7.25	48.22	Average	54	Pass
NVNT	n20	5320	-49.88	-46.75	-45.03	7.25	57.45	Peak	68.2	Pass
NVNT	n20	5320	-57	-56.75	-53.86	7.25	48.61	Average	54	Pass
NVNT	n20	5320	-46.55	-45.55	-43.01	7.25	59.47	Peak	68.2	Pass
NVNT	n20	5320	-56.88	-56.75	-53.80	7.25	48.67	Average	54	Pass
NVNT	n20	5320	-52.3	-50.94	-48.56	7.25	53.92	Peak	68.2	Pass
NVNT	n20	5320	-57.89	-57.73	-54.80	7.25	47.68	Average	54	Pass
NVNT	n40	5270	-51.64	-51.71	-48.66	7.25	53.81	Peak	68.2	Pass
NVNT	n40	5270	-59.09	-58.95	-56.01	7.25	46.47	Average	54	Pass
NVNT	n40	5270	-47.48	-47.34	-44.40	7.25	58.08	Peak	68.2	Pass
NVNT	n40	5270	-56.27	-56.26	-53.25	7.25	49.22	Average	54	Pass
NVNT	n40	5270	-49.48	-50.18	-46.81	7.25	55.67	Peak	68.2	Pass
NVNT	n40	5270	-57.22	-57.27	-54.23	7.25	48.24	Average	54	Pass
NVNT	n40	5310	-47.04	-47.75	-44.37	7.25	58.11	Peak	68.2	Pass
NVNT	n40	5310	-56.87	-56.29	-53.56	7.25	48.92	Average	54	Pass
NVNT	n40	5310	-46.28	-47.73	-43.93	7.25	58.54	Peak	68.2	Pass
NVNT	n40	5310	-56.87	-56.28	-53.55	7.25	48.92	Average	54	Pass
NVNT	n40	5310	-52.28	-52.17	-49.21	7.25	53.26	Peak	68.2	Pass
NVNT	n40	5310	-57.68	-57.47	-54.56	7.25	47.91	Average	54	Pass
NVNT	ac20	5260	-51.65	-52.67	-49.12	7.25	53.36	Peak	68.2	Pass
NVNT	ac20	5260	-58.87	-58.81	-55.83	7.25	46.65	Average	54	Pass
NVNT	ac20	5260	-47.24	-46.78	-43.99	7.25	58.48	Peak	68.2	Pass
NVNT	ac20	5260	-56.64	-56.6	-53.61	7.25	48.87	Average	54	Pass
NVNT	ac20	5260	-49.28	-49.1	-46.18	7.25	56.30	Peak	68.2	Pass
NVNT	ac20	5260	-57.32	-57	-54.15	7.25	48.33	Average	54	Pass
NVNT	ac20	5320	-47.44	-50.09	-45.56	7.25	56.92	Peak	68.2	Pass
NVNT	ac20	5320	-57.1	-56.81	-53.94	7.25	48.54	Average	54	Pass
NVNT	ac20	5320	-46.75	-45.21	-42.90	7.25	59.58	Peak	68.2	Pass
NVNT	ac20	5320	-56.92	-56.81	-53.85	7.25	48.62	Average	54	Pass
NVNT	ac20	5320	-50.6	-50.96	-47.77	7.25	54.71	Peak	68.2	Pass
NVNT	ac20	5320	-57.99	-57.81	-54.89	7.25	47.59	Average	54	Pass
NVNT	ac40	5270	-52.6	-50.04	-48.12	7.25	54.35	Peak	68.2	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ac40	5270	-59.11	-59.02	-56.05	7.25	46.42	Average	54	Pass
NVNT	ac40	5270	-47.26	-47.39	-44.31	7.25	58.16	Peak	68.2	Pass
NVNT	ac40	5270	-56.35	-56.13	-53.23	7.25	49.25	Average	54	Pass
NVNT	ac40	5270	-50.9	-50.72	-47.80	7.25	54.68	Peak	68.2	Pass
NVNT	ac40	5270	-57.53	-57.22	-54.36	7.25	48.12	Average	54	Pass
NVNT	ac40	5310	-44.68	-48.53	-43.18	7.25	59.30	Peak	68.2	Pass
NVNT	ac40	5310	-56.54	-56.3	-53.41	7.25	49.07	Average	54	Pass
NVNT	ac40	5310	-44.04	-44.24	-41.13	7.25	61.35	Peak	68.2	Pass
NVNT	ac40	5310	-56.04	-56.3	-53.16	7.25	49.32	Average	54	Pass
NVNT	ac40	5310	-52.13	-51.84	-48.97	7.25	53.51	Peak	68.2	Pass
NVNT	ac40	5310	-57.64	-57.42	-54.52	7.25	47.96	Average	54	Pass
NVNT	ac80	5290	-48.39	-50.6	-46.35	7.25	56.13	Peak	68.2	Pass
NVNT	ac80	5290	-56.52	-56.26	-53.38	7.25	49.10	Average	54	Pass
NVNT	ac80	5290	-46.44	-47.51	-43.93	7.25	58.55	Peak	68.2	Pass
NVNT	ac80	5290	-56.46	-56.09	-53.26	7.25	49.22	Average	54	Pass
NVNT	ac80	5290	-50.74	-50.57	-47.64	7.25	54.83	Peak	68.2	Pass
NVNT	ac80	5290	-57.31	-57.13	-54.21	7.25	48.27	Average	54	Pass
NVNT	ac80	5290	-50.98	-53.02	-48.87	7.25	53.61	Peak	68.2	Pass
NVNT	ac80	5290	-58.95	-59	-55.96	7.25	46.51	Average	54	Pass
NVNT	ac80	5290	-47.76	-47.5	-44.62	7.25	57.86	Peak	68.2	Pass
NVNT	ac80	5290	-56.33	-56.13	-53.22	7.25	49.26	Average	54	Pass
NVNT	ac80	5290	-50.47	-50.98	-47.71	7.25	54.77	Peak	68.2	Pass
NVNT	ac80	5290	-57.21	-57.04	-54.11	7.25	48.36	Average	54	Pass
NVNT	ax20	5260	-52.65	-53.22	-49.92	7.25	52.56	Peak	68.2	Pass
NVNT	ax20	5260	-59.04	-58.91	-55.96	7.25	46.51	Average	54	Pass
NVNT	ax20	5260	-45.94	-46.99	-43.42	7.25	59.05	Peak	68.2	Pass
NVNT	ax20	5260	-56.67	-56.56	-53.60	7.25	48.87	Average	54	Pass
NVNT	ax20	5260	-50.94	-49.56	-47.19	7.25	55.29	Peak	68.2	Pass
NVNT	ax20	5260	-57.31	-57.12	-54.20	7.25	48.27	Average	54	Pass
NVNT	ax20	5320	-46.61	-46.8	-43.69	7.25	58.78	Peak	68.2	Pass
NVNT	ax20	5320	-56.75	-56.83	-53.78	7.25	48.70	Average	54	Pass
NVNT	ax20	5320	-44.68	-45.79	-42.19	7.25	60.29	Peak	68.2	Pass
NVNT	ax20	5320	-56.75	-56.83	-53.78	7.25	48.70	Average	54	Pass
NVNT	ax20	5320	-50.5	-51.45	-47.94	7.25	54.54	Peak	68.2	Pass
NVNT	ax20	5320	-57.79	-57.81	-54.79	7.25	47.69	Average	54	Pass
NVNT	ax40	5270	-52.58	-51.14	-48.79	7.25	53.69	Peak	68.2	Pass
NVNT	ax40	5270	-59.2	-58.92	-56.05	7.25	46.43	Average	54	Pass
NVNT	ax40	5270	-47.71	-47.76	-44.72	7.25	57.75	Peak	68.2	Pass
NVNT	ax40	5270	-56.57	-56.41	-53.48	7.25	49.00	Average	54	Pass
NVNT	ax40	5270	-50.62	-51.12	-47.85	7.25	54.63	Peak	68.2	Pass
NVNT	ax40	5270	-57.43	-57.14	-54.27	7.25	48.21	Average	54	Pass




NVNT	ax40	5310	-49.61	-47.44	-45.38	7.25	57.10	Peak	68.2	Pass
NVNT	ax40	5310	-56.53	-56.27	-53.39	7.25	49.09	Average	54	Pass
NVNT	ax40	5310	-46.49	-46.89	-43.68	7.25	58.80	Peak	68.2	Pass
NVNT	ax40	5310	-56.53	-56.27	-53.39	7.25	49.09	Average	54	Pass
NVNT	ax40	5310	-51.11	-51.45	-48.27	7.25	54.21	Peak	68.2	Pass
NVNT	ax40	5310	-57.75	-57.56	-54.64	7.25	47.83	Average	54	Pass
NVNT	ax80	5290	-50.34	-45.66	-44.39	7.25	58.09	Peak	68.2	Pass
NVNT	ax80	5290	-56.31	-55.86	-53.07	7.25	49.41	Average	54	Pass
NVNT	ax80	5290	-45.34	-45.66	-42.49	7.25	59.99	Peak	68.2	Pass
NVNT	ax80	5290	-55.92	-55.72	-52.81	7.25	49.67	Average	54	Pass
NVNT	ax80	5290	-50.51	-51.47	-47.95	7.25	54.52	Peak	68.2	Pass
NVNT	ax80	5290	-57.54	-57.27	-54.39	7.25	48.08	Average	54	Pass
NVNT	ax80	5290	-52.78	-51.34	-48.99	7.25	53.49	Peak	68.2	Pass
NVNT	ax80	5290	-58.88	-58.94	-55.90	7.25	46.58	Average	54	Pass
NVNT	ax80	5290	-47.7	-47.4	-44.54	7.25	57.94	Peak	68.2	Pass
NVNT	ax80	5290	-56.32	-56.27	-53.28	7.25	49.19	Average	54	Pass
NVNT	ax80	5290	-50.05	-51.64	-47.76	7.25	54.72	Peak	68.2	Pass
NVNT	ax80	5290	-57.36	-57.15	-54.24	7.25	48.23	Average	54	Pass




E.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	a	5280	Ant1	5279.98	-20000	-3.79	25	Pass
NVNT	a	5320	Ant1	5320	0	0	25	Pass
NVNT	n20	5260	Ant1	5259.96	-40000	-7.6	25	Pass
NVNT	n20	5280	Ant1	5279.98	-20000	-3.79	25	Pass
NVNT	n20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
NVNT	n40	5270	Ant1	5270	0	0	25	Pass
NVNT	n40	5310	Ant1	5310	0	0	25	Pass
NVNT	ac20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	ac20	5280	Ant1	5280	0	0	25	Pass
NVNT	ac20	5320	Ant1	5320	0	0	25	Pass
NVNT	ac40	5270	Ant1	5270	0	0	25	Pass
NVNT	ac40	5310	Ant1	5310	0	0	25	Pass
NVNT	ac80	5290	Ant1	5290	0	0	25	Pass
NVNT	ax20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	ax20	5280	Ant1	5279.96	-40000	-7.58	25	Pass
NVNT	ax20	5320	Ant1	5320	0	0	25	Pass
NVNT	ax40	5270	Ant1	5270	0	0	25	Pass
NVNT	ax40	5310	Ant1	5310	0	0	25	Pass
NVNT	ax80	5290	Ant1	5290	0	0	25	Pass



Freq. Stability NVNT a 5260MHz Ant1




Freq. Stability NVNT a 5280MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Freq. Stability NVNT a 5320MHz Ant1




Freq. Stability NVNT n20 5260MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Freq. Stability NVNT n20 5280MHz Ant1




Freq. Stability NVNT n20 5320MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Freq. Stability NVNT n40 5270MHz Ant1




Freq. Stability NVNT n40 5310MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Freq. Stability NVNT ac20 5260MHz Ant1



Freq. Stability NVNT ac20 5280MHz Ant1

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com