




















Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com





PSD NVNT ac20 5580MHz Ant1






PSD NVNT ac20 5700MHz Ant1

Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com





PSD NVNT ac40 5670MHz Ant1




PSD NVNT ac80 5530MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT ac80 5610MHz Ant1





PSD NVNT ax20 5500MHz Ant1

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China



Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT ax40 5670MHz Ant1







PSD NVNT ax80 5530MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com









Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China



Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China



Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China



Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China



Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT ax20 5700MHz Ant2




PSD NVNT ax40 5510MHz Ant2


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT ax40 5550MHz Ant2




PSD NVNT ax40 5670MHz Ant2


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT ax80 5530MHz Ant2



PSD NVNT ax80 5610MHz Ant2

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



## F.4 Restrict Band

| Condition | Mode | Frequency<br>(MHz) | Antenna | Spur Freq<br>(MHz) | Power<br>(dBm) | Gain<br>(dBi) | E<br>(dBuV/m) | Detector | Limit<br>(dBuV/m) | Verdict |
|-----------|------|--------------------|---------|--------------------|----------------|---------------|---------------|----------|-------------------|---------|
| NVNT      | a    | 5500               | Ant1    | 5460               | -48.84         | 4.24          | 50.63         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5500               | Ant1    | 5460               | -56.52         | 4.24          | 42.95         | Average  | 54                | Pass    |
| NVNT      | a    | 5500               | Ant1    | 5466.8             | -46.85         | 4.24          | 52.62         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5500               | Ant1    | 5468.4             | -56.15         | 4.24          | 43.32         | Average  | 54                | Pass    |
| NVNT      | a    | 5500               | Ant1    | 5470               | -48.69         | 4.24          | 50.78         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5500               | Ant1    | 5470               | -56.23         | 4.24          | 43.24         | Average  | 54                | Pass    |
| NVNT      | a    | 5700               | Ant1    | 5725               | -40.31         | 4.24          | 59.16         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5700               | Ant1    | 5725               | -54.85         | 4.24          | 44.62         | Average  | 54                | Pass    |
| NVNT      | a    | 5700               | Ant1    | 5725               | -40.31         | 4.24          | 59.16         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5700               | Ant1    | 5726.2             | -54.81         | 4.24          | 44.66         | Average  | 54                | Pass    |
| NVNT      | a    | 5700               | Ant1    | 5735               | -49.96         | 4.24          | 49.51         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5700               | Ant1    | 5735               | -56.65         | 4.24          | 42.82         | Average  | 54                | Pass    |
| NVNT      | n20  | 5500               | Ant1    | 5460               | -49.7          | 4.24          | 49.77         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5500               | Ant1    | 5460               | -56.52         | 4.24          | 42.95         | Average  | 54                | Pass    |
| NVNT      | n20  | 5500               | Ant1    | 5469.6             | -45.53         | 4.24          | 53.94         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5500               | Ant1    | 5470               | -55.48         | 4.24          | 43.99         | Average  | 54                | Pass    |
| NVNT      | n20  | 5500               | Ant1    | 5470               | -48.06         | 4.24          | 51.41         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5500               | Ant1    | 5470               | -55.48         | 4.24          | 43.99         | Average  | 54                | Pass    |
| NVNT      | n20  | 5700               | Ant1    | 5725               | -43.88         | 4.24          | 55.59         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5700               | Ant1    | 5725               | -53.59         | 4.24          | 45.88         | Average  | 54                | Pass    |
| NVNT      | n20  | 5700               | Ant1    | 5725.4             | -39.46         | 4.24          | 60.01         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5700               | Ant1    | 5725               | -53.59         | 4.24          | 45.88         | Average  | 54                | Pass    |
| NVNT      | n20  | 5700               | Ant1    | 5735               | -49.43         | 4.24          | 50.04         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5700               | Ant1    | 5735               | -56.56         | 4.24          | 42.91         | Average  | 54                | Pass    |
| NVNT      | n40  | 5510               | Ant1    | 5460               | -48.16         | 4.24          | 51.31         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5510               | Ant1    | 5460               | -56.44         | 4.24          | 43.03         | Average  | 54                | Pass    |
| NVNT      | n40  | 5510               | Ant1    | 5468.2             | -43.32         | 4.24          | 56.15         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5510               | Ant1    | 5469.4             | -54.39         | 4.24          | 45.08         | Average  | 54                | Pass    |
| NVNT      | n40  | 5510               | Ant1    | 5470               | -46.06         | 4.24          | 53.41         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5510               | Ant1    | 5470               | -55.13         | 4.24          | 44.34         | Average  | 54                | Pass    |
| NVNT      | n40  | 5670               | Ant1    | 5725               | -50.26         | 4.24          | 49.21         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5670               | Ant1    | 5725               | -56.76         | 4.24          | 42.71         | Average  | 54                | Pass    |
| NVNT      | n40  | 5670               | Ant1    | 5730.8             | -48.27         | 4.24          | 51.20         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5670               | Ant1    | 5728.2             | -56.27         | 4.24          | 43.20         | Average  | 54                | Pass    |
| NVNT      | n40  | 5670               | Ant1    | 5735               | -49.47         | 4.24          | 50.00         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5670               | Ant1    | 5735               | -56.6          | 4.24          | 42.87         | Average  | 54                | Pass    |
| NVNT      | ac20 | 5500               | Ant1    | 5460               | -49.44         | 4.24          | 50.03         | Peak     | 68.2              | Pass    |

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



|      |      |      |      |          |        |      |       |         |      |      |
|------|------|------|------|----------|--------|------|-------|---------|------|------|
| NVNT | ac20 | 5500 | Ant1 | 5460     | -56.6  | 4.24 | 42.87 | Average | 54   | Pass |
| NVNT | ac20 | 5500 | Ant1 | 5470     | -42.69 | 4.24 | 56.78 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5500 | Ant1 | 5470     | -55.33 | 4.24 | 44.14 | Average | 54   | Pass |
| NVNT | ac20 | 5500 | Ant1 | 5470     | -42.69 | 4.24 | 56.78 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5500 | Ant1 | 5470     | -55.33 | 4.24 | 44.14 | Average | 54   | Pass |
| NVNT | ac20 | 5700 | Ant1 | 5725     | -42.13 | 4.24 | 57.34 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5700 | Ant1 | 5725     | -53.35 | 4.24 | 46.12 | Average | 54   | Pass |
| NVNT | ac20 | 5700 | Ant1 | 5725.6   | -40.24 | 4.24 | 59.23 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5700 | Ant1 | 5725     | -53.35 | 4.24 | 46.12 | Average | 54   | Pass |
| NVNT | ac20 | 5700 | Ant1 | 5735     | -49.19 | 4.24 | 50.28 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5700 | Ant1 | 5735     | -56.47 | 4.24 | 43.00 | Average | 54   | Pass |
| NVNT | ac40 | 5510 | Ant1 | 5460     | -48.88 | 4.24 | 50.59 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5510 | Ant1 | 5460     | -56.44 | 4.24 | 43.03 | Average | 54   | Pass |
| NVNT | ac40 | 5510 | Ant1 | 5469.2   | -45.59 | 4.24 | 53.88 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5510 | Ant1 | 5469.4   | -54.26 | 4.24 | 45.21 | Average | 54   | Pass |
| NVNT | ac40 | 5510 | Ant1 | 5470     | -46.66 | 4.24 | 52.81 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5510 | Ant1 | 5470     | -54.83 | 4.24 | 44.64 | Average | 54   | Pass |
| NVNT | ac40 | 5670 | Ant1 | 5725     | -49.26 | 4.24 | 50.21 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5670 | Ant1 | 5725     | -56.75 | 4.24 | 42.72 | Average | 54   | Pass |
| NVNT | ac40 | 5670 | Ant1 | 5725.2   | -48.02 | 4.24 | 51.45 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5670 | Ant1 | 5733.8   | -56.17 | 4.24 | 43.30 | Average | 54   | Pass |
| NVNT | ac40 | 5670 | Ant1 | 5735     | -49.93 | 4.24 | 49.54 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5670 | Ant1 | 5735     | -56.69 | 4.24 | 42.78 | Average | 54   | Pass |
| NVNT | ac80 | 5530 | Ant1 | 5460     | -49.48 | 4.24 | 49.99 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5530 | Ant1 | 5460     | -55.21 | 4.24 | 44.26 | Average | 54   | Pass |
| NVNT | ac80 | 5530 | Ant1 | 5468     | -44.78 | 4.24 | 54.69 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5530 | Ant1 | 5469.6   | -54.28 | 4.24 | 45.19 | Average | 54   | Pass |
| NVNT | ac80 | 5530 | Ant1 | 5470     | -46.89 | 4.24 | 52.58 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5530 | Ant1 | 5470     | -54.55 | 4.24 | 44.92 | Average | 54   | Pass |
| NVNT | ac80 | 5610 | Ant1 | 5725     | -51.25 | 4.24 | 48.22 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5610 | Ant1 | 5725     | -56.19 | 4.24 | 43.28 | Average | 54   | Pass |
| NVNT | ac80 | 5610 | Ant1 | 5730.285 | -47.94 | 4.24 | 51.53 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5610 | Ant1 | 5731.515 | -55.6  | 4.24 | 43.87 | Average | 54   | Pass |
| NVNT | ac80 | 5610 | Ant1 | 5735     | -49.38 | 4.24 | 50.09 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5610 | Ant1 | 5735     | -56.11 | 4.24 | 43.36 | Average | 54   | Pass |
| NVNT | ax20 | 5500 | Ant1 | 5460     | -48.9  | 4.24 | 50.57 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5500 | Ant1 | 5460     | -56.36 | 4.24 | 43.11 | Average | 54   | Pass |
| NVNT | ax20 | 5500 | Ant1 | 5469.4   | -43.04 | 4.24 | 56.43 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5500 | Ant1 | 5469.6   | -55.38 | 4.24 | 44.09 | Average | 54   | Pass |
| NVNT | ax20 | 5500 | Ant1 | 5470     | -45.56 | 4.24 | 53.91 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5500 | Ant1 | 5470     | -55.59 | 4.24 | 43.88 | Average | 54   | Pass |

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




|      |      |      |      |         |        |      |       |         |      |      |
|------|------|------|------|---------|--------|------|-------|---------|------|------|
| NVNT | ax20 | 5700 | Ant1 | 5725    | -40.76 | 4.24 | 58.71 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5700 | Ant1 | 5725    | -53.46 | 4.24 | 46.01 | Average | 54   | Pass |
| NVNT | ax20 | 5700 | Ant1 | 5726.8  | -39.97 | 4.24 | 59.50 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5700 | Ant1 | 5725    | -53.46 | 4.24 | 46.01 | Average | 54   | Pass |
| NVNT | ax20 | 5700 | Ant1 | 5735    | -46.77 | 4.24 | 52.70 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5700 | Ant1 | 5735    | -56.51 | 4.24 | 42.96 | Average | 54   | Pass |
| NVNT | ax40 | 5510 | Ant1 | 5460    | -49.25 | 4.24 | 50.22 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5510 | Ant1 | 5460    | -56.43 | 4.24 | 43.04 | Average | 54   | Pass |
| NVNT | ax40 | 5510 | Ant1 | 5468.2  | -42.46 | 4.24 | 57.01 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5510 | Ant1 | 5468    | -54.49 | 4.24 | 44.98 | Average | 54   | Pass |
| NVNT | ax40 | 5510 | Ant1 | 5470    | -46.15 | 4.24 | 53.32 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5510 | Ant1 | 5470    | -54.7  | 4.24 | 44.77 | Average | 54   | Pass |
| NVNT | ax40 | 5670 | Ant1 | 5725    | -49.15 | 4.24 | 50.32 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5670 | Ant1 | 5725    | -56.6  | 4.24 | 42.87 | Average | 54   | Pass |
| NVNT | ax40 | 5670 | Ant1 | 5733.8  | -47.06 | 4.24 | 52.41 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5670 | Ant1 | 5731    | -56.33 | 4.24 | 43.14 | Average | 54   | Pass |
| NVNT | ax40 | 5670 | Ant1 | 5735    | -49.07 | 4.24 | 50.40 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5670 | Ant1 | 5735    | -56.74 | 4.24 | 42.73 | Average | 54   | Pass |
| NVNT | ax80 | 5530 | Ant1 | 5460    | -49.42 | 4.24 | 50.05 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5530 | Ant1 | 5460    | -55.23 | 4.24 | 44.24 | Average | 54   | Pass |
| NVNT | ax80 | 5530 | Ant1 | 5470    | -43.5  | 4.24 | 55.97 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5530 | Ant1 | 5470    | -54.5  | 4.24 | 44.97 | Average | 54   | Pass |
| NVNT | ax80 | 5530 | Ant1 | 5470    | -43.5  | 4.24 | 55.97 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5530 | Ant1 | 5470    | -54.5  | 4.24 | 44.97 | Average | 54   | Pass |
| NVNT | ax80 | 5610 | Ant1 | 5725    | -50.04 | 4.24 | 49.43 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5610 | Ant1 | 5725    | -56.14 | 4.24 | 43.33 | Average | 54   | Pass |
| NVNT | ax80 | 5610 | Ant1 | 5731.31 | -46.58 | 4.24 | 52.89 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5610 | Ant1 | 5730.08 | -55.84 | 4.24 | 43.63 | Average | 54   | Pass |
| NVNT | ax80 | 5610 | Ant1 | 5735    | -50.34 | 4.24 | 49.13 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5610 | Ant1 | 5735    | -56.31 | 4.24 | 43.16 | Average | 54   | Pass |


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT a 5500MHz Ant1 Peak




Restrict Band NVNT a 5500MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT a 5700MHz Ant1 Peak




Restrict Band NVNT a 5700MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n20 5500MHz Ant1 Peak




Restrict Band NVNT n20 5500MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n20 5700MHz Ant1 Peak




Restrict Band NVNT n20 5700MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n40 5510MHz Ant1 Peak




Restrict Band NVNT n40 5510MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n40 5670MHz Ant1 Peak




Restrict Band NVNT n40 5670MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac20 5500MHz Ant1 Peak




Restrict Band NVNT ac20 5500MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac20 5700MHz Ant1 Peak




Restrict Band NVNT ac20 5700MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac40 5510MHz Ant1 Peak




Restrict Band NVNT ac40 5510MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac40 5670MHz Ant1 Peak




Restrict Band NVNT ac40 5670MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac80 5530MHz Ant1 Peak




Restrict Band NVNT ac80 5530MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac80 5610MHz Ant1 Peak




Restrict Band NVNT ac80 5610MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax20 5500MHz Ant1 Peak




Restrict Band NVNT ax20 5500MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax20 5700MHz Ant1 Peak




Restrict Band NVNT ax20 5700MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax40 5510MHz Ant1 Peak




Restrict Band NVNT ax40 5510MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax40 5670MHz Ant1 Peak




Restrict Band NVNT ax40 5670MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax80 5530MHz Ant1 Peak




Restrict Band NVNT ax80 5530MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax80 5610MHz Ant1 Peak



Restrict Band NVNT ax80 5610MHz Ant1 Average

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



## Restrict Band

| Condition | Mode | Frequency<br>(MHz) | Antenna | Spur Freq<br>(MHz) | Power<br>(dBm) | Gain<br>(dBi) | E<br>(dBuV/m) | Detector | Limit<br>(dBuV/m) | Verdict |
|-----------|------|--------------------|---------|--------------------|----------------|---------------|---------------|----------|-------------------|---------|
| NVNT      | a    | 5500               | Ant2    | 5460               | -50.8          | 4.24          | 48.67         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5500               | Ant2    | 5460               | -56.66         | 4.24          | 42.81         | Average  | 54                | Pass    |
| NVNT      | a    | 5500               | Ant2    | 5469.6             | -46.01         | 4.24          | 53.46         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5500               | Ant2    | 5470               | -55.95         | 4.24          | 43.52         | Average  | 54                | Pass    |
| NVNT      | a    | 5500               | Ant2    | 5470               | -47.99         | 4.24          | 51.48         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5500               | Ant2    | 5470               | -55.95         | 4.24          | 43.52         | Average  | 54                | Pass    |
| NVNT      | a    | 5700               | Ant2    | 5725               | -45.26         | 4.24          | 54.21         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5700               | Ant2    | 5725               | -55.07         | 4.24          | 44.40         | Average  | 54                | Pass    |
| NVNT      | a    | 5700               | Ant2    | 5726.8             | -41.1          | 4.24          | 58.37         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5700               | Ant2    | 5725.2             | -55.01         | 4.24          | 44.46         | Average  | 54                | Pass    |
| NVNT      | a    | 5700               | Ant2    | 5735               | -50.84         | 4.24          | 48.63         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5700               | Ant2    | 5735               | -56.67         | 4.24          | 42.80         | Average  | 54                | Pass    |
| NVNT      | n20  | 5500               | Ant2    | 5460               | -48.51         | 4.24          | 50.96         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5500               | Ant2    | 5460               | -56.52         | 4.24          | 42.95         | Average  | 54                | Pass    |
| NVNT      | n20  | 5500               | Ant2    | 5469.8             | -44.57         | 4.24          | 54.90         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5500               | Ant2    | 5469.6             | -55.3          | 4.24          | 44.17         | Average  | 54                | Pass    |
| NVNT      | n20  | 5500               | Ant2    | 5470               | -47.14         | 4.24          | 52.33         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5500               | Ant2    | 5470               | -55.58         | 4.24          | 43.89         | Average  | 54                | Pass    |
| NVNT      | n20  | 5700               | Ant2    | 5725               | -42.83         | 4.24          | 56.64         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5700               | Ant2    | 5725               | -53.54         | 4.24          | 45.93         | Average  | 54                | Pass    |
| NVNT      | n20  | 5700               | Ant2    | 5726.2             | -42.02         | 4.24          | 57.45         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5700               | Ant2    | 5725               | -53.54         | 4.24          | 45.93         | Average  | 54                | Pass    |
| NVNT      | n20  | 5700               | Ant2    | 5735               | -48.27         | 4.24          | 51.20         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5700               | Ant2    | 5735               | -56.57         | 4.24          | 42.90         | Average  | 54                | Pass    |
| NVNT      | n40  | 5510               | Ant2    | 5460               | -49.64         | 4.24          | 49.83         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5510               | Ant2    | 5460               | -56.2          | 4.24          | 43.27         | Average  | 54                | Pass    |
| NVNT      | n40  | 5510               | Ant2    | 5469.8             | -45.29         | 4.24          | 54.18         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5510               | Ant2    | 5469.4             | -54.56         | 4.24          | 44.91         | Average  | 54                | Pass    |
| NVNT      | n40  | 5510               | Ant2    | 5470               | -45.7          | 4.24          | 53.77         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5510               | Ant2    | 5470               | -54.96         | 4.24          | 44.51         | Average  | 54                | Pass    |
| NVNT      | n40  | 5670               | Ant2    | 5725               | -48.72         | 4.24          | 50.75         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5670               | Ant2    | 5725               | -56.72         | 4.24          | 42.75         | Average  | 54                | Pass    |
| NVNT      | n40  | 5670               | Ant2    | 5730.2             | -47.82         | 4.24          | 51.65         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5670               | Ant2    | 5731.8             | -56.32         | 4.24          | 43.15         | Average  | 54                | Pass    |
| NVNT      | n40  | 5670               | Ant2    | 5735               | -48.57         | 4.24          | 50.90         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5670               | Ant2    | 5735               | -56.54         | 4.24          | 42.93         | Average  | 54                | Pass    |
| NVNT      | ac20 | 5500               | Ant2    | 5460               | -50.62         | 4.24          | 48.85         | Peak     | 68.2              | Pass    |

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



|      |      |      |      |          |        |      |       |         |      |      |
|------|------|------|------|----------|--------|------|-------|---------|------|------|
| NVNT | ac20 | 5500 | Ant2 | 5460     | -56.33 | 4.24 | 43.14 | Average | 54   | Pass |
| NVNT | ac20 | 5500 | Ant2 | 5469.2   | -45.25 | 4.24 | 54.22 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5500 | Ant2 | 5469.8   | -55.33 | 4.24 | 44.14 | Average | 54   | Pass |
| NVNT | ac20 | 5500 | Ant2 | 5470     | -46.55 | 4.24 | 52.92 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5500 | Ant2 | 5470     | -55.38 | 4.24 | 44.09 | Average | 54   | Pass |
| NVNT | ac20 | 5700 | Ant2 | 5725     | -42.66 | 4.24 | 56.81 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5700 | Ant2 | 5725     | -53.83 | 4.24 | 45.64 | Average | 54   | Pass |
| NVNT | ac20 | 5700 | Ant2 | 5725.4   | -37.17 | 4.24 | 62.30 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5700 | Ant2 | 5725.4   | -53.72 | 4.24 | 45.75 | Average | 54   | Pass |
| NVNT | ac20 | 5700 | Ant2 | 5735     | -49.96 | 4.24 | 49.51 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5700 | Ant2 | 5735     | -56.56 | 4.24 | 42.91 | Average | 54   | Pass |
| NVNT | ac40 | 5510 | Ant2 | 5460     | -49.9  | 4.24 | 49.57 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5510 | Ant2 | 5460     | -56.11 | 4.24 | 43.36 | Average | 54   | Pass |
| NVNT | ac40 | 5510 | Ant2 | 5469.2   | -39.99 | 4.24 | 59.48 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5510 | Ant2 | 5470     | -54.73 | 4.24 | 44.74 | Average | 54   | Pass |
| NVNT | ac40 | 5510 | Ant2 | 5470     | -48.91 | 4.24 | 50.56 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5510 | Ant2 | 5470     | -54.73 | 4.24 | 44.74 | Average | 54   | Pass |
| NVNT | ac40 | 5670 | Ant2 | 5725     | -49.74 | 4.24 | 49.73 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5670 | Ant2 | 5725     | -56.73 | 4.24 | 42.74 | Average | 54   | Pass |
| NVNT | ac40 | 5670 | Ant2 | 5732.2   | -47.59 | 4.24 | 51.88 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5670 | Ant2 | 5728     | -56.16 | 4.24 | 43.31 | Average | 54   | Pass |
| NVNT | ac40 | 5670 | Ant2 | 5735     | -49.08 | 4.24 | 50.39 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5670 | Ant2 | 5735     | -56.5  | 4.24 | 42.97 | Average | 54   | Pass |
| NVNT | ac80 | 5530 | Ant2 | 5460     | -48.24 | 4.24 | 51.23 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5530 | Ant2 | 5460     | -55.51 | 4.24 | 43.96 | Average | 54   | Pass |
| NVNT | ac80 | 5530 | Ant2 | 5468.8   | -44.4  | 4.24 | 55.07 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5530 | Ant2 | 5470     | -53.89 | 4.24 | 45.58 | Average | 54   | Pass |
| NVNT | ac80 | 5530 | Ant2 | 5470     | -46.65 | 4.24 | 52.82 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5530 | Ant2 | 5470     | -53.89 | 4.24 | 45.58 | Average | 54   | Pass |
| NVNT | ac80 | 5610 | Ant2 | 5725     | -49.13 | 4.24 | 50.34 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5610 | Ant2 | 5725     | -56.23 | 4.24 | 43.24 | Average | 54   | Pass |
| NVNT | ac80 | 5610 | Ant2 | 5726.595 | -47.33 | 4.24 | 52.14 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5610 | Ant2 | 5734.59  | -55.56 | 4.24 | 43.91 | Average | 54   | Pass |
| NVNT | ac80 | 5610 | Ant2 | 5735     | -49.69 | 4.24 | 49.78 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5610 | Ant2 | 5735     | -55.91 | 4.24 | 43.56 | Average | 54   | Pass |
| NVNT | ax20 | 5500 | Ant2 | 5460     | -49.57 | 4.24 | 49.90 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5500 | Ant2 | 5460     | -56.59 | 4.24 | 42.88 | Average | 54   | Pass |
| NVNT | ax20 | 5500 | Ant2 | 5469     | -45.06 | 4.24 | 54.41 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5500 | Ant2 | 5469.8   | -55.33 | 4.24 | 44.14 | Average | 54   | Pass |
| NVNT | ax20 | 5500 | Ant2 | 5470     | -47.35 | 4.24 | 52.12 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5500 | Ant2 | 5470     | -55.36 | 4.24 | 44.11 | Average | 54   | Pass |


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



|      |      |      |      |          |        |      |       |         |      |      |
|------|------|------|------|----------|--------|------|-------|---------|------|------|
| NVNT | ax20 | 5700 | Ant2 | 5725     | -42.92 | 4.24 | 56.55 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5700 | Ant2 | 5725     | -53.44 | 4.24 | 46.03 | Average | 54   | Pass |
| NVNT | ax20 | 5700 | Ant2 | 5727.4   | -41.65 | 4.24 | 57.82 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5700 | Ant2 | 5725     | -53.44 | 4.24 | 46.03 | Average | 54   | Pass |
| NVNT | ax20 | 5700 | Ant2 | 5735     | -49.46 | 4.24 | 50.01 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5700 | Ant2 | 5735     | -56.62 | 4.24 | 42.85 | Average | 54   | Pass |
| NVNT | ax40 | 5510 | Ant2 | 5460     | -49.12 | 4.24 | 50.35 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5510 | Ant2 | 5460     | -56.26 | 4.24 | 43.21 | Average | 54   | Pass |
| NVNT | ax40 | 5510 | Ant2 | 5467.4   | -44.2  | 4.24 | 55.27 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5510 | Ant2 | 5469.4   | -54.42 | 4.24 | 45.05 | Average | 54   | Pass |
| NVNT | ax40 | 5510 | Ant2 | 5470     | -45.93 | 4.24 | 53.54 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5510 | Ant2 | 5470     | -55.09 | 4.24 | 44.38 | Average | 54   | Pass |
| NVNT | ax40 | 5670 | Ant2 | 5725     | -49.81 | 4.24 | 49.66 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5670 | Ant2 | 5725     | -56.61 | 4.24 | 42.86 | Average | 54   | Pass |
| NVNT | ax40 | 5670 | Ant2 | 5727.4   | -47.9  | 4.24 | 51.57 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5670 | Ant2 | 5730.2   | -56.22 | 4.24 | 43.25 | Average | 54   | Pass |
| NVNT | ax40 | 5670 | Ant2 | 5735     | -49.44 | 4.24 | 50.03 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5670 | Ant2 | 5735     | -56.51 | 4.24 | 42.96 | Average | 54   | Pass |
| NVNT | ax80 | 5530 | Ant2 | 5460     | -49.91 | 4.24 | 49.56 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5530 | Ant2 | 5460     | -55.58 | 4.24 | 43.89 | Average | 54   | Pass |
| NVNT | ax80 | 5530 | Ant2 | 5469.6   | -45.41 | 4.24 | 54.06 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5530 | Ant2 | 5469.2   | -54.48 | 4.24 | 44.99 | Average | 54   | Pass |
| NVNT | ax80 | 5530 | Ant2 | 5470     | -45.54 | 4.24 | 53.93 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5530 | Ant2 | 5470     | -54.48 | 4.24 | 44.99 | Average | 54   | Pass |
| NVNT | ax80 | 5610 | Ant2 | 5725     | -49.1  | 4.24 | 50.37 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5610 | Ant2 | 5725     | -56.48 | 4.24 | 42.99 | Average | 54   | Pass |
| NVNT | ax80 | 5610 | Ant2 | 5725.775 | -47.75 | 4.24 | 51.72 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5610 | Ant2 | 5730.49  | -55.5  | 4.24 | 43.97 | Average | 54   | Pass |
| NVNT | ax80 | 5610 | Ant2 | 5735     | -49.19 | 4.24 | 50.28 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5610 | Ant2 | 5735     | -55.91 | 4.24 | 43.56 | Average | 54   | Pass |



Restrict Band NVNT a 5500MHz Ant2 Peak




Restrict Band NVNT a 5500MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT a 5700MHz Ant2 Peak




Restrict Band NVNT a 5700MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n20 5500MHz Ant2 Peak




Restrict Band NVNT n20 5500MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n20 5700MHz Ant2 Peak




Restrict Band NVNT n20 5700MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n40 5510MHz Ant2 Peak




Restrict Band NVNT n40 5510MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n40 5670MHz Ant2 Peak




Restrict Band NVNT n40 5670MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac20 5500MHz Ant2 Peak




Restrict Band NVNT ac20 5500MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac20 5700MHz Ant2 Peak




Restrict Band NVNT ac20 5700MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac40 5510MHz Ant2 Peak




Restrict Band NVNT ac40 5510MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac40 5670MHz Ant2 Peak




Restrict Band NVNT ac40 5670MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac80 5530MHz Ant2 Peak



Restrict Band NVNT ac80 5530MHz Ant2 Average

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com