



Appendix E

RF Test Data for 5.3GWIFI (Conducted Measurement)

Product Name: Edge development board

Test Model: DB3576


Environmental Conditions

Temperature:	23.2°C
Relative Humidity:	54.3%
ATM Pressure:	100.0 kPa
Test Engineer:	Jerry Chu
Supervised by:	Can Kun




E.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	a	5260	Ant1	29.69
NVNT	a	5280	Ant1	30.32
NVNT	a	5320	Ant1	30.99
NVNT	n20	5260	Ant1	30.37
NVNT	n20	5280	Ant1	30.32
NVNT	n20	5320	Ant1	32.74
NVNT	n40	5270	Ant1	54.06
NVNT	n40	5310	Ant1	53.25
NVNT	ac20	5260	Ant1	30.5
NVNT	ac20	5280	Ant1	32.3
NVNT	ac20	5320	Ant1	30.63
NVNT	ac40	5270	Ant1	55.57
NVNT	ac40	5310	Ant1	51.95
NVNT	ac80	5290	Ant1	87.93
NVNT	ax20	5260	Ant1	34.68
NVNT	ax20	5280	Ant1	33.57
NVNT	ax20	5320	Ant1	29.97
NVNT	ax40	5270	Ant1	52.75
NVNT	ax40	5310	Ant1	50.09
NVNT	ax80	5290	Ant1	88.82



-26dB Bandwidth NVNT a 5260MHz Ant1




-26dB Bandwidth NVNT a 5280MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



-26dB Bandwidth NVNT a 5320MHz Ant1




-26dB Bandwidth NVNT n20 5260MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




-26dB Bandwidth NVNT n20 5280MHz Ant1




-26dB Bandwidth NVNT n20 5320MHz Ant1




-26dB Bandwidth NVNT n40 5270MHz Ant1




-26dB Bandwidth NVNT n40 5310MHz Ant1




-26dB Bandwidth NVNT ac20 5260MHz Ant1



-26dB Bandwidth NVNT ac20 5280MHz Ant1



-26dB Bandwidth NVNT ac20 5320MHz Ant1




-26dB Bandwidth NVNT ac40 5270MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



-26dB Bandwidth NVNT ac40 5310MHz Ant1




-26dB Bandwidth NVNT ac80 5290MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




-26dB Bandwidth NVNT ax20 5260MHz Ant1




-26dB Bandwidth NVNT ax20 5280MHz Ant1




-26dB Bandwidth NVNT ax20 5320MHz Ant1



-26dB Bandwidth NVNT ax40 5270MHz Ant1




-26dB Bandwidth NVNT ax40 5310MHz Ant1




-26dB Bandwidth NVNT ax80 5290MHz Ant1



Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	a	5260	Ant2	30.33
NVNT	a	5280	Ant2	29.45
NVNT	a	5320	Ant2	30.8
NVNT	n20	5260	Ant2	30.05
NVNT	n20	5280	Ant2	33.6
NVNT	n20	5320	Ant2	29.96
NVNT	n40	5270	Ant2	51.4
NVNT	n40	5310	Ant2	48.14
NVNT	ac20	5260	Ant2	33.72
NVNT	ac20	5280	Ant2	30.44
NVNT	ac20	5320	Ant2	31.9
NVNT	ac40	5270	Ant2	51.04
NVNT	ac40	5310	Ant2	55.4
NVNT	ac80	5290	Ant2	87.6
NVNT	ax20	5260	Ant2	31.77
NVNT	ax20	5280	Ant2	30.78
NVNT	ax20	5320	Ant2	31.1
NVNT	ax40	5270	Ant2	55.83
NVNT	ax40	5310	Ant2	54.43
NVNT	ax80	5290	Ant2	86.31



-26dB Bandwidth NVNT a 5260MHz Ant2




-26dB Bandwidth NVNT a 5280MHz Ant2


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




-26dB Bandwidth NVNT a 5320MHz Ant2



-26dB Bandwidth NVNT n20 5260MHz Ant2



-26dB Bandwidth NVNT n20 5280MHz Ant2




-26dB Bandwidth NVNT n20 5320MHz Ant2


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




-26dB Bandwidth NVNT n40 5270MHz Ant2




-26dB Bandwidth NVNT n40 5310MHz Ant2




-26dB Bandwidth NVNT ac20 5260MHz Ant2




-26dB Bandwidth NVNT ac20 5280MHz Ant2




-26dB Bandwidth NVNT ac20 5320MHz Ant2




-26dB Bandwidth NVNT ac40 5270MHz Ant2




-26dB Bandwidth NVNT ac40 5310MHz Ant2




-26dB Bandwidth NVNT ac80 5290MHz Ant2




-26dB Bandwidth NVNT ax20 5260MHz Ant2




-26dB Bandwidth NVNT ax20 5280MHz Ant2




-26dB Bandwidth NVNT ax20 5320MHz Ant2



-26dB Bandwidth NVNT ax40 5270MHz Ant2



-26dB Bandwidth NVNT ax40 5310MHz Ant2



-26dB Bandwidth NVNT ax80 5290MHz Ant2



E.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Conducted Power (dBm)	Limit Conducted(dBm)	Verdict
NVNT	a	5260	Ant1	11.4	0.18	11.58	24	Pass
NVNT	a	5280	Ant1	10.67	0.18	10.85	24	Pass
NVNT	a	5320	Ant1	10.25	0.18	10.43	24	Pass
NVNT	n20	5260	Ant1	10.69	0.25	10.94	24	Pass
NVNT	n20	5280	Ant1	12.43	0.22	12.65	24	Pass
NVNT	n20	5320	Ant1	9.61	0.22	9.83	24	Pass
NVNT	n40	5270	Ant1	9.28	0.42	9.7	24	Pass
NVNT	n40	5310	Ant1	8.78	0.42	9.2	24	Pass
NVNT	ac20	5260	Ant1	10.68	0.21	10.89	24	Pass
NVNT	ac20	5280	Ant1	10.05	0.21	10.26	24	Pass
NVNT	ac20	5320	Ant1	9.61	0.21	9.82	24	Pass
NVNT	ac40	5270	Ant1	9.39	0.42	9.81	24	Pass
NVNT	ac40	5310	Ant1	8.71	0.42	9.13	24	Pass
NVNT	ac80	5290	Ant1	7.83	0.82	8.65	24	Pass
NVNT	ax20	5260	Ant1	10.69	0.25	10.94	24	Pass
NVNT	ax20	5280	Ant1	10.12	0.25	10.37	24	Pass
NVNT	ax20	5320	Ant1	9.68	0.21	9.89	24	Pass
NVNT	ax40	5270	Ant1	9.24	0.42	9.66	24	Pass
NVNT	ax40	5310	Ant1	8.65	0.42	9.07	24	Pass
NVNT	ax80	5290	Ant1	7.84	0.82	8.66	24	Pass



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Conducted Power (dBm)	Limit Conducted(dBm)	Verdict
NVNT	a	5260	Ant2	11.38	0.18	11.56	24	Pass
NVNT	a	5280	Ant2	10.62	0.18	10.8	24	Pass
NVNT	a	5320	Ant2	10.26	0.18	10.44	24	Pass
NVNT	n20	5260	Ant2	10.6	0.22	10.82	24	Pass
NVNT	n20	5280	Ant2	10.02	0.22	10.24	24	Pass
NVNT	n20	5320	Ant2	9.69	0.21	9.9	24	Pass
NVNT	n40	5270	Ant2	9.34	0.42	9.76	24	Pass
NVNT	n40	5310	Ant2	8.74	0.42	9.16	24	Pass
NVNT	ac20	5260	Ant2	10.67	0.21	10.88	24	Pass
NVNT	ac20	5280	Ant2	10.12	0.21	10.33	24	Pass
NVNT	ac20	5320	Ant2	9.7	0.25	9.95	24	Pass
NVNT	ac40	5270	Ant2	9.35	0.41	9.76	24	Pass
NVNT	ac40	5310	Ant2	8.72	0.41	9.13	24	Pass
NVNT	ac80	5290	Ant2	7.84	0.82	8.66	24	Pass
NVNT	ax20	5260	Ant2	10.78	0.21	10.99	24	Pass
NVNT	ax20	5280	Ant2	10.19	0.21	10.4	24	Pass
NVNT	ax20	5320	Ant2	9.72	0.21	9.93	24	Pass
NVNT	ax40	5270	Ant2	9.31	0.49	9.8	24	Pass
NVNT	ax40	5310	Ant2	8.82	0.42	9.24	24	Pass
NVNT	ax80	5290	Ant2	7.89	0.82	8.71	24	Pass



MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5260	10.94	10.82	13.89	24	Pass
NVNT	n20	5300	12.65	10.24	14.62	24	Pass
NVNT	n20	5320	9.83	9.9	12.88	24	Pass
NVNT	n40	5270	9.7	9.76	12.74	24	Pass
NVNT	n40	5310	9.2	9.16	12.19	24	Pass
NVNT	ac20	5260	10.89	10.88	13.90	24	Pass
NVNT	ac20	5300	10.26	10.33	13.31	24	Pass
NVNT	ac20	5320	9.82	9.95	12.90	24	Pass
NVNT	ac40	5270	9.81	9.76	12.80	24	Pass
NVNT	ac40	5310	9.13	9.13	12.14	24	Pass
NVNT	ac80	5290	8.65	8.66	11.67	24	Pass
NVNT	ax20	5260	10.94	10.99	13.98	24	Pass
NVNT	ax20	5300	10.37	10.4	13.40	24	Pass
NVNT	ax20	5320	9.89	9.93	12.92	24	Pass
NVNT	ax40	5270	9.66	9.8	12.74	24	Pass
NVNT	ax40	5310	9.07	9.24	12.17	24	Pass
NVNT	ax80	5290	8.66	8.71	11.70	24	Pass



E.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5260	Ant1	0.11	0.18	0.29	11	Pass
NVNT	a	5280	Ant1	-0.52	0.18	-0.34	11	Pass
NVNT	a	5320	Ant1	-0.82	0.18	-0.64	11	Pass
NVNT	n20	5260	Ant1	-0.9	0.25	-0.65	11	Pass
NVNT	n20	5280	Ant1	0.97	0.22	1.19	11	Pass
NVNT	n20	5320	Ant1	-1.84	0.22	-1.62	11	Pass
NVNT	n40	5270	Ant1	-5.23	0.42	-4.81	11	Pass
NVNT	n40	5310	Ant1	-5.91	0.42	-5.49	11	Pass
NVNT	ac20	5260	Ant1	-0.83	0.21	-0.62	11	Pass
NVNT	ac20	5280	Ant1	-1.46	0.21	-1.25	11	Pass
NVNT	ac20	5320	Ant1	-1.87	0.21	-1.66	11	Pass
NVNT	ac40	5270	Ant1	-5.23	0.42	-4.81	11	Pass
NVNT	ac40	5310	Ant1	-5.96	0.42	-5.54	11	Pass
NVNT	ac80	5290	Ant1	-9.68	0.82	-8.86	11	Pass
NVNT	ax20	5260	Ant1	-0.78	0.25	-0.53	11	Pass
NVNT	ax20	5280	Ant1	-1.39	0.25	-1.14	11	Pass
NVNT	ax20	5320	Ant1	-1.8	0.21	-1.59	11	Pass
NVNT	ax40	5270	Ant1	-5.35	0.42	-4.93	11	Pass
NVNT	ax40	5310	Ant1	-6.05	0.42	-5.63	11	Pass
NVNT	ax80	5290	Ant1	-9.51	0.82	-8.69	11	Pass



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5260	Ant2	0.34	0.18	0.52	11	Pass
NVNT	a	5280	Ant2	-0.64	0.18	-0.46	11	Pass
NVNT	a	5320	Ant2	-0.96	0.18	-0.77	11	Pass
NVNT	n20	5260	Ant2	-0.89	0.22	-0.67	11	Pass
NVNT	n20	5280	Ant2	-1.49	0.22	-1.27	11	Pass
NVNT	n20	5320	Ant2	-1.78	0.21	-1.57	11	Pass
NVNT	n40	5270	Ant2	-5.19	0.42	-4.77	11	Pass
NVNT	n40	5310	Ant2	-5.88	0.42	-5.46	11	Pass
NVNT	ac20	5260	Ant2	-0.69	0.21	-0.48	11	Pass
NVNT	ac20	5280	Ant2	-1.47	0.21	-1.26	11	Pass
NVNT	ac20	5320	Ant2	-1.85	0.25	-1.6	11	Pass
NVNT	ac40	5270	Ant2	-5.13	0.41	-4.72	11	Pass
NVNT	ac40	5310	Ant2	-5.65	0.41	-5.24	11	Pass
NVNT	ac80	5290	Ant2	-9.27	0.82	-8.45	11	Pass
NVNT	ax20	5260	Ant2	-0.83	0.21	-0.62	11	Pass
NVNT	ax20	5280	Ant2	-1.29	0.21	-1.08	11	Pass
NVNT	ax20	5320	Ant2	-1.72	0.21	-1.51	11	Pass
NVNT	ax40	5270	Ant2	-5.22	0.49	-4.73	11	Pass
NVNT	ax40	5310	Ant2	-5.76	0.42	-5.34	11	Pass
NVNT	ax80	5290	Ant2	-9.53	0.82	-8.71	11	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




MIMO

Condition	Mode	Frequency (MHz)	Total PSD (dBm/MHz)			Limit (dBm/MHz)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5260	-0.65	-0.67	2.35	11	Pass
NVNT	n20	5300	1.19	-1.27	3.14	11	Pass
NVNT	n20	5320	-1.62	-1.57	1.42	11	Pass
NVNT	n40	5270	-4.81	-4.77	-1.78	11	Pass
NVNT	n40	5310	-5.49	-5.46	-2.46	11	Pass
NVNT	ac20	5260	-0.62	-0.48	2.46	11	Pass
NVNT	ac20	5300	-1.25	-1.26	1.76	11	Pass
NVNT	ac20	5320	-1.66	-1.6	1.38	11	Pass
NVNT	ac40	5270	-4.81	-4.72	-1.75	11	Pass
NVNT	ac40	5310	-5.54	-5.24	-2.38	11	Pass
NVNT	ac80	5290	-8.86	-8.45	-5.64	11	Pass
NVNT	ax20	5260	-0.53	-0.62	2.44	11	Pass
NVNT	ax20	5300	-1.14	-1.08	1.90	11	Pass
NVNT	ax20	5320	-1.59	-1.51	1.46	11	Pass
NVNT	ax40	5270	-4.93	-4.73	-1.82	11	Pass
NVNT	ax40	5310	-5.63	-5.34	-2.47	11	Pass
NVNT	ax80	5290	-8.69	-8.71	-5.69	11	Pass


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT a 5260MHz Ant1





PSD NVNT a 5280MHz Ant1

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT n20 5280MHz Ant1




PSD NVNT n20 5320MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT n40 5270MHz Ant1





PSD NVNT n40 5310MHz Ant1

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China



Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT ac40 5310MHz Ant1




PSD NVNT ac80 5290MHz Ant1


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT ax20 5260MHz Ant1





PSD NVNT ax20 5280MHz Ant1

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China



Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT a 5260MHz Ant2




PSD NVNT a 5280MHz Ant2


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT a 5320MHz Ant2




PSD NVNT n20 5260MHz Ant2


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT n20 5280MHz Ant2




PSD NVNT n20 5320MHz Ant2


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT n40 5270MHz Ant2




PSD NVNT n40 5310MHz Ant2


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT ac20 5260MHz Ant2





PSD NVNT ac20 5280MHz Ant2

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT ac40 5310MHz Ant2




PSD NVNT ac80 5290MHz Ant2


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT ax20 5260MHz Ant2




PSD NVNT ax20 5280MHz Ant2


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



PSD NVNT ax20 5320MHz Ant2





PSD NVNT ax40 5270MHz Ant2

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



E.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant1	4500	-51.57	2.28	45.94	Peak	68.2	Pass
NVNT	a	5260	Ant1	4500	-59.07	2.28	38.44	Average	54	Pass
NVNT	a	5260	Ant1	5003.88	-46.82	2.28	50.69	Peak	68.2	Pass
NVNT	a	5260	Ant1	5063.94	-56.74	2.28	40.77	Average	54	Pass
NVNT	a	5260	Ant1	5150	-50.06	2.28	47.45	Peak	68.2	Pass
NVNT	a	5260	Ant1	5150	-57.37	2.28	40.14	Average	54	Pass
NVNT	a	5320	Ant1	5350	-50.87	2.28	46.64	Peak	68.2	Pass
NVNT	a	5320	Ant1	5350	-57.7	2.28	39.81	Average	54	Pass
NVNT	a	5320	Ant1	5381.8	-48.1	2.28	49.41	Peak	68.2	Pass
NVNT	a	5320	Ant1	5459.4	-57.65	2.28	39.86	Average	54	Pass
NVNT	a	5320	Ant1	5460	-51.89	2.28	45.62	Peak	68.2	Pass
NVNT	a	5320	Ant1	5460	-57.85	2.28	39.66	Average	54	Pass
NVNT	n20	5260	Ant1	4500	-52.05	2.28	45.46	Peak	68.2	Pass
NVNT	n20	5260	Ant1	4500	-59.01	2.28	38.50	Average	54	Pass
NVNT	n20	5260	Ant1	4718.4	-46.19	2.28	51.32	Peak	68.2	Pass
NVNT	n20	5260	Ant1	5032.74	-56.66	2.28	40.85	Average	54	Pass
NVNT	n20	5260	Ant1	5150	-50.82	2.28	46.69	Peak	68.2	Pass
NVNT	n20	5260	Ant1	5150	-57.31	2.28	40.20	Average	54	Pass
NVNT	n20	5320	Ant1	5350	-49.34	2.28	48.17	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5350	-57.15	2.28	40.36	Average	54	Pass
NVNT	n20	5320	Ant1	5354	-46.44	2.28	51.07	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5350.4	-56.96	2.28	40.55	Average	54	Pass
NVNT	n20	5320	Ant1	5460	-49.7	2.28	47.81	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5460	-57.96	2.28	39.55	Average	54	Pass
NVNT	n40	5270	Ant1	4500	-52	2.28	45.51	Peak	68.2	Pass
NVNT	n40	5270	Ant1	4500	-59.21	2.28	38.30	Average	54	Pass
NVNT	n40	5270	Ant1	5125.32	-46.48	2.28	51.03	Peak	68.2	Pass
NVNT	n40	5270	Ant1	4806.99	-56.46	2.28	41.05	Average	54	Pass
NVNT	n40	5270	Ant1	5150	-48.41	2.28	49.10	Peak	68.2	Pass
NVNT	n40	5270	Ant1	5150	-57.33	2.28	40.18	Average	54	Pass
NVNT	n40	5310	Ant1	5350	-48.81	2.28	48.70	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5350	-56.6	2.28	40.91	Average	54	Pass
NVNT	n40	5310	Ant1	5350.2	-46.32	2.28	51.19	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5350.4	-56.58	2.28	40.93	Average	54	Pass
NVNT	n40	5310	Ant1	5460	-51.69	2.28	45.82	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5460	-57.92	2.28	39.59	Average	54	Pass
NVNT	ac20	5260	Ant1	4500	-51.52	2.28	45.99	Peak	68.2	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ac20	5260	Ant1	4500	-59.04	2.28	38.47	Average	54	Pass
NVNT	ac20	5260	Ant1	5059.26	-47.06	2.28	50.45	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	5068.62	-56.66	2.28	40.85	Average	54	Pass
NVNT	ac20	5260	Ant1	5150	-49.76	2.28	47.75	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	5150	-57.33	2.28	40.18	Average	54	Pass
NVNT	ac20	5320	Ant1	5350	-50.6	2.28	46.91	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5350	-57.03	2.28	40.48	Average	54	Pass
NVNT	ac20	5320	Ant1	5350.6	-45.68	2.28	51.83	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5350.2	-56.89	2.28	40.62	Average	54	Pass
NVNT	ac20	5320	Ant1	5460	-51.35	2.28	46.16	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5460	-58.02	2.28	39.49	Average	54	Pass
NVNT	ac40	5270	Ant1	4500	-52.38	2.28	45.13	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	4500	-59.23	2.28	38.28	Average	54	Pass
NVNT	ac40	5270	Ant1	4829.67	-47.83	2.28	49.68	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	4806.99	-56.37	2.28	41.14	Average	54	Pass
NVNT	ac40	5270	Ant1	5150	-49.68	2.28	47.83	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	5150	-57.3	2.28	40.21	Average	54	Pass
NVNT	ac40	5310	Ant1	5350	-47.64	2.28	49.87	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5350	-56.53	2.28	40.98	Average	54	Pass
NVNT	ac40	5310	Ant1	5352.6	-46.28	2.28	51.23	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5350.2	-56.42	2.28	41.09	Average	54	Pass
NVNT	ac40	5310	Ant1	5460	-51.64	2.28	45.87	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5460	-57.61	2.28	39.90	Average	54	Pass
NVNT	ac80	5290	Ant1	5350	-47.01	2.28	50.50	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5350	-56.49	2.28	41.02	Average	54	Pass
NVNT	ac80	5290	Ant1	5350	-47.01	2.28	50.50	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5350.75	-56.43	2.28	41.08	Average	54	Pass
NVNT	ac80	5290	Ant1	5460	-51.51	2.28	46.00	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5460	-57.09	2.28	40.42	Average	54	Pass
NVNT	ac80	5290	Ant1	4500	-51.97	2.28	45.54	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	4500	-59.17	2.28	38.34	Average	54	Pass
NVNT	ac80	5290	Ant1	5058.54	-47.95	2.28	49.56	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5055.93	-56.24	2.28	41.27	Average	54	Pass
NVNT	ac80	5290	Ant1	5150	-48.91	2.28	48.60	Peak	68.2	Pass
NVNT	ac80	5290	Ant1	5150	-57.26	2.28	40.25	Average	54	Pass
NVNT	ax20	5260	Ant1	4500	-51.31	2.28	46.20	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	4500	-59.05	2.28	38.46	Average	54	Pass
NVNT	ax20	5260	Ant1	4947.72	-47.34	2.28	50.17	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	5053.02	-56.65	2.28	40.86	Average	54	Pass
NVNT	ax20	5260	Ant1	5150	-50.93	2.28	46.58	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	5150	-57.32	2.28	40.19	Average	54	Pass


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ax20	5320	Ant1	5350	-48.3	2.28	49.21	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5350	-57.05	2.28	40.46	Average	54	Pass
NVNT	ax20	5320	Ant1	5352.6	-42.86	2.28	54.65	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5350	-57.05	2.28	40.46	Average	54	Pass
NVNT	ax20	5320	Ant1	5460	-50.54	2.28	46.97	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5460	-57.76	2.28	39.75	Average	54	Pass
NVNT	ax40	5270	Ant1	4500	-50.68	2.28	46.83	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	4500	-59.06	2.28	38.45	Average	54	Pass
NVNT	ax40	5270	Ant1	5003.01	-47.37	2.28	50.14	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	4806.18	-56.58	2.28	40.93	Average	54	Pass
NVNT	ax40	5270	Ant1	5150	-48.93	2.28	48.58	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	5150	-57.24	2.28	40.27	Average	54	Pass
NVNT	ax40	5310	Ant1	5350	-45.16	2.28	52.35	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5350	-56.79	2.28	40.72	Average	54	Pass
NVNT	ax40	5310	Ant1	5350.2	-39.68	2.28	57.83	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5350.2	-56.53	2.28	40.98	Average	54	Pass
NVNT	ax40	5310	Ant1	5460	-52.08	2.28	45.43	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5460	-58.04	2.28	39.47	Average	54	Pass
NVNT	ax80	5290	Ant1	5350	-48.46	2.28	49.05	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5350	-56.53	2.28	40.98	Average	54	Pass
NVNT	ax80	5290	Ant1	5350.5	-45.86	2.28	51.65	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5350.25	-56.47	2.28	41.04	Average	54	Pass
NVNT	ax80	5290	Ant1	5460	-50.69	2.28	46.82	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5460	-57.24	2.28	40.27	Average	54	Pass
NVNT	ax80	5290	Ant1	4500	-51.24	2.28	46.27	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	4500	-59.09	2.28	38.42	Average	54	Pass
NVNT	ax80	5290	Ant1	5135.1	-47.26	2.28	50.25	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5080.29	-56.41	2.28	41.10	Average	54	Pass
NVNT	ax80	5290	Ant1	5150	-49.87	2.28	47.64	Peak	68.2	Pass
NVNT	ax80	5290	Ant1	5150	-57.3	2.28	40.21	Average	54	Pass



Restrict Band NVNT a 5260MHz Ant1 Peak




Restrict Band NVNT a 5260MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT a 5320MHz Ant1 Peak




Restrict Band NVNT a 5320MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n20 5260MHz Ant1 Peak




Restrict Band NVNT n20 5260MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n20 5320MHz Ant1 Peak




Restrict Band NVNT n20 5320MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n40 5270MHz Ant1 Peak




Restrict Band NVNT n40 5270MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT n40 5310MHz Ant1 Peak




Restrict Band NVNT n40 5310MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac20 5260MHz Ant1 Peak




Restrict Band NVNT ac20 5260MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac20 5320MHz Ant1 Peak




Restrict Band NVNT ac20 5320MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac40 5270MHz Ant1 Peak




Restrict Band NVNT ac40 5270MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac40 5310MHz Ant1 Peak




Restrict Band NVNT ac40 5310MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac80 5290MHz Ant1 Peak




Restrict Band NVNT ac80 5290MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ac80 5290MHz Ant1 Peak




Restrict Band NVNT ac80 5290MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax20 5260MHz Ant1 Peak




Restrict Band NVNT ax20 5260MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax20 5320MHz Ant1 Peak




Restrict Band NVNT ax20 5320MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax40 5270MHz Ant1 Peak




Restrict Band NVNT ax40 5270MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax40 5310MHz Ant1 Peak




Restrict Band NVNT ax40 5310MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax80 5290MHz Ant1 Peak




Restrict Band NVNT ax80 5290MHz Ant1 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT ax80 5290MHz Ant1 Peak



Restrict Band NVNT ax80 5290MHz Ant1 Average

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant2	4500	-53.03	2.28	44.48	Peak	68.2	Pass
NVNT	a	5260	Ant2	4500	-59	2.28	38.51	Average	54	Pass
NVNT	a	5260	Ant2	5028.84	-46.83	2.28	50.68	Peak	68.2	Pass
NVNT	a	5260	Ant2	5052.24	-56.67	2.28	40.84	Average	54	Pass
NVNT	a	5260	Ant2	5150	-49	2.28	48.51	Peak	68.2	Pass
NVNT	a	5260	Ant2	5150	-57.37	2.28	40.14	Average	54	Pass
NVNT	a	5320	Ant2	5350	-50.81	2.28	46.70	Peak	68.2	Pass
NVNT	a	5320	Ant2	5350	-57.63	2.28	39.88	Average	54	Pass
NVNT	a	5320	Ant2	5350.8	-46.35	2.28	51.16	Peak	68.2	Pass
NVNT	a	5320	Ant2	5426.6	-57.62	2.28	39.89	Average	54	Pass
NVNT	a	5320	Ant2	5460	-49.99	2.28	47.52	Peak	68.2	Pass
NVNT	a	5320	Ant2	5460	-57.85	2.28	39.66	Average	54	Pass
NVNT	n20	5260	Ant2	4500	-51.11	2.28	46.40	Peak	68.2	Pass
NVNT	n20	5260	Ant2	4500	-59	2.28	38.51	Average	54	Pass
NVNT	n20	5260	Ant2	5034.3	-47.6	2.28	49.91	Peak	68.2	Pass
NVNT	n20	5260	Ant2	5056.14	-56.67	2.28	40.84	Average	54	Pass
NVNT	n20	5260	Ant2	5150	-50.56	2.28	46.95	Peak	68.2	Pass
NVNT	n20	5260	Ant2	5150	-57.33	2.28	40.18	Average	54	Pass
NVNT	n20	5320	Ant2	5350	-49.64	2.28	47.87	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5350	-56.78	2.28	40.73	Average	54	Pass
NVNT	n20	5320	Ant2	5350.6	-45.31	2.28	52.20	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5350	-56.78	2.28	40.73	Average	54	Pass
NVNT	n20	5320	Ant2	5460	-50.93	2.28	46.58	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5460	-57.81	2.28	39.70	Average	54	Pass
NVNT	n40	5270	Ant2	4500	-52.28	2.28	45.23	Peak	68.2	Pass
NVNT	n40	5270	Ant2	4500	-59.07	2.28	38.44	Average	54	Pass
NVNT	n40	5270	Ant2	5084.01	-47.26	2.28	50.25	Peak	68.2	Pass
NVNT	n40	5270	Ant2	4806.99	-56.51	2.28	41.00	Average	54	Pass
NVNT	n40	5270	Ant2	5150	-49.49	2.28	48.02	Peak	68.2	Pass
NVNT	n40	5270	Ant2	5150	-57.43	2.28	40.08	Average	54	Pass
NVNT	n40	5310	Ant2	5350	-50.38	2.28	47.13	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5350	-56.77	2.28	40.74	Average	54	Pass
NVNT	n40	5310	Ant2	5353.4	-44.25	2.28	53.26	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5350.6	-56.39	2.28	41.12	Average	54	Pass
NVNT	n40	5310	Ant2	5460	-50.6	2.28	46.91	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5460	-57.67	2.28	39.84	Average	54	Pass
NVNT	ac20	5260	Ant2	4500	-51.09	2.28	46.42	Peak	68.2	Pass

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ac20	5260	Ant2	4500	-58.94	2.28	38.57	Average	54	Pass
NVNT	ac20	5260	Ant2	5105.28	-47.81	2.28	49.70	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	5030.4	-56.64	2.28	40.87	Average	54	Pass
NVNT	ac20	5260	Ant2	5150	-49.36	2.28	48.15	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	5150	-57.32	2.28	40.19	Average	54	Pass
NVNT	ac20	5320	Ant2	5350	-46.93	2.28	50.58	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5350	-57.19	2.28	40.32	Average	54	Pass
NVNT	ac20	5320	Ant2	5350	-46.93	2.28	50.58	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5350.4	-56.97	2.28	40.54	Average	54	Pass
NVNT	ac20	5320	Ant2	5460	-51.44	2.28	46.07	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5460	-57.85	2.28	39.66	Average	54	Pass
NVNT	ac40	5270	Ant2	4500	-52.63	2.28	44.88	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	4500	-59.16	2.28	38.35	Average	54	Pass
NVNT	ac40	5270	Ant2	5003.01	-47.44	2.28	50.07	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	4806.99	-56.28	2.28	41.23	Average	54	Pass
NVNT	ac40	5270	Ant2	5150	-51.5	2.28	46.01	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	5150	-57.19	2.28	40.32	Average	54	Pass
NVNT	ac40	5310	Ant2	5350	-49.61	2.28	47.90	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5350	-56.3	2.28	41.21	Average	54	Pass
NVNT	ac40	5310	Ant2	5350.8	-46.81	2.28	50.70	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5350	-56.3	2.28	41.21	Average	54	Pass
NVNT	ac40	5310	Ant2	5460	-51.03	2.28	46.48	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5460	-57.91	2.28	39.60	Average	54	Pass
NVNT	ac80	5290	Ant2	5350	-47.49	2.28	50.02	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5350	-57.1	2.28	40.41	Average	54	Pass
NVNT	ac80	5290	Ant2	5350	-47.49	2.28	50.02	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5351.5	-56.45	2.28	41.06	Average	54	Pass
NVNT	ac80	5290	Ant2	5460	-50.91	2.28	46.60	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5460	-57.59	2.28	39.92	Average	54	Pass
NVNT	ac80	5290	Ant2	4500	-51.82	2.28	45.69	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	4500	-58.88	2.28	38.63	Average	54	Pass
NVNT	ac80	5290	Ant2	5138.58	-47.65	2.28	49.86	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5035.05	-56.22	2.28	41.29	Average	54	Pass
NVNT	ac80	5290	Ant2	5150	-50.04	2.28	47.47	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5150	-57.77	2.28	39.74	Average	54	Pass
NVNT	ax20	5260	Ant2	4500	-52.63	2.28	44.88	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	4500	-59	2.28	38.51	Average	54	Pass
NVNT	ax20	5260	Ant2	5091.24	-47.02	2.28	50.49	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	5046.78	-56.66	2.28	40.85	Average	54	Pass
NVNT	ax20	5260	Ant2	5150	-50.21	2.28	47.30	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	5150	-57.1	2.28	40.41	Average	54	Pass


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



NVNT	ax20	5320	Ant2	5350	-49.58	2.28	47.93	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5350	-57.03	2.28	40.48	Average	54	Pass
NVNT	ax20	5320	Ant2	5354	-46.57	2.28	50.94	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5350	-57.03	2.28	40.48	Average	54	Pass
NVNT	ax20	5320	Ant2	5460	-50.82	2.28	46.69	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5460	-57.92	2.28	39.59	Average	54	Pass
NVNT	ax40	5270	Ant2	4500	-50.24	2.28	47.27	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	4500	-59.32	2.28	38.19	Average	54	Pass
NVNT	ax40	5270	Ant2	5111.55	-47.41	2.28	50.10	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	4806.99	-56.35	2.28	41.16	Average	54	Pass
NVNT	ax40	5270	Ant2	5150	-50.11	2.28	47.40	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	5150	-57.4	2.28	40.11	Average	54	Pass
NVNT	ax40	5310	Ant2	5350	-47.96	2.28	49.55	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5350	-56.76	2.28	40.75	Average	54	Pass
NVNT	ax40	5310	Ant2	5350.4	-46.95	2.28	50.56	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5351.4	-56.49	2.28	41.02	Average	54	Pass
NVNT	ax40	5310	Ant2	5460	-51.81	2.28	45.70	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5460	-57.88	2.28	39.63	Average	54	Pass
NVNT	ax80	5290	Ant2	5350	-47.92	2.28	49.59	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5350	-56.8	2.28	40.71	Average	54	Pass
NVNT	ax80	5290	Ant2	5350.5	-47.34	2.28	50.17	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5350.5	-56.11	2.28	41.40	Average	54	Pass
NVNT	ax80	5290	Ant2	5460	-51.64	2.28	45.87	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5460	-57.49	2.28	40.02	Average	54	Pass
NVNT	ax80	5290	Ant2	4500	-51.56	2.28	45.95	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	4500	-59.16	2.28	38.35	Average	54	Pass
NVNT	ax80	5290	Ant2	4865.4	-47.82	2.28	49.69	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5039.4	-56.28	2.28	41.23	Average	54	Pass
NVNT	ax80	5290	Ant2	5150	-49.84	2.28	47.67	Peak	68.2	Pass
NVNT	ax80	5290	Ant2	5150	-57.29	2.28	40.22	Average	54	Pass



Restrict Band NVNT a 5260MHz Ant2 Peak




Restrict Band NVNT a 5260MHz Ant2 Average


Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Restrict Band NVNT a 5320MHz Ant2 Peak



Restrict Band NVNT a 5320MHz Ant2 Average

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: Room 101/201, Building A, and Room 101/301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com