



REPORT No.: SZ26040105Y04

TEST REPORT

APPLICANT : Power Idea Technology (Shenzhen)
Co., Ltd.

PRODUCT NAME : POC RADIO

MODEL NAME : PRM01G

BRAND NAME : RugGear

FCC ID : ZLE-PRM01G

STANDARD(S) : 47 CFR Part 2
47 CFR Part 27, Subpart M

RECEIPT DATE : 2026-04-14

TEST DATE : 2026-05-22 to 2026-08-21

ISSUE DATE : 2026-09-23



Edited by: Xu Yili
Xu Yili (Rapporteur)

Approved by: Shen Junsheng
Shen Junsheng (Supervisor)

NOTE: This document is issued by Shenzhen Morlab Communications Technology Co., Ltd., the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

Tel: 86-755-36698555

Http://www.morlab.cn

Fax: 86-755-36698525

E-mail: service@morlab.cn





DIRECTORY

1. Technical Information	3
1.1. Applicant and Manufacturer Information	3
1.2. Equipment Under Test (EUT) Description	3
1.3. Maximum E.I.R.P. and Emission Designator	5
1.4. Test Standards and Results	6
1.5. Environmental Conditions	7
2. Summary Test Results And Description	8
2.1. Transmitter Conducted Output Power	8
2.2. Occupied Bandwidth	13
2.3. Conducted Spurious Emissions	45
2.4. Band Edge	98
2.5. Radiated Spurious Emissions	116
Annex A Test Uncertainty	123
Annex B Testing Laboratory Information	124
Notes	128

Change History		
Version	Date	Reason for change
1.0	2026-09-23	First edition

Note: the latest revision of the report supersedes all previous version



1. Technical Information

Note: Provide by applicant.

1.1. Applicant and Manufacturer Information

Applicant:	Power Idea Technology (Shenzhen) Co., Ltd.
Applicant Address:	B1504, 1505, 1506, 1507, Building 9, Zone 2, Shenzhen Bay Science and Technology Ecological Park, No. 3609 Baishi Road, High tech Zone Community, Yuehai Street, Nanshan District, Shenzhen City, China
Manufacturer:	Power Idea Technology (Shenzhen) Co., Ltd.
Manufacturer Address:	B1504, 1505, 1506, 1507, Building 9, Zone 2, Shenzhen Bay Science and Technology Ecological Park, No. 3609 Baishi Road, High tech Zone Community, Yuehai Street, Nanshan District, Shenzhen City, China

1.2. Equipment Under Test (EUT) Description

Product Name:	POC RADIO	
Sample No.:	9#, 14#	
Hardware Version:	V1	
Software Version:	RG380_V1.0	
Modulation Type:	QPSK, 16QAM, 64QAM,	
Operation Band:	Uplink: CA_7C, CA_41C	
Frequency Range:	Band 7	Tx: 2500MHz–2570MHz
		Rx: 2620MHz–2690MHz
	Band 41	Tx: 2496MHz–2690MHz
		Rx: 2496MHz–2690MHz
Channel Bandwidth:	CA_7C	15MHz+10MHz, 10MHz+20MHz, 20MHz+10MHz, 15MHz+15MHz, 15MHz+20MHz, 20MHz+15MHz, 20MHz+20MHz
	CA_41C	5MHz+20MHz, 20MHz+5MHz, 10MHz+15MHz, 15MHz+10MHz, 10MHz+20MHz, 20MHz+10MHz, 15MHz+15MHz, 15MHz+20MHz, 20MHz+15MHz, 20MHz+20MHz
Antenna Type:	Fixed External	



Antenna Gain:	Band 7	1.00dBi
	Band 41	-1.63dBi

Note 1: The EUT description presented in the report are provided by applicant and/or manufacturer, and the test laboratory is not responsible for the accuracy of the information. For a more detailed description, please refer to Specification or User's Manual supplied by the applicant and/or manufacturer.



1.3. Maximum E.I.R.P. and Emission Designator

Channel bandwidth	Maximum EIRP (W)		
CA_7C	QPSK	16QAM	64QAM
20+20	0.247	0.187	0.153
CA_41C	QPSK	16QAM	64QAM
20+20	0.134	0.100	0.081

Channel bandwidth	Emission Designator (99%OBW)		
LTE 7C	QPSK	16QAM	64QAM
10+20	27M6G7D	27M7W7D	27M5W7D
15+10	23M1G7D	23M1W7D	23M1W7D
15+15	28M3G7D	28M3W7D	28M2W7D
15+20	32M5G7D	32M6W7D	32M4W7D
20+10	27M7G7D	27M7W7D	27M7W7D
20+15	32M6G7D	32M6W7D	32M5W7D
20+20	37M3G7D	37M4W7D	37M3W7D
LTE 41C	QPSK	16QAM	64QAM
5+20	22M8G7D	22M8W7D	22M8W7D
10+15	23M1G7D	23M1W7D	23M1W7D
10+20	27M6G7D	27M7W7D	27M7W7D
15+10	23M2G7D	23M1W7D	23M1W7D
15+15	28M3G7D	28M3W7D	28M3W7D
15+20	32M5G7D	32M5W7D	32M6W7D
20+5	22M8G7D	22M9W7D	22M8W7D
20+10	27M7G7D	27M7W7D	27M7W7D
20+15	32M6G7D	32M6W7D	32M5W7D
20+20	37M4G7D	37M4W7D	37M4W7D



1.4. Test Standards and Results

The objective of the report is to perform testing according to Part 2, and Part 27 for the EUT FCC ID Certification:

No.	Identity	Document Title
1	47 CFR Part 2	Frequency Allocations and Radio Treaty Matters; General Rules and Regulations
2	47 CFR Part 27	Miscellaneous Wireless Communications Services

B7 & B41			
Item	FCC Rule No.	Requirements	Result
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(h)(2)	EIRP ≤2W	PASS
Peak-Average Ratio	N/A	N/A	N/A
Bandwidth	§2.1049	OBW: No limit EBW: No limit	PASS
Band Edges Compliance	§2.1051, §27.53(m)(4)	Refer to section 2.6	PASS
Spurious Emission at Antenna Terminals	§2.1051, §27.53(m)(4)	≤ -25 dBm/1MHz	PASS
Field Strength of Spurious Radiation	§2.1053, §27.53(m)(4)	≤ -25 dBm/1MHz	PASS
Frequency Stability	§2.1055, §27.54	No limit	N/A



Test detailed items/section required by FCC rules and results are as below:

Test Item	Test Engineer	Result	Remark
Transmitter Conducted Output Power and E.R.P./E.I.R.P.	Zhang Yusheng Liu Huiyan	PASS ^[4]	/
Occupied Bandwidth	Liu Huiyan	PASS	/
Frequency Stability	Liu Huiyan	PASS ^[5]	/
Peak to Average Radio	Liu Huiyan	PASS	/
Conducted Spurious Emissions	Liu Huiyan	PASS	/
Band Edge	Liu Huiyan	PASS	/
Radiated Spurious Emissions	Zhong Xiangyun Li Hanbin	PASS	/
Note 1: The tests were performed according to the method of measurements prescribed in KDB971168 D01 v03 and ANSI/TIA-603-E-2016. Note 2: The path loss during the RF test is calibrated to correct the results by the offset setting in the test equipment. The ref offset 23.5dB contains two parts that cable loss 13.5dB and Attenuator 10dB. Note 3: Any additions, deviation, or exclusions from the method shall be noted in the "Remark". Note 4: The antenna gain presented in the report are provided by applicant and/or manufacturer, and the test laboratory is not responsible for the accuracy of the information. Note 5: This test items for Carrier aggregation bands are referred to its corresponding single band, the test results refer to the test report (Report No.: SZ26040105Y02).			

1.5. Environmental Conditions

During the measurement, the environmental conditions were within the listed ranges:

Temperature (°C):	15-35
Relative Humidity (%):	30-60
Atmospheric Pressure (kPa):	86-106

2. Summary Test Results And Description


2.1. Transmitter Conducted Output Power

2.1.1. Requirement

According to FCC section 2.1046(a), for transmitters other than single sideband, independent sideband and controlled carrier radiotelephone, power output shall be measured at the RF output terminals when the transmitter is adjusted in accordance with the tune-up procedure to give the values of current and voltage on the circuit elements specified in FCC section 2.1033(c)(8).

According to FCC section 27.50 (h)(2) for LTE Band 7/41, Mobile and other user stations. Mobile stations are limited to 2 watts E.I.R.P. All user stations are limited to 2 watts transmitter output power.

2.1.2. Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

2.1.3. Test Procedure

KDB 971168 D01v03 Section 5.2 and ANSI/TIA-603-E-2016.

$E.I.R.P. (dBm) = \text{Conducted Output Power (dBm)} + \text{Antenna Gain (dBi)}$

$E.R.P. (dBm) = E.I.R.P. (dBm) - 2.15$



2.1.4. Result

Note: All bandwidth and modulation were considered and evaluated respectively by performing full test for each band; with only the worst cases represented in the report except for the maximum bandwidths.

Conducted Output Power

CA_7C								
Combination:20MHz+20MHz(100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
20850	21048	QPSK	1	0	0	0	1	22.93
21001	21199	QPSK	1	0	0	0	1	22.73
21152	21350	QPSK	1	0	0	0	1	22.50
20850	21048	16QAM	1	0	0	0	1	21.71
21001	21199	16QAM	1	0	0	0	1	21.67
21152	21350	16QAM	1	0	0	0	1	21.43
20850	21048	64QAM	1	0	0	0	1	20.86
21001	21199	64QAM	1	0	0	0	1	20.60
21152	21350	64QAM	1	0	0	0	1	20.59
20850	21048	QPSK	50	0	0	0	1	21.83
21001	21199	QPSK	50	0	0	0	1	21.59
21152	21350	QPSK	50	0	0	0	1	21.59



CA_41C								
Combination: 20MHz+20MHz(100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB Offset	RB Size	RB Offset		
39750	39948	QPSK	1	0	0	0	1	22.87
40521	40719	QPSK	1	0	0	0	1	22.89
41292	41490	QPSK	1	0	0	0	1	22.82
39750	39948	16QAM	1	0	0	0	1	21.62
40521	40719	16QAM	1	0	0	0	1	21.49
41292	41490	16QAM	1	0	0	0	1	21.33
39750	39948	64QAM	1	0	0	0	1	20.70
40521	40719	64QAM	1	0	0	0	1	20.54
41292	41490	64QAM	1	0	0	0	1	20.49
39750	39948	QPSK	50	0	0	0	1	21.53
40521	40719	QPSK	50	0	0	0	1	21.36
41292	41490	QPSK	50	0	0	0	1	21.34

**Effective Isotropic Radiated Power**

Note: Consider and evaluate all antennas separately by fully testing each band; This test report only records the worst-case scenario.

CA_7C									
Combination:20MHz+20MHz(100RB+100RB)									
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	EIRP (dBm)	EIRP (W)
			RB Size	RB Offset	RB Size	RB Offset			
20850	21048	QPSK	1	0	0	0	1	23.93	0.247
21001	21199	QPSK	1	0	0	0	1	23.73	0.236
21152	21350	QPSK	1	0	0	0	1	23.50	0.224
20850	21048	16QAM	1	0	0	0	1	22.71	0.187
21001	21199	16QAM	1	0	0	0	1	22.67	0.185
21152	21350	16QAM	1	0	0	0	1	22.43	0.175
20850	21048	64QAM	1	0	0	0	1	21.86	0.153
21001	21199	64QAM	1	0	0	0	1	21.60	0.145
21152	21350	64QAM	1	0	0	0	1	21.59	0.144
20850	21048	QPSK	50	0	0	0	1	22.83	0.192
21001	21199	QPSK	50	0	0	0	1	22.59	0.182
21152	21350	QPSK	50	0	0	0	1	22.59	0.182




CA_41C									
Combination:20MHz+20MHz(100RB+100RB)									
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	EIRP (dBm)	EIRP (W)
			RB Size	RB Offset	RB Size	RB Offset			
39750	39948	QPSK	1	0	0	0	1	21.24	0.133
40521	40719	QPSK	1	0	0	0	1	21.26	0.134
41292	41490	QPSK	1	0	0	0	1	21.19	0.132
39750	39948	16QAM	1	0	0	0	1	19.99	0.100
40521	40719	16QAM	1	0	0	0	1	19.86	0.097
41292	41490	16QAM	1	0	0	0	1	19.70	0.093
39750	39948	64QAM	1	0	0	0	1	19.07	0.081
40521	40719	64QAM	1	0	0	0	1	18.91	0.078
41292	41490	64QAM	1	0	0	0	1	18.86	0.077
39750	39948	QPSK	50	0	0	0	1	19.90	0.098
40521	40719	QPSK	50	0	0	0	1	19.73	0.094
41292	41490	QPSK	50	0	0	0	1	19.71	0.094

2.2. Occupied Bandwidth

2.2.1. Requirement

According to FCC section 2.1049, the occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission. Occupied bandwidth is also known as the 99% emission bandwidth.

2.2.2. Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

2.2.3. Test Procedure

KDB 971168 D01v03 Section 4.1 and ANSI/TIA-603-E-2016.

**2.2.4. Test Result**

LTE Band	BW(MHz)	Channel Level	PCC CH	SCC CH	Modulation	99% BW (MHz)	26dB BW (MHz)	Verdict
7C	10+20	Low	20805	20949	QPSK	27.600	28.753	PASS
7C	10+20	Low	20805	20949	16QAM	27.664	28.685	PASS
7C	10+20	Low	20805	20949	64QAM	27.523	28.779	PASS
7C	10+20	Mid	21006	21150	QPSK	27.517	28.745	PASS
7C	10+20	Mid	21006	21150	16QAM	27.548	28.653	PASS
7C	10+20	Mid	21006	21150	64QAM	27.483	28.738	PASS
7C	10+20	High	21206	21350	QPSK	27.639	28.904	PASS
7C	10+20	High	21206	21350	16QAM	27.701	28.699	PASS
7C	10+20	High	21206	21350	64QAM	27.529	28.775	PASS
7C	15+10	Low	20825	20945	QPSK	23.102	24.160	PASS
7C	15+10	Low	20825	20945	16QAM	23.086	24.249	PASS
7C	15+10	Low	20825	20945	64QAM	23.104	24.230	PASS
7C	15+10	Mid	21051	21171	QPSK	22.992	24.134	PASS
7C	15+10	Mid	21051	21171	16QAM	23.017	24.213	PASS
7C	15+10	Mid	21051	21171	64QAM	23.011	24.142	PASS
7C	15+10	High	21277	21397	QPSK	23.128	24.151	PASS
7C	15+10	High	21277	21397	16QAM	23.102	24.275	PASS
7C	15+10	High	21277	21397	64QAM	23.068	24.174	PASS
7C	15+15	Low	20825	20975	QPSK	28.295	29.552	PASS
7C	15+15	Low	20825	20975	16QAM	28.294	29.570	PASS
7C	15+15	Low	20825	20975	64QAM	28.231	29.597	PASS
7C	15+15	Mid	21025	21175	QPSK	28.060	29.557	PASS
7C	15+15	Mid	21025	21175	16QAM	28.192	29.505	PASS
7C	15+15	Mid	21025	21175	64QAM	28.133	29.470	PASS
7C	15+15	High	21225	21375	QPSK	28.221	29.561	PASS
7C	15+15	High	21225	21375	16QAM	28.311	29.596	PASS
7C	15+15	High	21225	21375	64QAM	28.204	29.640	PASS
7C	15+20	Low	20828	20999	QPSK	32.455	33.922	PASS
7C	15+20	Low	20828	20999	16QAM	32.556	33.937	PASS
7C	15+20	Low	20828	20999	64QAM	32.425	33.887	PASS
7C	15+20	Mid	21003	21174	QPSK	32.345	33.843	PASS
7C	15+20	Mid	21003	21174	16QAM	32.313	33.813	PASS
7C	15+20	Mid	21003	21174	64QAM	32.287	33.853	PASS



7C	15+20	High	21179	21350	QPSK	32.437	33.921	PASS
7C	15+20	High	21179	21350	16QAM	32.595	34.011	PASS
7C	15+20	High	21179	21350	64QAM	32.373	33.919	PASS
7C	20+10	Low	20850	20994	QPSK	27.633	28.921	PASS
7C	20+10	Low	20850	20994	16QAM	27.702	29.012	PASS
7C	20+10	Low	20850	20994	64QAM	27.718	29.030	PASS
7C	20+10	Mid	21051	21195	QPSK	27.562	29.017	PASS
7C	20+10	Mid	21051	21195	16QAM	27.616	28.925	PASS
7C	20+10	Mid	21051	21195	64QAM	27.592	29.063	PASS
7C	20+10	High	21251	21395	QPSK	27.659	29.143	PASS
7C	20+10	High	21251	21395	16QAM	27.665	29.092	PASS
7C	20+10	High	21251	21395	64QAM	27.732	29.022	PASS
7C	20+15	Low	20850	21021	QPSK	32.596	33.962	PASS
7C	20+15	Low	20850	21021	16QAM	32.609	34.065	PASS
7C	20+15	Low	20850	21021	64QAM	32.450	33.975	PASS
7C	20+15	Mid	21026	21197	QPSK	32.352	33.929	PASS
7C	20+15	Mid	21026	21197	16QAM	32.435	33.960	PASS
7C	20+15	Mid	21026	21197	64QAM	32.354	34.130	PASS
7C	20+15	High	21201	21372	QPSK	32.606	34.065	PASS
7C	20+15	High	21201	21372	16QAM	32.530	34.103	PASS
7C	20+15	High	21201	21372	64QAM	32.507	34.004	PASS
7C	20+20	Low	20850	21048	QPSK	37.277	39.009	PASS
7C	20+20	Low	20850	21048	16QAM	37.307	38.980	PASS
7C	20+20	Low	20850	21048	64QAM	37.270	39.014	PASS
7C	20+20	Mid	21001	21199	QPSK	37.096	39.012	PASS
7C	20+20	Mid	21001	21199	16QAM	37.160	38.991	PASS
7C	20+20	Mid	21001	21199	64QAM	37.067	38.954	PASS
7C	20+20	High	21152	21350	QPSK	37.282	39.120	PASS
7C	20+20	High	21152	21350	16QAM	37.417	39.049	PASS
7C	20+20	High	21152	21350	64QAM	37.155	38.944	PASS




LTE Band	BW(MHz)	Channel Level	PCC CH	SCC CH	Modulation	99% BW (MHz)	26dB BW (MHz)	Verdict
41C	10+15	Low	39703	39823	QPSK	23.104	24.179	PASS
41C	10+15	Low	39703	39823	16QAM	23.054	24.127	PASS
41C	10+15	Low	39703	39823	64QAM	23.077	24.121	PASS
41C	10+15	Mid	40549	40669	QPSK	23.033	24.000	PASS
41C	10+15	Mid	40549	40669	16QAM	23.048	24.062	PASS
41C	10+15	Mid	40549	40669	64QAM	22.982	24.189	PASS
41C	10+15	High	41395	41515	QPSK	22.966	23.961	PASS
41C	10+15	High	41395	41515	16QAM	22.948	24.205	PASS
41C	10+15	High	41395	41515	64QAM	22.975	24.166	PASS
41C	10+20	Low	39705	39849	QPSK	27.599	28.741	PASS
41C	10+20	Low	39705	39849	16QAM	27.672	28.692	PASS
41C	10+20	Low	39705	39849	64QAM	27.704	28.859	PASS
41C	10+20	Mid	40526	40670	QPSK	27.555	28.684	PASS
41C	10+20	Mid	40526	40670	16QAM	27.516	28.715	PASS
41C	10+20	Mid	40526	40670	64QAM	27.575	28.824	PASS
41C	10+20	High	41346	41490	QPSK	27.449	28.665	PASS
41C	10+20	High	41346	41490	16QAM	27.427	28.688	PASS
41C	10+20	High	41346	41490	64QAM	27.525	28.682	PASS
41C	15+10	Low	39725	39845	QPSK	23.166	24.347	PASS
41C	15+10	Low	39725	39845	16QAM	23.122	24.228	PASS
41C	15+10	Low	39725	39845	64QAM	23.099	24.397	PASS
41C	15+10	Mid	40571	40691	QPSK	23.093	24.267	PASS
41C	15+10	Mid	40571	40691	16QAM	23.125	24.159	PASS
41C	15+10	Mid	40571	40691	64QAM	23.058	24.182	PASS
41C	15+10	High	41417	41537	QPSK	23.045	24.154	PASS
41C	15+10	High	41417	41537	16QAM	23.072	24.270	PASS
41C	15+10	High	41417	41537	64QAM	23.067	24.236	PASS
41C	15+15	Low	39725	39875	QPSK	28.277	29.524	PASS
41C	15+15	Low	39725	39875	16QAM	28.304	29.492	PASS
41C	15+15	Low	39725	39875	64QAM	28.278	29.861	PASS
41C	15+15	Mid	40545	40695	QPSK	28.188	29.451	PASS
41C	15+15	Mid	40545	40695	16QAM	28.269	30.080	PASS
41C	15+15	Mid	40545	40695	64QAM	28.241	30.119	PASS
41C	15+15	High	41365	41515	QPSK	28.163	29.507	PASS
41C	15+15	High	41365	41515	16QAM	28.131	29.360	PASS




41C	15+15	High	41365	41515	64QAM	28.098	29.488	PASS
41C	15+20	Low	39728	39899	QPSK	32.543	33.921	PASS
41C	15+20	Low	39728	39899	16QAM	32.536	34.292	PASS
41C	15+20	Low	39728	39899	64QAM	32.574	34.036	PASS
41C	15+20	Mid	40523	40694	QPSK	32.418	33.973	PASS
41C	15+20	Mid	40523	40694	16QAM	32.447	34.307	PASS
41C	15+20	Mid	40523	40694	64QAM	32.463	33.943	PASS
41C	15+20	High	41319	41490	QPSK	32.298	33.755	PASS
41C	15+20	High	41319	41490	16QAM	32.305	33.796	PASS
41C	15+20	High	41319	41490	64QAM	32.377	33.912	PASS
41C	20+10	Low	39750	39894	QPSK	27.689	28.878	PASS
41C	20+10	Low	39750	39894	16QAM	27.699	29.047	PASS
41C	20+10	Low	39750	39894	64QAM	27.707	29.083	PASS
41C	20+10	Mid	40571	40715	QPSK	27.643	29.021	PASS
41C	20+10	Mid	40571	40715	16QAM	27.735	29.691	PASS
41C	20+10	Mid	40571	40715	64QAM	27.696	28.974	PASS
41C	20+10	High	41391	41535	QPSK	27.630	28.988	PASS
41C	20+10	High	41391	41535	16QAM	27.681	29.051	PASS
41C	20+10	High	41391	41535	64QAM	27.631	29.083	PASS
41C	20+15	Low	39750	39921	QPSK	32.569	34.093	PASS
41C	20+15	Low	39750	39921	16QAM	32.565	34.589	PASS
41C	20+15	Low	39750	39921	64QAM	32.526	34.242	PASS
41C	20+15	Mid	40546	40717	QPSK	32.497	34.084	PASS
41C	20+15	Mid	40546	40717	16QAM	32.561	34.375	PASS
41C	20+15	Mid	40546	40717	64QAM	32.505	34.075	PASS
41C	20+15	High	41341	41512	QPSK	32.351	33.801	PASS
41C	20+15	High	41341	41512	16QAM	32.407	34.830	PASS
41C	20+15	High	41341	41512	64QAM	32.399	34.083	PASS
41C	20+20	Low	39750	39948	QPSK	37.362	38.975	PASS
41C	20+20	Low	39750	39948	16QAM	37.374	38.911	PASS
41C	20+20	Low	39750	39948	64QAM	37.383	39.006	PASS
41C	20+20	Mid	40521	40719	QPSK	37.332	38.922	PASS
41C	20+20	Mid	40521	40719	16QAM	37.335	41.138	PASS
41C	20+20	Mid	40521	40719	64QAM	37.314	38.894	PASS
41C	20+20	High	41292	41490	QPSK	37.104	38.982	PASS
41C	20+20	High	41292	41490	16QAM	37.114	39.669	PASS
41C	20+20	High	41292	41490	64QAM	37.135	39.183	PASS
41C	20+5	Low	39750	39867	QPSK	22.825	23.829	PASS




41C	20+5	Low	39750	39867	16QAM	22.861	23.949	PASS
41C	20+5	Low	39750	39867	64QAM	22.779	23.858	PASS
41C	20+5	Mid	40595	40712	QPSK	22.815	23.744	PASS
41C	20+5	Mid	40595	40712	16QAM	22.903	23.862	PASS
41C	20+5	Mid	40595	40712	64QAM	22.824	23.835	PASS
41C	20+5	High	41440	41557	QPSK	22.816	23.830	PASS
41C	20+5	High	41440	41557	16QAM	22.829	23.858	PASS
41C	20+5	High	41440	41557	64QAM	22.829	23.769	PASS
41C	5+20	Low	39683	39800	QPSK	22.789	23.707	PASS
41C	5+20	Low	39683	39800	16QAM	22.818	23.659	PASS
41C	5+20	Low	39683	39800	64QAM	22.788	23.591	PASS
41C	5+20	Mid	40528	40645	QPSK	22.670	23.624	PASS
41C	5+20	Mid	40528	40645	16QAM	22.700	23.592	PASS
41C	5+20	Mid	40528	40645	64QAM	22.666	23.562	PASS
41C	5+20	High	41373	41490	QPSK	22.691	23.650	PASS
41C	5+20	High	41373	41490	16QAM	22.629	23.504	PASS
41C	5+20	High	41373	41490	64QAM	22.696	23.571	PASS




7C / 10+20MHz / QPSK/ Low CH




7C / 10+20MHz / 16QAM/ Low CH




7C / 10+20MHz / 64QAM/ Low CH




7C / 10+20MHz / QPSK/ Mid CH




7C / 10+20MHz / 16QAM/ Mid CH




7C / 10+20MHz / 64QAM/ Mid CH




7C / 10+20MHz / QPSK/ High CH




7C / 10+20MHz / 16QAM/ High CH




7C / 10+20MHz / 64QAM/ High CH




7C / 15+10MHz / QPSK/ Low CH




7C / 15+10MHz / 16QAM/ Low CH




7C / 15+10MHz / 64QAM/ Low CH




7C / 15+10MHz / QPSK/ Mid CH




7C / 15+10MHz / 16QAM/ Mid CH




7C / 15+10MHz / 64QAM/ Mid CH




7C / 15+10MHz / QPSK/ High CH




7C / 15+10MHz / 16QAM/ High CH




7C / 15+10MHz / 64QAM/ High CH




7C / 15+15MHz / QPSK/ Low CH




7C / 15+15MHz / 16QAM/ Low CH




7C / 15+15MHz / 64QAM/ Low CH




7C / 15+15MHz / QPSK/ Mid CH




7C / 15+15MHz / 16QAM/ Mid CH




7C / 15+15MHz / 64QAM/ Mid CH




7C / 15+15MHz / QPSK/ High CH




7C / 15+15MHz / 16QAM/ High CH




7C / 15+15MHz / 64QAM/ High CH




7C / 15+20MHz / QPSK/ Low CH




7C / 15+20MHz / 16QAM/ Low CH




7C / 15+20MHz / 64QAM/ Low CH




7C / 15+20MHz / QPSK/ Mid CH




7C / 15+20MHz / 16QAM/ Mid CH




7C / 15+20MHz / 64QAM/ Mid CH




7C / 15+20MHz / QPSK/ High CH




7C / 15+20MHz / 16QAM/ High CH




7C / 15+20MHz / 64QAM/ High CH




7C / 20+10MHz / QPSK/ Low CH




7C / 20+10MHz / 16QAM/ Low CH




7C / 20+10MHz / 64QAM/ Low CH




7C / 20+10MHz / QPSK/ Mid CH




7C / 20+10MHz / 16QAM/ Mid CH




7C / 20+10MHz / 64QAM/ Mid CH




7C / 20+10MHz / QPSK/ High CH




7C / 20+10MHz / 16QAM/ High CH




7C / 20+10MHz / 64QAM/ High CH



7C / 20+15MHz / QPSK/ Low CH



7C / 20+15MHz / 16QAM/ Low CH



7C / 20+15MHz / 64QAM/ Low CH