



REPORT No.: SZ26040105S04

Annex D Test Plots of Volume Control




Measurement Protocol

Project	SZ26040105 of TIA 5050 v1
Report Generation Date	2026/08/24

Measurement Protocol	1
5.1 Receive Volume Control Performance 8N&2N NB	3
5.1 Receive Volume Control Performance 8N&2N WB	17
5.2 Receive path - distortion and noise 250Hz 8N&2N WB	29
5.2Receive path - distortion and noise 315Hz 8N&2N WB	41
5.2Receive path - distortion and noise 400Hz 8N&2N WB	53
5.2Receive path - distortion and noise 500Hz 8N&2N WB	65
5.2Receive path - distortion and noise 630Hz 8N&2N WB	77
5.2Receive path - distortion and noise 800Hz 8N&2N WB	89
5.2Receive path - distortion and noise 1000Hz 8N&2N WB	101
5.2Receive path - distortion and noise 1250Hz 8N&2N WB	113
5.2Receive path - distortion and noise 1600Hz 8N&2N WB	125
5.2Receive path - distortion and noise 2000Hz 8N&2N WB	137
5.2Receive path - distortion and noise 2500Hz 8N&2N WB	149
5.2Receive path - distortion and noise 3150Hz 8N&2N WB	161
5.2Receive path - distortion and noise 4000Hz 8N&2N WB	173
5.2Receive path - distortion and noise 5000Hz 8N&2N WB	185
5.2Receive path - distortion and noise 400Hz 8N&2N NB	197
5.2Receive path - distortion and noise 500Hz 8N&2N NB	211
5.2Receive path - distortion and noise 630Hz 8N&2N NB	225
5.2Receive path - distortion and noise 800Hz 8N&2N NB	239
5.2Receive path - distortion and noise 1000Hz 8N&2N NB	253
5.2Receive path - distortion and noise 1250Hz 8N&2N NB	267
5.2Receive path - distortion and noise 1600Hz 8N&2N NB	281
5.2Receive path - distortion and noise 2000Hz 8N&2N NB	295
5.2Receive path - distortion and noise 2500Hz 8N&2N NB	309
5.2Receive path - distortion and noise 3150Hz 8N&2N NB	323
5.3 Receive Acoustic Frequency response Performance 8N&2N NB	337
5.3 Receive Acoustic Frequency response Performance 8N&2N WB	357

5.1 Receive Volume Control Performance 8N&2N NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\GSM 850



Speech Level RCV: 92.38 dB[SPL]

Calculated Value: 22.38 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ GSM 1900



Speech Level RCV: 92.96 dB[SPL]

Calculated Value: 22.96 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WCDMA Band IV



Speech Level RCV: 92.99 dB[SPL]

Calculated Value: 22.99 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WCDMA Band V



Speech Level RCV: 92.79 dB[SPL]

Calculated Value: 22.79 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 7



Speech Level RCV: 91.77 dB[SPL]

Calculated Value: 21.77 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 12



Speech Level RCV: 92.77 dB[SPL]

Calculated Value: 22.77 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 13



Speech Level RCV: 92.83 dB[SPL]

Calculated Value: 22.83 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 14



Speech Level RCV: 92.73 dB[SPL]

Calculated Value: 22.73 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 25



Speech Level RCV: 92.97 dB[SPL]

Calculated Value: 22.97 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 26



Speech Level RCV: 92.75 dB[SPL]

Calculated Value: 22.75 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 30



Speech Level RCV: 92.8 dB[SPL]

Calculated Value: 22.8 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 40



Speech Level RCV: 92.59 dB[SPL]

Calculated Value: 22.59 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 41



Speech Level RCV: 92.69 dB[SPL]

Calculated Value: 22.69 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 66



Speech Level RCV: 92.82 dB[SPL]

Calculated Value: 22.82 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 71



Speech Level RCV: 92.81 dB[SPL]

Calculated Value: 22.81 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WLAN 2.4GHz



Speech Level RCV: 92.97 dB[SPL]

Calculated Value: 22.97 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WLAN 5.2GHz



Speech Level RCV: 92.96 dB[SPL]

Calculated Value: 22.96 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WLAN 5.3GHz



Speech Level RCV: 92.58 dB[SPL]

Calculated Value: 22.58 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WLAN 5.5GHz



Speech Level RCV:92.68 dB[SPL]

Calculated Value: 22.68 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WLAN 5.8GHz



Speech Level RCV: 92.62 dB[SPL]

Calculated Value: 22.62 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\GSM 850



Speech Level RCV: 87.52 dB[SPL]

Calculated Value: 17.52 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ GSM 1900



Speech Level RCV: 87.92 dB[SPL]

Calculated Value: 17.92 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\WCDMA Band IV



Speech Level RCV: 88.08 dB[SPL]

Calculated Value: 18.08 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\WCDMA Band V



Speech Level RCV: 87.81 dB[SPL]

Calculated Value: 17.81 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\LTE Band 7



Speech Level RCV: 87.19 dB[SPL]

Calculated Value: 17.19 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\LTE Band 12



Speech Level RCV: 88.05 dB[SPL]

Calculated Value: 18.05 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 13



Speech Level RCV: 88.14 dB[SPL]

Calculated Value: 18.14 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 14



Speech Level RCV: 87.99 dB[SPL]

Calculated Value: 17.99 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 25



Speech Level RCV: 87.82 dB[SPL]

Calculated Value: 17.82 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 26



Speech Level RCV: 87.93 dB[SPL]

Calculated Value: 17.93 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 30



Speech Level RCV: 88.02 dB[SPL]

Calculated Value: 18.02 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 40



Speech Level RCV: 87.88 dB[SPL]

Calculated Value: 17.88 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 41



Speech Level RCV:88 dB[SPL]

Calculated Value: 18 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 66



Speech Level RCV: 87.8 dB[SPL]

Calculated Value: 17.8 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 71



Speech Level RCV: 88.14 dB[SPL]

Calculated Value: 18.14 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ WLAN 2.4GHz



Speech Level RCV: 88.04 dB[SPL]

Calculated Value: 18.04 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ WLAN 5.2GHz



Speech Level RCV: 88 dB[SPL]

Calculated Value: 18 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ WLAN 5.3GHz



Speech Level RCV: 87.92 dB[SPL]

Calculated Value: 17.92 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ WLAN 5.5GHz



Speech Level RCV: 87.69 dB[SPL]

Calculated Value: 17.69 dB Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ WLAN 5.8GHz




Speech Level RCV: 87.75 dB[SPL]

Calculated Value: 17.75 dB Ok

5.1 Receive Volume Control Performance 8N&2N WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\WCDMA Band IV



Speech Level RCV: 92.45 dB[SPL]

Calculated Value: 22.45 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\WCDMA Band V



Speech Level RCV: 92.38 dB[SPL]

Calculated Value: 22.38 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\LTE Band 7



Speech Level RCV: 92.17 dB[SPL]

Calculated Value: 22.17 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\LTE Band 12



Speech Level RCV: 92.35 dB[SPL]

Calculated Value: 22.35 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 13



Speech Level RCV: 92.24 dB[SPL]

Calculated Value: 22.24 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 14



Speech Level RCV: 92.27 dB[SPL]

Calculated Value: 22.27 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 25



Speech Level RCV: 92.15 dB[SPL]

Calculated Value: 22.15 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 26



Speech Level RCV: 92.5 dB[SPL]

Calculated Value: 22.5 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 30



Speech Level RCV: 92.11 dB[SPL]

Calculated Value: 22.11 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 40



Speech Level RCV: 92.38 dB[SPL]

Calculated Value: 22.38 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 41



Speech Level RCV: 92.48 dB[SPL]

Calculated Value: 22.48 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 66



Speech Level RCV: 92.49 dB[SPL]

Calculated Value: 22.49 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 71



Speech Level RCV: 92.5 dB[SPL]

Calculated Value: 22.5 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ WLAN 2.4GHz



Speech Level RCV: 92.34 dB[SPL]

Calculated Value: 22.34 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ WLAN 5.2GHz



Speech Level RCV: 92.37 dB[SPL]

Calculated Value: 22.37dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ WLAN 5.3GHz



Speech Level RCV: 92.18 dB[SPL]

Calculated Value: 22.18 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ WLAN 5.5GHz



Speech Level RCV: 92.51 dB[SPL]

Calculated Value: 22.51 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ WLAN 5.8GHz



Speech Level RCV: 92.27 dB[SPL]

Calculated Value: 22.27 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\WCDMA Band IV



Speech Level RCV: 88.15 dB[SPL]

Calculated Value: 18.15 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\WCDMA Band V



Speech Level RCV: 88.1 dB[SPL]

Calculated Value: 18.1 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\LTE Band 7



Speech Level RCV: 88.26 dB[SPL]

Calculated Value: 18.26 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\LTE Band 12



Speech Level RCV: 88.36 dB[SPL]

Calculated Value: 18.36 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 13



Speech Level RCV: 88.3 dB[SPL]

Calculated Value: 88.3 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 14



Speech Level RCV: 88.35 dB[SPL]

Calculated Value: 18.35 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 25



Speech Level RCV: 88.43 dB[SPL]

Calculated Value: 18.43 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 26



Speech Level RCV: 88.24 dB[SPL]

Calculated Value: 18.24 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 30



Speech Level RCV: 88.2 dB[SPL]

Calculated Value: 88.2 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 40



Speech Level RCV: 88.17 dB[SPL]

Calculated Value: 18.17 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 41



Speech Level RCV: 88.11 dB[SPL]

Calculated Value: 18.11 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 66



Speech Level RCV: 88.46 dB[SPL]

Calculated Value: 18.46 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 71



Speech Level RCV: 88.34 dB[SPL]

Calculated Value: 18.34 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ WLAN 2.4GHz



Speech Level RCV: 88.45 dB[SPL]

Calculated Value: 18.45 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ WLAN 5.2GHz



Speech Level RCV: 88.43 dB[SPL]

Calculated Value: 18.43 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ WLAN 5.3GHz



Speech Level RCV: 88.29 dB[SPL]

Calculated Value: 18.29 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ WLAN 5.5GHz



Speech Level RCV: 88.28 dB[SPL]

Calculated Value: 18.28 dB Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ WLAN 5.8GHz




Speech Level RCV: 88.08 dB[SPL]


Calculated Value: 18.08 dB Ok

5.2 Receive path - distortion and noise 250Hz 8N&2N WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




5.2Receive path - distortion and noise 315Hz 8N&2N WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




5.2Receive path - distortion and noise 400Hz 8N&2N WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




5.2 Receive path - distortion and noise 500Hz 8N&2N WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




5.2 Receive path - distortion and noise 630Hz 8N&2N WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




5.2 Receive path - distortion and noise 800Hz 8N&2N WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



5.2 Receive path - distortion and noise 1000Hz 8N&2N WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




5.2 Receive path - distortion and noise 1250Hz 8N&2N WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




5.2 Receive path - distortion and noise 1600Hz 8N&2N WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE
Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE
Band 13




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE
Band 14




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz

