5.2Receive path - distortion and noise 2000Hz 8N&2N WB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



5.2Receive path - distortion and noise 2500Hz 8N&2N WB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



5.2Receive path - distortion and noise 3150Hz 8N&2N WB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



5.2Receive path - distortion and noise 4000Hz 8N&2N WB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



5.2Receive path - distortion and noise 5000Hz 8N&2N WB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



5.2Receive path - distortion and noise 400Hz 8N&2N NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



5.2Receive path - distortion and noise 500Hz 8N&2N NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



5.2Receive path - distortion and noise 630Hz 8N&2N NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



5.2Receive path - distortion and noise 800Hz 8N&2N NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz



5.2Receive path - distortion and noise 1000Hz 8N&2N NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 30



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 40



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71