





Reference No.: W7L-P24090003RF03






BUREAU
VERITAS

Reference No.: W7L-P24090003RF03



11AX80MIMO Ant9 5290




11AX80MIMO Ant8 5530




BUREAU
VERITAS

Reference No.: W7L-P24090003RF03



11AX80MIMO Ant9 5530




11AX80MIMO Ant8 5775




BUREAU
VERITAS

Reference No.: W7L-P24090003RF03



11AX80MIMO Ant9 5775



MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT CHANNEL POWER

BV Power Table For_U-NII-1										
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5180	Ant8	11.82	≤24.00	----	11.62	≤22.20	Pass	13
			Ant9	10.43	≤24.00	----	10.23	≤22.20	Pass	13
			Total	14.19	≤24.00	----	13.99	≤22.20	Pass	13
		5200	Ant8	11.77	≤24.00	----	11.57	≤22.19	Pass	13
			Ant9	10.50	≤24.00	----	10.30	≤22.19	Pass	13
			Total	14.19	≤24.00	----	13.99	≤22.19	Pass	13
		5240	Ant8	11.82	≤24.00	----	11.62	≤22.19	Pass	13
			Ant9	11.12	≤24.00	----	10.92	≤22.19	Pass	13
			Total	14.49	≤24.00	----	14.29	≤22.19	Pass	13
11N20	MIMO	5180	Ant8	9.60	≤24.00	----	9.40	≤22.52	Pass	11
			Ant9	8.14	≤24.00	----	7.94	≤22.52	Pass	11
			Total	11.94	≤24.00	----	11.74	≤22.52	Pass	11
		5200	Ant8	9.65	≤24.00	----	9.45	≤22.52	Pass	11
			Ant9	8.31	≤24.00	----	8.11	≤22.52	Pass	11
			Total	12.04	≤24.00	----	11.8	≤22.5	Pass	11

			I				4	2		
		5240	Ant8	10.01	≤24.00	----	9.81	≤22.5 2	Pass	11
			Ant9	8.41	≤24.00	----	8.21	≤22.5 2	Pass	11
			Tota I	12.29	≤24.00	----	12.0 9	≤22.5 2	Pass	11
11N40	MIM O	5190	Ant8	9.72	≤24.00	----	9.52	≤23.0 1	Pass	11
			Ant9	8.43	≤24.00	----	8.23	≤23.0 1	Pass	11
			Tota I	12.13	≤24.00	----	11.9 3	≤23.0 1	Pass	11
		5230	Ant8	10.15	≤24.00	----	9.95	≤23.0 1	Pass	11
			Ant9	8.64	≤24.00	----	8.44	≤23.0 1	Pass	11
			Tota I	12.47	≤24.00	----	12.2 7	≤23.0 1	Pass	11
11AC20	MIM O	5180	Ant8	8.60	≤24.00	----	8.40	≤22.5 2	Pass	10
			Ant9	7.41	≤24.00	----	7.21	≤22.5 2	Pass	10
			Tota I	11.06	≤24.00	----	10.8 6	≤22.5 2	Pass	10
		5200	Ant8	8.64	≤24.00	----	8.44	≤22.5 2	Pass	10
			Ant9	7.58	≤24.00	----	7.38	≤22.5 2	Pass	10
			Tota I	11.15	≤24.00	----	10.9 5	≤22.5 2	Pass	10
		5240	Ant8	8.92	≤24.00	----	8.72	≤22.5 2	Pass	10
			Ant9	7.87	≤24.00	----	7.67	≤22.5 2	Pass	10
			Tota I	11.44	≤24.00	----	11.2 4	≤22.5 2	Pass	10
11AC40	MIM O	5190	Ant8	8.62	≤24.00	----	8.42	≤23.0 1	Pass	10
			Ant9	7.28	≤24.00	----	7.08	≤23.0 1	Pass	10

		5230	Tota I	11.01	≤24.00	----	10.8 1	≤23.0 1	Pass	10
			Ant8	9.18	≤24.00	----	8.98	≤23.0 1	Pass	10
			Ant9	7.54	≤24.00	----	7.34	≤23.0 1	Pass	10
			Tota I	11.45	≤24.00	----	11.2 5	≤23.0 1	Pass	10
11AC80	MIM O	5210	Ant8	8.02	≤24.00	----	7.82	≤23.0 1	Pass	9
			Ant9	6.59	≤24.00	----	6.39	≤23.0 1	Pass	9
			Tota I	10.37	≤24.00	----	10.1 7	≤23.0 1	Pass	9
11AX20	MIM O	5180	Ant8	8.58	≤24.00	----	8.38	≤22.7 9	Pass	10
			Ant9	7.38	≤24.00	----	7.18	≤22.7 9	Pass	10
			Tota I	11.03	≤24.00	----	10.8 3	≤22.7 9	Pass	10
		5200	Ant8	8.57	≤24.00	----	8.37	≤22.7 9	Pass	10
			Ant9	7.51	≤24.00	----	7.31	≤22.7 9	Pass	10
			Tota I	11.08	≤24.00	----	10.8 8	≤22.7 9	Pass	10
		5240	Ant8	8.83	≤24.00	----	8.63	≤22.7 9	Pass	10
			Ant9	7.81	≤24.00	----	7.61	≤22.7 9	Pass	10
			Tota I	11.36	≤24.00	----	11.1 6	≤22.7 9	Pass	10
11AX40	MIM O	5190	Ant8	8.58	≤24.00	----	8.38	≤23.0 1	Pass	10
			Ant9	7.25	≤24.00	----	7.05	≤23.0 1	Pass	10
			Tota I	10.98	≤24.00	----	10.7 8	≤23.0 1	Pass	10
		5230	Ant8	9.11	≤24.00	----	8.91	≤23.0 1	Pass	10
			Ant9	7.50	≤24.00	----	7.30	≤23.0	Pass	10

							1		
			Tota I	11.39	≤24.00	----	11.1 9	≤23.0 1	Pass 10
11AX80	MIM O	5210	Ant8	8.20	≤24.00	----	8.00	≤23.0 1	Pass 9
			Ant9	6.87	≤24.00	----	6.67	≤23.0 1	Pass 9
			Tota I	10.60	≤24.00	----	10.4 0	≤23.0 1	Pass 9
Tx 11ax20 5G_FULL_R U	MIM O	5180	Ant8	8.54	≤24.00	----	8.34	≤22.7 9	Pass 10
			Ant9	7.30	≤24.00	----	7.10	≤22.7 9	Pass 10
			Tota I	10.97	≤24.00	----	10.7 7	≤22.7 9	Pass 10
		5200	Ant8	8.48	≤24.00	----	8.28	≤22.7 9	Pass 10
			Ant9	7.50	≤24.00	----	7.30	≤22.7 9	Pass 10
			Tota I	11.03	≤24.00	----	10.8 3	≤22.7 9	Pass 10
		5240	Ant8	8.78	≤24.00	----	8.58	≤22.7 9	Pass 10
			Ant9	7.73	≤24.00	----	7.53	≤22.7 9	Pass 10
			Tota I	11.30	≤24.00	----	11.1 0	≤22.7 9	Pass 10
Tx 11ax40 5G_FULL_R U	MIM O	5190	Ant8	8.50	≤24.00	----	8.30	≤23.0 1	Pass 10
			Ant9	7.16	≤24.00	----	6.96	≤23.0 1	Pass 10
			Tota I	10.89	≤24.00	----	10.6 9	≤23.0 1	Pass 10
		5230	Ant8	9.09	≤24.00	----	8.89	≤23.0 1	Pass 10
			Ant9	7.41	≤24.00	----	7.21	≤23.0 1	Pass 10
			Tota I	11.34	≤24.00	----	11.1 4	≤23.0 1	Pass 10
Tx 11ax80 5G_FULL_R	MIM O	5210	Ant8	8.12	≤24.00	----	7.92	≤23.0 1	Pass 9



Reference No.: W7L-P24090003RF03

U			Ant9	6.79	≤24.00	----	6.59	≤23.0 1	Pass	9
			Total	10.52	≤24.00	----	10.3 2	≤23.0 1	Pass	9

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For U-NII-2A											
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5260	Ant8	9.92	≤24.00	≤23.19	9.72	≤30.00	≤29.19	Pass	13
			Ant9	8.87	≤24.00	≤23.19	8.67	≤30.00	≤29.19	Pass	13
			Total	12.44	≤24.00	≤23.19	12.24	≤30.00	≤29.19	Pass	13
		5300	Ant8	11.71	≤24.00	≤23.20	11.51	≤30.00	≤29.20	Pass	13
			Ant9	11.05	≤24.00	≤23.20	10.85	≤30.00	≤29.20	Pass	13
			Total	14.40	≤24.00	≤23.20	14.20	≤30.00	≤29.20	Pass	13
		5320	Ant8	11.71	≤24.00	≤23.20	11.51	≤30.00	≤29.20	Pass	13
			Ant9	11.09	≤24.00	≤23.20	10.89	≤30.00	≤29.20	Pass	13
			Total	14.42	≤24.00	≤23.20	14.22	≤30.00	≤29.20	Pass	13
11N20	MIMO	5260	Ant8	9.81	≤24.00	≤23.50	9.61	≤30.00	≤29.51	Pass	11
			Ant9	8.69	≤24.00	≤23.50	8.49	≤30.00	≤29.51	Pass	11
			Total	12.30	≤24.00	≤23.50	12.10	≤30.00	≤29.51	Pass	11
		5300	Ant8	9.53	≤24.00	≤23.50	9.33	≤30.00	≤29.51	Pass	11
			Ant9	8.63	≤24.00	≤23.50	8.43	≤30.00	≤29.51	Pass	11
			Total	12.11	≤24.00	≤23.50	11.91	≤30.00	≤29.51	Pass	11
		5320	Ant8	9.61	≤24.00	≤23.50	9.41	≤30.00	≤29.51	Pass	11
			Ant9	8.83	≤24.00	≤23.50	8.63	≤30.00	≤29.51	Pass	11
			Total	12.25	≤24.00	≤23.50	12.05	≤30.00	≤29.51	Pass	11
11N40	MIMO	5270	Ant8	9.85	≤24.00	≤24.00	9.65	≤30.00	≤30.00	Pass	11
			Ant9	8.85	≤24.00	≤24.00	8.65	≤30.00	≤30.00	Pass	11
			Total	12.39	≤24.00	≤24.00	12.19	≤30.00	≤30.00	Pass	11
		5310	Ant8	9.72	≤24.00	≤24.00	9.52	≤30.00	≤30.00	Pass	11
			Ant9	8.99	≤24.00	≤24.00	8.79	≤30.00	≤30.00	Pass	11
			Total	12.38	≤24.00	≤24.00	12.18	≤30.00	≤30.00	Pass	11
11AC20	MIMO	5260	Ant8	8.93	≤24.00	≤23.50	8.73	≤30.00	≤29.51	Pass	10
			Ant9	7.92	≤24.00	≤23.50	7.72	≤30.00	≤29.51	Pass	10
			Total	11.46	≤24.00	≤23.50	11.26	≤30.00	≤29.51	Pass	10
		5300	Ant8	8.68	≤24.00	≤23.50	8.48	≤30.00	≤29.51	Pass	10



Reference No.: W7L-P24090003RF03

		5320	Ant9	7.94	≤24.00	≤23.50	7.74	≤30.00	≤29.51	Pass	10
			Total	11.34	≤24.00	≤23.50	11.14	≤30.00	≤29.51	Pass	10
			Ant8	8.66	≤24.00	≤23.50	8.46	≤30.00	≤29.51	Pass	10
			Ant9	7.65	≤24.00	≤23.50	7.45	≤30.00	≤29.51	Pass	10
			Total	11.19	≤24.00	≤23.50	10.99	≤30.00	≤29.51	Pass	10
11AC40	MIMO	5270	Ant8	8.96	≤24.00	≤24.00	8.76	≤30.00	≤30.00	Pass	10
			Ant9	7.67	≤24.00	≤24.00	7.47	≤30.00	≤30.00	Pass	10
			Total	11.37	≤24.00	≤24.00	11.17	≤30.00	≤30.00	Pass	10
		5310	Ant8	8.53	≤24.00	≤24.00	8.33	≤30.00	≤30.00	Pass	10
			Ant9	7.65	≤24.00	≤24.00	7.45	≤30.00	≤30.00	Pass	10
			Total	11.12	≤24.00	≤24.00	10.92	≤30.00	≤30.00	Pass	10
11AC80	MIMO	5210	Ant8	8.01	≤24.00	≤24.00	7.81	≤30.00	≤30.00	Pass	9
			Ant9	6.90	≤24.00	≤24.00	6.70	≤30.00	≤30.00	Pass	9
			Total	10.50	≤24.00	≤24.00	10.30	≤30.00	≤30.00	Pass	9
11AX20	MIMO	5260	Ant8	8.92	≤24.00	≤23.79	8.72	≤30.00	≤29.81	Pass	10
			Ant9	7.85	≤24.00	≤23.79	7.65	≤30.00	≤29.81	Pass	10
			Total	11.43	≤24.00	≤23.79	11.23	≤30.00	≤29.81	Pass	10
		5300	Ant8	8.61	≤24.00	≤23.79	8.41	≤30.00	≤29.81	Pass	10
			Ant9	7.84	≤24.00	≤23.79	7.64	≤30.00	≤29.81	Pass	10
			Total	11.25	≤24.00	≤23.79	11.05	≤30.00	≤29.81	Pass	10
		5320	Ant8	8.59	≤24.00	≤23.80	8.39	≤30.00	≤29.81	Pass	10
			Ant9	7.58	≤24.00	≤23.80	7.38	≤30.00	≤29.81	Pass	10
			Total	11.12	≤24.00	≤23.80	10.92	≤30.00	≤29.81	Pass	10
11AX40	MIMO	5270	Ant8	8.91	≤24.00	≤24.00	8.71	≤30.00	≤30.00	Pass	10
			Ant9	7.65	≤24.00	≤24.00	7.45	≤30.00	≤30.00	Pass	10
			Total	11.34	≤24.00	≤24.00	11.14	≤30.00	≤30.00	Pass	10
		5310	Ant8	8.91	≤24.00	≤24.00	8.71	≤30.00	≤30.00	Pass	10
			Ant9	7.65	≤24.00	≤24.00	7.45	≤30.00	≤30.00	Pass	10
			Total	11.10	≤24.00	≤24.00	10.90	≤30.00	≤30.00	Pass	10
11AX80	MIMO	5290	Ant8	8.16	≤24.00	≤24.00	7.96	≤30.00	≤30.00	Pass	9
			Ant9	7.08	≤24.00	≤24.00	6.88	≤30.00	≤30.00	Pass	9
			Total	10.66	≤24.00	≤24.00	10.46	≤30.00	≤30.00	Pass	9
Tx 11ax20 5G_FULL_RU	MIMO	5260	Ant8	8.83	≤24.00	≤23.79	8.63	≤30.00	≤29.81	Pass	10
			Ant9	7.84	≤24.00	≤23.79	7.64	≤30.00	≤29.81	Pass	10
			Total	11.37	≤24.00	≤23.79	11.17	≤30.00	≤29.81	Pass	10
		5300	Ant8	8.54	≤24.00	≤23.79	8.34	≤30.00	≤29.81	Pass	10
			Ant9	7.82	≤24.00	≤23.79	7.62	≤30.00	≤29.81	Pass	10
			Total	11.21	≤24.00	≤23.79	11.01	≤30.00	≤29.81	Pass	10
		5320	Ant8	8.50	≤24.00	≤23.80	8.30	≤30.00	≤29.81	Pass	10
			Ant9	7.52	≤24.00	≤23.80	7.32	≤30.00	≤29.81	Pass	10
			Total	11.05	≤24.00	≤23.80	10.85	≤30.00	≤29.81	Pass	10



Reference No.: W7L-P24090003RF03

Tx 11ax40 5G_FULL_RU	MIMO	5270	Ant8	8.90	≤24.00	≤24.00	8.70	≤30.00	≤30.00	Pass	10
			Ant9	7.62	≤24.00	≤24.00	7.42	≤30.00	≤30.00	Pass	10
			Total	11.32	≤24.00	≤24.00	11.12	≤30.00	≤30.00	Pass	10
		5310	Ant8	8.42	≤24.00	≤24.00	8.22	≤30.00	≤30.00	Pass	10
			Ant9	7.59	≤24.00	≤24.00	7.39	≤30.00	≤30.00	Pass	10
			Total	11.04	≤24.00	≤24.00	10.84	≤30.00	≤30.00	Pass	10
Tx 11ax80 5G_FULL_RU	MIMO	5290	Ant8	8.12	≤24.00	≤24.00	7.92	≤30.00	≤30.00	Pass	9
			Ant9	7.07	≤24.00	≤24.00	6.87	≤30.00	≤30.00	Pass	9
			Total	10.64	≤24.00	≤24.00	10.44	≤30.00	≤30.00	Pass	9

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-2C											
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5500	Ant8	12.35	≤24.00	≤23.21	12.15	≤30.00	≤29.21	Pass	13
			Ant9	11.51	≤24.00	≤23.21	11.31	≤30.00	≤29.21	Pass	13
			Total	14.96	≤24.00	≤23.21	14.76	≤30.00	≤29.21	Pass	13
		5580	Ant8	11.71	≤24.00	≤23.22	11.51	≤30.00	≤29.22	Pass	13
			Ant9	10.73	≤24.00	≤23.22	10.53	≤30.00	≤29.22	Pass	13
			Total	14.26	≤24.00	≤23.22	14.06	≤30.00	≤29.22	Pass	13
		5700	Ant8	11.61	≤24.00	≤23.22	11.41	≤30.00	≤29.22	Pass	13
			Ant9	10.60	≤24.00	≤23.22	10.40	≤30.00	≤29.22	Pass	13
			Total	14.14	≤24.00	≤23.22	13.94	≤30.00	≤29.22	Pass	13
		5720	Ant8	11.58	≤24.00	≤23.22	11.38	≤30.00	≤29.22	Pass	13
			Ant9	10.43	≤24.00	≤23.22	10.23	≤30.00	≤29.22	Pass	13
			Total	14.05	≤24.00	≤23.22	13.85	≤30.00	≤29.22	Pass	13
11N20	MIMO	5500	Ant8	10.42	≤24.00	≤23.49	10.22	≤30.00	≤29.29	Pass	11
			Ant9	9.43	≤24.00	≤23.49	9.23	≤30.00	≤29.29	Pass	11
			Total	12.96	≤24.00	≤23.49	12.76	≤30.00	≤29.29	Pass	11
		5580	Ant8	9.93	≤24.00	≤23.49	9.73	≤30.00	≤29.29	Pass	11
			Ant9	8.47	≤24.00	≤23.49	8.27	≤30.00	≤29.29	Pass	11
			Total	12.27	≤24.00	≤23.49	12.07	≤30.00	≤29.29	Pass	11
		5700	Ant8	9.68	≤24.00	≤23.50	9.48	≤30.00	≤29.50	Pass	11
			Ant9	8.42	≤24.00	≤23.50	8.22	≤30.00	≤29.50	Pass	11
			Total	12.11	≤24.00	≤23.50	11.91	≤30.00	≤29.50	Pass	11
		5720	Ant8	9.55	≤24.00	≤23.50	9.35	≤30.00	≤29.50	Pass	11
			Ant9	8.26	≤24.00	≤23.50	8.06	≤30.00	≤29.50	Pass	11
			Total	11.96	≤24.00	≤23.50	11.76	≤30.00	≤29.50	Pass	11



Reference No.: W7L-P24090003RF03

11N40	MIMO	5510	Ant8	10.53	≤24.00	≤24.00	10.33	≤30.00	≤30.00	Pass	11
			Ant9	9.35	≤24.00	≤24.00	9.15	≤30.00	≤30.00	Pass	11
			Total	12.99	≤24.00	≤24.00	12.79	≤30.00	≤30.00	Pass	11
		5550	Ant8	10.37	≤24.00	≤24.00	10.17	≤30.00	≤30.00	Pass	11
			Ant9	9.23	≤24.00	≤24.00	9.03	≤30.00	≤30.00	Pass	11
			Total	12.85	≤24.00	≤24.00	12.65	≤30.00	≤30.00	Pass	11
		5670	Ant8	9.62	≤24.00	≤24.00	9.42	≤30.00	≤30.00	Pass	11
			Ant9	8.57	≤24.00	≤24.00	8.37	≤30.00	≤30.00	Pass	11
			Total	12.14	≤24.00	≤24.00	11.94	≤30.00	≤30.00	Pass	11
		5710	Ant8	9.71	≤24.00	≤24.00	9.51	≤30.00	≤30.00	Pass	11
			Ant9	8.40	≤24.00	≤24.00	8.20	≤30.00	≤30.00	Pass	11
			Total	12.11	≤24.00	≤24.00	11.91	≤30.00	≤30.00	Pass	11
11AC20	MIMO	5500	Ant8	9.47	≤24.00	≤23.49	9.27	≤30.00	≤29.29	Pass	10
			Ant9	8.62	≤24.00	≤23.49	8.42	≤30.00	≤29.29	Pass	10
			Total	12.08	≤24.00	≤23.49	11.88	≤30.00	≤29.29	Pass	10
		5580	Ant8	9.10	≤24.00	≤23.49	8.90	≤30.00	≤29.29	Pass	10
			Ant9	7.87	≤24.00	≤23.49	7.67	≤30.00	≤29.29	Pass	10
			Total	11.54	≤24.00	≤23.49	11.34	≤30.00	≤29.29	Pass	10
		5700	Ant8	8.90	≤24.00	≤23.50	8.70	≤30.00	≤29.50	Pass	10
			Ant9	7.56	≤24.00	≤23.50	7.36	≤30.00	≤29.50	Pass	10
			Total	11.29	≤24.00	≤23.50	11.09	≤30.00	≤29.50	Pass	10
		5720	Ant8	8.87	≤24.00	≤23.50	8.67	≤30.00	≤29.50	Pass	10
			Ant9	7.40	≤24.00	≤23.50	7.20	≤30.00	≤29.50	Pass	10
			Total	11.21	≤24.00	≤23.50	11.01	≤30.00	≤29.50	Pass	10
11AC40	MIMO	5510	Ant8	9.45	≤24.00	≤24.00	9.25	≤30.00	≤30.00	Pass	10
			Ant9	8.65	≤24.00	≤24.00	8.45	≤30.00	≤30.00	Pass	10
			Total	12.08	≤24.00	≤24.00	11.88	≤30.00	≤30.00	Pass	10
		5550	Ant8	9.37	≤24.00	≤24.00	9.17	≤30.00	≤30.00	Pass	10
			Ant9	8.23	≤24.00	≤24.00	8.03	≤30.00	≤30.00	Pass	10
			Total	11.85	≤24.00	≤24.00	11.65	≤30.00	≤30.00	Pass	10
		5670	Ant8	8.48	≤24.00	≤24.00	8.28	≤30.00	≤30.00	Pass	10
			Ant9	7.36	≤24.00	≤24.00	7.16	≤30.00	≤30.00	Pass	10
			Total	10.97	≤24.00	≤24.00	10.77	≤30.00	≤30.00	Pass	10
		5710	Ant8	8.64	≤24.00	≤24.00	8.44	≤30.00	≤30.00	Pass	10
			Ant9	7.22	≤24.00	≤24.00	7.02	≤30.00	≤30.00	Pass	10
			Total	11.00	≤24.00	≤24.00	10.80	≤30.00	≤30.00	Pass	10
11AC80	MIMO	5530	Ant8	8.39	≤24.00	≤24.00	8.19	≤30.00	≤24.00	Pass	9
			Ant9	7.25	≤24.00	≤24.00	7.05	≤30.00	≤24.00	Pass	9
			Total	10.87	≤24.00	≤24.00	10.67	≤30.00	≤24.00	Pass	9
		5610	Ant8	7.20	≤24.00	≤24.00	7.00	≤30.00	≤24.00	Pass	9
			Ant9	6.56	≤24.00	≤24.00	6.36	≤30.00	≤24.00	Pass	9



Reference No.: W7L-P24090003RF03

		5690	Total	9.90	≤24.00	≤24.00	9.70	≤30.00	≤24.00	Pass	9
			Ant8	7.79	≤24.00	≤24.00	7.59	≤30.00	≤24.00	Pass	9
			Ant9	6.62	≤24.00	≤24.00	6.42	≤30.00	≤24.00	Pass	9
			Total	10.25	≤24.00	≤24.00	10.05	≤30.00	≤24.00	Pass	9
11AX20	MIMO	5500	Ant8	9.40	≤24.00	≤23.78	9.20	≤30.00	≤29.78	Pass	10
			Ant9	8.60	≤24.00	≤23.78	8.40	≤30.00	≤29.78	Pass	10
			Total	12.03	≤24.00	≤23.78	11.83	≤30.00	≤29.78	Pass	10
		5580	Ant8	9.04	≤24.00	≤23.79	8.84	≤30.00	≤29.79	Pass	10
			Ant9	7.80	≤24.00	≤23.79	7.60	≤30.00	≤29.79	Pass	10
			Total	11.47	≤24.00	≤23.79	11.27	≤30.00	≤29.79	Pass	10
		5700	Ant8	8.81	≤24.00	≤23.79	8.61	≤30.00	≤29.79	Pass	10
			Ant9	7.50	≤24.00	≤23.79	7.30	≤30.00	≤29.79	Pass	10
			Total	11.21	≤24.00	≤23.79	11.01	≤30.00	≤29.79	Pass	10
		5720	Ant8	8.80	≤24.00	≤23.78	8.60	≤30.00	≤29.78	Pass	10
			Ant9	7.30	≤24.00	≤23.78	7.10	≤30.00	≤29.78	Pass	10
			Total	11.12	≤24.00	≤23.78	10.92	≤30.00	≤29.78	Pass	10
11AX40	MIMO	5510	Ant8	9.38	≤24.00	≤24.00	9.18	≤30.00	≤30.00	Pass	10
			Ant9	8.58	≤24.00	≤24.00	8.38	≤30.00	≤30.00	Pass	10
			Total	12.01	≤24.00	≤24.00	11.81	≤30.00	≤30.00	Pass	10
		5550	Ant8	9.36	≤24.00	≤24.00	9.16	≤30.00	≤30.00	Pass	10
			Ant9	8.18	≤24.00	≤24.00	7.98	≤30.00	≤30.00	Pass	10
			Total	11.82	≤24.00	≤24.00	11.62	≤30.00	≤30.00	Pass	10
		5670	Ant8	8.43	≤24.00	≤24.00	8.23	≤30.00	≤30.00	Pass	10
			Ant9	7.36	≤24.00	≤24.00	7.16	≤30.00	≤30.00	Pass	10
			Total	10.94	≤24.00	≤24.00	10.74	≤30.00	≤30.00	Pass	10
		5710	Ant8	8.56	≤24.00	≤24.00	8.36	≤30.00	≤30.00	Pass	10
			Ant9	7.20	≤24.00	≤24.00	7.00	≤30.00	≤30.00	Pass	10
			Total	10.94	≤24.00	≤24.00	10.74	≤30.00	≤30.00	Pass	10
11AX80	MIMO	5530	Ant8	8.53	≤24.00	≤24.00	8.33	≤30.00	≤30.00	Pass	9
			Ant9	7.50	≤24.00	≤24.00	7.30	≤30.00	≤30.00	Pass	9
			Total	11.06	≤24.00	≤24.00	10.86	≤30.00	≤30.00	Pass	9
		5690	Ant8	7.17	≤24.00	≤24.00	6.97	≤30.00	≤30.00	Pass	9
			Ant9	6.62	≤24.00	≤24.00	6.42	≤30.00	≤30.00	Pass	9
			Total	9.91	≤24.00	≤24.00	9.71	≤30.00	≤30.00	Pass	9
		5690	Ant8	7.84	≤24.00	≤24.00	7.64	≤30.00	≤30.00	Pass	9
			Ant9	6.67	≤24.00	≤24.00	6.47	≤30.00	≤30.00	Pass	9
			Total	10.30	≤24.00	≤24.00	10.10	≤30.00	≤30.00	Pass	9
Tx 11ax20 5G_FULL_RU	MIMO	5500	Ant8	9.33	≤24.00	≤23.78	9.13	≤30.00	≤29.78	Pass	10
			Ant9	8.55	≤24.00	≤23.78	8.35	≤30.00	≤29.78	Pass	10
			Total	11.97	≤24.00	≤23.78	11.77	≤30.00	≤29.78	Pass	10
		5580	Ant8	9.02	≤24.00	≤23.79	8.82	≤30.00	≤29.79	Pass	10



Reference No.: W7L-P24090003RF03

			Ant9	7.75	≤24.00	≤23.79	7.55	≤30.00	≤29.79	Pass	10
			Total	11.44	≤24.00	≤23.79	11.24	≤30.00	≤29.79	Pass	10
		5700	Ant8	8.75	≤24.00	≤23.79	8.55	≤30.00	≤29.79	Pass	10
			Ant9	7.46	≤24.00	≤23.79	7.26	≤30.00	≤29.79	Pass	10
			Total	11.16	≤24.00	≤23.79	10.96	≤30.00	≤29.79	Pass	10
		5720	Ant8	8.73	≤24.00	≤23.78	8.53	≤30.00	≤29.78	Pass	10
			Ant9	7.20	≤24.00	≤23.78	7.00	≤30.00	≤29.78	Pass	10
			Total	11.04	≤24.00	≤23.78	10.84	≤30.00	≤29.78	Pass	10
Tx 11ax40 5G_FULL_RU	MIMO	5510	Ant8	9.31	≤24.00	≤24.00	9.11	≤30.00	≤30.00	Pass	10
			Ant9	8.57	≤24.00	≤24.00	8.37	≤30.00	≤30.00	Pass	10
			Total	11.97	≤24.00	≤24.00	11.77	≤30.00	≤30.00	Pass	10
		5550	Ant8	9.29	≤24.00	≤24.00	9.09	≤30.00	≤30.00	Pass	10
			Ant9	8.13	≤24.00	≤24.00	7.93	≤30.00	≤30.00	Pass	10
			Total	11.76	≤24.00	≤24.00	11.56	≤30.00	≤30.00	Pass	10
		5670	Ant8	8.36	≤24.00	≤24.00	8.16	≤30.00	≤30.00	Pass	10
			Ant9	7.28	≤24.00	≤24.00	7.08	≤30.00	≤30.00	Pass	10
			Total	10.86	≤24.00	≤24.00	10.66	≤30.00	≤30.00	Pass	10
		5710	Ant8	8.50	≤24.00	≤24.00	8.30	≤30.00	≤30.00	Pass	10
			Ant9	7.14	≤24.00	≤24.00	6.94	≤30.00	≤30.00	Pass	10
			Total	10.88	≤24.00	≤24.00	10.68	≤30.00	≤30.00	Pass	10
Tx 11ax80 5G_FULL_RU	MIMO	5530	Ant8	8.53	≤24.00	≤24.00	8.33	≤30.00	≤30.00	Pass	9
			Ant9	7.50	≤24.00	≤24.00	7.30	≤30.00	≤30.00	Pass	9
			Total	11.06	≤24.00	≤24.00	10.86	≤30.00	≤30.00	Pass	9
		5610	Ant8	7.12	≤24.00	≤24.00	6.92	≤30.00	≤30.00	Pass	9
			Ant9	6.54	≤24.00	≤24.00	6.34	≤30.00	≤30.00	Pass	9
			Total	9.85	≤24.00	≤24.00	9.65	≤30.00	≤30.00	Pass	9
		5690	Ant8	7.78	≤24.00	≤24.00	7.58	≤30.00	≤30.00	Pass	9
			Ant9	6.62	≤24.00	≤24.00	6.42	≤30.00	≤30.00	Pass	9
			Total	10.25	≤24.00	≤24.00	10.05	≤30.00	≤30.00	Pass	9

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-3									
Test Mode	Tx Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5745	Ant8	11.63	≤30.00	11.43	≤36.00	Pass	13
			Ant9	10.18	≤30.00	9.98	≤36.00	Pass	13
			Total	13.98	≤30.00	13.78	≤36.00	Pass	13
		5785	Ant8	11.51	≤30.00	11.31	≤36.00	Pass	13

			Ant9	9.95	≤30.00	9.75	≤36.00	Pass	13
			Total	13.81	≤30.00	13.61	≤36.00	Pass	13
		5825	Ant8	11.63	≤30.00	11.43	≤36.00	Pass	13
			Ant9	10.04	≤30.00	9.84	≤36.00	Pass	13
11N20	MIMO	5745	Total	13.92	≤30.00	13.72	≤36.00	Pass	13
			Ant8	9.54	≤30.00	9.34	≤36.00	Pass	11
			Ant9	7.98	≤30.00	7.78	≤36.00	Pass	11
		5785	Total	11.84	≤30.00	11.64	≤36.00	Pass	11
			Ant8	9.51	≤30.00	9.31	≤36.00	Pass	11
			Ant9	8.07	≤30.00	7.87	≤36.00	Pass	11
		5825	Total	11.86	≤30.00	11.66	≤36.00	Pass	11
			Ant8	9.65	≤30.00	9.45	≤36.00	Pass	11
			Ant9	7.82	≤30.00	7.62	≤36.00	Pass	11
		5795	Total	11.84	≤30.00	11.64	≤36.00	Pass	11
			Ant8	9.56	≤30.00	9.36	≤36.00	Pass	11
			Ant9	8.33	≤30.00	8.13	≤36.00	Pass	11
11AC20	MIMO	5745	Total	12.00	≤30.00	11.80	≤36.00	Pass	11
			Ant8	9.57	≤30.00	9.37	≤36.00	Pass	11
			Ant9	8.35	≤30.00	8.15	≤36.00	Pass	11
		5785	Total	12.01	≤30.00	11.81	≤36.00	Pass	11
			Ant8	8.66	≤30.00	8.46	≤36.00	Pass	10
			Ant9	7.15	≤30.00	6.95	≤36.00	Pass	10
		5795	Total	10.98	≤30.00	10.78	≤36.00	Pass	10
			Ant8	8.64	≤30.00	8.44	≤36.00	Pass	10
			Ant9	7.17	≤30.00	6.97	≤36.00	Pass	10
		5825	Total	10.98	≤30.00	10.78	≤36.00	Pass	10
			Ant8	8.99	≤30.00	8.79	≤36.00	Pass	10
			Ant9	6.98	≤30.00	6.78	≤36.00	Pass	10
11AC40	MIMO	5745	Total	11.11	≤30.00	10.91	≤36.00	Pass	10
			Ant8	8.28	≤30.00	8.08	≤36.00	Pass	10
			Ant9	7.12	≤30.00	6.92	≤36.00	Pass	10
		5785	Total	10.75	≤30.00	10.55	≤36.00	Pass	10
			Ant8	8.32	≤30.00	8.12	≤36.00	Pass	10
			Ant9	7.56	≤30.00	7.36	≤36.00	Pass	10
		5795	Total	10.97	≤30.00	10.77	≤36.00	Pass	10
			Ant8	7.54	≤30.00	7.34	≤36.00	Pass	9
			Ant9	5.87	≤30.00	5.67	≤36.00	Pass	9
		5825	Total	9.80	≤30.00	9.60	≤36.00	Pass	9
			Ant8	8.57	≤30.00	8.37	≤36.00	Pass	10
			Ant9	7.10	≤30.00	6.90	≤36.00	Pass	10
11AX20	MIMO	5745	Total	10.91	≤30.00	10.71	≤36.00	Pass	10

		5785	Ant8	8.55	≤30.00	8.35	≤36.00	Pass	10
			Ant9	7.16	≤30.00	6.96	≤36.00	Pass	10
			Total	10.92	≤30.00	10.72	≤36.00	Pass	10
		5825	Ant8	8.95	≤30.00	8.75	≤36.00	Pass	10
			Ant9	6.94	≤30.00	6.74	≤36.00	Pass	10
			Total	11.07	≤30.00	10.87	≤36.00	Pass	10
11AX40	MIMO	5755	Ant8	8.36	≤30.00	8.16	≤36.00	Pass	10
			Ant9	7.13	≤30.00	6.93	≤36.00	Pass	10
			Total	10.80	≤30.00	10.60	≤36.00	Pass	10
		5795	Ant8	8.32	≤30.00	8.12	≤36.00	Pass	10
			Ant9	7.46	≤30.00	7.26	≤36.00	Pass	10
			Total	10.92	≤30.00	10.72	≤36.00	Pass	10
11AX80	MIMO	5775	Ant8	7.64	≤30.00	7.44	≤36.00	Pass	9
			Ant9	5.88	≤30.00	5.68	≤36.00	Pass	9
			Total	9.86	≤30.00	9.66	≤36.00	Pass	9
Tx 11ax20 5G_FULL_RU	MIMO	5745	Ant8	8.53	≤30.00	8.33	≤36.00	Pass	10
			Ant9	7.06	≤30.00	6.86	≤36.00	Pass	10
			Total	10.87	≤30.00	10.67	≤36.00	Pass	10
		5785	Ant8	8.53	≤30.00	8.33	≤36.00	Pass	10
			Ant9	7.07	≤30.00	6.87	≤36.00	Pass	10
			Total	10.87	≤30.00	10.67	≤36.00	Pass	10
		5825	Ant8	8.87	≤30.00	8.67	≤36.00	Pass	10
			Ant9	6.85	≤30.00	6.65	≤36.00	Pass	10
			Total	10.99	≤30.00	10.79	≤36.00	Pass	10
Tx 11ax40 5G_FULL_RU	MIMO	5755	Ant8	8.27	≤30.00	8.07	≤36.00	Pass	10
			Ant9	7.03	≤30.00	6.83	≤36.00	Pass	10
			Total	10.70	≤30.00	10.50	≤36.00	Pass	10
		5795	Ant8	8.29	≤30.00	8.09	≤36.00	Pass	10
			Ant9	7.37	≤30.00	7.17	≤36.00	Pass	10
			Total	10.86	≤30.00	10.66	≤36.00	Pass	10
Tx 11ax80 5G_FULL_RU	MIMO	5775	Ant8	7.61	≤30.00	7.41	≤36.00	Pass	9
			Ant9	5.82	≤30.00	5.62	≤36.00	Pass	9
			Total	9.82	≤30.00	9.62	≤36.00	Pass	9
Note:The Maximum Conducted Power with duty cycle factor.									

Note : The Duty Cycle Factor is compensated in the graph.



Reference No.: W7L-P24090003RF03

MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-CDD	Ant8	5180	0.09	≤11.00	-0.11	≤10.00	PASS
	Ant9	5180	-2.23	≤11.00	-2.43	≤10.00	PASS
	total	5180	2.09	≤11.00	1.89	≤10.00	PASS
	Ant8	5200	-0.24	≤11.00	-0.44	≤10.00	PASS
	Ant9	5200	-2.10	≤11.00	-2.3	≤10.00	PASS
	total	5200	1.94	≤11.00	1.74	≤10.00	PASS
	Ant8	5240	0.73	≤11.00	0.53	≤10.00	PASS
	Ant9	5240	-1.41	≤11.00	-1.61	≤10.00	PASS
	total	5240	2.80	≤11.00	2.6	≤10.00	PASS
	Ant8	5260	0.28	≤11.00	0.08	---	PASS
	Ant9	5260	-1.33	≤11.00	-1.53	---	PASS
	total	5260	2.56	≤11.00	2.36	---	PASS
	Ant8	5280	0.25	≤11.00	0.05	---	PASS
	Ant9	5280	-1.52	≤11.00	-1.72	---	PASS
	total	5280	2.46	≤11.00	2.26	---	PASS
	Ant8	5320	-0.12	≤11.00	-0.32	---	PASS
	Ant9	5320	-1.03	≤11.00	-1.23	---	PASS
	total	5320	2.46	≤11.00	2.26	---	PASS
	Ant8	5500	0.81	≤11.00	0.61	---	PASS
	Ant9	5500	-0.33	≤11.00	-0.53	---	PASS
	total	5500	3.29	≤11.00	3.09	---	PASS
	Ant8	5580	0.35	≤11.00	0.15	---	PASS
	Ant9	5580	-1.06	≤11.00	-1.26	---	PASS
	total	5580	2.71	≤11.00	2.51	---	PASS
	Ant8	5700	-0.32	≤11.00	-0.52	---	PASS
	Ant9	5700	-1.73	≤11.00	-1.93	---	PASS
	total	5700	2.04	≤11.00	1.84	---	PASS
	Ant8	5720_UNII-2C	-0.49	≤11.00	-0.69	---	PASS
	Ant9	5720_UNII-2C	-1.97	≤11.00	-2.17	---	PASS
	total	5720_UNII-2C	1.84	≤11.00	1.64	---	PASS
	Ant8	5745	-3.23	≤30.00	-3.43	---	PASS
	Ant9	5745	-4.75	≤30.00	-4.95	---	PASS
	total	5745	-0.91	≤30.00	-1.11	---	PASS
	Ant8	5785	-2.94	≤30.00	-3.14	---	PASS
	Ant9	5785	-4.42	≤30.00	-4.62	---	PASS
	total	5785	-0.61	≤30.00	-0.81	---	PASS
	Ant8	5825	-2.94	≤30.00	-3.14	---	PASS
	Ant9	5825	-4.47	≤30.00	-4.67	---	PASS
	total	5825	-0.57	≤30.00	-0.77	---	PASS
11N20MIMO	Ant8	5180	-0.39	≤11.00	-0.59	≤10.00	PASS
	Ant9	5180	-2.35	≤11.00	-2.55	≤10.00	PASS



Reference No.: W7L-P24090003RF03

	total	5180	1.75	≤11.00	1.55	≤10.00	PASS
	Ant8	5200	-0.51	≤11.00	-0.71	≤10.00	PASS
	Ant9	5200	-2.51	≤11.00	-2.71	≤10.00	PASS
	total	5200	1.61	≤11.00	1.41	≤10.00	PASS
	Ant8	5240	0.36	≤11.00	0.16	≤10.00	PASS
	Ant9	5240	-1.92	≤11.00	-2.12	≤10.00	PASS
	total	5240	2.38	≤11.00	2.18	≤10.00	PASS
	Ant8	5260	0.09	≤11.00	-0.11	---	PASS
	Ant9	5260	-1.86	≤11.00	-2.06	---	PASS
	total	5260	2.23	≤11.00	2.03	---	PASS
	Ant8	5280	-0.08	≤11.00	-0.28	---	PASS
	Ant9	5280	-1.55	≤11.00	-1.75	---	PASS
	total	5280	2.26	≤11.00	2.06	---	PASS
	Ant8	5320	-0.55	≤11.00	-0.75	---	PASS
	Ant9	5320	-1.56	≤11.00	-1.76	---	PASS
	total	5320	1.98	≤11.00	1.78	---	PASS
	Ant8	5500	0.13	≤11.00	-0.07	---	PASS
	Ant9	5500	-0.72	≤11.00	-0.92	---	PASS
	total	5500	2.74	≤11.00	2.54	---	PASS
	Ant8	5580	-0.15	≤11.00	-0.35	---	PASS
	Ant9	5580	-1.61	≤11.00	-1.81	---	PASS
	total	5580	2.19	≤11.00	1.99	---	PASS
	Ant8	5700	-0.94	≤11.00	-1.14	---	PASS
	Ant9	5700	-2.37	≤11.00	-2.57	---	PASS
	total	5700	1.41	≤11.00	1.21	---	PASS
	Ant8	5720_UNII-2C	-1.07	≤11.00	-1.27	---	PASS
	Ant9	5720_UNII-2C	-2.30	≤11.00	-2.50	---	PASS
	total	5720_UNII-2C	1.37	≤11.00	1.17	---	PASS
	Ant8	5720_UNII-3	-4.43	≤30.00	-4.63	---	PASS
	Ant9	5720_UNII-3	-5.65	≤30.00	-5.85	---	PASS
	total	5720_UNII-3	-1.99	≤30.00	-2.19	---	PASS
	Ant8	5745	-3.44	≤30.00	-3.64	---	PASS
	Ant9	5745	-4.98	≤30.00	-5.18	---	PASS
	total	5745	-1.13	≤30.00	-1.33	---	PASS
	Ant8	5785	-3.39	≤30.00	-3.59	---	PASS
	Ant9	5785	-5.03	≤30.00	-5.23	---	PASS
	total	5785	-1.12	≤30.00	-1.32	---	PASS
	Ant8	5825	-3.25	≤30.00	-3.45	---	PASS
	Ant9	5825	-5.04	≤30.00	-5.24	---	PASS
	total	5825	-1.04	≤30.00	-1.24	---	PASS
11N40MIMO	Ant8	5190	-3.23	≤11.00	-3.43	≤10.00	PASS
	Ant9	5190	-5.42	≤11.00	-5.62	≤10.00	PASS
	total	5190	-1.18	≤11.00	-1.38	≤10.00	PASS
	Ant8	5230	-2.55	≤11.00	-2.75	≤10.00	PASS
	Ant9	5230	-5.14	≤11.00	-5.34	≤10.00	PASS
	total	5230	-0.64	≤11.00	-0.84	≤10.00	PASS
	Ant8	5270	-3.16	≤11.00	-3.36	---	PASS



Reference No.: W7L-P24090003RF03

	Ant9	5270	-4.84	≤11.00	-5.04	---	PASS
	total	5270	-0.91	≤11.00	-1.11	---	PASS
	Ant8	5310	-3.22	≤11.00	-3.42	---	PASS
	Ant9	5310	-4.60	≤11.00	-4.80	---	PASS
	total	5310	-0.85	≤11.00	-1.05	---	PASS
	Ant8	5510	-2.96	≤11.00	-3.16	---	PASS
	Ant9	5510	-4.18	≤11.00	-4.38	---	PASS
	total	5510	-0.52	≤11.00	-0.72	---	PASS
	Ant8	5550	-2.94	≤11.00	-3.14	---	PASS
	Ant9	5550	-4.08	≤11.00	-4.28	---	PASS
	total	5550	-0.46	≤11.00	-0.66	---	PASS
	Ant8	5670	-3.86	≤11.00	-4.06	---	PASS
	Ant9	5670	-4.76	≤11.00	-4.96	---	PASS
	total	5670	-1.28	≤11.00	-1.48	---	PASS
	Ant8	5710_UNII-2C	-3.97	≤11.00	-4.17	---	PASS
	Ant9	5710_UNII-2C	-5.13	≤11.00	-5.33	---	PASS
	total	5710_UNII-2C	-1.50	≤11.00	-1.70	---	PASS
	Ant8	5710_UNII-3	-7.78	≤30.00	-7.98	---	PASS
	Ant9	5710_UNII-3	-9.02	≤30.00	-9.22	---	PASS
	total	5710_UNII-3	-5.35	≤30.00	-5.55	---	PASS
	Ant8	5755	-6.65	≤30.00	-6.85	---	PASS
	Ant9	5755	-7.96	≤30.00	-8.16	---	PASS
	total	5755	-4.25	≤30.00	-4.45	---	PASS
	Ant8	5795	-6.65	≤30.00	-6.85	---	PASS
	Ant9	5795	-7.81	≤30.00	-8.01	---	PASS
	total	5795	-4.18	≤30.00	-4.38	---	PASS
11AC80MIM O	Ant8	5210	-8.47	≤11.00	-8.67	≤10.00	PASS
	Ant9	5210	-10.53	≤11.00	-10.73	≤10.00	PASS
	total	5210	-6.37	≤11.00	-6.57	≤10.00	PASS
	Ant8	5290	-8.47	≤11.00	-8.67	---	PASS
	Ant9	5290	-10.01	≤11.00	-10.21	---	PASS
	total	5290	-6.16	≤11.00	-6.36	---	PASS
	Ant8	5530	-8.62	≤11.00	-8.82	---	PASS
	Ant9	5530	-10.12	≤11.00	-10.32	---	PASS
	total	5530	-6.30	≤11.00	-6.50	---	PASS
	Ant8	5610	-10.01	≤11.00	-10.21	---	PASS
	Ant9	5610	-10.51	≤11.00	-10.71	---	PASS
	total	5610	-7.24	≤11.00	-7.44	---	PASS
	Ant8	5690_UNII-2C	-9.24	≤11.00	-9.44	---	PASS
	Ant9	5690_UNII-2C	-10.38	≤11.00	-10.58	---	PASS
	total	5690_UNII-2C	-6.76	≤11.00	-6.96	---	PASS
	Ant8	5690_UNII-3	-13.56	≤30.00	-13.76	---	PASS
	Ant9	5690_UNII-	-15.24	≤30.00	-15.44	---	PASS



Reference No.: W7L-P24090003RF03

		3					
	total	5690_UNII-3	-11.31	≤30.00	-11.51	---	PASS
	Ant8	5775	-11.84	≤30.00	-12.04	---	PASS
	Ant9	5775	-13.81	≤30.00	-14.01	---	PASS
	total	5775	-9.70	≤30.00	-9.90	---	PASS
	Ant8	5180	-1.49	≤11.00	-1.69	≤10.00	PASS
	Ant9	5180	-3.72	≤11.00	-3.92	≤10.00	PASS
	total	5180	0.55	≤11.00	0.35	≤10.00	PASS
	Ant8	5200	-1.84	≤11.00	-2.04	≤10.00	PASS
	Ant9	5200	-3.90	≤11.00	-4.10	≤10.00	PASS
	total	5200	0.26	≤11.00	0.06	≤10.00	PASS
	Ant8	5240	-1.43	≤11.00	-1.63	≤10.00	PASS
	Ant9	5240	-3.29	≤11.00	-3.49	≤10.00	PASS
	total	5240	0.75	≤11.00	0.55	≤10.00	PASS
	Ant8	5260	-1.49	≤11.00	-1.69	---	PASS
	Ant9	5260	-3.32	≤11.00	-3.52	---	PASS
	total	5260	0.70	≤11.00	0.50	---	PASS
	Ant8	5280	-1.38	≤11.00	-1.58	---	PASS
	Ant9	5280	-3.18	≤11.00	-3.38	---	PASS
	total	5280	0.82	≤11.00	0.62	---	PASS
	Ant8	5320	-2.14	≤11.00	-2.34	---	PASS
	Ant9	5320	-3.24	≤11.00	-3.44	---	PASS
	total	5320	0.36	≤11.00	0.16	---	PASS
	Ant8	5500	-1.10	≤11.00	-1.30	---	PASS
	Ant9	5500	-2.33	≤11.00	-2.53	---	PASS
	total	5500	1.34	≤11.00	1.14	---	PASS
	Ant8	5580	-1.49	≤11.00	-1.69	---	PASS
	Ant9	5580	-2.88	≤11.00	-3.08	---	PASS
	total	5580	0.88	≤11.00	0.68	---	PASS
	Ant8	5700	-2.23	≤11.00	-2.43	---	PASS
	Ant9	5700	-3.38	≤11.00	-3.58	---	PASS
	total	5700	0.24	≤11.00	0.04	---	PASS
	Ant8	5720_UNII-2C	-2.50	≤11.00	-2.70	---	PASS
	Ant9	5720_UNII-2C	-3.51	≤11.00	-3.71	---	PASS
	total	5720_UNII-2C	0.03	≤11.00	-0.17	---	PASS
	Ant8	5720_UNII-3	-5.83	≤30.00	-6.03	---	PASS
	Ant9	5720_UNII-3	-6.61	≤30.00	-6.81	---	PASS
	total	5720_UNII-3	-3.19	≤30.00	-3.39	---	PASS
	Ant8	5745	-4.49	≤30.00	-4.69	---	PASS
	Ant9	5745	-6.28	≤30.00	-6.48	---	PASS
	total	5745	-2.28	≤30.00	-2.48	---	PASS
	Ant8	5785	-4.92	≤30.00	-5.12	---	PASS
	Ant9	5785	-6.06	≤30.00	-6.26	---	PASS
	total	5785	-2.44	≤30.00	-2.64	---	PASS
	Ant8	5825	-4.74	≤30.00	-4.94	---	PASS
	Ant9	5825	-6.45	≤30.00	-6.65	---	PASS



Reference No.: W7L-P24090003RF03

11AX40MIM O	total	5825	-2.50	≤30.00	-2.70	---	PASS
	Ant8	5190	-4.84	≤11.00	-5.04	≤10.00	PASS
	Ant9	5190	-6.79	≤11.00	-6.99	≤10.00	PASS
	total	5190	-2.70	≤11.00	-2.90	≤10.00	PASS
	Ant8	5230	-4.08	≤11.00	-4.28	≤10.00	PASS
	Ant9	5230	-6.33	≤11.00	-6.53	≤10.00	PASS
	total	5230	-2.05	≤11.00	-2.25	≤10.00	PASS
	Ant8	5270	-4.56	≤11.00	-4.76	---	PASS
	Ant9	5270	-6.04	≤11.00	-6.24	---	PASS
	total	5270	-2.23	≤11.00	-2.43	---	PASS
	Ant8	5310	-5.11	≤11.00	-5.31	---	PASS
	Ant9	5310	-5.94	≤11.00	-6.14	---	PASS
	total	5310	-2.49	≤11.00	-2.69	---	PASS
	Ant8	5510	-4.24	≤11.00	-4.44	---	PASS
	Ant9	5510	-4.90	≤11.00	-5.10	---	PASS
	total	5510	-1.55	≤11.00	-1.75	---	PASS
	Ant8	5550	-4.30	≤11.00	-4.50	---	PASS
	Ant9	5550	-5.30	≤11.00	-5.50	---	PASS
	total	5550	-1.76	≤11.00	-1.96	---	PASS
	Ant8	5670	-5.27	≤11.00	-5.47	---	PASS
	Ant9	5670	-6.04	≤11.00	-6.24	---	PASS
	total	5670	-2.63	≤11.00	-2.83	---	PASS
	Ant8	5710_UNII-2C	-5.31	≤11.00	-5.51	---	PASS
	Ant9	5710_UNII-2C	-6.54	≤11.00	-6.74	---	PASS
	total	5710_UNII-2C	-2.87	≤11.00	-3.07	---	PASS
	Ant8	5710_UNII-3	-9.62	≤30.00	-9.82	---	PASS
	Ant9	5710_UNII-3	-10.50	≤30.00	-10.70	---	PASS
	total	5710_UNII-3	-7.03	≤30.00	-7.23	---	PASS
	Ant8	5755	-8.01	≤30.00	-8.21	---	PASS
	Ant9	5755	-8.86	≤30.00	-9.06	---	PASS
	total	5755	-5.40	≤30.00	-5.60	---	PASS
	Ant8	5795	-7.95	≤30.00	-8.15	---	PASS
	Ant9	5795	-9.00	≤30.00	-9.20	---	PASS
	total	5795	-5.43	≤30.00	-5.63	---	PASS
11AX80MIM O	Ant8	5210	-7.66	≤11.00	-7.86	≤10.00	PASS
	Ant9	5210	-10.13	≤11.00	-10.33	≤10.00	PASS
	total	5210	-5.71	≤11.00	-5.91	≤10.00	PASS
	Ant8	5290	-8.19	≤11.00	-8.39	---	PASS
	Ant9	5290	-10.04	≤11.00	-10.24	---	PASS
	total	5290	-6.01	≤11.00	-6.21	---	PASS
	Ant8	5530	-8.65	≤11.00	-8.85	---	PASS
	Ant9	5530	-9.88	≤11.00	-10.08	---	PASS
	total	5530	-6.21	≤11.00	-6.41	---	PASS
	Ant8	5610	-9.56	≤11.00	-9.76	---	PASS
	Ant9	5610	-10.33	≤11.00	-10.53	---	PASS
	total	5610	-6.92	≤11.00	-7.12	---	PASS
	Ant8	5690_UNII-	-8.75	≤11.00	-8.95	---	PASS



Reference No.: W7L-P24090003RF03

		2C					
	Ant9	5690_UNII-2C	-9.64	≤11.00	-9.84	---	PASS
	total	5690_UNII-2C	-6.16	≤11.00	-6.36	---	PASS
	Ant8	5690_UNII-3	-13.25	≤30.00	-13.45	---	PASS
	Ant9	5690_UNII-3	-14.49	≤30.00	-14.69	---	PASS
	total	5690_UNII-3	-10.82	≤30.00	-11.02	---	PASS
	Ant8	5775	-11.95	≤30.00	-12.15	---	PASS
	Ant9	5775	-13.19	≤30.00	-13.39	---	PASS
	total	5775	-9.52	≤30.00	-9.72	---	PASS

Note : 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.


TEST GRAPHS






BUREAU
VERITAS


Reference No.: W7L-P24090003RF03





11A-CDD Ant9 5200



11A-CDD Ant8 5240










Reference No.: W7L-P24090003RF03









BUREAU
VERITAS

Reference No.: W7L-P24090003RF03



11A-CDD Ant9 5580



11A-CDD Ant8 5700



