



BUREAU
VERITAS


FCC SAR Test Report



<Photographs of EUT>



<Antenna Location>



<EUT Back View>

The separation distance for antenna to edge:

Antenna	Overall diagonal(mm)	Display diagonal(mm)	To Left Side (mm)	To Right Side (mm)	To Top Side (mm)	To Bottom Side (mm)
WWAN Ant 1	143.15	62	5	47	5	113
WWAN Ant 2			15	5	112	5
WWAN Ant 3			51	4	52	50
WWAN Ant 4			5	47	5	113
WWAN Ant 5			4	51	52	47
WWAN Ant 6			5	51	99	20
WWAN Ant 7			52	5	112	5
WLAN/BT Ant 8			5	52	5	113
WLAN Ant 9			5	51	24	90

Antenna	Supported bands
WWAN Ant 1	LTE 2/4/7/25/38/41/66, NR n2/7/25/38/41/66
WWAN Ant 2	LTE 5/12/13/14/17/26/30/71, NR n5/12/14/30/71
WWAN Ant 3	LTE 2/4/7/25/38/41/66(ENDC Only), NR n2/7/25/38/41/66(ENDC Only)
WWAN Ant 4	LTE 42/43/48(ENDC Only), NR n48/77/78(ENDC Only), SRS: NR n77/78
WWAN Ant 5	RX only, SRS: NR n77/78
WWAN Ant 6	RX only, SRS: NR n77/78
WWAN Ant 7	LTE 42/43/48, NR n48/77/78, SRS: NR n77/78
WLAN/BT Ant 8	WLAN2.4G, WLAN5G, Bluetooth
WLAN Ant 9	WLAN2.4G, WLAN5G

<Photographs of SAR Setup>



Front Face of EUT with 1.0 cm Gap



Rear Face of EUT with 1.0 cm Gap



Left Side of EUT with 1.0 cm Gap



Right Side of EUT with 1.0 cm Gap



Top Side of EUT with 1.0 cm Gap



Bottom Side of EUT with 1.0 cm Gap