





BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11N40MIMO Ant2 5190




11N40MIMO Ant1 5270




BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11N40MIMO Ant2 5270




11N40MIMO Ant1 5510




BUREAU
VERITAS


Reference No.: W7L-P24050018RF03



11N40MIMO Ant2 5510




11N40MIMO Ant1 5755






BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11AC80MIMO_Ant2_5210




11AC80MIMO_Ant1_5290




BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11AC80MIMO_Ant2_5290




11AC80MIMO_Ant1_5530




BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11AC80MIMO_Ant2_5530




11AC80MIMO_Ant1_5775




BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11AC80MIMO_Ant2_5775




11AX20MIMO_Ant1_5180




BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11AX20MIMO_Ant2_5180




11AX20MIMO_Ant1_5260




BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11AX20MIMO_Ant2_5260




11AX20MIMO_Ant1_5500




BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11AX20MIMO_Ant2_5500




11AX20MIMO_Ant1_5745




BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11AX20MIMO_Ant2_5745




11AX40MIMO_Ant1_5190




BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11AX40MIMO_Ant2_5190




11AX40MIMO_Ant1_5270




BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11AX40MIMO_Ant2_5270




11AX40MIMO_Ant1_5510






BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11AX40MIMO_Ant2_5755




11AX80MIMO_Ant1_5210




BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11AX80MIMO_Ant2_5210




11AX80MIMO_Ant1_5290




BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11AX80MIMO_Ant2_5290




11AX80MIMO_Ant1_5530




BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11AX80MIMO_Ant2_5530




11AX80MIMO_Ant1_5775



BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT CHANNEL POWER

BV Power Table For U-NII-1										
Test Mode	Tx Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5180	Ant1	11.96	≤24.00	----	12.66	≤22.19	Pass	13
			Ant2	11.67	≤24.00	----	12.37	≤22.19	Pass	13
			Total	14.83	≤24.00	----	15.53	≤22.19	Pass	13
		5200	Ant1	11.96	≤24.00	----	12.66	≤22.18	Pass	13
			Ant2	11.63	≤24.00	----	12.33	≤22.18	Pass	13
			Total	14.81	≤24.00	----	15.51	≤22.18	Pass	13
		5240	Ant1	11.95	≤24.00	----	12.65	≤22.18	Pass	13
			Ant2	11.68	≤24.00	----	12.38	≤22.18	Pass	13
			Total	14.83	≤24.00	----	15.53	≤22.18	Pass	13
11N20	MIMO	5180	Ant1	9.54	≤24.00	----	10.24	≤22.49	Pass	11
			Ant2	9.22	≤24.00	----	9.92	≤22.49	Pass	11
			Total	12.39	≤24.00	----	13.09	≤22.49	Pass	11
		5200	Ant1	9.60	≤24.00	----	10.30	≤22.49	Pass	11
			Ant2	9.29	≤24.00	----	9.99	≤22.49	Pass	11
			Total	12.46	≤24.00	----	13.16	≤22.49	Pass	11
		5240	Ant1	9.31	≤24.00	----	10.01	≤22.49	Pass	11
			Ant2	9.26	≤24.00	----	9.96	≤22.49	Pass	11
			Total	12.30	≤24.00	----	13.00	≤22.49	Pass	11
11N40	MIMO	5190	Ant1	9.62	≤24.00	----	10.32	≤23.01	Pass	11
			Ant2	9.46	≤24.00	----	10.16	≤23.01	Pass	11
			Total	12.55	≤24.00	----	13.25	≤23.01	Pass	11
		5230	Ant1	9.53	≤24.00	----	10.23	≤23.01	Pass	11
			Ant2	9.45	≤24.00	----	10.15	≤23.01	Pass	11
			Total	12.50	≤24.00	----	13.20	≤23.01	Pass	11
11AC20	MIMO	5180	Ant1	8.21	≤24.00	----	8.91	≤22.49	Pass	10
			Ant2	8.10	≤24.00	----	8.80	≤22.49	Pass	10
			Total	11.17	≤24.00	----	11.87	≤22.49	Pass	10
		5200	Ant1	8.26	≤24.00	----	8.96	≤22.49	Pass	10
			Ant2	8.15	≤24.00	----	8.85	≤22.49	Pass	10
			Total	11.22	≤24.00	----	11.92	≤22.49	Pass	10
		5240	Ant1	8.25	≤24.00	----	8.95	≤22.49	Pass	10
			Ant2	8.21	≤24.00	----	8.91	≤22.49	Pass	10



**BUREAU
VERITAS**

Reference No.: W7L-P24050018RF03

			Total	11.24	≤24.00	----	11.94	≤22.49	Pass	10
11AC40	MIMO	5190	Ant1	8.66	≤24.00	----	9.36	≤23.01	Pass	10
			Ant2	8.35	≤24.00	----	9.05	≤23.01	Pass	10
			Total	11.52	≤24.00	----	12.22	≤23.01	Pass	10
		5230	Ant1	8.56	≤24.00	----	9.26	≤23.01	Pass	10
			Ant2	8.51	≤24.00	----	9.21	≤23.01	Pass	10
			Total	11.55	≤24.00	----	12.25	≤23.01	Pass	10
11AC80 11AX20	MIMO	5210	Ant1	7.34	≤24.00	----	8.04	≤23.01	Pass	9
			Ant2	7.17	≤24.00	----	7.87	≤23.01	Pass	9
			Total	10.27	≤24.00	----	10.97	≤23.01	Pass	9
	MIMO	5180	Ant1	8.45	≤24.00	----	9.15	≤23.01	Pass	10
			Ant2	8.39	≤24.00	----	9.09	≤23.01	Pass	10
			Total	11.43	≤24.00	----	12.13	≤23.01	Pass	10
		5200	Ant1	8.47	≤24.00	----	9.17	≤23.01	Pass	10
			Ant2	8.40	≤24.00	----	9.10	≤23.01	Pass	10
			Total	11.45	≤24.00	----	12.15	≤23.01	Pass	10
		5240	Ant1	8.54	≤24.00	----	9.24	≤23.01	Pass	10
			Ant2	8.40	≤24.00	----	9.10	≤23.01	Pass	10
			Total	11.48	≤24.00	----	12.18	≤23.01	Pass	10
11AX40	MIMO	5190	Ant1	8.24	≤24.00	----	8.94	≤23.01	Pass	10
			Ant2	8.18	≤24.00	----	8.88	≤23.01	Pass	10
			Total	11.22	≤24.00	----	11.92	≤23.01	Pass	10
		5230	Ant1	8.21	≤24.00	----	8.91	≤23.01	Pass	10
			Ant2	8.08	≤24.00	----	8.78	≤23.01	Pass	10
			Total	11.16	≤24.00	----	11.86	≤23.01	Pass	10
11AX80 11ax20 FULL_RU	MIMO	5210	Ant1	7.06	≤24.00	----	7.76	≤23.01	Pass	9
			Ant2	6.94	≤24.00	----	7.64	≤23.01	Pass	9
			Total	10.01	≤24.00	----	10.71	≤23.01	Pass	9
	MIMO	5180	Ant1	8.43	≤24.00	----	9.13	≤23.01	Pass	10
			Ant2	8.36	≤24.00	----	9.06	≤23.01	Pass	10
			Total	11.41	≤24.00	----	12.11	≤23.01	Pass	10
		5200	Ant1	8.44	≤24.00	----	9.14	≤23.01	Pass	10
			Ant2	8.36	≤24.00	----	9.06	≤23.01	Pass	10
			Total	11.41	≤24.00	----	12.11	≤23.01	Pass	10
		5240	Ant1	8.51	≤24.00	----	9.21	≤23.01	Pass	10
			Ant2	8.37	≤24.00	----	9.07	≤23.01	Pass	10
			Total	11.45	≤24.00	----	12.15	≤23.01	Pass	10
11ax40 FULL_RU	MIMO	5190	Ant1	8.16	≤24.00	----	8.86	≤23.01	Pass	10
			Ant2	8.11	≤24.00	----	8.81	≤23.01	Pass	10
			Total	11.15	≤24.00	----	11.85	≤23.01	Pass	10
		5230	Ant1	8.16	≤24.00	----	8.86	≤23.01	Pass	10
			Ant2	7.99	≤24.00	----	8.69	≤23.01	Pass	10



**BUREAU
VERITAS**

Reference No.: W7L-P24050018RF03

			Total	11.09	≤24.00	----	11.79	≤23.01	Pass	10
11ax80 FULL_RU	MIMO	5210	Ant1	7.04	≤24.00	----	7.74	≤23.01	Pass	9
			Ant2	6.90	≤24.00	----	7.60	≤23.01	Pass	9
			Total	9.98	≤24.00	----	10.68	≤23.01	Pass	9

Note:The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-2A

Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5260	Ant1	11.97	≤24.00	≤23.18	12.67	≤30.00	≤29.18	Pass	13
			Ant2	11.80	≤24.00	≤23.18	12.50	≤30.00	≤29.18	Pass	13
			Total	14.90	≤24.00	≤23.18	15.60	≤30.00	≤29.18	Pass	13
		5300	Ant1	12.06	≤24.00	≤23.18	12.76	≤30.00	≤29.18	Pass	13
			Ant2	11.94	≤24.00	≤23.18	12.64	≤30.00	≤29.18	Pass	13
			Total	15.01	≤24.00	≤23.18	15.71	≤30.00	≤29.18	Pass	13
		5320	Ant1	12.12	≤24.00	≤23.18	12.82	≤30.00	≤29.18	Pass	13
			Ant2	12.02	≤24.00	≤23.18	12.72	≤30.00	≤29.18	Pass	13
			Total	15.08	≤24.00	≤23.18	15.78	≤30.00	≤29.18	Pass	13
11N20	MIMO	5260	Ant1	9.55	≤24.00	≤23.49	10.25	≤30.00	≤29.49	Pass	11
			Ant2	9.21	≤24.00	≤23.49	9.91	≤30.00	≤29.49	Pass	11
			Total	12.39	≤24.00	≤23.49	13.09	≤30.00	≤29.49	Pass	11
		5300	Ant1	9.92	≤24.00	≤23.49	10.62	≤30.00	≤29.49	Pass	11
			Ant2	9.25	≤24.00	≤23.49	9.95	≤30.00	≤29.49	Pass	11
			Total	12.61	≤24.00	≤23.49	13.31	≤30.00	≤29.49	Pass	11
		5320	Ant1	10.36	≤24.00	≤23.49	11.06	≤30.00	≤29.49	Pass	11
			Ant2	9.28	≤24.00	≤23.49	9.98	≤30.00	≤29.49	Pass	11
			Total	12.86	≤24.00	≤23.49	13.56	≤30.00	≤29.49	Pass	11
11N40	MIMO	5270	Ant1	9.98	≤24.00	≤24.00	10.68	≤30.00	≤30.00	Pass	11
			Ant2	9.37	≤24.00	≤24.00	10.07	≤30.00	≤30.00	Pass	11
			Total	12.70	≤24.00	≤24.00	13.40	≤30.00	≤30.00	Pass	11
		5310	Ant1	10.15	≤24.00	≤24.00	10.85	≤30.00	≤30.00	Pass	11
			Ant2	9.29	≤24.00	≤24.00	9.99	≤30.00	≤30.00	Pass	11
			Total	12.75	≤24.00	≤24.00	13.45	≤30.00	≤30.00	Pass	11
11AC20	MIMO	5260	Ant1	8.47	≤24.00	≤23.49	9.17	≤30.00	≤29.49	Pass	10
			Ant2	8.01	≤24.00	≤23.49	8.71	≤30.00	≤29.49	Pass	10
			Total	11.26	≤24.00	≤23.49	11.96	≤30.00	≤29.49	Pass	10
		5300	Ant1	8.69	≤24.00	≤23.49	9.39	≤30.00	≤29.49	Pass	10
			Ant2	8.18	≤24.00	≤23.49	8.88	≤30.00	≤29.49	Pass	10
			Total	11.45	≤24.00	≤23.49	12.15	≤30.00	≤29.49	Pass	10
		5320	Ant1	8.72	≤24.00	≤23.49	9.42	≤30.00	≤29.49	Pass	10