			Ant2	7.99	≤24.00	≤23.49	8.69	≤30.00	≤29.49	Pass	10
			Total	11.38	≤24.00	≤23.49	12.08	≤30.00	≤29.49	Pass	10
11AC40	MIMO	5270	Ant1	8.83	≤24.00	≤24.00	9.53	≤30.00	≤30.00	Pass	10
			Ant2	8.46	≤24.00	≤24.00	9.16	≤30.00	≤30.00	Pass	10
			Total	11.66	≤24.00	≤24.00	12.36	≤30.00	≤30.00	Pass	10
		5310	Ant1	9.05	≤24.00	≤24.00	9.75	≤30.00	≤30.00	Pass	10
			Ant2	8.44	≤24.00	≤24.00	9.14	≤30.00	≤30.00	Pass	10
			Total	11.77	≤24.00	≤24.00	12.47	≤30.00	≤30.00	Pass	10
11AC80	MIMO	5210	Ant1	7.54	≤24.00	≤24.00	8.24	≤30.00	≤30.00	Pass	9
			Ant2	7.27	≤24.00	≤24.00	7.97	≤30.00	≤30.00	Pass	9
			Total	10.42	≤24.00	≤24.00	11.12	≤30.00	≤30.00	Pass	9
11AX20	MIMO	5260	Ant1	8.67	≤24.00	≤24.00	9.37	≤30.00	≤30.00	Pass	10
			Ant2	8.34	≤24.00	≤24.00	9.04	≤30.00	≤30.00	Pass	10
			Total	11.52	≤24.00	≤24.00	12.22	≤30.00	≤30.00	Pass	10
		5300	Ant1	8.90	≤24.00	≤24.00	9.60	≤30.00	≤30.00	Pass	10
			Ant2	8.55	≤24.00	≤24.00	9.25	≤30.00	≤30.00	Pass	10
			Total	11.74	≤24.00	≤24.00	12.44	≤30.00	≤30.00	Pass	10
		5320	Ant1	8.94	≤24.00	≤24.00	9.64	≤30.00	≤30.00	Pass	10
			Ant2	8.32	≤24.00	≤24.00	9.02	≤30.00	≤30.00	Pass	10
			Total	11.65	≤24.00	≤24.00	12.35	≤30.00	≤30.00	Pass	10
11AX40	MIMO	5270	Ant1	8.41	≤24.00	≤24.00	9.11	≤30.00	≤30.00	Pass	10
			Ant2	8.21	≤24.00	≤24.00	8.91	≤30.00	≤30.00	Pass	10
			Total	11.32	≤24.00	≤24.00	12.02	≤30.00	≤30.00	Pass	10
		5310	Ant1	8.41	≤24.00	≤24.00	9.11	≤30.00	≤30.00	Pass	10
			Ant2	8.21	≤24.00	≤24.00	8.91	≤30.00	≤30.00	Pass	10
			Total	11.38	≤24.00	≤24.00	12.08	≤30.00	≤30.00	Pass	10
11AX80	MIMO	5290	Ant1	7.34	≤24.00	≤24.00	8.04	≤30.00	≤30.00	Pass	9
			Ant2	7.08	≤24.00	≤24.00	7.78	≤30.00	≤30.00	Pass	9
			Total	10.22	≤24.00	≤24.00	10.92	≤30.00	≤30.00	Pass	9
11ax20 FULL_RU	MIMO	5260	Ant1	8.62	≤24.00	≤24.00	9.32	≤30.00	≤30.00	Pass	10
			Ant2	8.30	≤24.00	≤24.00	9.00	≤30.00	≤30.00	Pass	10
			Total	11.47	≤24.00	≤24.00	12.17	≤30.00	≤30.00	Pass	10
		5300	Ant1	8.87	≤24.00	≤24.00	9.57	≤30.00	≤30.00	Pass	10
			Ant2	8.53	≤24.00	≤24.00	9.23	≤30.00	≤30.00	Pass	10
			Total	11.71	≤24.00	≤24.00	12.41	≤30.00	≤30.00	Pass	10
		5320	Ant1	8.90	≤24.00	≤24.00	9.60	≤30.00	≤30.00	Pass	10
			Ant2	8.29	≤24.00	≤24.00	8.99	≤30.00	≤30.00	Pass	10
			Total	11.62	≤24.00	≤24.00	12.32	≤30.00	≤30.00	Pass	10
11ax40 FULL_RU	MIMO	5270	Ant1	8.33	≤24.00	≤24.00	9.03	≤30.00	≤30.00	Pass	10
			Ant2	8.14	≤24.00	≤24.00	8.84	≤30.00	≤30.00	Pass	10
			Total	11.25	≤24.00	≤24.00	11.95	≤30.00	≤30.00	Pass	10
		5310	Ant1	8.53	≤24.00	≤24.00	9.23	≤30.00	≤30.00	Pass	10

			Ant2	8.12	≤24.00	≤24.00	8.82	≤30.00	≤30.00	Pass	10
			Total	11.34	≤24.00	≤24.00	12.04	≤30.00	≤30.00	Pass	10
11ax80 FULL_RU	MIMO	5290	Ant1	7.30	≤24.00	≤24.00	8.00	≤30.00	≤30.00	Pass	9
			Ant2	7.08	≤24.00	≤24.00	7.78	≤30.00	≤30.00	Pass	9
			Total	10.20	≤24.00	≤24.00	10.90	≤30.00	≤30.00	Pass	9
Note:The Maximum Conducted Power with duty cycle factor.											

BV Power Table For_U-NII-2C

Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5500	Ant1	12.56	≤24.00	≤23.16	13.26	≤30.00	≤29.16	Pass	13
			Ant2	12.34	≤24.00	≤23.16	13.04	≤30.00	≤29.16	Pass	13
			Total	15.46	≤24.00	≤23.16	16.16	≤30.00	≤29.16	Pass	13
		5580	Ant1	12.52	≤24.00	≤23.16	13.22	≤30.00	≤29.16	Pass	13
			Ant2	12.08	≤24.00	≤23.16	12.78	≤30.00	≤29.16	Pass	13
			Total	15.32	≤24.00	≤23.16	16.02	≤30.00	≤29.16	Pass	13
		5700	Ant1	12.21	≤24.00	≤23.19	12.91	≤30.00	≤29.19	Pass	13
			Ant2	12.19	≤24.00	≤23.19	12.89	≤30.00	≤29.19	Pass	13
			Total	15.21	≤24.00	≤23.19	15.91	≤30.00	≤29.19	Pass	13
		5720	Ant1	12.35	≤24.00	≤23.19	13.05	≤30.00	≤29.19	Pass	13
			Ant2	12.24	≤24.00	≤23.19	12.94	≤30.00	≤29.19	Pass	13
			Total	15.31	≤24.00	≤23.19	16.01	≤30.00	≤29.19	Pass	13
11N20	MIMO	5500	Ant1	9.72	≤24.00	≤23.49	10.42	≤30.00	≤29.52	Pass	11
			Ant2	9.56	≤24.00	≤23.49	10.26	≤30.00	≤29.52	Pass	11
			Total	12.65	≤24.00	≤23.49	13.35	≤30.00	≤29.52	Pass	11
		5580	Ant1	9.54	≤24.00	≤23.48	10.24	≤30.00	≤29.51	Pass	11
			Ant2	9.19	≤24.00	≤23.48	9.89	≤30.00	≤29.51	Pass	11
			Total	12.38	≤24.00	≤23.48	13.08	≤30.00	≤29.51	Pass	11
		5700	Ant1	9.40	≤24.00	≤23.48	10.10	≤30.00	≤29.48	Pass	11
			Ant2	9.18	≤24.00	≤23.48	9.88	≤30.00	≤29.48	Pass	11
			Total	12.30	≤24.00	≤23.48	13.00	≤30.00	≤29.48	Pass	11
		5720	Ant1	9.47	≤24.00	≤23.47	10.17	≤30.00	≤29.47	Pass	11
			Ant2	9.14	≤24.00	≤23.47	9.84	≤30.00	≤29.47	Pass	11
			Total	12.32	≤24.00	≤23.47	13.02	≤30.00	≤29.47	Pass	11
11N40	MIMO	5510	Ant1	10.01	≤24.00	≤24.00	10.71	≤30.00	≤30.00	Pass	11
			Ant2	9.83	≤24.00	≤24.00	10.53	≤30.00	≤30.00	Pass	11
			Total	12.93	≤24.00	≤24.00	13.63	≤30.00	≤30.00	Pass	11
		5550	Ant1	9.80	≤24.00	≤24.00	10.50	≤30.00	≤30.00	Pass	11
			Ant2	9.73	≤24.00	≤24.00	10.43	≤30.00	≤30.00	Pass	11
			Total	12.78	≤24.00	≤24.00	13.48	≤30.00	≤30.00	Pass	11

		5670	Ant1	9.63	≤24.00	≤24.00	10.33	≤30.00	≤30.00	Pass	11
			Ant2	9.42	≤24.00	≤24.00	10.12	≤30.00	≤30.00	Pass	11
			Total	12.54	≤24.00	≤24.00	13.24	≤30.00	≤30.00	Pass	11
		5710	Ant1	9.62	≤24.00	≤24.00	10.32	≤30.00	≤30.00	Pass	11
			Ant2	9.54	≤24.00	≤24.00	10.24	≤30.00	≤30.00	Pass	11
			Total	12.59	≤24.00	≤24.00	13.29	≤30.00	≤24.00	Pass	11
11AC20	MIMO	5500	Ant1	8.77	≤24.00	≤23.49	9.47	≤30.00	≤29.52	Pass	10
			Ant2	8.70	≤24.00	≤23.49	9.40	≤30.00	≤29.52	Pass	10
			Total	11.75	≤24.00	≤23.49	12.45	≤30.00	≤29.52	Pass	10
		5580	Ant1	8.63	≤24.00	≤23.48	9.33	≤30.00	≤29.51	Pass	10
			Ant2	8.14	≤24.00	≤23.48	8.84	≤30.00	≤29.51	Pass	10
			Total	11.40	≤24.00	≤23.48	12.10	≤30.00	≤29.51	Pass	10
		5700	Ant1	8.47	≤24.00	≤23.48	9.17	≤30.00	≤29.48	Pass	10
			Ant2	8.19	≤24.00	≤23.48	8.89	≤30.00	≤29.48	Pass	10
			Total	11.34	≤24.00	≤23.48	12.04	≤30.00	≤29.48	Pass	10
		5720	Ant1	8.45	≤24.00	≤23.47	9.15	≤30.00	≤29.47	Pass	10
			Ant2	8.11	≤24.00	≤23.47	8.81	≤30.00	≤29.47	Pass	10
			Total	11.29	≤24.00	≤23.47	11.99	≤30.00	≤29.47	Pass	10
11AC40	MIMO	5510	Ant1	9.14	≤24.00	≤24.00	9.84	≤30.00	≤30.00	Pass	10
			Ant2	8.84	≤24.00	≤24.00	9.54	≤30.00	≤30.00	Pass	10
			Total	12.00	≤24.00	≤24.00	12.70	≤30.00	≤30.00	Pass	10
		5550	Ant1	8.80	≤24.00	≤24.00	9.50	≤30.00	≤30.00	Pass	10
			Ant2	8.76	≤24.00	≤24.00	9.46	≤30.00	≤30.00	Pass	10
			Total	11.79	≤24.00	≤24.00	12.49	≤30.00	≤30.00	Pass	10
		5670	Ant1	8.81	≤24.00	≤24.00	9.51	≤30.00	≤30.00	Pass	10
			Ant2	8.39	≤24.00	≤24.00	9.09	≤30.00	≤30.00	Pass	10
			Total	11.62	≤24.00	≤24.00	12.32	≤30.00	≤30.00	Pass	10
		5710	Ant1	8.66	≤24.00	≤24.00	9.36	≤30.00	≤30.00	Pass	10
			Ant2	8.60	≤24.00	≤24.00	9.30	≤30.00	≤30.00	Pass	10
			Total	11.64	≤24.00	≤24.00	12.34	≤30.00	≤30.00	Pass	10
11AC80	MIMO	5530	Ant1	7.52	≤24.00	≤24.00	8.22	≤30.00	≤30.00	Pass	9
			Ant2	7.45	≤24.00	≤24.00	8.15	≤30.00	≤30.00	Pass	9
			Total	10.50	≤24.00	≤24.00	11.20	≤30.00	≤30.00	Pass	9
		5610	Ant1	7.32	≤24.00	≤24.00	8.02	≤30.00	≤30.00	Pass	9
			Ant2	7.24	≤24.00	≤24.00	7.94	≤30.00	≤30.00	Pass	9
			Total	10.29	≤24.00	≤24.00	10.99	≤30.00	≤30.00	Pass	9
		5690	Ant1	7.29	≤24.00	≤24.00	7.99	≤30.00	≤30.00	Pass	9
			Ant2	7.00	≤24.00	≤24.00	7.70	≤30.00	≤30.00	Pass	9
11AX20	MIMO	5500	Ant1	9.04	≤24.00	≤24.00	9.74	≤30.00	≤30.00	Pass	9
			Ant2	8.98	≤24.00	≤24.00	9.68	≤30.00	≤30.00	Pass	10
			Total	12.02	≤24.00	≤24.00	12.72	≤30.00	≤30.00	Pass	10
		5580	Ant1	8.77	≤24.00	≤24.00	9.47	≤30.00	≤30.00	Pass	10

			Ant2	8.50	≤24.00	≤24.00	9.20	≤30.00	≤30.00	Pass	10
			Total	11.65	≤24.00	≤24.00	12.35	≤30.00	≤30.00	Pass	10
		5700	Ant1	8.63	≤24.00	≤24.00	9.33	≤30.00	≤30.00	Pass	10
			Ant2	8.56	≤24.00	≤24.00	9.26	≤30.00	≤30.00	Pass	10
			Total	11.61	≤24.00	≤24.00	12.31	≤30.00	≤30.00	Pass	10
		5720	Ant1	8.60	≤24.00	≤24.00	9.30	≤30.00	≤30.00	Pass	10
			Ant2	8.51	≤24.00	≤24.00	9.21	≤30.00	≤30.00	Pass	10
			Total	11.57	≤24.00	≤24.00	12.27	≤30.00	≤30.00	Pass	10
11AX40	MIMO	5510	Ant1	8.78	≤24.00	≤24.00	9.48	≤30.00	≤30.00	Pass	10
			Ant2	8.49	≤24.00	≤24.00	9.19	≤30.00	≤30.00	Pass	10
			Total	11.65	≤24.00	≤24.00	12.35	≤30.00	≤30.00	Pass	10
		5550	Ant1	8.50	≤24.00	≤24.00	9.20	≤30.00	≤30.00	Pass	10
			Ant2	8.43	≤24.00	≤24.00	9.13	≤30.00	≤30.00	Pass	10
			Total	11.48	≤24.00	≤24.00	12.18	≤30.00	≤30.00	Pass	10
		5670	Ant1	8.34	≤24.00	≤24.00	9.04	≤30.00	≤30.00	Pass	10
			Ant2	8.08	≤24.00	≤24.00	8.78	≤30.00	≤30.00	Pass	10
			Total	11.62	≤24.00	≤24.00	12.32	≤30.00	≤30.00	Pass	10
		5710	Ant1	8.87	≤24.00	≤24.00	9.57	≤30.00	≤30.00	Pass	10
			Ant2	8.34	≤24.00	≤24.00	9.04	≤30.00	≤30.00	Pass	10
			Total	11.62	≤24.00	≤24.00	12.32	≤30.00	≤30.00	Pass	10
11AX80	MIMO	5530	Ant1	7.38	≤24.00	≤24.00	8.08	≤30.00	≤30.00	Pass	9
			Ant2	7.27	≤24.00	≤24.00	7.97	≤30.00	≤30.00	Pass	9
			Total	10.34	≤24.00	≤24.00	11.04	≤30.00	≤30.00	Pass	9
		5690	Ant1	7.07	≤24.00	≤24.00	7.77	≤30.00	≤30.00	Pass	9
			Ant2	6.84	≤24.00	≤24.00	7.54	≤30.00	≤30.00	Pass	9
			Total	9.97	≤24.00	≤24.00	10.67	≤30.00	≤30.00	Pass	9
		5690	Ant1	6.94	≤24.00	≤24.00	7.64	≤30.00	≤30.00	Pass	9
			Ant2	6.87	≤24.00	≤24.00	7.57	≤30.00	≤30.00	Pass	9
			Total	9.92	≤24.00	≤24.00	10.62	≤30.00	≤30.00	Pass	9
		5500	Ant1	8.99	≤24.00	≤24.00	9.69	≤30.00	≤30.00	Pass	10
			Ant2	8.94	≤24.00	≤24.00	9.64	≤30.00	≤30.00	Pass	10
			Total	11.98	≤24.00	≤24.00	12.68	≤30.00	≤30.00	Pass	10
		5580	Ant1	8.74	≤24.00	≤24.00	9.44	≤30.00	≤30.00	Pass	10
			Ant2	8.46	≤24.00	≤24.00	9.16	≤30.00	≤30.00	Pass	10
11ax20 FULL_RU	MIMO		Total	11.61	≤24.00	≤24.00	12.31	≤30.00	≤30.00	Pass	10
		5700	Ant1	8.59	≤24.00	≤24.00	9.29	≤30.00	≤30.00	Pass	10
			Ant2	8.52	≤24.00	≤24.00	9.22	≤30.00	≤30.00	Pass	10
			Total	11.57	≤24.00	≤24.00	12.27	≤30.00	≤30.00	Pass	10
		5720	Ant1	8.81	≤24.00	≤24.00	9.51	≤30.00	≤30.00	Pass	10
			Ant2	8.27	≤24.00	≤24.00	8.97	≤30.00	≤30.00	Pass	10
			Total	11.56	≤24.00	≤24.00	12.26	≤30.00	≤30.00	Pass	10
11ax40	MIMO	5510	Ant1	8.70	≤24.00	≤24.00	9.40	≤30.00	≤30.00	Pass	10

FULL_RU			Ant2	8.39	≤24.00	≤24.00	9.09	≤30.00	≤30.00	Pass	10
			Total	11.56	≤24.00	≤24.00	12.26	≤30.00	≤30.00	Pass	10
		5550	Ant1	8.44	≤24.00	≤24.00	9.14	≤30.00	≤30.00	Pass	10
			Ant2	8.38	≤24.00	≤24.00	9.08	≤30.00	≤30.00	Pass	10
			Total	11.42	≤24.00	≤24.00	12.12	≤30.00	≤30.00	Pass	10
		5670	Ant1	8.24	≤24.00	≤24.00	8.94	≤30.00	≤30.00	Pass	10
			Ant2	7.98	≤24.00	≤24.00	8.68	≤30.00	≤30.00	Pass	10
			Total	11.12	≤24.00	≤24.00	11.82	≤30.00	≤30.00	Pass	10
		5710	Ant1	8.94	≤24.00	≤24.00	9.64	≤30.00	≤30.00	Pass	10
			Ant2	8.26	≤24.00	≤24.00	8.96	≤30.00	≤30.00	Pass	10
			Total	11.62	≤24.00	≤24.00	12.32	≤30.00	≤30.00	Pass	10
11ax80 FULL_RU	MIMO	5530	Ant1	7.34	≤24.00	≤24.00	8.04	≤30.00	≤30.00	Pass	9
			Ant2	7.26	≤24.00	≤24.00	7.96	≤30.00	≤30.00	Pass	9
			Total	10.31	≤24.00	≤24.00	11.01	≤30.00	≤30.00	Pass	9
		5610	Ant1	7.03	≤24.00	≤24.00	7.73	≤30.00	≤30.00	Pass	9
			Ant2	6.79	≤24.00	≤24.00	7.49	≤30.00	≤30.00	Pass	9
			Total	9.92	≤24.00	≤24.00	10.62	≤30.00	≤30.00	Pass	9
		5690	Ant1	6.91	≤24.00	≤24.00	7.61	≤30.00	≤30.00	Pass	9
			Ant2	6.83	≤24.00	≤24.00	7.53	≤30.00	≤30.00	Pass	9
			Total	9.88	≤24.00	≤24.00	10.58	≤30.00	≤30.00	Pass	9
Note:The Maximum Conducted Power with duty cycle factor.											

BV Power Table For_U-NII-3									
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5745	Ant1	12.37	≤30.00	13.07	≤36.00	Pass	13
			Ant2	12.35	≤30.00	13.05	≤36.00	Pass	13
			Total	15.37	≤30.00	16.07	≤36.00	Pass	13
		5785	Ant1	12.34	≤30.00	13.04	≤36.00	Pass	13
			Ant2	12.29	≤30.00	12.99	≤36.00	Pass	13
			Total	15.33	≤30.00	16.03	≤36.00	Pass	13
		5825	Ant1	12.61	≤30.00	13.31	≤36.00	Pass	13
			Ant2	12.44	≤30.00	13.14	≤36.00	Pass	13
			Total	15.54	≤30.00	16.24	≤36.00	Pass	13
11N20	MIMO	5745	Ant1	9.70	≤30.00	10.40	≤36.00	Pass	11
			Ant2	9.31	≤30.00	10.01	≤36.00	Pass	11
			Total	12.52	≤30.00	13.22	≤36.00	Pass	11
		5785	Ant1	9.68	≤30.00	10.38	≤36.00	Pass	11
			Ant2	9.19	≤30.00	9.89	≤36.00	Pass	11
			Total	12.45	≤30.00	13.15	≤36.00	Pass	11

		5825	Ant1	9.74	≤30.00	10.44	≤36.00	Pass	11
			Ant2	9.58	≤30.00	10.28	≤36.00	Pass	11
			Total	12.67	≤30.00	13.37	≤36.00	Pass	11
11N40	MIMO	5755	Ant1	9.90	≤30.00	10.60	≤36.00	Pass	11
			Ant2	9.71	≤30.00	10.41	≤36.00	Pass	11
			Total	12.82	≤30.00	13.52	≤36.00	Pass	11
		5795	Ant1	9.85	≤30.00	10.55	≤36.00	Pass	11
			Ant2	9.44	≤30.00	10.14	≤36.00	Pass	11
			Total	12.66	≤30.00	13.36	≤36.00	Pass	11
11AC20	MIMO	5745	Ant1	8.76	≤30.00	9.46	≤36.00	Pass	10
			Ant2	8.26	≤30.00	8.96	≤36.00	Pass	10
			Total	11.53	≤30.00	12.23	≤36.00	Pass	10
		5785	Ant1	8.61	≤30.00	9.31	≤36.00	Pass	10
			Ant2	8.03	≤30.00	8.73	≤36.00	Pass	10
			Total	11.34	≤30.00	12.04	≤36.00	Pass	10
		5825	Ant1	8.71	≤30.00	9.41	≤36.00	Pass	10
			Ant2	8.28	≤30.00	8.98	≤36.00	Pass	10
			Total	11.51	≤30.00	12.21	≤36.00	Pass	10
11AC40	MIMO	5755	Ant1	9.73	≤30.00	10.43	≤36.00	Pass	10
			Ant2	9.43	≤30.00	10.13	≤36.00	Pass	10
			Total	12.59	≤30.00	13.29	≤36.00	Pass	10
		5795	Ant1	9.65	≤30.00	10.35	≤36.00	Pass	10
			Ant2	9.29	≤30.00	9.99	≤36.00	Pass	10
			Total	12.48	≤30.00	13.18	≤36.00	Pass	10
11AC80	MIMO	5775	Ant1	7.69	≤30.00	8.39	≤36.00	Pass	9
			Ant2	7.33	≤30.00	8.03	≤36.00	Pass	9
			Total	10.52	≤30.00	11.22	≤36.00	Pass	9
11AX20	MIMO	5745	Ant1	8.84	≤30.00	9.54	≤36.00	Pass	10
			Ant2	8.64	≤30.00	9.34	≤36.00	Pass	10
			Total	11.75	≤30.00	12.45	≤36.00	Pass	10
		5785	Ant1	8.70	≤30.00	9.40	≤36.00	Pass	10
			Ant2	8.39	≤30.00	9.09	≤36.00	Pass	10
			Total	11.56	≤30.00	12.26	≤36.00	Pass	10
		5825	Ant1	8.78	≤30.00	9.48	≤36.00	Pass	10
			Ant2	8.65	≤30.00	9.35	≤36.00	Pass	10
			Total	11.73	≤30.00	12.43	≤36.00	Pass	10
11AX40	MIMO	5755	Ant1	8.47	≤30.00	9.17	≤36.00	Pass	10
			Ant2	8.38	≤30.00	9.08	≤36.00	Pass	10
			Total	11.44	≤30.00	12.14	≤36.00	Pass	10
		5795	Ant1	8.38	≤30.00	9.08	≤36.00	Pass	10
			Ant2	8.24	≤30.00	8.94	≤36.00	Pass	10
			Total	11.32	≤30.00	12.02	≤36.00	Pass	10

11AX80	MIMO	5775	Ant1	7.36	≤30.00	8.06	≤36.00	Pass	9
			Ant2	7.27	≤30.00	7.97	≤36.00	Pass	9
			Total	10.33	≤30.00	11.03	≤36.00	Pass	9
11ax20 FULL_RU	MIMO	5745	Ant1	8.79	≤30.00	9.49	≤36.00	Pass	10
			Ant2	8.60	≤30.00	9.30	≤36.00	Pass	10
			Total	11.71	≤30.00	12.41	≤36.00	Pass	10
		5785	Ant1	8.65	≤30.00	9.35	≤36.00	Pass	10
			Ant2	8.36	≤30.00	9.06	≤36.00	Pass	10
			Total	11.52	≤30.00	12.22	≤36.00	Pass	10
		5825	Ant1	8.74	≤30.00	9.44	≤36.00	Pass	10
			Ant2	8.61	≤30.00	9.31	≤36.00	Pass	10
			Total	11.69	≤30.00	12.39	≤36.00	Pass	10
11ax40 FULL_RU	MIMO	5755	Ant1	8.44	≤30.00	9.14	≤36.00	Pass	10
			Ant2	8.35	≤30.00	9.05	≤36.00	Pass	10
			Total	11.41	≤30.00	12.11	≤36.00	Pass	10
		5795	Ant1	8.33	≤30.00	9.03	≤36.00	Pass	10
			Ant2	8.20	≤30.00	8.90	≤36.00	Pass	10
			Total	11.28	≤30.00	11.98	≤36.00	Pass	10
11ax80 FULL_RU	MIMO	5775	Ant1	7.34	≤30.00	8.04	≤36.00	Pass	9
			Ant2	7.23	≤30.00	7.93	≤36.00	Pass	9
			Total	10.30	≤30.00	11.00	≤36.00	Pass	9
Note:The Maximum Conducted Power with duty cycle factor.									

Note：The Duty Cycle Factor is compensated in the graph.

MAXIMUM POWER SPECTRAL DENSITY
TEST RESULT

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-CDD	Ant1	5180	1.68	≤11.00	0.98	≤10.00	PASS
	Ant2	5180	2.29	≤11.00	2.99	≤10.00	PASS
	total	5180	5.01	≤11.00	8.05	≤10.00	PASS
	Ant1	5200	1.52	≤11.00	0.82	≤10.00	PASS
	Ant2	5200	2.31	≤11.00	3.01	≤10.00	PASS
	total	5200	4.94	≤11.00	7.98	≤10.00	PASS
	Ant1	5240	1.81	≤11.00	1.11	≤10.00	PASS
	Ant2	5240	2.57	≤11.00	3.27	≤10.00	PASS
	total	5240	5.22	≤11.00	8.26	---	PASS
	Ant1	5260	2.12	≤11.00	1.42	---	PASS
	Ant2	5260	2.82	≤11.00	3.52	---	PASS
	total	5260	5.49	≤11.00	8.53	---	PASS
	Ant1	5280	2.30	≤11.00	1.60	---	PASS
	Ant2	5280	2.71	≤11.00	3.41	---	PASS
	total	5280	5.52	≤11.00	8.56	---	PASS
	Ant1	5320	2.14	≤11.00	1.44	---	PASS
	Ant2	5320	2.88	≤11.00	3.58	---	PASS
	total	5320	5.54	≤11.00	8.58	---	PASS
	Ant1	5500	2.42	≤11.00	1.72	---	PASS
	Ant2	5500	3.24	≤11.00	3.94	---	PASS
	total	5500	5.86	≤11.00	8.90	---	PASS
	Ant1	5580	2.80	≤11.00	2.10	---	PASS
	Ant2	5580	3.49	≤11.00	4.19	---	PASS
	total	5580	6.17	≤11.00	9.21	---	PASS
	Ant1	5700	2.21	≤11.00	1.51	---	PASS
		5720_UNII-2C	2.07	≤11.00	1.37	---	PASS
	Ant2	5720_UNII-2C	3.07	≤11.00	3.77	---	PASS
	total	5720_UNII-2C	4.81	≤11.00	7.85	---	PASS
	Ant1	5745	-0.41	≤30.00	-1.11	---	PASS
	Ant2	5745	0.37	≤30.00	1.07	---	PASS
	total	5745	3.01	≤30.00	6.05	---	PASS
	Ant1	5785	-0.34	≤30.00	-0.34	---	PASS
	Ant2	5785	0.57	≤30.00	0.57	---	PASS
	total	5785	3.15	≤30.00	6.16	---	PASS
	Ant1	5825	0.14	≤30.00	0.14	---	PASS
	Ant2	5825	0.81	≤30.00	0.81	---	PASS
	total	5825	3.50	≤30.00	6.51	---	PASS
11N20MIMO	Ant1	5180	-0.72	≤11.00	-1.42	≤10.00	PASS
	Ant2	5180	0.09	≤11.00	0.79	≤10.00	PASS
	total	5180	2.71	≤11.00	2.83	≤10.00	PASS
	Ant1	5200	-0.87	≤11.00	-1.57	≤10.00	PASS

	Ant2	5200	-0.25	≤11.00	0.45	≤10.00	PASS
	total	5200	2.46	≤11.00	2.57	≤10.00	PASS
	Ant1	5240	-0.58	≤11.00	-1.28	≤10.00	PASS
	Ant2	5240	0.03	≤11.00	0.73	≤10.00	PASS
	total	5240	2.75	≤11.00	2.85	≤10.00	PASS
	Ant1	5260	-0.48	≤11.00	-1.18	---	PASS
	Ant2	5260	0.38	≤11.00	1.08	---	PASS
	total	5260	2.98	≤11.00	3.11	---	PASS
	Ant1	5280	-0.40	≤11.00	-1.10	---	PASS
	Ant2	5280	0.55	≤11.00	1.25	---	PASS
	total	5280	3.11	≤11.00	3.24	---	PASS
	Ant1	5320	-0.37	≤11.00	-1.07	---	PASS
	Ant2	5320	0.54	≤11.00	1.24	---	PASS
	total	5320	3.12	≤11.00	3.25	---	PASS
	Ant1	5500	-0.17	≤11.00	-0.87	---	PASS
	Ant2	5500	0.86	≤11.00	1.56	---	PASS
	total	5500	3.39	≤11.00	3.52	---	PASS
	Ant1	5580	-0.08	≤11.00	-0.78	---	PASS
	Ant2	5580	1.03	≤11.00	1.73	---	PASS
	total	5580	3.52	≤11.00	3.66	---	PASS
	Ant1	5700	-0.28	≤11.00	-0.98	---	PASS
	Ant2	5700	0.63	≤11.00	1.33	---	PASS
	total	5700	3.21	≤11.00	3.34	---	PASS
	Ant1	5720_UNII-2C	-0.70	≤11.00	-1.40	---	PASS
	Ant2	5720_UNII-2C	0.41	≤11.00	1.11	---	PASS
	total	5720_UNII-2C	2.90	≤11.00	3.04	---	PASS
	Ant1	5745	-3.05	≤30.00	-3.75	---	PASS
	Ant2	5745	-2.13	≤30.00	-1.43	---	PASS
	total	5745	0.44	≤30.00	0.57	---	PASS
	Ant1	5785	-2.95	≤30.00	-2.95	---	PASS
	Ant2	5785	-1.69	≤30.00	-1.69	---	PASS
	total	5785	0.74	≤30.00	0.74	---	PASS
	Ant1	5825	-2.57	≤30.00	-2.57	---	PASS
	Ant2	5825	-1.79	≤30.00	-1.79	---	PASS
	total	5825	0.85	≤30.00	0.85	---	PASS
11N40MIMO	Ant1	5190	-3.57	≤11.00	-3.57	≤10.00	PASS
	Ant2	5190	-2.59	≤11.00	-2.59	≤10.00	PASS
	total	5190	-0.04	≤11.00	-0.04	≤10.00	PASS
	Ant1	5230	-2.85	≤11.00	-2.85	≤10.00	PASS
	Ant2	5230	-2.56	≤11.00	-2.56	≤10.00	PASS
	total	5230	0.31	≤11.00	0.31	≤10.00	PASS
	Ant1	5270	-3.09	≤11.00	-3.09	---	PASS
	Ant2	5270	-2.27	≤11.00	-2.27	---	PASS
	total	5270	0.35	≤11.00	0.35	---	PASS
	Ant1	5310	-3.09	≤11.00	-3.09	---	PASS
	Ant2	5310	-2.12	≤11.00	-2.12	---	PASS
	total	5310	0.43	≤11.00	0.43	---	PASS
	Ant1	5510	-2.31	≤11.00	-2.31	---	PASS
	Ant2	5510	-1.86	≤11.00	-1.86	---	PASS
	total	5510	0.93	≤11.00	0.93	---	PASS

	Ant1	5550	-2.52	≤11.00	-2.52	---	PASS
	Ant2	5550	-1.93	≤11.00	-1.93	---	PASS
	total	5550	0.80	≤11.00	0.80	---	PASS
	Ant1	5670	-2.82	≤11.00	-2.82	---	PASS
	Ant2	5670	-2.07	≤11.00	-2.07	---	PASS
	total	5670	0.58	≤11.00	0.58	---	PASS
	Ant1	5710_UNII-2C	-3.30	≤11.00	-3.30	---	PASS
	Ant2	5710_UNII-2C	-2.21	≤11.00	-2.21	---	PASS
	total	5710_UNII-2C	0.29	≤11.00	0.29	---	PASS
	Ant1	5710_UNII-3	-7.47	≤30.00	-7.47	---	PASS
	Ant2	5710_UNII-3	-6.30	≤30.00	-6.30	---	PASS
	total	5710_UNII-3	-3.84	≤30.00	-3.84	---	PASS
	Ant1	5755	-5.51	≤30.00	-5.51	---	PASS
	Ant2	5755	-4.60	≤30.00	-4.60	---	PASS
	total	5755	-2.02	≤30.00	-2.02	---	PASS
	Ant1	5795	-6.03	≤30.00	-6.03	---	PASS
	Ant2	5795	-4.90	≤30.00	-4.90	---	PASS
	total	5795	-2.42	≤30.00	-2.42	---	PASS
11AC80MIMO	Ant1	5210	-9.32	≤11.00	-9.32	≤10.00	PASS
	Ant2	5210	-8.39	≤11.00	-8.39	≤10.00	PASS
	total	5210	-5.82	≤11.00	-5.82	≤10.00	PASS
	Ant1	5290	-8.64	≤11.00	-8.64	---	PASS
	Ant2	5290	-7.89	≤11.00	-7.89	---	PASS
	total	5290	-5.24	≤11.00	-5.24	---	PASS
	Ant1	5530	-8.48	≤11.00	-8.48	---	PASS
	Ant2	5530	-7.48	≤11.00	-7.48	---	PASS
	total	5530	-4.94	≤11.00	-4.94	---	PASS
	Ant1	5610	-8.57	≤11.00	-8.57	---	PASS
	Ant2	5610	-8.01	≤11.00	-8.01	---	PASS
	total	5610	-5.27	≤11.00	-5.27	---	PASS
	Ant1	5690_UNII-2C	-8.68	≤11.00	-8.68	---	PASS
	Ant2	5690_UNII-2C	-8.03	≤11.00	-8.03	---	PASS
	total	5690_UNII-2C	-5.33	≤11.00	-5.33	---	PASS
	Ant1	5690_UNII-3	-14.42	≤30.00	-14.42	---	PASS
	Ant2	5690_UNII-3	-12.38	≤30.00	-12.38	---	PASS
	total	5690_UNII-3	-10.27	≤30.00	-10.27	---	PASS
	Ant1	5775	-11.40	≤30.00	-11.40	---	PASS
	Ant2	5775	-10.21	≤30.00	-10.21	---	PASS
	total	5775	-7.75	≤30.00	-7.75	---	PASS
11AX20MIMO	Ant1	5180	-1.82	≤11.00	-1.82	≤10.00	PASS
	Ant2	5180	-0.99	≤11.00	-0.99	≤10.00	PASS

	total	5180	1.63	≤11.00	1.63	≤10.00	PASS
	Ant1	5200	-2.00	≤11.00	-2.00	≤10.00	PASS
	Ant2	5200	-1.37	≤11.00	-1.37	≤10.00	PASS
	total	5200	1.34	≤11.00	1.34	≤10.00	PASS
	Ant1	5240	-1.30	≤11.00	-1.30	≤10.00	PASS
	Ant2	5240	-0.94	≤11.00	-0.94	≤10.00	PASS
	total	5240	1.89	≤11.00	1.89	≤10.00	PASS
	Ant1	5260	-1.49	≤11.00	-1.49	---	PASS
	Ant2	5260	-0.63	≤11.00	-0.63	---	PASS
	total	5260	1.97	≤11.00	1.97	---	PASS
	Ant1	5300	-1.24	≤11.00	-1.24	---	PASS
	Ant2	5300	-0.03	≤11.00	-0.03	---	PASS
	total	5300	2.42	≤11.00	2.42	---	PASS
	Ant1	5320	-1.69	≤11.00	-1.69	---	PASS
	Ant2	5320	-0.55	≤11.00	-0.55	---	PASS
	total	5320	1.93	≤11.00	1.93	---	PASS
	Ant1	5500	-0.82	≤11.00	-0.82	---	PASS
	Ant2	5500	-0.21	≤11.00	-0.21	---	PASS
	total	5500	2.51	≤11.00	2.51	---	PASS
	Ant1	5580	-1.25	≤11.00	-1.25	---	PASS
	Ant2	5580	0.03	≤11.00	0.03	---	PASS
	total	5580	2.45	≤11.00	2.45	---	PASS
	Ant1	5700	-1.41	≤11.00	-1.41	---	PASS
	Ant2	5700	-0.61	≤11.00	-0.61	---	PASS
	total	5700	2.02	≤11.00	2.02	---	PASS
	Ant1	5720_UNII-2C	-1.56	≤11.00	-1.56	---	PASS
	Ant2	5720_UNII-2C	-0.70	≤11.00	-0.70	---	PASS
	total	5720_UNII-2C	1.90	≤11.00	1.90	---	PASS
	Ant1	5720_UNII-3	-5.22	≤30.00	-5.22	---	PASS
	Ant2	5720_UNII-3	-4.23	≤30.00	-4.23	---	PASS
	total	5720_UNII-3	-1.69	≤30.00	-1.69	---	PASS
	Ant1	5745	-4.06	≤30.00	-4.06	---	PASS
	Ant2	5745	-3.03	≤30.00	-3.03	---	PASS
	total	5745	-0.50	≤30.00	-0.50	---	PASS
	Ant1	5785	-4.21	≤30.00	-4.21	---	PASS
	Ant2	5785	-3.12	≤30.00	-3.12	---	PASS
	total	5785	-0.62	≤30.00	-0.62	---	PASS
	Ant1	5825	-4.10	≤30.00	-4.10	---	PASS
	Ant2	5825	-2.81	≤30.00	-2.81	---	PASS
	total	5825	-0.40	≤30.00	-0.40	---	PASS
11AX40MIMO	Ant1	5190	-5.26	≤11.00	-5.26	≤10.00	PASS
	Ant2	5190	-4.38	≤11.00	-4.38	≤10.00	PASS
	total	5190	-1.79	≤11.00	-1.79	≤10.00	PASS
	Ant1	5230	-4.47	≤11.00	-4.47	≤10.00	PASS
	Ant2	5230	-4.10	≤11.00	-4.10	≤10.00	PASS
	total	5230	-1.27	≤11.00	-1.27	≤10.00	PASS
	Ant1	5270	-4.84	≤11.00	-4.84	---	PASS

	Ant2	5270	-4.10	≤11.00	-4.10	---	PASS
	total	5270	-1.44	≤11.00	-1.44	---	PASS
	Ant1	5310	-4.85	≤11.00	-4.85	---	PASS
	Ant2	5310	-3.81	≤11.00	-3.81	---	PASS
	total	5310	-1.29	≤11.00	-1.29	---	PASS
	Ant1	5510	-4.26	≤11.00	-4.26	---	PASS
	Ant2	5510	-3.55	≤11.00	-3.55	---	PASS
	total	5510	-0.88	≤11.00	-0.88	---	PASS
	Ant1	5550	-4.48	≤11.00	-4.48	---	PASS
	Ant2	5550	-3.55	≤11.00	-3.55	---	PASS
	total	5550	-0.98	≤11.00	-0.98	---	PASS
	Ant1	5670	-4.58	≤11.00	-4.58	---	PASS
	Ant2	5670	-3.40	≤11.00	-3.40	---	PASS
	total	5670	-0.94	≤11.00	-0.94	---	PASS
	Ant1	5710_UNII-2C	-4.59	≤11.00	-4.59	---	PASS
	Ant2	5710_UNII-2C	-3.75	≤11.00	-3.75	---	PASS
	total	5710_UNII-2C	-1.14	≤11.00	-1.14	---	PASS
	Ant1	5710_UNII-3	-9.04	≤30.00	-9.04	---	PASS
	Ant2	5710_UNII-3	-8.05	≤30.00	-8.05	---	PASS
	total	5710_UNII-3	-5.51	≤30.00	-5.51	---	PASS
	Ant1	5755	-7.26	≤30.00	-7.26	---	PASS
	Ant2	5755	-6.21	≤30.00	-6.21	---	PASS
	total	5755	-3.69	≤30.00	-3.69	---	PASS
	Ant1	5795	-7.80	≤30.00	-7.80	---	PASS
	Ant2	5795	-6.53	≤30.00	-6.53	---	PASS
	total	5795	-4.11	≤30.00	-4.11	---	PASS
11AX80MIMO	Ant1	5210	-9.25	≤11.00	-9.25	≤10.00	PASS
	Ant2	5210	-8.68	≤11.00	-8.68	≤10.00	PASS
	total	5210	-5.95	≤11.00	-5.95	≤10.00	PASS
	Ant1	5290	-8.91	≤11.00	-8.91	---	PASS
	Ant2	5290	-8.09	≤11.00	-8.09	---	PASS
	total	5290	-5.47	≤11.00	-5.47	---	PASS
	Ant1	5530	-8.74	≤11.00	-8.74	---	PASS
	Ant2	5530	-8.02	≤11.00	-8.02	---	PASS
	total	5530	-5.35	≤11.00	-5.35	---	PASS
	Ant1	5610	-8.47	≤11.00	-8.47	---	PASS
	Ant2	5610	-8.46	≤11.00	-8.46	---	PASS
	total	5610	-5.45	≤11.00	-5.45	---	PASS
	Ant1	5690_UNII-2C	-8.92	≤11.00	-8.92	---	PASS
	Ant2	5690_UNII-2C	-7.97	≤11.00	-7.97	---	PASS
	total	5690_UNII-2C	-5.41	≤11.00	-5.41	---	PASS
	Ant1	5690_UNII-3	-14.43	≤30.00	-14.43	---	PASS
	Ant2	5690_UNII-	-12.64	≤30.00	-12.64	---	PASS

		3					
	total	5690_UNII-3	-10.43	≤30.00	-10.43	---	PASS
	Ant1	5775	-11.51	≤30.00	-11.51	---	PASS
	Ant2	5775	-10.33	≤30.00	-10.33	---	PASS
	total	5775	-7.87	≤30.00	-7.87	---	PASS

Note：1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

TEST GRAPHS

11A-CDD_Ant1_5180



11A-CDD_Ant2_5180



11A-CDD_Ant1_5200

11A-CDD_Ant2_5200



11A-CDD_Ant1_5240

11A-CDD_Ant2_5240



11A-CDD_Ant1_5260

11A-CDD_Ant2_5260



11A-CDD_Ant1_5280

11A-CDD_Ant2_5280



11A-CDD_Ant1_5320



11A-CDD_Ant2_5320



11A-CDD_Ant1_5500

11A-CDD_Ant2_5500



11A-CDD_Ant1_5580

11A-CDD_Ant2_5580



11A-CDD_Ant1_5700

11A-CDD_Ant1_5720_UNII-2C



11A-CDD_Ant2_5720_UNII-2C



11A-CDD_Ant1_5745



11A-CDD_Ant2_5745



11A-CDD_Ant1_5785



11A-CDD_Ant2_5785

11A-CDD_Ant1_5825



11A-CDD_Ant2_5825



11N20MIMO_Ant1_5180



11N20MIMO_Ant2_5180

11N20MIMO_Ant1_5200



11N20MIMO_Ant2_5200

11N20MIMO_Ant1_5240



11N20MIMO_Ant2_5240

11N20MIMO_Ant1_5260



11N20MIMO_Ant2_5260

11N20MIMO_Ant1_5280



11N20MIMO_Ant2_5280

11N20MIMO_Ant1_5320



11N20MIMO_Ant2_5320