



9 Appendix

9.1 Appendix 15.407

1.Emission Bandwidth Measurement

Test Mode	Test Channel	Ant	EBW[MHz]	Limit[MHz]	Verdict
11A	5180	Ant1	20.040	---	PASS
11A	5220	Ant1	20.370	---	PASS
11A	5240	Ant1	20.070	---	PASS
11A	5260	Ant1	20.430	---	PASS
11A	5300	Ant1	20.160	---	PASS
11A	5320	Ant1	20.040	---	PASS
11A	5500	Ant1	20.310	---	PASS
11A	5580	Ant1	20.070	---	PASS
11A	5700	Ant1	20.280	---	PASS
11A	5745	Ant1	15.210	≥ 0.5	PASS
11A	5785	Ant1	15.210	≥ 0.5	PASS
11A	5825	Ant1	15.210	≥ 0.5	PASS
11N20	5180	Ant1	20.790	---	PASS
11N20	5220	Ant1	22.170	---	PASS
11N20	5240	Ant1	21.210	---	PASS
11N20	5260	Ant1	21.240	---	PASS
11N20	5300	Ant1	21.180	---	PASS
11N20	5320	Ant1	21.210	---	PASS
11N20	5500	Ant1	21.510	---	PASS
11N20	5580	Ant1	21.000	---	PASS
11N20	5700	Ant1	21.000	---	PASS
11N20	5745	Ant1	15.180	≥ 0.5	PASS
11N20	5785	Ant1	15.210	≥ 0.5	PASS
11N20	5825	Ant1	15.150	≥ 0.5	PASS
11N40	5190	Ant1	44.640	---	PASS
11N40	5230	Ant1	45.180	---	PASS
11N40	5270	Ant1	46.440	---	PASS
11N40	5310	Ant1	41.280	---	PASS





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM181000924402


Page: 1321 of 1452


11N40	5510	Ant1	43.500	---	PASS
11N40	5550	Ant1	46.200	---	PASS
11N40	5670	Ant1	45.360	---	PASS
11N40	5755	Ant1	35.220	≥ 0.5	PASS
11N40	5795	Ant1	35.220	≥ 0.5	PASS
11AC20	5180	Ant1	20.700	---	PASS
11AC20	5220	Ant1	21.420	---	PASS
11AC20	5240	Ant1	21.210	---	PASS
11AC20	5260	Ant1	20.940	---	PASS
11AC20	5300	Ant1	21.720	---	PASS
11AC20	5320	Ant1	20.880	---	PASS
11AC20	5500	Ant1	21.420	---	PASS
11AC20	5580	Ant1	21.570	---	PASS
11AC20	5700	Ant1	21.240	---	PASS
11AC20	5745	Ant1	15.180	≥ 0.5	PASS
11AC20	5785	Ant1	15.180	≥ 0.5	PASS
11AC20	5825	Ant1	15.150	≥ 0.5	PASS
11AC80	5210	Ant1	82.560	---	PASS
11AC80	5290	Ant1	82.800	---	PASS
11AC80	5530	Ant1	83.880	---	PASS
11AC80	5610	Ant1	82.800	---	PASS
11AC80	5775	Ant1	75.480	≥ 0.5	PASS
11AC40	5190	Ant1	46.800	---	PASS
11AC40	5230	Ant1	46.020	---	PASS
11AC40	5270	Ant1	41.760	---	PASS
11AC40	5310	Ant1	46.320	---	PASS
11AC40	5510	Ant1	41.640	---	PASS
11AC40	5550	Ant1	41.340	---	PASS
11AC40	5670	Ant1	46.500	---	PASS
11AC40	5755	Ant1	35.220	≥ 0.5	PASS
11AC40	5795	Ant1	35.220	≥ 0.5	PASS




































Emission Bandwidth Measurement_11N40_5190_Ant1





Emission Bandwidth Measurement_11N40_5230_Ant1




















































2.Occupied Bandwidth Measurement

Test Mode	Test Channel	Ant	OBW[MHz]	Limit[MHz]	Verdict
11A	5180	Ant1	16.380	---	PASS
11A	5220	Ant1	16.410	---	PASS
11A	5240	Ant1	16.380	---	PASS
11A	5260	Ant1	16.380	---	PASS
11A	5300	Ant1	16.380	---	PASS
11A	5320	Ant1	16.410	---	PASS
11A	5500	Ant1	16.380	---	PASS
11A	5580	Ant1	16.380	---	PASS
11A	5700	Ant1	16.380	---	PASS
11A	5745	Ant1	16.380	---	PASS
11A	5785	Ant1	16.410	---	PASS
11A	5825	Ant1	16.440	---	PASS
11N20	5180	Ant1	17.460	---	PASS
11N20	5220	Ant1	17.490	---	PASS
11N20	5240	Ant1	17.460	---	PASS
11N20	5260	Ant1	17.490	---	PASS
11N20	5300	Ant1	17.490	---	PASS
11N20	5320	Ant1	17.490	---	PASS
11N20	5500	Ant1	17.490	---	PASS
11N20	5580	Ant1	17.490	---	PASS
11N20	5700	Ant1	17.490	---	PASS
11N20	5745	Ant1	17.520	---	PASS
11N20	5785	Ant1	17.520	---	PASS
11N20	5825	Ant1	17.550	---	PASS
11N40	5190	Ant1	36.000	---	PASS
11N40	5230	Ant1	36.000	---	PASS
11N40	5270	Ant1	36.060	---	PASS
11N40	5310	Ant1	36.000	---	PASS
11N40	5510	Ant1	35.940	---	PASS
11N40	5550	Ant1	36.060	---	PASS
11N40	5670	Ant1	36.000	---	PASS
11N40	5755	Ant1	36.000	---	PASS





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM181000924402


Page: 1353 of 1452


11N40	5795	Ant1	36.000	---	PASS
11AC20	5180	Ant1	17.460	---	PASS
11AC20	5220	Ant1	17.520	---	PASS
11AC20	5240	Ant1	17.490	---	PASS
11AC20	5260	Ant1	17.490	---	PASS
11AC20	5300	Ant1	17.490	---	PASS
11AC20	5320	Ant1	17.490	---	PASS
11AC20	5500	Ant1	17.490	---	PASS
11AC20	5580	Ant1	17.490	---	PASS
11AC20	5700	Ant1	17.520	---	PASS
11AC20	5745	Ant1	17.490	---	PASS
11AC20	5785	Ant1	17.520	---	PASS
11AC20	5825	Ant1	17.580	---	PASS
11AC80	5210	Ant1	75.120	---	PASS
11AC80	5290	Ant1	75.000	---	PASS
11AC80	5530	Ant1	75.120	---	PASS
11AC80	5610	Ant1	75.000	---	PASS
11AC80	5775	Ant1	75.120	---	PASS
11AC40	5190	Ant1	35.940	---	PASS
11AC40	5230	Ant1	36.060	---	PASS
11AC40	5270	Ant1	36.000	---	PASS
11AC40	5310	Ant1	36.060	---	PASS
11AC40	5510	Ant1	35.940	---	PASS
11AC40	5550	Ant1	35.940	---	PASS
11AC40	5670	Ant1	36.000	---	PASS
11AC40	5755	Ant1	36.060	---	PASS
11AC40	5795	Ant1	36.060	---	PASS
























































































3.Maximum Conduct Output Power

Test Mode	Test Channel	Ant	Level [dBm]	10log(1/x) Factor [dB]	Power [dBm]	Limit [dBm]	Verdict
11A	5180	Ant1	10.43	0.21	10.64	<23.98	PASS
11A	5220	Ant1	10.79	0.21	11.00	<23.98	PASS
11A	5240	Ant1	10.46	0.21	10.67	<23.98	PASS
11A	5260	Ant1	10.73	0.21	10.94	<23.98	PASS
11A	5300	Ant1	11.37	0.21	11.58	<23.98	PASS
11A	5320	Ant1	11.34	0.21	11.55	<23.98	PASS
11A	5500	Ant1	11.76	0.21	11.97	<23.98	PASS
11A	5580	Ant1	12.03	0.21	12.24	<23.98	PASS
11A	5700	Ant1	12.49	0.21	12.70	<23.98	PASS
11A	5745	Ant1	12.5	0.21	12.71	<30.00	PASS
11A	5785	Ant1	12.86	0.21	13.07	<30.00	PASS
11A	5825	Ant1	12.96	0.22	13.18	<30.00	PASS
11N20	5180	Ant1	11.5	0.25	11.75	<23.98	PASS
11N20	5220	Ant1	11.71	0.22	11.93	<23.98	PASS
11N20	5240	Ant1	11.88	0.22	12.10	<23.98	PASS
11N20	5260	Ant1	12	0.22	12.22	<23.98	PASS
11N20	5300	Ant1	12.43	0.22	12.65	<23.98	PASS
11N20	5320	Ant1	12.42	0.22	12.64	<23.98	PASS
11N20	5500	Ant1	12.82	0.22	13.04	<23.98	PASS
11N20	5580	Ant1	13.07	0.22	13.29	<23.98	PASS
11N20	5700	Ant1	13.35	0.21	13.56	<23.98	PASS
11N20	5745	Ant1	13.29	0.22	13.51	<30.00	PASS
11N20	5785	Ant1	13.51	0.22	13.73	<30.00	PASS
11N20	5825	Ant1	13.7	0.25	13.95	<30.00	PASS
11N40	5190	Ant1	10.17	0.46	10.63	<23.98	PASS
11N40	5230	Ant1	10.25	0.46	10.71	<23.98	PASS
11N40	5270	Ant1	10.56	0.43	10.99	<23.98	PASS
11N40	5310	Ant1	11.3	0.46	11.76	<23.98	PASS
11N40	5510	Ant1	11.33	0.46	11.79	<23.98	PASS
11N40	5550	Ant1	11.86	0.44	12.30	<23.98	PASS
11N40	5670	Ant1	11.71	0.4	12.11	<23.98	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM181000924402

Page: 1385 of 1452

11N40	5755	Ant1	12.97	0.44	13.41	<30.00	PASS
11N40	5795	Ant1	12.96	0.46	13.42	<30.00	PASS
11AC20	5180	Ant1	11.43	0.23	11.66	<23.98	PASS
11AC20	5220	Ant1	11.5	0.22	11.72	<23.98	PASS
11AC20	5240	Ant1	11.93	0.22	12.15	<23.98	PASS
11AC20	5260	Ant1	11.91	0.22	12.13	<23.98	PASS
11AC20	5300	Ant1	12.46	0.22	12.68	<23.98	PASS
11AC20	5320	Ant1	12.46	0.22	12.68	<23.98	PASS
11AC20	5500	Ant1	12.74	0.22	12.96	<23.98	PASS
11AC20	5580	Ant1	12.97	0.22	13.19	<23.98	PASS
11AC20	5700	Ant1	13.44	0.22	13.66	<23.98	PASS
11AC20	5745	Ant1	13.34	0.23	13.57	<30.00	PASS
11AC20	5785	Ant1	13.55	0.22	13.77	<30.00	PASS
11AC20	5825	Ant1	13.62	0.22	13.84	<30.00	PASS
11AC80	5210	Ant1	9.88	0.77	10.65	<23.98	PASS
11AC80	5290	Ant1	10.64	0.77	11.41	<23.98	PASS
11AC80	5530	Ant1	12.07	0.82	12.89	<23.98	PASS
11AC80	5610	Ant1	11.24	0.77	12.01	<23.98	PASS
11AC80	5775	Ant1	12.36	0.77	13.13	<30.00	PASS
11AC40	5190	Ant1	10.06	0.44	10.50	<23.98	PASS
11AC40	5230	Ant1	10.41	0.39	10.80	<23.98	PASS
11AC40	5270	Ant1	10.63	0.41	11.04	<23.98	PASS
11AC40	5310	Ant1	11.31	0.45	11.76	<23.98	PASS
11AC40	5510	Ant1	11.49	0.4	11.89	<23.98	PASS
11AC40	5550	Ant1	11.96	0.39	12.35	<23.98	PASS
11AC40	5670	Ant1	11.84	0.44	12.28	<23.98	PASS
11AC40	5755	Ant1	13.02	0.44	13.46	<30.00	PASS
11AC40	5795	Ant1	12.97	0.41	13.38	<30.00	PASS



4. Maximum Power Spectral Density

Test Mode	Test Channel	Ant	Level [dBm/MHz]	10log(1/x) Factor [dB]	PSD [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	5180	Ant1	0.75	0.21	0.96	<11.00	PASS
11A	5220	Ant1	1.09	0.21	1.3	<11.00	PASS
11A	5240	Ant1	0.84	0.21	1.05	<11.00	PASS
11A	5260	Ant1	1.05	0.21	1.26	<11.00	PASS
11A	5300	Ant1	1.73	0.21	1.94	<11.00	PASS
11A	5320	Ant1	1.71	0.21	1.92	<11.00	PASS
11A	5500	Ant1	1.89	0.21	2.1	<11.00	PASS
11A	5580	Ant1	2.07	0.21	2.28	<11.00	PASS
11A	5700	Ant1	2.58	0.21	2.79	<11.00	PASS
11N20	5180	Ant1	1.66	0.25	1.91	<11.00	PASS
11N20	5220	Ant1	1.78	0.22	2	<11.00	PASS
11N20	5240	Ant1	2.04	0.22	2.26	<11.00	PASS
11N20	5260	Ant1	2.08	0.22	2.3	<11.00	PASS
11N20	5300	Ant1	2.6	0.22	2.82	<11.00	PASS
11N20	5320	Ant1	2.56	0.22	2.78	<11.00	PASS
11N20	5500	Ant1	3.08	0.22	3.3	<11.00	PASS
11N20	5580	Ant1	3.22	0.22	3.44	<11.00	PASS
11N20	5700	Ant1	3.55	0.21	3.76	<11.00	PASS
11N40	5190	Ant1	-3.04	0.46	-2.58	<11.00	PASS
11N40	5230	Ant1	-3.14	0.46	-2.68	<11.00	PASS
11N40	5270	Ant1	-2.85	0.43	-2.42	<11.00	PASS
11N40	5310	Ant1	-2.1	0.46	-1.64	<11.00	PASS
11N40	5510	Ant1	-1.91	0.46	-1.45	<11.00	PASS
11N40	5550	Ant1	-1.45	0.44	-1.01	<11.00	PASS
11N40	5670	Ant1	-1.71	0.4	-1.31	<11.00	PASS
11AC20	5180	Ant1	1.71	0.23	1.94	<11.00	PASS
11AC20	5220	Ant1	1.7	0.22	1.92	<11.00	PASS
11AC20	5240	Ant1	2.12	0.22	2.34	<11.00	PASS
11AC20	5260	Ant1	1.99	0.22	2.21	<11.00	PASS
11AC20	5300	Ant1	2.53	0.22	2.75	<11.00	PASS
11AC20	5320	Ant1	2.74	0.22	2.96	<11.00	PASS




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM181000924402


Page: 1387 of 1452


11AC20	5500	Ant1	2.85	0.22	3.07	<11.00	PASS
11AC20	5580	Ant1	3.12	0.22	3.34	<11.00	PASS
11AC20	5700	Ant1	3.52	0.22	3.74	<11.00	PASS
11AC80	5210	Ant1	-6.29	0.77	-5.52	<11.00	PASS
11AC80	5290	Ant1	-5.39	0.77	-4.62	<11.00	PASS
11AC80	5530	Ant1	-3.75	0.82	-2.93	<11.00	PASS
11AC80	5610	Ant1	-4.77	0.77	-4	<11.00	PASS
11AC40	5190	Ant1	-3.2	0.44	-2.76	<11.00	PASS
11AC40	5230	Ant1	-2.71	0.39	-2.32	<11.00	PASS
11AC40	5270	Ant1	-2.86	0.41	-2.45	<11.00	PASS
11AC40	5310	Ant1	-2.21	0.45	-1.76	<11.00	PASS
11AC40	5510	Ant1	-1.78	0.4	-1.38	<11.00	PASS
11AC40	5550	Ant1	-1.35	0.39	-0.96	<11.00	PASS
11AC40	5670	Ant1	-1.46	0.44	-1.02	<11.00	PASS


Test Mode	Test Channel	Ant	Level [dBm/500kHz]	10log(1/x) Factor [dB]	10log(500kHz/RBW) Factor [dB]	PSD [dBm/500kHz]	Limit [dBm/500kHz]	Verdict
11A	5745	Ant1	1.57	0.21	0	1.78	<17.00	PASS
11A	5785	Ant1	1.71	0.21	0	1.92	<17.00	PASS
11A	5825	Ant1	1.88	0.22	0	2.1	<17.00	PASS
11N20	5745	Ant1	2.2	0.22	0	2.42	<17.00	PASS
11N20	5785	Ant1	2.45	0.22	0	2.67	<17.00	PASS
11N20	5825	Ant1	2.7	0.25	0	2.95	<17.00	PASS
11N40	5755	Ant1	-1.72	0.44	0	-1.28	<17.00	PASS
11N40	5795	Ant1	-1.94	0.46	0	-1.48	<17.00	PASS
11AC20	5745	Ant1	2.23	0.23	0	2.46	<17.00	PASS
11AC20	5785	Ant1	2.46	0.22	0	2.68	<17.00	PASS
11AC20	5825	Ant1	2.66	0.22	0	2.88	<17.00	PASS
11AC80	5775	Ant1	-5.26	0.77	0	-4.49	<17.00	PASS
11AC40	5755	Ant1	-1.68	0.44	0	-1.24	<17.00	PASS
11AC40	5795	Ant1	-1.83	0.41	0	-1.42	<17.00	PASS


























Maximum Power Spectral Density_TNVN_11N20_5500_Ant1




Maximum Power Spectral Density_TNVN_11N20_5580_Ant1





Maximum Power Spectral Density_TNVN_11N20_5700_Ant1




Maximum Power Spectral Density_TNVN_11N20_5745_Ant1












Maximum Power Spectral Density_TNVN_11N40_5510_Ant1




Maximum Power Spectral Density_TNVN_11N40_5550_Ant1








Maximum Power Spectral Density_TNVN_11N40_5795_Ant1





Maximum Power Spectral Density_TNVN_11AC20_5180_Ant1








































5. Duty Cycle (x)

Test Mode	Test Channel	Ant	Duty Cycle[%]	10log(1/x) Factor[dB]
11A	5180	Ant1	95.31	0.21
11A	5220	Ant1	95.31	0.21
11A	5240	Ant1	95.31	0.21
11A	5260	Ant1	95.31	0.21
11A	5300	Ant1	95.32	0.21
11A	5320	Ant1	95.31	0.21
11A	5500	Ant1	95.31	0.21
11A	5580	Ant1	95.31	0.21
11A	5700	Ant1	95.31	0.21
11A	5745	Ant1	95.32	0.21
11A	5785	Ant1	95.31	0.21
11A	5825	Ant1	95.08	0.22
11N20	5180	Ant1	94.5	0.25
11N20	5220	Ant1	94.97	0.22
11N20	5240	Ant1	94.96	0.22
11N20	5260	Ant1	94.97	0.22
11N20	5300	Ant1	94.97	0.22
11N20	5320	Ant1	94.96	0.22
11N20	5500	Ant1	94.97	0.22
11N20	5580	Ant1	94.97	0.22
11N20	5700	Ant1	95.21	0.21
11N20	5745	Ant1	94.97	0.22
11N20	5785	Ant1	94.97	0.22
11N20	5825	Ant1	94.5	0.25
11N40	5190	Ant1	90.03	0.46
11N40	5230	Ant1	90.03	0.46
11N40	5270	Ant1	90.59	0.43
11N40	5310	Ant1	90.03	0.46
11N40	5510	Ant1	90.03	0.46
11N40	5550	Ant1	90.32	0.44
11N40	5670	Ant1	91.12	0.4





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM181000924402


Page: 1419 of 1452


11N40	5755	Ant1	90.32	0.44
11N40	5795	Ant1	90.03	0.46
11AC20	5180	Ant1	94.76	0.23
11AC20	5220	Ant1	95.01	0.22
11AC20	5240	Ant1	95	0.22
11AC20	5260	Ant1	95	0.22
11AC20	5300	Ant1	95.01	0.22
11AC20	5320	Ant1	95	0.22
11AC20	5500	Ant1	95	0.22
11AC20	5580	Ant1	95	0.22
11AC20	5700	Ant1	95.01	0.22
11AC20	5745	Ant1	94.78	0.23
11AC20	5785	Ant1	95	0.22
11AC20	5825	Ant1	95	0.22
11AC80	5210	Ant1	83.76	0.77
11AC80	5290	Ant1	83.76	0.77
11AC80	5530	Ant1	82.78	0.82
11AC80	5610	Ant1	83.7	0.77
11AC80	5775	Ant1	83.7	0.77
11AC40	5190	Ant1	90.38	0.44
11AC40	5230	Ant1	91.45	0.39
11AC40	5270	Ant1	90.94	0.41
11AC40	5310	Ant1	90.12	0.45
11AC40	5510	Ant1	91.18	0.4
11AC40	5550	Ant1	91.47	0.39
11AC40	5670	Ant1	90.41	0.44
11AC40	5755	Ant1	90.38	0.44
11AC40	5795	Ant1	90.91	0.41


































RBW 10 MHz

Marker 3 [T1]

10.45 dBm

3.190000 ms

Ref 20 dBm

*Att 20 dB

SWT 5 ms

1 RM

VIEW

20

10

0

-10

-20

-30

-40

-50

-60

-70

-80

1

3

Marker 1 [T1]

10.54 dBm

1.190000 ms

Delta 1 [T1]

-2.11 dB


1.890000 ms


A


3DB


Center 5.825 GHz


500 μ s/



















RBW 10 MHz

Marker 3 [T1]

8.98 dBm

*VBW 10 MHz

2.670000 ms


SWT 5 ms

Ref 20 dBm

*Att 20 dB

1 RM

VIEW



Marker 1 [T1]

8.99 dBm

665.000000 μ s


-1.45 dB


1.900000 ms


3DB


Center 5.3 GHz


500 μ s/



















RBW 10 MHz

Marker 3 [T1]

2.35 dBm

*VBW 10 MHz

1.674000 ms


Ref 20 dBm

*Att 20 dB

SWT 3 ms

1 RM

VIEW



Marker 1 [T1]

2.30 dBm

657.000000 us

Delta 1 [T1]

-0.18 dB


950.000000 us


A

3DB

Center 5.23 GHz

300 us/







RBW 10 MHz

Marker 3 [T1]

3.99 dBm

*VBW 10 MHz

1.716000 ms

SWT 3 ms

Ref 20 dBm

*Att 20 dB

1 RM

VIEW

20

10

0

-10

-20

-30

-40

-50

-60

-70

-80

1

3

Marker 1 [T1]

4.02 dBm

696.000000 us


Delta 1 [T1]


933.000000 us

3DB

Center 5.55 GHz

300 us/








6. (DFS: Non-occupancy period; DFS: Channel Move Time; DFS: Channel Closing Transmission Time)
Note: All antennas type have been tested and we found the antenna 2 has the worst result.
Only record the worst test result.

Test plots as follows:

Radar Waveform Calibration Result

Radar Type 0 (80MHz / 5290MHz)





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch



Report No.: SZEM181000924402
Page: 1451 of 1452



Test Data:

BW/Channel	Test Item	Test data	Limit	Results
80MHz 5290MHz	Non-occupancy period	Refer to test point	>30 min	pass
	Channel Move Time	0.41s	<10 s	Pass
	Channel Closing Transmission Time	0.0015ms	<60ms	Pass

Test plots as follows:

80MHz/5290MHz





- End of the Report -