Appendix-C Field Strength of Spurious Radiation-LTE

For LTE:

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.94	113.69	-93.48	20.21	-	-	Horizontal	NA
2	1967.15	42.27	-93.37	-51.10	-	-	Horizontal	NA
3	2998.00	40.66	-88.70	-48.04	-13.00	35.04	Horizontal	PASS
4	14678.00	37.19	-86.11	-48.92	-13.00	35.92	Horizontal	PASS
5	17351.50	35.60	-82.46	-46.86	-13.00	33.86	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.14	112.72	-93.48	19.24	-	-	Vertical	NA
2	1954.75	50.40	-93.41	-43.01	-	-	Vertical	NA
3	2807.09	41.37	-89.43	-48.06	-13.00	35.06	Vertical	PASS
4	15246.00	36.11	-86.01	-49.90	-13.00	36.90	Vertical	PASS
5	17360.50	36.08	-82.81	-46.73	-13.00	33.73	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.50	112.74	-94.04	18.70	-	-	Horizontal	NA
2	2131.60	41.17	-92.95	-51.78	-	-	Horizontal	NA
3	2974.60	40.75	-88.85	-48.10	-13.00	35.10	Horizontal	PASS
4	15247.00	34.00	-85.98	-51.98	-13.00	38.98	Horizontal	PASS
5	17348.00	33.88	-82.49	-48.61	-13.00	35.61	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.50	111.92	-94.04	17.88	-	-	Vertical	NA
2	2141.10	47.03	-92.97	-45.94	-	-	Vertical	NA
3	2964.70	40.70	-88.91	-48.21	-13.00	35.21	Vertical	PASS
4	15066.00	34.08	-86.32	-52.24	-13.00	39.24	Vertical	PASS
5	17353.00	33.25	-82.52	-49.27	-13.00	36.27	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4025.80	40.77	-106.15	-65.38	-13.00	52.38	Horizontal	PASS
2	6334.75	38.92	-99.04	-60.12	-13.00	47.12	Horizontal	PASS
3	9590.50	36.41	-91.80	-55.39	-13.00	42.39	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4302.10	39.36	-104.34	-64.98	-13.00	51.98	Vertical	PASS
2	7384.60	37.14	-96.59	-59.45	-13.00	46.45	Vertical	PASS
3	9487.45	36.97	-92.91	-55.94	-13.00	42.94	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	107.48	-90.88	16.60	-	-	Horizontal	NA
2	2993.50	40.93	-88.73	-47.80	-25.00	22.80	Horizontal	PASS
3	10104.00	39.24	-92.07	-52.83	-25.00	27.83	Horizontal	PASS
4	17346.00	33.16	-82.58	-49.42	-25.00	24.42	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	105.04	-90.88	14.16	-	-	Vertical	NA
2	2663.70	47.97	-90.09	-42.12	-	-	Vertical	NA
3	2986.40	40.86	-88.77	-47.91	-25.00	22.91	Vertical	PASS
4	10104.50	48.07	-92.07	-44.00	-25.00	19.00	Vertical	PASS
5	17369.00	33.90	-83.14	-49.24	-25.00	24.24	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4787.20	38.83	-102.96	-64.13	-13.00	51.13	Horizontal	PASS
2	7006.00	37.50	-97.24	-59.74	-13.00	46.74	Horizontal	PASS
3	8894.00	36.95	-93.13	-56.18	-13.00	43.18	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3604.00	40.47	-107.10	-66.63	-13.00	53.63	Vertical	PASS
2	6335.20	38.18	-99.05	-60.87	-13.00	47.87	Vertical	PASS
3	8907.20	36.81	-93.30	-56.49	-13.00	43.49	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3456.80	41.86	-107.43	-65.57	-13.00	52.57	Horizontal	PASS
2	5721.20	39.15	-100.23	-61.08	-13.00	48.08	Horizontal	PASS
3	8861.20	36.98	-92.95	-55.97	-13.00	42.97	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4222.40	39.41	-105.31	-65.90	-13.00	52.90	Vertical	PASS
2	5816.80	39.54	-100.08	-60.54	-13.00	47.54	Vertical	PASS
3	8854.40	37.10	-92.90	-55.80	-13.00	42.80	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3466.80	41.82	-107.42	-65.60	-13.00	52.60	Horizontal	PASS
2	6506.00	38.23	-98.86	-60.63	-13.00	47.63	Horizontal	PASS
3	8999.20	37.41	-93.48	-56.07	-13.00	43.07	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.40	40.87	-106.78	-65.91	-13.00	52.91	Vertical	PASS
2	6429.20	39.00	-99.25	-60.25	-13.00	47.25	Vertical	PASS
3	8918.80	37.11	-93.52	-56.41	-13.00	43.41	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4366.40	39.71	-104.30	-64.59	-13.00	51.59	Horizontal	PASS
2	6329.60	38.99	-99.01	-60.02	-13.00	47.02	Horizontal	PASS
3	8899.60	37.67	-93.17	-55.50	-13.00	42.50	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.20	45.93	-114.35	-68.42	-13.00	55.42	Vertical	PASS
2	5740.00	38.93	-100.24	-61.31	-13.00	48.31	Vertical	PASS
3	8869.20	36.70	-92.99	-56.29	-13.00	43.29	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.64	113.58	-93.47	20.11	-	-	Horizontal	NA
2	1969.35	43.53	-93.36	-49.83	-	-	Horizontal	NA
3	2995.30	40.95	-88.72	-47.77	-13.00	34.77	Horizontal	PASS
4	14670.00	36.71	-85.89	-49.18	-13.00	36.18	Horizontal	PASS
5	17352.00	35.83	-82.48	-46.65	-13.00	33.65	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.64	112.89	-93.47	19.42	-	-	Vertical	NA
2	1970.65	50.36	-93.35	-42.99	-	-	Vertical	NA
3	2992.60	40.96	-88.74	-47.78	-13.00	34.78	Vertical	PASS
4	14663.00	36.69	-85.70	-49.01	-13.00	36.01	Vertical	PASS
5	17358.50	35.62	-82.73	-47.11	-13.00	34.11	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 26(814-824)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4234.40	39.28	-105.22	-65.94	-13.00	52.94	Horizontal	PASS
2	6296.00	38.53	-98.89	-60.36	-13.00	47.36	Horizontal	PASS
3	8889.20	37.13	-93.10	-55.97	-13.00	42.97	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 26(814-824)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4308.00	39.15	-104.33	-65.18	-13.00	52.18	Vertical	PASS
2	6310.80	38.62	-98.91	-60.29	-13.00	47.29	Vertical	PASS
3	8882.00	36.95	-93.06	-56.11	-13.00	43.11	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 26(824-849)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4785.20	40.27	-102.97	-62.70	-13.00	49.70	Horizontal	PASS
2	7292.40	38.09	-96.04	-57.95	-13.00	44.95	Horizontal	PASS
3	8881.20	37.09	-93.07	-55.98	-13.00	42.98	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 26(824-849)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	4523.60	39.09	-104.41	-65.32	-13.00	52.32	Vertical	PASS
2	6328.40	38.84	-99.01	-60.17	-13.00	47.17	Vertical	PASS
3	8872.00	37.62	-93.01	-55.39	-13.00	42.39	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 30
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	107.93	-91.89	16.04	-	-	Horizontal	NA
2	2973.70	40.97	-88.85	-47.88	-40.00	7.88	Horizontal	PASS
3	15251.00	34.04	-85.93	-51.89	-40.00	11.89	Horizontal	PASS
4	17345.00	33.26	-82.62	-49.36	-40.00	9.36	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 30
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.70	111.21	-91.89	19.32	-	-	Vertical	NA
2	2358.00	46.98	-91.99	-45.01	-	-	Vertical	NA
3	4611.00	43.83	-103.83	-60.00	-40.00	20.00	Vertical	PASS
4	9222.50	44.75	-92.57	-47.82	-40.00	7.82	Vertical	PASS
5	17354.50	33.04	-82.58	-49.54	-40.00	9.54	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.20	107.76	-90.55	17.21	-	-	Horizontal	NA
2	2984.50	40.93	-88.79	-47.86	-25.00	22.86	Horizontal	PASS
3	14665.50	33.98	-85.77	-51.79	-25.00	26.79	Horizontal	PASS
4	17352.50	33.09	-82.50	-49.41	-25.00	24.41	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	103.74	-90.55	13.19	-	-	Vertical	NA
2	2995.10	40.95	-88.72	-47.77	-25.00	22.77	Vertical	PASS
3	10344.50	45.17	-91.52	-46.35	-25.00	21.35	Vertical	PASS
4	17344.50	33.78	-82.66	-48.88	-25.00	23.88	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	109.73	-90.57	19.16	-	-	Horizontal	NA
2	2997.00	40.99	-88.71	-47.72	-25.00	22.72	Horizontal	PASS
3	15079.50	34.42	-86.27	-51.85	-25.00	26.85	Horizontal	PASS
4	17363.50	33.97	-82.93	-48.96	-25.00	23.96	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	105.57	-90.57	15.00	-	-	Vertical	NA
2	2991.40	41.00	-88.74	-47.74	-25.00	22.74	Vertical	PASS
3	5168.00	42.73	-102.04	-59.31	-25.00	34.31	Vertical	PASS
4	10336.50	44.03	-91.51	-47.48	-25.00	22.48	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 42(3450-3550MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3491.23	116.77	-88.93	27.84	-	-	Horizontal	NA
2	6367.73	41.68	-80.07	-38.39	-13.00	25.39	Horizontal	PASS
3	6981.85	42.06	-97.15	-55.09	-13.00	42.09	Horizontal	PASS
4	17997.32	33.01	-81.51	-48.50	-13.00	35.50	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 42(3450-3550MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3491.23	112.21	-88.93	23.28	-	-	Vertical	NA
2	6351.50	40.72	-79.88	-39.16	-13.00	26.16	Vertical	PASS
3	6982.23	48.75	-97.14	-48.39	-13.00	35.39	Vertical	PASS
4	10473.63	39.09	-90.92	-51.83	-13.00	38.83	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 42(3550-3600MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3566.03	116.88	-88.83	28.05	-	-	Horizontal	NA
2	6116.65	41.46	-80.75	-39.29	-13.00	26.29	Horizontal	PASS
3	7132.50	46.02	-97.70	-51.68	-13.00	38.68	Horizontal	PASS
4	17344.50	33.97	-83.20	-49.23	-13.00	36.23	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 42(3550-3600MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3566.30	111.97	-88.82	23.15	-	-	Vertical	NA
2	6322.35	41.05	-80.22	-39.17	-13.00	26.17	Vertical	PASS
3	7132.12	52.79	-97.68	-44.89	-13.00	31.89	Vertical	PASS
4	10698.27	38.63	-91.69	-53.06	-13.00	40.06	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 43(3600-3700MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3641.10	112.82	-88.55	24.27	-	-	Horizontal	NA
2	6488.73	40.48	-79.83	-39.35	-13.00	26.35	Horizontal	PASS
3	7282.00	40.45	-96.25	-55.80	-13.00	42.80	Horizontal	PASS
4	17991.57	32.42	-81.59	-49.17	-13.00	36.17	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 43(3600-3700MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3641.10	111.63	-88.55	23.08	-	-	Vertical	NA
2	6346.83	40.82	-79.91	-39.09	-13.00	26.09	Vertical	PASS
3	7282.00	49.02	-96.25	-47.23	-13.00	34.23	Vertical	PASS
4	17872.73	32.64	-81.56	-48.92	-13.00	35.92	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	111.65	-88.64	23.01	-	-	Horizontal	NA
2	6362.50	31.80	-80.00	-48.20	-40.00	8.20	Horizontal	PASS
3	7232.17	39.79	-95.97	-56.18	-40.00	16.18	Horizontal	PASS
4	17883.47	32.63	-81.70	-49.07	-40.00	9.07	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	111.58	-88.64	22.94	-	-	Vertical	NA
2	6351.78	32.32	-79.89	-47.57	-40.00	7.57	Vertical	PASS
3	7231.78	46.77	-95.96	-49.19	-40.00	9.19	Vertical	PASS
4	17981.60	32.65	-81.73	-49.08	-40.00	9.08	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	112.08	-93.97	18.11	-	-	Horizontal	NA
2	2992.90	41.52	-88.73	-47.21	-13.00	34.21	Horizontal	PASS
3	14665.00	34.05	-85.75	-51.70	-13.00	38.70	Horizontal	PASS
4	17339.50	33.82	-82.88	-49.06	-13.00	36.06	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.10	110.46	-93.97	16.49	-	-	Vertical	NA
2	2148.00	48.11	-92.99	-44.88	-	-	Vertical	NA
3	2996.90	40.60	-88.71	-48.11	-13.00	35.11	Vertical	PASS
4	15248.50	34.33	-85.95	-51.62	-13.00	38.62	Vertical	PASS
5	17342.00	33.71	-82.77	-49.06	-13.00	36.06	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2014.80	46.44	-113.51	-67.07	-13.00	54.07	Horizontal	PASS
2	5481.60	39.75	-101.23	-61.48	-13.00	48.48	Horizontal	PASS
3	8901.60	37.29	-93.20	-55.91	-13.00	42.91	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.20	47.41	-114.21	-66.80	-13.00	53.80	Vertical	PASS
2	6350.00	39.00	-99.13	-60.13	-13.00	47.13	Vertical	PASS
3	8928.80	37.95	-93.70	-55.75	-13.00	42.75	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

For LTE CA:

Project Information			
Mode:	LTE	Band:	CA_2C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.00	108.41	-93.46	14.95	-	-	Horizontal	NA
2	1958.20	42.14	-93.40	-51.26	-	-	Horizontal	NA
3	2985.80	39.54	-88.78	-49.24	-13.00	36.24	Horizontal	PASS
4	14611.00	37.56	-86.26	-48.70	-13.00	35.70	Horizontal	PASS
5	17853.50	38.76	-82.50	-43.74	-13.00	30.74	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	CA_2C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.00	108.25	-93.46	14.79	-	-	Vertical	NA
2	1957.40	50.28	-93.40	-43.12	-	-	Vertical	NA
3	2989.00	39.49	-88.76	-49.27	-13.00	36.27	Vertical	PASS
4	15236.00	37.76	-86.24	-48.48	-13.00	35.48	Vertical	PASS
5	17352.50	38.59	-82.50	-43.91	-13.00	30.91	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	CA_5B
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1713.20	54.72	-114.14	-59.42	-13.00	46.42	Horizontal	PASS
2	2594.00	45.68	-110.63	-64.95	-13.00	51.95	Horizontal	PASS
3	8835.20	37.10	-93.13	-56.03	-13.00	43.03	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	CA_5B
Bandwidth:	10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	5480.80	40.09	-101.24	-61.15	-13.00	48.15	Vertical	PASS
2	7300.40	37.46	-95.89	-58.43	-13.00	45.43	Vertical	PASS
3	8868.40	36.81	-92.99	-56.18	-13.00	43.18	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	CA_7C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2533.90	104.03	-90.86	13.17	-	-	Horizontal	NA
2	2975.70	40.91	-88.84	-47.93	-25.00	22.93	Horizontal	PASS
3	14334.00	34.30	-86.30	-52.00	-25.00	27.00	Horizontal	PASS
4	17350.50	33.46	-82.42	-48.96	-25.00	23.96	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	CA_7C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2536.10	103.65	-90.86	12.79	-	-	Vertical	NA
2	2938.60	40.74	-89.05	-48.31	-25.00	23.31	Vertical	PASS
3	10140.00	48.77	-92.04	-43.27	-25.00	18.27	Vertical	PASS
4	17346.00	33.00	-82.58	-49.58	-25.00	24.58	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	CA_12B
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1745.85	68.62	-113.97	-45.35	-13.00	32.35	Horizontal	PASS
2	1764.05	67.00	-113.96	-46.96	-13.00	33.96	Horizontal	PASS
3	2439.20	47.30	-111.35	-64.05	-13.00	51.05	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	CA_12B
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2433.95	47.65	-111.47	-63.82	-13.00	50.82	Vertical	PASS
2	6304.60	38.57	-98.87	-60.30	-13.00	47.30	Vertical	PASS
3	7918.10	37.47	-95.60	-58.13	-13.00	45.13	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	CA_41C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2594.00	106.74	-90.50	16.24	-	-	Horizontal	NA
2	2998.10	40.62	-88.70	-48.08	-25.00	23.08	Horizontal	PASS
3	5283.50	41.11	-101.69	-60.58	-25.00	35.58	Horizontal	PASS
4	17348.50	32.87	-82.47	-49.60	-25.00	24.60	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	CA_41C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2594.00	104.77	-90.50	14.27	-	-	Vertical	NA
2	2985.70	40.67	-88.78	-48.11	-25.00	23.11	Vertical	PASS
3	10372.00	42.63	-91.64	-49.01	-25.00	24.01	Vertical	PASS
4	17351.00	33.38	-82.44	-49.06	-25.00	24.06	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3623.78	102.17	-87.04	15.13	-	-	Horizontal	NA
2	6308.05	31.36	-78.59	-47.23	-40.00	7.23	Horizontal	PASS
3	14082.72	35.56	-87.10	-51.54	-40.00	11.54	Horizontal	PASS
4	17988.50	32.59	-81.64	-49.05	-40.00	9.05	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3624.05	103.20	-87.04	16.16	-	-	Vertical	NA
2	6285.50	31.67	-78.73	-47.06	-40.00	7.06	Vertical	PASS
3	15232.33	34.01	-85.90	-51.89	-40.00	11.89	Vertical	PASS
4	17860.47	32.86	-81.41	-48.55	-40.00	8.55	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	CA_66C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1756.00	106.84	-93.94	12.90	-	-	Horizontal	NA
2	2825.80	41.05	-89.33	-48.28	-13.00	35.28	Horizontal	PASS
3	15110.00	34.54	-86.34	-51.80	-13.00	38.80	Horizontal	PASS
4	17357.00	33.27	-82.67	-49.40	-13.00	36.40	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	CA_66C
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1756.00	102.67	-93.94	8.73	-	-	Vertical	NA
2	2150.90	47.56	-92.99	-45.43	-	-	Vertical	NA
3	2990.50	40.71	-88.75	-48.04	-13.00	35.04	Vertical	PASS
4	13822.00	34.85	-86.98	-52.13	-13.00	39.13	Vertical	PASS
5	17345.00	33.18	-82.62	-49.44	-13.00	36.44	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	CA_66B
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1754.50	106.41	-93.94	12.47	-	-	Horizontal	NA
2	2999.70	40.57	-88.69	-48.12	-13.00	35.12	Horizontal	PASS
3	15072.00	34.15	-86.30	-52.15	-13.00	39.15	Horizontal	PASS
4	17334.00	33.73	-83.14	-49.41	-13.00	36.41	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	CA_66B
Bandwidth:	20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1754.50	102.21	-93.94	8.27	-	-	Vertical	NA
2	2150.90	46.87	-92.99	-46.12	-	-	Vertical	NA
3	2997.40	40.68	-88.71	-48.03	-13.00	35.03	Vertical	PASS
4	14665.50	33.70	-85.77	-52.07	-13.00	39.07	Vertical	PASS
5	17369.50	33.62	-83.16	-49.54	-13.00	36.54	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE CA	Band:	CA_2A-12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.90	110.07	-93.43	16.64	-	-	Horizontal	NA
2	1967.90	43.15	-93.36	-50.21	-	-	Horizontal	NA
3	2998.40	40.87	-88.70	-47.83	-13.00	34.83	Horizontal	PASS
4	14659.00	34.47	-85.59	-51.12	-13.00	38.12	Horizontal	PASS
5	17352.00	33.29	-82.48	-49.19	-13.00	36.19	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE CA	Band:	CA_2A-12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	109.59	-93.43	16.16	-	-	Vertical	NA
2	1954.80	49.46	-93.41	-43.95	-	-	Vertical	NA
3	2992.80	41.05	-88.73	-47.68	-13.00	34.68	Vertical	PASS
4	14602.50	34.45	-86.46	-52.01	-13.00	39.01	Vertical	PASS
5	17347.00	33.02	-82.53	-49.51	-13.00	36.51	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE CA	Band:	CA_2A-13A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.80	111.45	-93.43	18.02	-	-	Horizontal	NA
2	1968.10	43.26	-93.36	-50.10	-	-	Horizontal	NA
3	2964.20	40.82	-88.91	-48.09	-13.00	35.09	Horizontal	PASS
4	14362.50	34.22	-86.17	-51.95	-13.00	38.95	Horizontal	PASS
5	17345.50	33.21	-82.60	-49.39	-13.00	36.39	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE CA	Band:	CA_2A-13A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.90	111.26	-93.43	17.83	-	-	Vertical	NA
2	1956.60	49.19	-93.41	-44.22	-	-	Vertical	NA
3	2986.00	40.87	-88.78	-47.91	-13.00	34.91	Vertical	PASS
4	15073.00	34.54	-86.29	-51.75	-13.00	38.75	Vertical	PASS
5	17983.00	33.52	-82.66	-49.14	-13.00	36.14	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE CA	Band:	CA_2A-14A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.90	111.15	-93.43	17.72	-	-	Horizontal	NA
2	1967.30	43.78	-93.37	-49.59	-	-	Horizontal	NA
3	2994.70	40.93	-88.72	-47.79	-13.00	34.79	Horizontal	PASS
4	15079.00	35.08	-86.27	-51.19	-13.00	38.19	Horizontal	PASS
5	17353.00	33.32	-82.52	-49.20	-13.00	36.20	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE CA	Band:	CA_2A-14A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.80	110.67	-93.43	17.24	-	-	Vertical	NA
2	1953.60	49.64	-93.41	-43.77	-	-	Vertical	NA
3	2998.10	41.02	-88.70	-47.68	-13.00	34.68	Vertical	PASS
4	14351.50	34.19	-85.94	-51.75	-13.00	38.75	Vertical	PASS
5	17357.00	33.02	-82.67	-49.65	-13.00	36.65	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE CA	Band:	CA_2A-66A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	87.16	-73.97	13.19	-	-	Horizontal	NA
2	1888.80	88.73	-73.43	15.30	-	-	Horizontal	NA
3	2979.80	31.33	-68.82	-37.49	-13.00	24.49	Horizontal	PASS
4	15252.00	25.80	-65.94	-40.14	-13.00	27.14	Horizontal	PASS
5	17818.00	28.49	-62.92	-34.43	-13.00	21.43	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE CA	Band:	CA_2A-66A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	87.73	-73.97	13.76	-	-	Vertical	NA
2	1888.80	88.38	-73.43	14.95	-	-	Vertical	NA
3	2999.60	30.95	-68.69	-37.74	-13.00	24.74	Vertical	PASS
4	15229.00	26.72	-66.41	-39.69	-13.00	26.69	Vertical	PASS
5	17882.50	28.44	-62.84	-34.40	-13.00	21.40	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE CA	Band:	CA_2A-4A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	86.96	-74.04	12.92	-	-	Horizontal	NA
2	1888.80	87.14	-73.43	13.71	-	-	Horizontal	NA
3	2998.00	31.22	-68.70	-37.48	-13.00	24.48	Horizontal	PASS
4	15113.50	26.51	-66.39	-39.88	-13.00	26.88	Horizontal	PASS
5	17835.00	28.21	-62.68	-34.47	-13.00	21.47	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE CA	Band:	CA_2A-4A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	90.37	-74.04	16.33	-	-	Vertical	NA
2	1889.00	86.14	-73.43	12.71	-	-	Vertical	NA
3	2997.40	30.92	-68.71	-37.79	-13.00	24.79	Vertical	PASS
4	3645.50	23.54	-86.93	-63.39	-13.00	50.39	Vertical	PASS
5	17869.50	28.09	-62.69	-34.60	-13.00	21.60	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.