


Project Information

Mode:	LTE CA	Band:	CA_2A-5A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.80	87.55	-73.43	14.12	-	-	Horizontal	NA
2	2970.00	30.96	-68.88	-37.92	-13.00	24.92	Horizontal	PASS
3	15053.50	26.48	-66.36	-39.88	-13.00	26.88	Horizontal	PASS
4	17854.00	27.98	-62.51	-34.53	-13.00	21.53	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-5A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	85.96	-73.43	12.53	-	-	Vertical	NA
2	2985.40	31.01	-68.78	-37.77	-13.00	24.77	Vertical	PASS
3	15129.50	26.49	-66.61	-40.12	-13.00	27.12	Vertical	PASS
4	17963.50	28.40	-62.92	-34.52	-13.00	21.52	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.80	88.06	-73.43	14.63	-	-	Horizontal	NA
2	2999.40	31.21	-68.69	-37.48	-13.00	24.48	Horizontal	PASS
3	14368.00	25.95	-66.29	-40.34	-13.00	27.34	Horizontal	PASS
4	17984.50	28.17	-62.64	-34.47	-13.00	21.47	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	86.01	-73.43	12.58	-	-	Vertical	NA
2	2998.60	30.67	-68.70	-38.03	-13.00	25.03	Vertical	PASS
3	15046.50	26.33	-66.53	-40.20	-13.00	27.20	Vertical	PASS
4	17883.50	28.26	-62.85	-34.59	-13.00	21.59	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-7A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	86.91	-73.43	13.48	-	-	Horizontal	NA
2	2526.00	85.94	-70.88	15.06	-	-	Horizontal	NA
3	2877.20	28.12	-69.23	-41.11	-25.00	16.11	Horizontal	PASS
4	15254.50	25.60	-65.98	-40.38	-25.00	15.38	Horizontal	PASS
5	17841.50	28.19	-62.59	-34.40	-25.00	9.40	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-7A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	87.94	-73.43	14.51	-	-	Vertical	NA
2	2526.00	83.27	-70.88	12.39	-	-	Vertical	NA
3	2999.10	27.40	-68.70	-41.30	-25.00	16.30	Vertical	PASS
4	10104.00	27.56	-72.07	-44.51	-25.00	19.51	Vertical	PASS
5	17876.00	28.35	-62.77	-34.42	-25.00	9.42	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-17A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1884.40	99.43	-74.99	24.44	-	-	Horizontal	NA
2	3295.50	46.16	-87.89	-41.73	-13.00	28.73	Horizontal	PASS
3	3527.50	29.85	-87.31	-57.46	-13.00	44.46	Horizontal	PASS
4	3760.50	27.57	-87.24	-59.67	-13.00	46.67	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-17A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1884.40	99.29	-74.99	24.30	-	-	Vertical	NA
2	2116.80	38.13	-74.72	-36.59	-	-	Vertical	NA
3	3295.50	47.24	-87.89	-40.65	-13.00	27.65	Vertical	PASS
4	3528.00	35.97	-87.32	-51.35	-13.00	38.35	Vertical	PASS
5	17975.50	28.61	-62.76	-34.15	-13.00	21.15	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-30A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.80	116.64	-94.97	21.67	-	-	Horizontal	NA
2	1927.80	35.29	-94.69	-59.40	-40.00	19.40	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-30A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	110.68	-94.19	16.49	-	-	Horizontal	NA
2	2357.30	44.44	-93.82	-49.38	-	-	Horizontal	NA
3	2966.10	35.82	-90.60	-54.78	-40.00	14.78	Horizontal	PASS
4	14338.00	34.92	-86.21	-51.29	-40.00	11.29	Horizontal	PASS
5	17348.50	33.18	-82.47	-49.29	-40.00	9.29	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_2A-30A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.90	113.93	-94.97	18.96	-	-	Vertical	NA
2	1964.50	35.70	-94.66	-58.96	-40.00	18.96	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-30A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	113.04	-94.19	18.85	-	-	Vertical	NA
2	2352.10	49.71	-93.82	-44.11	-	-	Vertical	NA
3	2886.40	36.31	-90.60	-54.29	-40.00	14.29	Vertical	PASS
4	4611.00	43.51	-103.83	-60.32	-40.00	20.32	Vertical	PASS
5	9222.50	40.07	-92.57	-52.50	-40.00	12.50	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-26A (814-824)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	94.93	-74.97	19.96	-	-	Horizontal	NA
2	2978.80	32.16	-70.73	-38.57	-13.00	25.57	Horizontal	PASS
3	15289.00	26.72	-66.56	-39.84	-13.00	26.84	Horizontal	PASS
4	17846.50	27.81	-62.51	-34.70	-13.00	21.70	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-26A (814-824)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	96.91	-74.97	21.94	-	-	Vertical	NA
2	1962.40	36.21	-74.64	-38.43	-	-	Vertical	NA
3	2867.60	32.56	-70.71	-38.15	-13.00	25.15	Vertical	PASS
4	15142.50	27.02	-66.80	-39.78	-13.00	26.78	Vertical	PASS
5	17836.50	28.42	-62.66	-34.24	-13.00	21.24	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-26A (824-849)
Bandwidth:	20MHz+15MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1888.80	94.93	-74.97	19.96	-	-	Horizontal	NA
2	2903.60	31.84	-70.50	-38.66	-13.00	25.66	Horizontal	PASS
3	15095.50	25.74	-66.22	-40.48	-13.00	27.48	Horizontal	PASS
4	17826.00	28.45	-62.81	-34.36	-13.00	21.36	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_2A-26A (824-849)
Bandwidth:	20MHz+15MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1889.00	96.85	-74.97	21.88	-	-	Vertical	NA
2	1968.20	35.81	-74.70	-38.89	-	-	Vertical	NA
3	2954.00	32.16	-70.48	-38.32	-13.00	25.32	Vertical	PASS
4	15240.50	25.94	-66.13	-40.19	-13.00	27.19	Vertical	PASS
5	17844.50	28.01	-62.54	-34.53	-13.00	21.53	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.30	88.59	-73.98	14.61	-	-	Horizontal	NA
2	2998.70	40.73	-68.70	-27.97	-13.00	14.97	Horizontal	PASS
3	15296.50	26.70	-66.69	-39.99	-13.00	26.99	Horizontal	PASS
4	17875.00	28.12	-62.76	-34.64	-13.00	21.64	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.50	85.75	-73.98	11.77	-	-	Vertical	NA
2	2974.80	40.67	-68.85	-28.18	-13.00	15.18	Vertical	PASS
3	10032.50	22.44	-71.58	-49.14	-13.00	36.14	Vertical	PASS
4	17348.00	27.80	-62.49	-34.69	-13.00	21.69	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-5A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.40	88.91	-73.98	14.93	-	-	Horizontal	NA
2	2964.90	40.95	-68.91	-27.96	-13.00	14.96	Horizontal	PASS
3	15226.50	26.16	-66.47	-40.31	-13.00	27.31	Horizontal	PASS
4	17351.00	27.57	-62.44	-34.87	-13.00	21.87	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.50	86.41	-73.98	12.43	-	-	Vertical	NA
2	2755.40	41.30	-69.58	-28.28	-13.00	15.28	Vertical	PASS
3	15054.00	25.86	-66.36	-40.50	-13.00	27.50	Vertical	PASS
4	17803.50	29.11	-63.14	-34.03	-13.00	21.03	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.30	88.28	-73.98	14.30	-	-	Horizontal	NA
2	2993.40	40.93	-68.73	-27.80	-13.00	14.80	Horizontal	PASS
3	15077.00	25.97	-66.28	-40.31	-13.00	27.31	Horizontal	PASS
4	17893.50	28.44	-62.97	-34.53	-13.00	21.53	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_4A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.30	85.91	-73.98	11.93	-	-	Vertical	NA
2	2975.00	40.55	-68.85	-28.30	-13.00	15.30	Vertical	PASS
3	15263.00	25.82	-66.12	-40.30	-13.00	27.30	Vertical	PASS
4	17839.00	28.36	-62.62	-34.26	-13.00	21.26	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-7A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.30	108.63	-84.87	23.76	-	-	Horizontal	NA
2	2526.00	100.88	-83.37	17.51	-	-	Horizontal	NA
3	2959.40	37.53	-80.53	-43.00	-25.00	18.00	Horizontal	PASS
4	15245.50	28.83	-76.02	-47.19	-25.00	22.19	Horizontal	PASS
5	17838.50	29.03	-72.62	-43.59	-25.00	18.59	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-7A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1741.40	104.64	-84.87	19.77	-	-	Vertical	NA
2	2526.10	99.15	-83.37	15.78	-	-	Vertical	NA
3	2957.00	37.44	-80.51	-43.07	-25.00	18.07	Vertical	PASS
4	4844.00	36.85	-93.36	-56.51	-25.00	31.51	Vertical	PASS
5	10104.50	36.20	-82.07	-45.87	-25.00	20.87	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-17A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1737.00	96.48	-74.91	21.57	-	-	Horizontal	NA
2	2116.90	36.00	-74.72	-38.72	-	-	Horizontal	NA
3	3148.00	34.71	-87.99	-53.28	-13.00	40.28	Horizontal	PASS
4	3528.00	31.85	-87.32	-55.47	-13.00	42.47	Horizontal	PASS
5	17865.50	28.34	-62.64	-34.30	-13.00	21.30	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-17A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.80	95.28	-74.91	20.37	-	-	Vertical	NA
2	2117.00	39.49	-74.72	-35.23	-	-	Vertical	NA
3	3148.00	41.70	-87.99	-46.29	-13.00	33.29	Vertical	PASS
4	3528.00	32.46	-87.32	-54.86	-13.00	41.86	Vertical	PASS
5	17876.00	28.71	-62.77	-34.06	-13.00	21.06	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_4A-30A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1689.50	51.08	-95.22	-44.14	-	-	Horizontal	NA
2	1741.50	114.64	-94.87	19.77	-	-	Horizontal	NA
3	1972.50	35.78	-94.74	-58.96	-40.00	18.96	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-30A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2125.50	41.06	-94.70	-53.64	-	-	Horizontal	NA
2	2305.60	110.62	-94.19	16.43	-	-	Horizontal	NA
3	2352.20	44.54	-93.82	-49.28	-	-	Horizontal	NA
4	2927.40	36.08	-90.48	-54.40	-40.00	14.40	Horizontal	PASS
5	4611.00	41.33	-103.83	-62.50	-40.00	22.50	Horizontal	PASS
6	17346.50	33.31	-82.56	-49.25	-40.00	9.25	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-30A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1689.40	52.92	-95.22	-42.30	-	-	Vertical	NA
2	1741.40	114.33	-94.87	19.46	-	-	Vertical	NA
3	1987.20	35.65	-94.90	-59.25	-40.00	19.25	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_4A-30A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2127.50	50.96	-94.70	-43.74	-	-	Vertical	NA
2	2305.70	112.17	-94.19	17.98	-	-	Vertical	NA
3	2351.90	49.53	-93.81	-44.28	-	-	Vertical	NA
4	2951.80	35.63	-90.46	-54.83	-40.00	14.83	Vertical	PASS
5	5224.50	43.71	-102.17	-58.46	-40.00	18.46	Vertical	PASS
6	9222.50	40.11	-92.57	-52.46	-40.00	12.46	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_5A-25A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.70	87.28	-73.47	13.81	-	-	Horizontal	NA
2	2972.00	29.41	-68.86	-39.45	-13.00	26.45	Horizontal	PASS
3	15108.00	26.38	-66.31	-39.93	-13.00	26.93	Horizontal	PASS
4	17895.00	28.54	-62.99	-34.45	-13.00	21.45	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_5A-25A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.50	86.90	-73.47	13.43	-	-	Vertical	NA
2	2975.60	29.52	-68.84	-39.32	-13.00	26.32	Vertical	PASS
3	15243.50	25.92	-66.06	-40.14	-13.00	27.14	Vertical	PASS
4	17840.00	28.23	-62.61	-34.38	-13.00	21.38	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_5A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	88.25	-73.97	14.28	-	-	Horizontal	NA
2	2858.60	41.00	-69.20	-28.20	-13.00	15.20	Horizontal	PASS
3	8838.00	22.30	-72.68	-50.38	-13.00	37.38	Horizontal	PASS
4	17830.50	28.46	-62.75	-34.29	-13.00	21.29	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_5A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	86.70	-73.97	12.73	-	-	Vertical	NA
2	2971.20	40.63	-68.87	-28.24	-13.00	15.24	Vertical	PASS
3	8858.50	20.93	-72.71	-51.78	-13.00	38.78	Vertical	PASS
4	17867.50	28.35	-62.66	-34.31	-13.00	21.31	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_5A-7A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.00	84.78	-70.88	13.90	-	-	Horizontal	NA
2	2947.10	29.60	-69.02	-39.42	-25.00	14.42	Horizontal	PASS
3	15080.50	26.63	-66.27	-39.64	-25.00	14.64	Horizontal	PASS
4	17866.00	28.46	-62.65	-34.19	-25.00	9.19	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_5A-7A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.20	82.71	-70.88	11.83	-	-	Vertical	NA
2	2994.80	29.16	-68.72	-39.56	-25.00	14.56	Vertical	PASS
3	10104.00	27.48	-72.07	-44.59	-25.00	19.59	Vertical	PASS
4	17996.50	28.09	-62.47	-34.38	-25.00	9.38	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_5A-30A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.40	110.87	-94.19	16.68	-	-	Horizontal	NA
2	2354.60	43.81	-93.81	-50.00	-	-	Horizontal	NA
3	2986.20	37.00	-90.80	-53.80	-40.00	13.80	Horizontal	PASS
4	6962.00	40.02	-97.66	-57.64	-40.00	17.64	Horizontal	PASS
5	17348.50	32.87	-82.47	-49.60	-40.00	9.60	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_5A-30A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	112.42	-94.19	18.23	-	-	Vertical	NA
2	2352.00	50.97	-93.82	-42.85	-	-	Vertical	NA
3	4611.00	43.63	-103.83	-60.20	-40.00	20.20	Vertical	PASS
4	9222.00	39.96	-92.57	-52.61	-40.00	12.61	Vertical	PASS
5	17364.00	33.64	-82.95	-49.31	-40.00	9.31	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.80	85.66	-70.83	14.83	-	-	Horizontal	NA
2	2841.00	29.74	-69.24	-39.50	-25.00	14.50	Horizontal	PASS
3	15263.50	25.88	-66.13	-40.25	-25.00	15.25	Horizontal	PASS
4	17851.50	28.13	-62.48	-34.35	-25.00	9.35	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.90	82.79	-70.83	11.96	-	-	Vertical	NA
2	2882.40	29.46	-69.23	-39.77	-25.00	14.77	Vertical	PASS
3	10175.50	26.99	-71.87	-44.88	-25.00	19.88	Vertical	PASS
4	17849.50	27.68	-62.47	-34.79	-25.00	9.79	Vertical	PASS

Project Information			
Mode:	LTE CA	Band:	CA_7A-26A (814-824)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.90	87.33	-70.83	16.50	-	-	Horizontal	NA
2	2987.20	29.47	-68.77	-39.30	-25.00	14.30	Horizontal	PASS
3	15246.00	25.45	-66.01	-40.56	-25.00	15.56	Horizontal	PASS
4	17868.50	28.16	-62.68	-34.52	-25.00	9.52	Horizontal	PASS

Project Information			
Mode:	LTE CA	Band:	CA_7A-26A (814-824)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.80	85.27	-70.83	14.44	-	-	Vertical	NA
2	10175.50	29.51	-71.87	-42.36	-25.00	17.36	Vertical	PASS
3	13416.00	24.99	-68.21	-43.22	-25.00	18.22	Vertical	PASS
4	17849.00	27.87	-62.47	-34.60	-25.00	9.60	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-26A (824-849)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.80	87.62	-70.83	16.79	-	-	Horizontal	NA
2	2972.40	29.47	-68.86	-39.39	-25.00	14.39	Horizontal	PASS
3	12405.00	24.19	-69.63	-45.44	-25.00	20.44	Horizontal	PASS
4	17841.50	27.93	-62.59	-34.66	-25.00	9.66	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-26A (824-849)
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.90	85.07	-70.83	14.24	-	-	Vertical	NA
2	2982.20	29.76	-68.80	-39.04	-25.00	14.04	Vertical	PASS
3	10175.50	29.27	-71.87	-42.60	-25.00	17.60	Vertical	PASS
4	17858.00	28.22	-62.55	-34.33	-25.00	9.33	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-66A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.10	86.54	-73.97	12.57	-	-	Horizontal	NA
2	2543.90	85.94	-70.83	15.11	-	-	Horizontal	NA
3	2988.00	29.39	-68.76	-39.37	-25.00	14.37	Horizontal	PASS
4	15250.50	25.69	-65.92	-40.23	-25.00	15.23	Horizontal	PASS
5	17826.00	28.30	-62.81	-34.51	-25.00	9.51	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-66A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	90.06	-73.97	16.09	-	-	Vertical	NA
2	2544.00	83.41	-70.83	12.58	-	-	Vertical	NA
3	2923.40	29.92	-69.13	-39.21	-25.00	14.21	Vertical	PASS
4	10175.50	28.51	-71.87	-43.36	-25.00	18.36	Vertical	PASS
5	17935.00	28.23	-63.09	-34.86	-25.00	9.86	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.90	85.85	-70.83	15.02	-	-	Horizontal	NA
2	2948.90	29.92	-69.00	-39.08	-25.00	14.08	Horizontal	PASS
3	15096.50	25.80	-66.21	-40.41	-25.00	15.41	Horizontal	PASS
4	17884.00	27.99	-62.86	-34.87	-25.00	9.87	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2543.90	82.75	-70.83	11.92	-	-	Vertical	NA
2	2984.70	29.10	-68.78	-39.68	-25.00	14.68	Vertical	PASS
3	10175.50	27.27	-71.87	-44.60	-25.00	19.60	Vertical	PASS
4	17855.50	27.97	-62.53	-34.56	-25.00	9.56	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-25A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.70	87.18	-73.47	13.71	-	-	Horizontal	NA
2	2543.80	86.84	-70.83	16.01	-	-	Horizontal	NA
3	2969.50	29.35	-68.88	-39.53	-25.00	14.53	Horizontal	PASS
4	15128.00	26.64	-66.59	-39.95	-25.00	14.95	Horizontal	PASS
5	17978.00	28.09	-62.73	-34.64	-25.00	9.64	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-25A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.70	88.03	-73.47	14.56	-	-	Vertical	NA
2	2543.90	84.12	-70.83	13.29	-	-	Vertical	NA
3	2862.30	29.79	-69.21	-39.42	-25.00	14.42	Vertical	PASS
4	10175.50	27.33	-71.87	-44.54	-25.00	19.54	Vertical	PASS
5	17855.50	28.56	-62.53	-33.97	-25.00	8.97	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-13A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.00	112.71	-93.46	19.25	-	-	Horizontal	NA
2	2658.80	42.87	-92.38	-49.51	-25.00	24.51	Horizontal	PASS
3	2926.90	37.49	-90.48	-52.99	-25.00	27.99	Horizontal	PASS
4	10176.00	38.58	-91.86	-53.28	-25.00	28.28	Horizontal	PASS
5	17352.50	33.21	-82.50	-49.29	-25.00	24.29	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_7A-13A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.00	110.29	-93.46	16.83	-	-	Vertical	NA
2	2658.50	49.69	-92.39	-42.70	-25.00	17.70	Vertical	PASS
3	2982.20	38.43	-90.76	-52.33	-25.00	27.33	Vertical	PASS
4	10175.50	46.82	-91.87	-45.05	-25.00	20.05	Vertical	PASS
5	12719.50	38.32	-89.71	-51.39	-25.00	26.39	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_12A-25A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.70	107.69	-93.47	14.22	-	-	Horizontal	NA
2	1968.60	42.58	-93.35	-50.77	-	-	Horizontal	NA
3	2999.60	40.67	-88.69	-48.02	-13.00	35.02	Horizontal	PASS
4	15076.00	35.03	-86.28	-51.25	-13.00	38.25	Horizontal	PASS
5	17351.50	33.31	-82.46	-49.15	-13.00	36.15	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_12A-25A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.70	109.23	-93.47	15.76	-	-	Vertical	NA
2	1966.10	48.14	-93.36	-45.22	-	-	Vertical	NA
3	2970.50	40.91	-88.87	-47.96	-13.00	34.96	Vertical	PASS
4	15071.00	34.30	-86.30	-52.00	-13.00	39.00	Vertical	PASS
5	17361.00	34.00	-82.83	-48.83	-13.00	35.83	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_12A-30A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1766.20	45.43	-93.93	-48.50	-40.00	8.50	Horizontal	PASS
2	2305.60	107.46	-91.89	15.57	-	-	Horizontal	NA
3	2999.50	40.74	-88.69	-47.95	-40.00	7.95	Horizontal	PASS
4	17347.00	33.35	-82.53	-49.18	-40.00	9.18	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_12A-30A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1780.60	40.54	-93.91	-53.37	-40.00	13.37	Vertical	PASS
2	2305.60	106.42	-91.89	14.53	-	-	Vertical	NA
3	2992.10	40.75	-88.74	-47.99	-40.00	7.99	Vertical	PASS
4	9222.00	42.63	-92.57	-49.94	-40.00	9.94	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_12A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	109.18	-93.97	15.21	-	-	Horizontal	NA
2	2995.70	40.93	-88.72	-47.79	-13.00	34.79	Horizontal	PASS
3	5287.50	41.30	-101.63	-60.33	-13.00	47.33	Horizontal	PASS
4	17350.00	33.23	-82.40	-49.17	-13.00	36.17	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_12A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.10	107.40	-93.97	13.43	-	-	Vertical	NA
2	2157.70	46.39	-92.98	-46.59	-	-	Vertical	NA
3	2996.50	40.94	-88.71	-47.77	-13.00	34.77	Vertical	PASS
4	12807.00	37.72	-89.34	-51.62	-13.00	38.62	Vertical	PASS
5	17351.50	33.54	-82.46	-48.92	-13.00	35.92	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_13A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	109.15	-93.97	15.18	-	-	Horizontal	NA
2	2982.40	40.94	-88.80	-47.86	-13.00	34.86	Horizontal	PASS
3	13847.00	34.96	-86.58	-51.62	-13.00	38.62	Horizontal	PASS
4	17351.00	33.25	-82.44	-49.19	-13.00	36.19	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_13A-66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.10	107.13	-93.97	13.16	-	-	Vertical	NA
2	2148.10	46.36	-92.99	-46.63	-	-	Vertical	NA
3	2990.10	41.26	-88.75	-47.49	-13.00	34.49	Vertical	PASS
4	14645.00	34.26	-85.46	-51.20	-13.00	38.20	Vertical	PASS
5	17358.00	33.47	-82.71	-49.24	-13.00	36.24	Vertical	PASS

Project Information

Mode:	LTE CA	Band:	CA_14A-30A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	106.90	-91.89	15.01	-	-	Horizontal	NA
2	2989.30	41.05	-88.76	-47.71	-40.00	7.71	Horizontal	PASS
3	15078.50	34.78	-86.27	-51.49	-40.00	11.49	Horizontal	PASS
4	17346.00	33.10	-82.58	-49.48	-40.00	9.48	Horizontal	PASS

Project Information

Mode:	LTE CA	Band:	CA_14A-30A
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	106.47	-91.89	14.58	-	-	Vertical	NA
2	2991.90	41.06	-88.74	-47.68	-40.00	7.68	Vertical	PASS
3	9222.50	41.11	-92.57	-51.46	-40.00	11.46	Vertical	PASS
4	17360.00	33.91	-82.79	-48.88	-40.00	8.88	Vertical	PASS