


Project Information

Mode:	NR CA	Band:	CA_n25A_n48A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3606.03	110.33	-88.67	21.66	-	-	Horizontal	NA
2	5469.08	35.29	-82.32	-47.03	-40.00	7.03	Horizontal	PASS
3	7211.85	42.33	-95.98	-53.65	-40.00	13.65	Horizontal	PASS
4	17993.10	32.58	-81.57	-48.99	-40.00	8.99	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n48A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.10	116.23	-95.09	21.14	-	-	Vertical	NA
2	2901.70	37.54	-90.51	-52.97	-40.00	12.97	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n25A_n48A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3606.03	105.52	-88.67	16.85	-	-	Vertical	NA
2	6358.08	32.25	-79.96	-47.71	-40.00	7.71	Vertical	PASS
3	7212.23	49.15	-95.98	-46.83	-40.00	6.83	Vertical	PASS
4	17871.58	32.76	-81.55	-48.79	-40.00	8.79	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n41A(2496-2690MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.10	96.79	-75.09	21.70	-	-	Horizontal	NA
2	2544.10	91.91	-73.46	18.45	-	-	Horizontal	NA
3	2950.00	33.38	-70.44	-37.06	-25.00	12.06	Horizontal	PASS
4	15096.50	26.16	-66.21	-40.05	-25.00	15.05	Horizontal	PASS
5	17854.00	27.80	-62.51	-34.71	-25.00	9.71	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n41A(2496-2690MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.10	97.15	-75.09	22.06	-	-	Vertical	NA
2	2543.90	87.71	-73.46	14.25	-	-	Vertical	NA
3	2909.60	33.34	-70.50	-37.16	-25.00	12.16	Vertical	PASS
4	15250.00	25.83	-65.91	-40.08	-25.00	15.08	Vertical	PASS
5	17839.50	27.95	-62.61	-34.66	-25.00	9.66	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.30	115.97	-95.09	20.88	-	-	Horizontal	NA
2	2966.50	41.10	-90.61	-49.51	-13.00	36.51	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3450.98	111.08	-88.97	22.11	-	-	Horizontal	NA
2	6126.20	38.17	-80.78	-42.61	-13.00	29.61	Horizontal	PASS
3	6902.12	42.26	-96.98	-54.72	-13.00	41.72	Horizontal	PASS
4	17872.73	33.01	-81.56	-48.55	-13.00	35.55	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.20	115.88	-95.09	20.79	-	-	Vertical	NA
2	2986.20	41.37	-90.80	-49.43	-13.00	36.43	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.15	108.34	-88.97	19.37	-	-	Vertical	NA
2	6364.55	37.17	-80.03	-42.86	-13.00	29.86	Vertical	PASS
3	6902.12	47.56	-96.98	-49.42	-13.00	36.42	Vertical	PASS
4	17874.65	32.70	-81.59	-48.89	-13.00	35.89	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.20	116.09	-95.09	21.00	-	-	Horizontal	NA
2	2928.50	41.15	-90.47	-49.32	-13.00	36.32	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3791.00	111.31	-88.23	23.08	-	-	Horizontal	NA
2	5654.05	40.08	-81.74	-41.66	-13.00	28.66	Horizontal	PASS
3	7582.15	47.00	-96.15	-49.15	-13.00	36.15	Horizontal	PASS
4	17873.12	32.47	-81.57	-49.10	-13.00	36.10	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.10	116.08	-95.09	20.99	-	-	Vertical	NA
2	2994.30	41.68	-90.88	-49.20	-13.00	36.20	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3791.18	105.14	-88.23	16.91	-	-	Vertical	NA
2	5653.88	38.75	-81.74	-42.99	-13.00	29.99	Vertical	PASS
3	7582.15	50.87	-96.15	-45.28	-13.00	32.28	Vertical	PASS
4	17866.22	32.61	-81.48	-48.87	-13.00	35.87	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n30A_n77A(3450-3550MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.20	113.39	-94.20	19.19	-	-	Horizontal	NA
2	2954.50	41.07	-90.49	-49.42	-40.00	9.42	Horizontal	PASS

Project Information			
Mode:	SA	Band:	CA_n30A_n77A(3450-3550MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3450.98	111.01	-88.97	22.04	-	-	Horizontal	NA
2	6346.70	31.70	-79.91	-48.21	-40.00	8.21	Horizontal	PASS
3	6902.12	47.05	-96.98	-49.93	-40.00	9.93	Horizontal	PASS
4	17850.88	31.58	-81.28	-49.70	-40.00	9.70	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n30A_n77A(3450-3550MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.40	114.22	-94.19	20.03	-	-	Vertical	NA
2	2890.70	41.17	-90.57	-49.40	-40.00	9.40	Vertical	PASS

Project Information			
Mode:	SA	Band:	CA_n30A_n77A(3450-3550MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3450.98	110.48	-88.97	21.51	-	-	Vertical	NA
2	6424.93	32.27	-80.33	-48.06	-40.00	8.06	Vertical	PASS
3	6902.12	52.53	-96.98	-44.45	-40.00	4.45	Vertical	PASS
4	9221.28	41.30	-92.44	-51.14	-40.00	11.14	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n30A_n77A(3700-3980MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.50	113.39	-94.19	19.20	-	-	Horizontal	NA
2	2808.90	41.69	-91.08	-49.39	-40.00	9.39	Horizontal	PASS

Project Information			
Mode:	SA	Band:	CA_n30A_n77A(3700-3980MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3791.00	110.16	-88.23	21.93	-	-	Horizontal	NA
2	6375.23	31.70	-80.14	-48.44	-40.00	8.44	Horizontal	PASS
3	7581.77	49.78	-96.15	-46.37	-40.00	6.37	Horizontal	PASS
4	17999.23	31.96	-81.48	-49.52	-40.00	9.52	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n30A_n77A(3700-3980MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.50	114.88	-94.19	20.69	-	-	Vertical	NA
2	2876.80	41.05	-90.66	-49.61	-40.00	9.61	Vertical	PASS

Project Information

Mode:	SA	Band:	CA_n30A_n77A(3700-3980MHz)
Bandwidth:	10MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3791.18	109.68	-88.23	21.45	-	-	Vertical	NA
2	6360.88	31.51	-79.99	-48.48	-40.00	8.48	Vertical	PASS
3	7582.15	53.09	-96.15	-43.06	-40.00	3.06	Vertical	PASS
4	9221.28	40.71	-92.44	-51.73	-40.00	11.73	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n48A_n66A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.60	115.07	-94.92	20.15	-	-	Horizontal	NA
2	2138.40	38.51	-94.68	-56.17	-	-	Horizontal	NA
3	2926.40	37.47	-90.48	-53.01	-40.00	13.01	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n48A_n66A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3606.03	105.67	-88.67	17.00	-	-	Horizontal	NA
2	6360.18	32.73	-79.98	-47.25	-40.00	7.25	Horizontal	PASS
3	13687.88	33.96	-85.93	-51.97	-40.00	11.97	Horizontal	PASS
4	17847.82	32.33	-81.36	-49.03	-40.00	9.03	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n48A_n66A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.50	113.65	-94.92	18.73	-	-	Vertical	NA
2	2137.10	46.47	-94.68	-48.21	-	-	Vertical	NA
3	2959.70	37.59	-90.54	-52.95	-40.00	12.95	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n48A_n66A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3606.20	103.40	-88.67	14.73	-	-	Vertical	NA
2	6363.33	32.60	-80.02	-47.42	-40.00	7.42	Vertical	PASS
3	13694.40	34.43	-85.88	-51.45	-40.00	11.45	Vertical	PASS
4	17985.82	32.58	-81.68	-49.10	-40.00	9.10	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n48A_n70A
Bandwidth:	40MHz+15MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.60	114.67	-95.21	19.46	-	-	Horizontal	NA
2	1996.30	40.87	-95.00	-54.13	-	-	Horizontal	NA
3	2946.20	41.18	-90.45	-49.27	-40.00	9.27	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n48A_n70A
Bandwidth:	40MHz+15MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3606.03	104.78	-88.67	16.11	-	-	Horizontal	NA
2	6367.88	32.09	-80.07	-47.98	-40.00	7.98	Horizontal	PASS
3	13690.57	34.42	-85.91	-51.49	-40.00	11.49	Horizontal	PASS
4	17850.50	32.78	-81.28	-48.50	-40.00	8.50	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n48A_n70A
Bandwidth:	40MHz+15MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.50	114.66	-95.21	19.45	-	-	Vertical	NA
2	1996.20	47.38	-94.99	-47.61	-	-	Vertical	NA
3	2944.70	41.02	-90.45	-49.43	-40.00	9.43	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n48A_n70A
Bandwidth:	40MHz+15MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3606.03	103.79	-88.67	15.12	-	-	Vertical	NA
2	6360.35	32.06	-79.98	-47.92	-40.00	7.92	Vertical	PASS
3	13662.58	34.58	-86.11	-51.53	-40.00	11.53	Vertical	PASS
4	17881.93	33.14	-81.69	-48.55	-40.00	8.55	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n48A_n71A
Bandwidth:	40MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3606.18	106.66	-88.67	17.99	-	-	Horizontal	NA
2	6351.23	32.52	-79.88	-47.36	-40.00	7.36	Horizontal	PASS
3	14156.70	35.77	-86.80	-51.03	-40.00	11.03	Horizontal	PASS
4	17975.47	32.80	-81.83	-49.03	-40.00	9.03	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n48A_n71A
Bandwidth:	40MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3606.18	103.85	-88.67	15.18	-	-	Vertical	NA
2	6294.03	32.84	-80.57	-47.73	-40.00	7.73	Vertical	PASS
3	7212.23	39.27	-95.98	-56.71	-40.00	16.71	Vertical	PASS
4	17890.75	32.89	-81.80	-48.91	-40.00	8.91	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	113.82	-95.00	18.82	-	-	Horizontal	NA
2	2933.30	40.50	-90.46	-49.96	-13.00	36.96	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3450.98	110.63	-88.97	21.66	-	-	Horizontal	NA
2	6352.13	37.06	-79.89	-42.83	-13.00	29.83	Horizontal	PASS
3	6902.12	44.17	-96.98	-52.81	-13.00	39.81	Horizontal	PASS
4	8632.48	37.75	-94.20	-56.45	-13.00	43.45	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.50	117.12	-95.00	22.12	-	-	Vertical	NA
2	2138.40	46.83	-94.68	-47.85	-	-	Vertical	NA
3	2969.50	41.37	-90.64	-49.27	-13.00	36.27	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.15	109.84	-88.97	20.87	-	-	Vertical	NA
2	6329.20	36.76	-80.13	-43.37	-13.00	30.37	Vertical	PASS
3	6901.73	49.34	-96.97	-47.63	-13.00	34.63	Vertical	PASS
4	17848.20	32.72	-81.34	-48.62	-13.00	35.62	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.50	114.00	-95.00	19.00	-	-	Horizontal	NA
2	2922.60	41.06	-90.47	-49.41	-13.00	36.41	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.83	110.12	-88.23	21.89	-	-	Horizontal	NA
2	6498.60	36.89	-79.72	-42.83	-13.00	29.83	Horizontal	PASS
3	7581.77	46.24	-96.15	-49.91	-13.00	36.91	Horizontal	PASS
4	17842.83	32.41	-81.57	-49.16	-13.00	36.16	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.70	116.76	-95.00	21.76	-	-	Vertical	NA
2	2137.30	46.79	-94.68	-47.89	-	-	Vertical	NA
3	2981.80	41.20	-90.76	-49.56	-13.00	36.56	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3791.18	104.99	-88.23	16.76	-	-	Vertical	NA
2	6326.40	37.79	-80.17	-42.38	-13.00	29.38	Vertical	PASS
3	7582.15	51.80	-96.15	-44.35	-13.00	31.35	Vertical	PASS
4	17980.83	32.60	-81.75	-49.15	-13.00	36.15	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n38A_n66A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.60	96.97	-74.92	22.05	-	-	Horizontal	NA
2	2576.00	89.91	-73.35	16.56	-	-	Horizontal	NA
3	2868.80	33.24	-70.71	-37.47	-25.00	12.47	Horizontal	PASS
4	15119.50	26.32	-66.47	-40.15	-25.00	15.15	Horizontal	PASS
5	17844.50	28.18	-62.54	-34.36	-25.00	9.36	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n38A_n66A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.60	95.15	-74.92	20.23	-	-	Vertical	NA
2	2576.10	87.25	-73.35	13.90	-	-	Vertical	NA
3	2872.80	33.59	-70.68	-37.09	-25.00	12.09	Vertical	PASS
4	15057.50	26.56	-66.34	-39.78	-25.00	14.78	Vertical	PASS
5	17878.50	28.41	-62.79	-34.38	-25.00	9.38	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n41A(2496-2690MHz)_n66A
Bandwidth:	100MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.70	95.81	-74.92	20.89	-	-	Horizontal	NA
2	2543.90	87.93	-73.46	14.47	-	-	Horizontal	NA
3	2863.60	33.78	-70.74	-36.96	-25.00	11.96	Horizontal	PASS
4	15248.00	26.57	-65.96	-39.39	-25.00	14.39	Horizontal	PASS
5	17843.50	28.49	-62.55	-34.06	-25.00	9.06	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n41A(2496-2690MHz)_n66A
Bandwidth:	100MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.70	92.54	-74.92	17.62	-	-	Vertical	NA
2	2544.00	85.39	-73.46	11.93	-	-	Vertical	NA
3	2940.10	33.22	-70.45	-37.23	-25.00	12.23	Vertical	PASS
4	5285.50	28.49	-81.66	-53.17	-25.00	28.17	Vertical	PASS
5	17860.00	28.12	-62.58	-34.46	-25.00	9.46	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n41A(2496-2690MHz)_n71A
Bandwidth:	100MHz+40MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.10	106.45	-93.46	12.99	-	-	Horizontal	NA
2	2928.20	33.75	-90.47	-56.72	-25.00	31.72	Horizontal	PASS
3	15080.00	34.77	-86.27	-51.50	-25.00	26.50	Horizontal	PASS
4	17345.50	34.62	-82.60	-47.98	-25.00	22.98	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n41A(2496-2690MHz)_n71A
Bandwidth:	100MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.00	105.67	-93.46	12.21	-	-	Vertical	NA
2	2895.20	33.44	-90.54	-57.10	-25.00	32.10	Vertical	PASS
3	10176.00	38.32	-91.86	-53.54	-25.00	28.54	Vertical	PASS
4	17339.50	33.98	-82.88	-48.90	-25.00	23.90	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n71A
Bandwidth:	40MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	110.72	-95.00	15.72	-	-	Horizontal	NA
2	2937.10	41.19	-90.46	-49.27	-13.00	36.27	Horizontal	PASS
3	15079.50	35.28	-86.27	-50.99	-13.00	37.99	Horizontal	PASS
4	17346.00	33.36	-82.58	-49.22	-13.00	36.22	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n66A_n71A
Bandwidth:	40MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.80	113.23	-95.00	18.23	-	-	Vertical	NA
2	2128.90	46.89	-94.70	-47.81	-	-	Vertical	NA
3	2903.40	40.55	-90.50	-49.95	-13.00	36.95	Vertical	PASS
4	3355.00	44.38	-108.15	-63.77	-13.00	50.77	Vertical	PASS
5	17352.50	33.02	-82.50	-49.48	-13.00	36.48	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n70A_n71A
Bandwidth:	15MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.50	111.18	-95.21	15.97	-	-	Horizontal	NA
2	1997.50	42.03	-95.00	-52.97	-	-	Horizontal	NA
3	2892.50	40.78	-90.55	-49.77	-13.00	36.77	Horizontal	PASS
4	14320.00	34.77	-86.65	-51.88	-13.00	38.88	Horizontal	PASS
5	17342.00	33.31	-82.77	-49.46	-13.00	36.46	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n70A_n71A
Bandwidth:	15MHz+20MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.60	119.24	-95.21	24.03	-	-	Vertical	NA
2	1998.20	49.38	-95.01	-45.63	-	-	Vertical	NA
3	2969.90	41.23	-90.64	-49.41	-13.00	36.41	Vertical	PASS
4	15244.00	34.26	-86.05	-51.79	-13.00	38.79	Vertical	PASS
5	17346.00	33.27	-82.58	-49.31	-13.00	36.31	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n71A_n77A(3450-3550MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	108.17	-88.97	19.20	-	-	Horizontal	NA
2	6344.08	37.46	-79.94	-42.48	-13.00	29.48	Horizontal	PASS
3	13694.78	34.32	-85.88	-51.56	-13.00	38.56	Horizontal	PASS
4	17830.95	33.15	-82.08	-48.93	-13.00	35.93	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n71A_n77A(3450-3550MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	107.82	-88.97	18.85	-	-	Vertical	NA
2	6339.40	37.58	-80.00	-42.42	-13.00	29.42	Vertical	PASS
3	6902.12	41.87	-96.98	-55.11	-13.00	42.11	Vertical	PASS
4	17989.27	32.59	-81.62	-49.03	-13.00	36.03	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n71A_n77A(3450-3550MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	109.89	-88.23	21.66	-	-	Horizontal	NA
2	6349.85	36.99	-79.87	-42.88	-13.00	29.88	Horizontal	PASS
3	15069.03	34.83	-86.11	-51.28	-13.00	38.28	Horizontal	PASS
4	17985.43	32.80	-81.68	-48.88	-13.00	35.88	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n71A_n77A(3450-3550MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	868640070000397	Engineer:	Shen Zhuang
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	107.45	-88.23	19.22	-	-	Vertical	NA
2	6111.15	37.65	-80.73	-43.08	-13.00	30.08	Vertical	PASS
3	7582.15	42.27	-96.15	-53.88	-13.00	40.88	Vertical	PASS
4	17886.15	32.83	-81.74	-48.91	-13.00	35.91	Vertical	PASS

Test on the worst case:**For NR SA:**

Project Information			
Mode:	SA	Band:	n5
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			


Test Graph

Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2348.90	43.03	-112.48	56.45	Horizontal	PASS
2	6290.60	38.09	-98.95	47.86	Horizontal	PASS
3	7949.25	36.86	-95.46	45.60	Horizontal	PASS

Project Information

Mode:	SA	Band:	n7
Bandwidth	40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2515.60	111.67	-93.31	-	Vertical	NA
2	2655.80	43.60	-92.42	-	Vertical	NA
3	10062.50	47.69	-91.65	18.96	Vertical	PASS
4	12578.50	42.23	-90.68	23.45	Vertical	PASS
5	17870.00	38.47	-82.70	19.23	Vertical	PASS

Project Information

Mode:	SA	Band:	n12
Bandwidth	15MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2402.10	44.95	-112.20	54.25	Vertical	PASS
2	6243.35	38.38	-99.37	47.99	Vertical	PASS
3	7976.20	36.80	-95.53	45.73	Vertical	PASS

Project Information

Mode:	SA	Band:	n13
Bandwidth	10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1601.53	43.86	-114.29	30.43	Horizontal	PASS
2	5655.70	39.45	-100.62	48.17	Horizontal	PASS
3	7958.47	38.18	-95.48	44.30	Horizontal	PASS

Project Information

Mode:	SA	Band:	n14
Bandwidth	10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	6299.93	38.71	-98.85	47.14	Vertical	PASS
2	7418.53	37.87	-96.68	45.81	Vertical	PASS
3	7915.07	38.13	-95.62	44.49	Vertical	PASS

Project Information			
Mode:	SA	Band:	n26(814-824MHz)
Bandwidth	10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2289.05	42.85	-112.31	56.46	Vertical	PASS
2	4227.35	39.08	-105.27	53.19	Vertical	PASS
3	7931.40	36.82	-95.55	45.73	Vertical	PASS

Project Information			
Mode:	SA	Band:	n26(824-849MHz)
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2402.10	49.43	-112.20	49.77	Vertical	PASS
2	7005.30	37.44	-97.23	46.79	Vertical	PASS
3	7946.80	37.19	-95.48	45.29	Vertical	PASS

Project Information

Mode:	SA	Band:	n30
Bandwidth	10MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2305.50	113.47	-94.19	-	Vertical	NA
2	2354.70	51.93	-93.81	-	Vertical	NA
3	9221.50	45.86	-92.57	6.71	Vertical	PASS
4	11527.00	37.97	-90.50	12.53	Vertical	PASS
5	17349.50	32.34	-82.42	10.08	Vertical	PASS

For NR MIMO:

Project Information			
Mode:	SA MIMO	Band:	n2
Bandwidth	40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1860.60	112.66	-95.11	-	Horizontal	NA
2	1977.20	41.58	-94.79	-	Horizontal	NA
3	2804.80	36.16	-91.11	41.95	Horizontal	PASS
4	5285.00	40.25	-101.67	48.42	Horizontal	PASS
5	17827.00	39.16	-82.80	30.64	Horizontal	PASS

Project Information

Mode:	SA MIMO	Band:	n25
Bandwidth	40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1860.60	112.56	-95.11	-	Horizontal	NA
2	1976.20	41.55	-94.78	-	Horizontal	NA
3	2961.80	35.63	-90.56	41.93	Horizontal	PASS
4	14372.00	38.02	-86.37	35.35	Horizontal	PASS
5	17845.50	38.03	-82.53	31.50	Horizontal	PASS

Project Information

Mode:	SA MIMO	Band:	n66
Bandwidth	40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1725.60	113.27	-95.00	-	Horizontal	NA
2	2136.80	39.68	-94.68	-	Horizontal	NA
3	2916.00	36.05	-90.49	41.44	Horizontal	PASS
4	15082.00	37.13	-86.26	36.13	Horizontal	PASS
5	17817.00	38.63	-82.95	31.32	Horizontal	PASS

Project Information			
Mode:	SA MIMO	Band:	n71
Bandwidth	20MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3766.05	41.11	-107.12	53.01	Vertical	PASS
2	6218.15	40.13	-99.36	46.23	Vertical	PASS
3	7973.40	38.62	-95.51	43.89	Vertical	PASS

Project Information

Mode:	SA MIMO	Band:	n38
Bandwidth	40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2576.00	115.00	-93.35	-	Horizontal	NA
2	2932.30	36.81	-90.47	28.66	Horizontal	PASS
3	14370.50	37.25	-86.34	24.09	Horizontal	PASS
4	17883.00	38.91	-82.85	18.94	Horizontal	PASS

Project Information

Mode:	SA MIMO	Band:	n41
Bandwidth	100MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	2544.20	110.37	-93.46	-	Vertical	NA
2	2930.40	36.78	-90.47	28.69	Vertical	PASS
3	10176.00	46.19	-91.86	20.67	Vertical	PASS
4	17833.00	38.14	-82.70	19.56	Vertical	PASS

Project Information

Mode:	SA MIMO	Band:	n48
Bandwidth	40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3605.90	106.31	-88.67	-	Vertical	NA
2	6306.95	29.47	-80.42	10.95	Vertical	PASS
3	14176.89	34.51	-87.21	12.70	Vertical	PASS
4	17862.76	31.79	-81.43	9.64	Vertical	PASS

Project Information			
Mode:	SA MIMO	Band:	n77(3450-3550MHz)
Bandwidth	100MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3451.08	111.96	-88.97	-	Vertical	NA
2	6336.65	40.70	-80.04	26.34	Vertical	PASS
3	6902.12	45.75	-96.98	38.23	Vertical	PASS
4	17851.65	31.67	-81.29	36.62	Vertical	PASS

Project Information			
Mode:	SA MIMO	Band:	n77(3700-3980MHz)
Bandwidth	100MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	3790.98	109.25	-88.23	-	Vertical	NA
2	6339.13	40.44	-80.01	26.57	Vertical	PASS
3	7582.15	41.09	-96.15	42.06	Vertical	PASS
4	11372.93	37.76	-90.06	39.30	Vertical	PASS

For ENDC:

Project Information			
Mode:	NSA	Band:	DC_4A_n38A
Bandwidth	20+40MHz	Channel	Mid
IMEI:	868640070000439	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List						
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Margin [dB]	Polarity	Verdict
1	1723.70	104.19	-85.28	-	Horizontal	NA
2	2576.10	92.92	-82.38	-	Horizontal	NA
3	2954.80	36.73	-79.99	18.26	Horizontal	PASS
4	5273.50	45.18	-101.83	31.65	Horizontal	PASS
5	17848.50	38.60	-82.48	18.88	Horizontal	PASS