


# RF EVALUATION TEST REPORT

Applicant..... : Fibocom Wireless Inc.  
Address..... : 1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi  
1st Rd, Nanshan ShenZhen China  
Manufacturer..... : Fibocom Wireless Inc.  
Address..... : 1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi  
1st Rd, Nanshan ShenZhen China  
Factory..... : Huizhou HYE Technology Co., Ltd.  
Address..... : No. 237, Sanhe group, Sanhe village, Tonghu Town, Zhongkai hi tech  
Zone, Huizhou  
Product Name..... : LTE Module  
Brand Name..... : Fibocom  
Model No. .... : SC138-NA  
FCC ID..... : ZMOSC138NA  
Measurement Standard..... : 47 CFR PART 2, Section 2.1091  
Receipt Date of Samples..... : November 28, 2025  
Date of Tested..... : November 25, 2025 to December 16, 2025  
Date of Report..... : January 13, 2026

This report shows that above equipment is technically compliant with the requirements of the standards above. All test results in this report apply only to the tested sample(s). Without prior written approval of Dongguan Nore Testing Center Co., Ltd, this report shall not be reproduced except in full.



Prepared by

Alina Guo / Project Engineer



Iori Fan / Authorized Signatory

## Table of Contents

|                                             |    |
|---------------------------------------------|----|
| 1. General Description of EUT .....         | 4  |
| 2. Test Facility and Location .....         | 11 |
| 3. Applicable Standards and References..... | 12 |
| 4. Maximum Permissible Exposure Limit ..... | 13 |
| 5. RF Exposure Evaluation Results .....     | 14 |

[illegible]

## 1. General Description of EUT

| Product Information     |                                                                                                                                |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Product Name:           | LTE Module                                                                                                                     |
| Main Model Name:        | SC138-NA                                                                                                                       |
| Additional Model Name:  | N/A                                                                                                                            |
| Model Difference:       | N/A                                                                                                                            |
| S/N:                    | N/A                                                                                                                            |
| Brand Name:             | Fibocom                                                                                                                        |
| Hardware version:       | SC138-NA                                                                                                                       |
| Software version:       | SC138-NA-Q62.00.104                                                                                                            |
| Rating:                 | DC 3.5V ~ 4.2V (DC Voltage supplied from external power supply)                                                                |
| Test Voltage:           | DC 3.8V (Normal Voltage)                                                                                                       |
| I/O Port:               | Refer to the user's manual                                                                                                     |
| Accessories Information |                                                                                                                                |
| Adapter:                | N/A                                                                                                                            |
| Cable:                  | N/A                                                                                                                            |
| Other:                  | N/A                                                                                                                            |
| Additional Information  |                                                                                                                                |
| Note:                   | N/A                                                                                                                            |
| Remark:                 | All the information above are provided by the manufacturer. More detailed feature of the EUT please refers to the user manual. |

| Technical Specification (Bluetooth) |                                                  |
|-------------------------------------|--------------------------------------------------|
| Bluetooth Version:                  | V5.0                                             |
| Frequency Range:                    | 2402-2480MHz                                     |
| Modulation Type:                    | GFSK, $\pi/4$ -DQPSK, 8DPSK                      |
| Number of Channel:                  | 79 (refer to following channel list for details) |
| Channel Space:                      | 1MHz                                             |
| Antenna Type:                       | Rod Antenna                                      |
| Number of Antenna                   | 1                                                |
| Antenna Gain:                       | 2.35 dBi (Declared by the manufacturer)          |
| Receiver Category:                  | Category 1                                       |
| Technical Specification (BLE)       |                                                  |
| Bluetooth Version:                  | V5.1                                             |
| Frequency Range:                    | 2402-2480MHz                                     |
| Modulation Type:                    | GFSK                                             |
| Number of Channel:                  | 40 (refer to following channel list for details) |
| Channel Space:                      | 2MHz                                             |
| Antenna Type:                       | Rod antenna                                      |
| Number of Antenna                   | 1                                                |
| Antenna Gain:                       | 2.35 dBi (Declared by manufacturer)              |
| RF PHY Support:                     | 1Mbps, 2Mbps                                     |

| Technical Specification (2.4GHz WLAN) |                                                                                |
|---------------------------------------|--------------------------------------------------------------------------------|
| Frequency Range:                      | 2412-2462MHz for IEEE 802.11b/g/n(HT20)<br>2422-2452MHz for IEEE 802.11n(HT40) |
| Modulation Technology:                | DSSS, OFDM                                                                     |
| Modulation Type:                      | CCK, DQPSK, DBPSK, QPSK, BPSK, 16-QAM, 64-QAM                                  |
| Number of Channel:                    | 11 for IEEE 802.11b/g/n(HT20)<br>7 for IEEE 802.11n(HT40)                      |
| Channel Space:                        | 5MHz                                                                           |
| Antenna Type:                         | Rod Antenna                                                                    |
| Number of Antenna                     | 1                                                                              |
| Antenna Gain:                         | 2.35 dBi (Declared by the manufacturer)                                        |

| Technical Specification (5GHz WLAN) |                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Frequency Range:                    | UNII-1: 5150-5250MHz<br>UNII-2A: 5250-5350MHz<br>UNII-2C: 5470-5725MHz<br>UNII-3: 5725-5850MHz                                                                                                                                                                                                                                                                                                                    |
| Modulation Technology:              | DSSS, OFDM                                                                                                                                                                                                                                                                                                                                                                                                        |
| Modulation Type:                    | BPSK, QPSK for 802.11a<br>1024QAM, 256QAM, 64QAM, 16QAM, QPSK, BPSK for 802.11n/ac                                                                                                                                                                                                                                                                                                                                |
| Number of Channel:                  | U-NII-1, UNII-2A:<br>4 Channel for 802.11a/n(HT20)/ac(VHT20)<br>2 Channel for 802.11n(HT40)/ac(VHT40)<br>1 Channel for 802.11ac(VHT80)<br><br>UNII-2C:<br>11 Channel for 802.11a/n(HT20)/ac(VHT20)<br>5 Channel for 802.11n(HT40)/ac(VHT40)<br>2 Channel for 802.11ac(VHT80)<br><br>U-NII-3:<br>5 Channel for 802.11a/n(HT20)/ac(VHT20)<br>2 Channel for 802.11n(HT40)/ac(VHT40)<br>1 Channel for 802.11ac(VHT80) |
| Antenna Type:                       | Rod antenna                                                                                                                                                                                                                                                                                                                                                                                                       |
| Number of Antenna:                  | 1                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Antenna Gain:                       | 3.36 dBi (Declared by the manufacturer)                                                                                                                                                                                                                                                                                                                                                                           |
| Beamforming Gain:                   | Not support                                                                                                                                                                                                                                                                                                                                                                                                       |
| Type:                               | Client without Radar detection.                                                                                                                                                                                                                                                                                                                                                                                   |

| Technical Specification (WCDMA) |                                                                                                 |
|---------------------------------|-------------------------------------------------------------------------------------------------|
| Frequency Range:                | WCDMA Band II: 1850 ~ 1910 MHz<br>WCDMA Band IV: 1710 ~ 1755 MHz<br>WCDMA Band V: 824 ~ 849 MHz |
| Modulation Type:                | GSM: GMSK, 8DPSK<br>WCDMA: QPSK, 16QAM                                                          |
| Antenna Type:                   | Integrity Antenna                                                                               |
| Antenna Gain:                   | WCDMA Band II: 1.37 dBi<br>WCDMA Band IV: -0.45 dBi<br>WCDMA Band V: 4.21dBi                    |
| Max. Conducted Power:           | WCDMA Band II: 24.24 dBm<br>WCDMA Band IV: 23.63 dBm<br>WCDMA Band V: 24.09 dBm                 |
| Remark:                         | N/A                                                                                             |

| Technical Specification (LTE) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Frequency Range:              | <p>TX:</p> <p>LTE Band 2: 1850 ~ 1910 MHz</p> <p>LTE Band 4: 1710 ~ 1755 MHz</p> <p>LTE Band 5: 824 ~ 849 MHz</p> <p>LTE Band 7: 2500 ~ 2570 MHz</p> <p>LTE Band 12: 699 ~ 716 MHz</p> <p>LTE Band 13: 777 ~ 787 MHz</p> <p>LTE Band 14: 790.5 ~ 795.5 MHz</p> <p>LTE Band 17: 704 ~ 716 MHz</p> <p>LTE Band 25: 1850 ~ 1915 MHz</p> <p>LTE Band 26: 814 ~ 849 MHz</p> <p>LTE Band 41: 2496 ~ 2690 MHz</p> <p>LTE Band 48: 3560 ~ 3690 MHz</p> <p>LTE Band 66: 1710 ~ 1780 MHz</p> <p>LTE Band 71: 665.5 ~ 695.5 MHz</p> <p>RX:</p> <p>LTE Band 2: 1930 ~ 1990 MHz</p> <p>LTE Band 4: 2110 ~ 2155 MHz</p> <p>LTE Band 5: 869 ~ 894 MHz</p> <p>LTE Band 7: 2620 ~ 2690 MHz</p> <p>LTE Band 12: 729 ~ 746 MHz</p> <p>LTE Band 13: 746 ~ 756 MHz</p> <p>LTE Band 14: 760.5 ~ 763.5 MHz</p> <p>LTE Band 17: 734 ~ 746 MHz</p> <p>LTE Band 25: 1930 ~ 1995 MHz</p> <p>LTE Band 26: 859 ~ 894 MHz</p> <p>LTE Band 41: 2496 ~ 2690 MHz</p> <p>LTE Band 48: 3560 ~ 3690 MHz</p> <p>LTE Band 66: 2110 ~ 2200 MHz</p> <p>LTE Band 71: 619.5 ~ 649.5 MHz</p> |
| Modulation Type:              | QPSK / 16QAM / 64QAM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Antenna Type:                 | Integrity antenna                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Antenna Gain:         | LTE Band 2: 2.65 dBi, LTE Band 4: 2.65 dBi<br>LTE Band 5: 4.21 dBi, LTE Band 7: 0.12 dBi<br>LTE Band 12: 2.58 dBi, LTE Band 13: 3.00 dBi<br>LTE Band 14: 3.00 dBi, LTE Band 17: 2.58 dBi<br>LTE Band 25: 2.65 dBi, LTE Band 26: 3.94 dBi<br>LTE Band 41: 0.12 dBi, LTE Band 48: -1.44 dBi<br>LTE Band 66: 2.65 dBi, LTE Band 71: 2.05 dBi                                                                                                                                                                                                                                                                                                                                                                                         |
| Bandwidth             | LTE Band 2: 1.4 MHz / 3 MHz / 5 MHz / 10 MHz / 15 MHz / 20 MHz<br>LTE Band 4: 1.4 MHz / 3 MHz / 5 MHz / 10 MHz / 15 MHz / 20 MHz<br>LTE Band 5: 1.4 MHz / 3 MHz / 5 MHz / 10 MHz<br>LTE Band 7: 5 MHz / 10 MHz / 15 MHz / 20 MHz<br>LTE Band 12: 1.4 MHz / 3 MHz / 5 MHz / 10 MHz<br>LTE Band 13: 5 MHz / 10 MHz<br>LTE Band 14: 5 MHz / 10 MHz<br>LTE Band 17: 5 MHz / 10 MHz<br>LTE Band 25: 1.4 MHz / 3 MHz / 5 MHz / 10 MHz / 15 MHz / 20 MHz<br>LTE Band 26: 1.4 MHz / 3 MHz / 5 MHz / 10 MHz / 15 MHz<br>LTE Band 41: 5 MHz / 10 MHz / 15 MHz / 20 MHz<br>LTE Band 48: 5 MHz / 10 MHz / 15 MHz / 20 MHz<br>LTE Band 66: 1.4 MHz / 3 MHz / 5 MHz / 10 MHz / 15 MHz / 20 MHz<br>LTE Band 71: 5 MHz / 10 MHz / 15 MHz / 20 MHz |
| Max. Conducted Power: | LTE Band 2: 22.83 dBm<br>LTE Band 4: 22.72 dBm<br>LTE Band 5: 20.39 dBm<br>LTE Band 7: 22.46 dBm<br>LTE Band 12: 20.63 dBm<br>LTE Band 13: 20.55 dBm<br>LTE Band 14: 22.63 dBm<br>LTE Band 17: 20.53 dBm<br>LTE Band 25: 22.65 dBm<br>LTE Band 26 (814-824 MHz): 22.67 dBm<br>LTE Band 26 (824-849 MHz): 20.52 dBm<br>LTE Band 41: 22.85 dBm<br>LTE Band 48: 23.95 dBm<br>LTE Band 66: 23.24 dBm<br>LTE Band 71: 20.63 dBm                                                                                                                                                                                                                                                                                                        |
| Remark:               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

## 2. Test Facility and Location

|                                   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Site                         | : | Dongguan Nore Testing Center Co., Ltd. (Dongguan NTC Co., Ltd.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Accreditations and Authorizations | : | <p>The Laboratory has been assessed and proved to be in compliance with CNAS/CL01</p> <p>Listed by CNAS, August 13, 2018</p> <p>The Certificate Registration Number is L5795.</p> <p>The Certificate is valid until August 13, 2030</p><br><p>The Laboratory has been assessed and proved to be in compliance with ISO17025</p> <p>Listed by A2LA, November 01, 2017</p> <p>The Certificate Registration Number is 4429.01</p> <p>The Certificate is valid until December 31, 2027</p><br><p>Listed by FCC, November 06, 2017</p> <p>Test Firm Registration Number: 907417</p><br><p>Listed by Industry Canada, June 08, 2017</p> <p>The Certificate Registration Number. Is 46405-9743A</p> |
| Test Site Location                | : | Room 101, 1101, Building 2, No. 61, Hongmei Section, Wangsha Road, Hongmei Town, Dongguan, Guangdong, People's Republic of China                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

### 3. Applicable Standards and References

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

**Test Standards:**

47 CFR Part 1, 1.1307

47 CFR Part 2, 2.1091

KDB 447498 D01 v06

#### 4. Maximum Permissible Exposure Limit

According to FCC §1.1310: The criteria listed in Table 1 shall be used to evaluate the environmental Impact of human exposure to radio-frequency (RF) radiation as specified in §1.1307(b), except in the case of portable devices which shall be evaluated according to the provisions of §2.1093 of this chapter.

##### Limits For Maximum Permissible Exposure (MPE)

| Frequency Range(MHz)                                         | Electric Field Strength (V/m) | Magnetic Field Strength (A/m) | Power Density(mW/cm <sup>2</sup> ) | Average Time (minutes) |
|--------------------------------------------------------------|-------------------------------|-------------------------------|------------------------------------|------------------------|
| <b>(A) Limits for Occupational/Control Exposures</b>         |                               |                               |                                    |                        |
| 0.3-3.0                                                      | 614                           | 1.63                          | *100                               | 6                      |
| 3.0-30                                                       | 1842/f                        | 4.89/f                        | *900/f <sup>2</sup>                | 6                      |
| 30-300                                                       | 61.4                          | 0.163                         | 1.0                                | 6                      |
| 300-1500                                                     | --                            | --                            | f/300                              | 6                      |
| 1500-100000                                                  | --                            | --                            | 5                                  | 6                      |
| <b>(B) Limits for General Population/Uncontrol Exposures</b> |                               |                               |                                    |                        |
| 0.3-1.34                                                     | 614                           | 1.63                          | *100                               | 30                     |
| 1.34-30                                                      | 824/f                         | 2.19/f                        | *180/f <sup>2</sup>                | 30                     |
| 30-300                                                       | 27.5                          | 0.073                         | 0.2                                | 30                     |
| 300-1500                                                     |                               |                               | f/1500                             | 30                     |
| 1500-100000                                                  |                               |                               | 1.0                                | 30                     |
| f = frequency in MHz                                         |                               |                               |                                    |                        |
| * = Plane-wave equivalent power density                      |                               |                               |                                    |                        |

The MPE was calculated at **20cm** to show compliance with the power density limit.

The following formula was used to calculated the Power Density:

$$S = \frac{PG}{4\pi R^2}$$

Where:

S = Power Density in mW/cm<sup>2</sup>

P = Output Power to antenna in mW

G = Gain of antenna in linear scale.

R = Distance to centre of the antenna in cm.

π = 3.14159

## 5. RF Exposure Evaluation Results

| Channel                 | Channel Frequency (MHz) | Max Output power (dBm) | Tolerance | Max Tune-UP power (mW) | Power density at 20cm (mW/cm <sup>2</sup> ) | Power density Limits (mW/cm <sup>2</sup> ) |
|-------------------------|-------------------------|------------------------|-----------|------------------------|---------------------------------------------|--------------------------------------------|
| <b>For BT</b>           |                         |                        |           |                        |                                             |                                            |
| High                    | 2480                    | 10.76                  | ±0.5      | 13.3660                | 0.0046                                      | 1                                          |
| <b>For BLE</b>          |                         |                        |           |                        |                                             |                                            |
| High                    | 2480                    | 6.42                   | ±0.5      | 4.9204                 | 0.0017                                      | 1                                          |
| <b>For 2.GHz WIFI</b>   |                         |                        |           |                        |                                             |                                            |
| High                    | 2462                    | 17.47                  | ±0.5      | 62.6614                | 0.0214                                      | 1                                          |
| <b>For 5GHz UNII-1</b>  |                         |                        |           |                        |                                             |                                            |
| Middle                  | 5200                    | 19.76                  | ±0.5      | 106.1696               | 0.0458                                      | 1                                          |
| <b>For 5GHz UNII-2A</b> |                         |                        |           |                        |                                             |                                            |
| Middle                  | 5300                    | 19.57                  | ±0.5      | 101.6249               | 0.0438                                      | 1                                          |
| <b>For 5GHz UNII-2C</b> |                         |                        |           |                        |                                             |                                            |
| Middle                  | 5580                    | 19.43                  | ±0.5      | 98.4011                | 0.0424                                      | 1                                          |
| <b>For 5GHz UNII-3</b>  |                         |                        |           |                        |                                             |                                            |
| High                    | 5825                    | 19.01                  | ±0.5      | 89.3305                | 0.0385                                      | 1                                          |

| Channel          | Channel Frequency (MHz) | Max.Tune Up Power (dBm) | Antenna Gain (dBi) | Max. EIRP Tune Up Power (dBm) | Max EIRP Tune-UP power (mW) | Power density at 20cm (mW/cm <sup>2</sup> ) | Power density Limits (mW/cm <sup>2</sup> ) |
|------------------|-------------------------|-------------------------|--------------------|-------------------------------|-----------------------------|---------------------------------------------|--------------------------------------------|
| <b>For WCDMA</b> |                         |                         |                    |                               |                             |                                             |                                            |
| WCDMA II         | 1852.4                  | 24.5                    | 1.37               | 25.87                         | 386.3670                    | 0.1054                                      | 1                                          |
| WCDMA IV         | 1732.6                  | 24.5                    | -0.45              | 24.05                         | 254.0973                    | 0.0456                                      | 1                                          |
| WCDMA V          | 846.6                   | 24.5                    | 4.21               | 28.71                         | 743.0191                    | 0.3897                                      | 0.5644                                     |

| Band                                                                                                                                                                     | Channel Frequency (MHz) | Max.Tune Up Power (dBm) | Antenna Gain (dBi) | Max. EIRP Tune Up Power (dBm) | Max EIRP Tune-UP power (mW) | Power density at 20cm (mW/cm <sup>2</sup> ) | Power density Limits (mW/cm <sup>2</sup> ) |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-------------------------|--------------------|-------------------------------|-----------------------------|---------------------------------------------|--------------------------------------------|
| <b>For LTE</b>                                                                                                                                                           |                         |                         |                    |                               |                             |                                             |                                            |
| Band 2                                                                                                                                                                   | 1855                    | 24                      | 2.65               | 26.65                         | 462.3810                    | 0.1693                                      | 1.0000                                     |
| Band 4                                                                                                                                                                   | 1747.5                  | 24                      | 2.65               | 26.65                         | 462.3810                    | 0.1693                                      | 1.0000                                     |
| Band 5                                                                                                                                                                   | 826.5                   | 24                      | 4.21               | 28.21                         | 662.2165                    | 0.3473                                      | 0.5510                                     |
| Band 7                                                                                                                                                                   | 2567.5                  | 24                      | 0.12               | 24.12                         | 258.2260                    | 0.0528                                      | 1.0000                                     |
| Band 12                                                                                                                                                                  | 713.5                   | 24                      | 2.58               | 26.58                         | 454.9881                    | 0.1640                                      | 0.4757                                     |
| Band 13                                                                                                                                                                  | 784.5                   | 24                      | 3.00               | 27.00                         | 501.1872                    | 0.1989                                      | 0.5230                                     |
| Band 14                                                                                                                                                                  | 795.5                   | 24                      | 3.00               | 27.00                         | 501.1872                    | 0.1989                                      | 0.5303                                     |
| Band 17                                                                                                                                                                  | 713.5                   | 24                      | 2.58               | 26.58                         | 454.9881                    | 0.1640                                      | 0.4757                                     |
| Band 25                                                                                                                                                                  | 1852.5                  | 24                      | 2.65               | 26.65                         | 462.3810                    | 0.1693                                      | 1.0000                                     |
| Band 26 (Part 90)                                                                                                                                                        | 821.5                   | 24                      | 3.94               | 27.94                         | 622.3003                    | 0.3067                                      | 0.5477                                     |
| Band 26 (Part 22)                                                                                                                                                        | 846.5                   | 24                      | 3.94               | 27.94                         | 622.3003                    | 0.3067                                      | 0.5643                                     |
| Band 41                                                                                                                                                                  | 2680                    | 24                      | 0.12               | 24.12                         | 258.2260                    | 0.0528                                      | 1.0000                                     |
| Band 48                                                                                                                                                                  | 3692.5                  | 24                      | -1.44              | 22.56                         | 180.3018                    | 0.0257                                      | 1.0000                                     |
| Band 66                                                                                                                                                                  | 1770                    | 24                      | 2.65               | 26.65                         | 462.3810                    | 0.1693                                      | 1.0000                                     |
| Band 71                                                                                                                                                                  | 680.5                   | 24                      | 2.05               | 26.05                         | 402.7170                    | 0.1284                                      | 0.4537                                     |
| Remark:<br>1. For conservativeness, the lowest frequency of each band is used to determine the MPE limit of that band.<br>2. Chose the maximum power to do MPE analysis. |                         |                         |                    |                               |                             |                                             |                                            |

#### RF exposure evaluation for simultaneity transmitting condition:

| Maximum BT Power Density Ratio | Maximum LTE Power Density Ratio | Maximum 5G WLAN Density Ratio | Total Power Density Ratio | Power Density Ratio Limit |
|--------------------------------|---------------------------------|-------------------------------|---------------------------|---------------------------|
| 0.0046                         | 0.1693                          | 0.0458                        | 0.2197                    | 1                         |

#### Conclusion:

According to 47 CFR §1.1307 (b)(3)(i)(B), the RF exposure analysis concludes that the product is compliant with the FCC RF exposure requirements in mobile exposure condition.

---End---