






Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)


Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Partial RU

The measurement results are obtained as described below:

Result= $P_{mea} + A_{Rpl}$

Sample calculation: $(29.38\text{dB}\mu\text{V/m}) = (49.78\text{dB}\mu\text{V}) + (-20.4\text{dB/m})$, the corresponding frequency is 31.7945MHz.

Partial RU (Tone26)

For 802.11ax(HE20)Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.7945	29.38	-20.4	49.78	Vertical	40	10.62
84.126	21.96	-20.9	42.86	Vertical	40	18.04
150.28	19.77	-22.1	41.87	Vertical	43.5	23.73
180.35	13.66	-20.8	34.46	Vertical	43.5	29.84
538.7165	12.43	-10	22.43	Vertical	46	33.57
933.264	17.71	-3.3	21.01	Vertical	46	28.29

For 802.11ax(HE20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.8915	29.63	-20.4	50.03	Vertical	40	10.37
84.126	21.97	-20.9	42.87	Vertical	40	18.03
150.28	19.8	-22.1	41.9	Vertical	43.5	23.7
180.35	13.66	-20.8	34.46	Vertical	43.5	29.84
547.3495	12.36	-9.8	22.16	Vertical	46	33.64
887.48	17.02	-3.9	20.92	Vertical	46	28.98

For 802.11ax(HE20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.843	29.53	-20.4	49.93	Vertical	40	10.47
84.126	21.96	-20.9	42.86	Vertical	40	18.04
150.28	19.78	-22.1	41.88	Vertical	43.5	23.72
180.35	13.68	-20.8	34.48	Vertical	43.5	29.82
477.364	12.45	-11.5	23.95	Vertical	46	33.55
889.9535	16.97	-3.8	20.77	Vertical	46	29.03

For 802.11ax(HE40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.5035	28.48	-20.4	48.88	Vertical	40	11.52
84.126	21.97	-20.9	42.87	Vertical	40	18.03
150.28	19.78	-22.1	41.88	Vertical	43.5	23.72
180.35	13.68	-20.8	34.48	Vertical	43.5	29.82
475.4725	12.24	-11.6	23.84	Vertical	46	33.76
948.0565	17.74	-3.2	20.94	Vertical	46	28.26

For 802.11ax(HE40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
----------------	----------------	-----------	---------------	----------	----------------	-------------

31.8915	29.64	-20.4	50.04	Vertical	40	10.36
84.126	21.97	-20.9	42.87	Vertical	40	18.03
150.28	19.76	-22.1	41.86	Vertical	43.5	23.74
180.35	13.64	-20.8	34.44	Vertical	43.5	29.86
545.652	12.51	-9.9	22.41	Vertical	46	33.49
904.4065	17.21	-3.6	20.81	Vertical	46	28.79

For 802.11ax(HE80)Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.843	29.57	-20.4	49.97	Vertical	40	10.43
84.126	21.96	-20.9	42.86	Vertical	40	18.04
150.28	19.76	-22.1	41.86	Vertical	43.5	23.74
180.35	13.51	-20.8	34.31	Vertical	43.5	29.99
511.5565	11.85	-10.7	22.55	Vertical	46	34.15
927.2985	17.69	-3.4	21.09	Vertical	46	28.31

For 802.11ax(HE20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.6005	29.02	-20.4	49.42	Vertical	40	10.98
84.126	21.95	-20.9	42.85	Vertical	40	18.05
150.28	19.92	-22.1	42.02	Vertical	43.5	23.58
180.35	13.52	-20.8	34.32	Vertical	43.5	29.98
545.555	12.37	-9.9	22.27	Vertical	46	33.63
959.454	17.52	-3.2	20.72	Vertical	46	28.48

For 802.11ax(HE20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.6005	29.07	-20.4	49.47	Vertical	40	10.93
84.126	21.95	-20.9	42.85	Vertical	40	18.05
150.28	19.75	-22.1	41.85	Vertical	43.5	23.75
180.35	13.53	-20.8	34.33	Vertical	43.5	29.97
480.856	12.94	-11.4	24.34	Vertical	46	33.06
922.8365	17.52	-3.4	20.92	Vertical	46	28.48

For 802.11ax(HE20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.3095	28.41	-20.4	48.81	Vertical	40	11.59
84.126	21.98	-20.9	42.88	Vertical	40	18.02
150.28	19.76	-22.1	41.86	Vertical	43.5	23.74
180.35	13.52	-20.8	34.32	Vertical	43.5	29.98

486.0455	11.93	-11.3	23.23	Vertical	46	34.07
941.8485	17.78	-3.3	21.08	Vertical	46	28.22

For 802.11ax(HE40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.5035	28.51	-20.4	48.91	Vertical	40	11.49
84.126	21.95	-20.9	42.85	Vertical	40	18.05
150.28	19.78	-22.1	41.88	Vertical	43.5	23.72
180.35	13.52	-20.8	34.32	Vertical	43.5	29.98
552.054	12.37	-9.8	22.17	Vertical	46	33.63
948.8325	17.74	-3.2	20.94	Vertical	46	28.26

For 802.11ax(HE40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.6975	29.1	-20.4	49.5	Vertical	40	10.9
84.126	21.97	-20.9	42.87	Vertical	40	18.03
150.28	19.74	-22.1	41.84	Vertical	43.5	23.76
180.35	13.49	-20.8	34.29	Vertical	43.5	30.01
497.831	11.28	-11	22.28	Vertical	46	34.72
922.206	17.54	-3.4	20.94	Vertical	46	28.46

For 802.11ax(HE80)Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.7945	29.41	-20.4	49.81	Vertical	40	10.59
84.126	21.96	-20.9	42.86	Vertical	40	18.04
150.28	19.75	-22.1	41.85	Vertical	43.5	23.75
180.35	13.54	-20.8	34.34	Vertical	43.5	29.96
484.6875	12.3	-11.3	23.6	Vertical	46	33.7
947.329	17.73	-3.2	20.93	Vertical	46	28.27

For 802.11ax(HE20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.455	27.94	-20.4	48.34	Vertical	40	12.06
84.126	21.94	-20.9	42.84	Vertical	40	18.06
150.28	19.74	-22.1	41.84	Vertical	43.5	23.76
180.35	13.48	-20.8	34.28	Vertical	43.5	30.02
556.419	12.09	-11.3	23.39	Vertical	46	33.91
958.872	17.56	-3.2	20.76	Vertical	46	28.44

For 802.11ax(HE20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.4065	28.55	-20.4	48.95	Vertical	40	11.45
84.126	21.94	-20.9	42.84	Vertical	40	18.06
150.28	19.73	-22.1	41.83	Vertical	43.5	23.77
180.35	13.51	-20.8	34.31	Vertical	43.5	29.99
518.686	12.12	-10.5	22.62	Vertical	46	33.88
945.971	17.63	-3.3	20.93	Vertical	46	28.37

For 802.11ax(HE20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.649	29.15	-20.4	49.55	Vertical	40	10.85
84.126	21.96	-20.9	42.86	Vertical	40	18.04
150.28	19.72	-22.1	41.82	Vertical	43.5	23.78
180.35	13.49	-20.8	34.29	Vertical	43.5	30.01
483.669	12.49	-11.4	23.89	Vertical	46	33.51
928.2685	17.69	-3.4	21.09	Vertical	46	28.31

For 802.11ax(HE40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.843	29.59	-20.4	49.99	Vertical	40	10.41
84.126	21.94	-20.9	42.84	Vertical	40	18.06
150.28	19.74	-22.1	41.84	Vertical	43.5	23.76
180.35	13.51	-20.8	34.31	Vertical	43.5	29.99
533.3815	12.38	-10.2	22.58	Vertical	46	33.62
925.4555	17.61	-3.4	21.01	Vertical	46	28.39

For 802.11ax(HE40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.6975	29.08	-20.4	49.48	Vertical	40	10.92
84.126	21.97	-20.9	42.87	Vertical	40	18.03
150.28	19.9	-22.1	42	Vertical	43.5	23.6
180.35	13.45	-20.8	34.25	Vertical	43.5	30.05
538.571	12.48	-10.1	22.58	Vertical	46	33.52
934.9615	17.75	-3.3	21.05	Vertical	46	28.25

For 802.11ax(HE40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.7945	29.41	-20.4	49.81	Vertical	40	10.59

84.1745	23.73	-20.9	44.63	Vertical	40	16.27
150.28	19.72	-22.1	41.82	Vertical	43.5	23.78
180.35	13.49	-20.8	34.29	Vertical	43.5	30.01
548.368	12.26	-9.8	22.06	Vertical	46	33.74
933.167	17.71	-3.3	21.01	Vertical	46	28.29

For 802.11ax(HE80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.522	26.9	-20.3	47.2	Vertical	40	13.1
84.126	21.95	-20.9	42.85	Vertical	40	18.05
150.28	19.73	-22.1	41.83	Vertical	43.5	23.77
180.35	13.51	-20.8	34.31	Vertical	43.5	29.99
476.006	12.36	-11.6	23.96	Vertical	46	33.64
921.236	17.6	-3.4	21	Vertical	46	28.4

For 802.11ax(HE80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.8915	29.66	-20.4	50.06	Vertical	40	10.34
84.126	21.95	-20.9	42.85	Vertical	40	18.05
150.28	19.74	-22.1	41.84	Vertical	43.5	23.76
180.35	13.5	-20.8	34.3	Vertical	43.5	30
479.4495	12.58	-11.5	24.08	Vertical	46	33.42
867.8375	16.51	-4.3	20.81	Vertical	46	29.49

For 802.11ax(HE80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.843	29.59	-20.4	49.99	Vertical	40	10.41
84.126	21.95	-20.9	42.85	Vertical	40	18.05
150.28	19.71	-22.1	41.81	Vertical	43.5	23.79
180.35	13.5	-20.8	34.3	Vertical	43.5	30
487.6945	11.5	-11.3	22.8	Vertical	46	34.5
948.202	17.75	-3.2	20.95	Vertical	46	28.25

For 802.11ax(HE20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.231	28.4	-20.3	48.7	Vertical	40	11.6
84.126	21.95	-20.9	42.85	Vertical	40	18.05
150.28	19.72	-22.1	41.82	Vertical	43.5	23.78
180.35	13.5	-20.8	34.3	Vertical	43.5	30
539.2985	12.4	-10	22.4	Vertical	46	33.6

916.58	17.49	-3.5	20.99	Vertical	46	28.51
--------	-------	------	-------	----------	----	-------

For 802.11ax(HE20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.1825	28.57	-20.3	48.87	Vertical	40	11.43
84.126	21.93	-20.9	42.83	Vertical	40	18.07
150.28	19.72	-22.1	41.82	Vertical	43.5	23.78
180.35	13.6	-20.8	34.4	Vertical	43.5	29.9
521.0625	11.95	-10.5	22.45	Vertical	46	34.05
921.8665	17.64	-3.4	21.04	Vertical	46	28.36

For 802.11ax(HE20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.7945	29.45	-20.4	49.85	Vertical	40	10.55
84.126	21.95	-20.9	42.85	Vertical	40	18.05
150.28	19.48	-22.1	41.58	Vertical	43.5	24.02
180.35	13.21	-20.8	34.01	Vertical	43.5	30.29
532.6055	12.48	-10.2	22.68	Vertical	46	33.52
915.8525	17.54	-3.5	21.04	Vertical	46	28.46

For 802.11ax(HE40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.358	11.25	-20.4	31.65	Vertical	40	28.75
84.126	21.94	-20.9	42.84	Vertical	40	18.06
150.28	19.46	-22.1	41.56	Vertical	43.5	24.04
180.35	13.23	-20.8	34.03	Vertical	43.5	30.27
518.4435	12.07	-10.5	22.57	Vertical	46	33.93
957.32	17.62	-3.2	20.82	Vertical	46	28.38

For 802.11ax(HE40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.91	11.15	-20.2	31.35	Vertical	40	28.85
84.126	21.93	-20.9	42.83	Vertical	40	18.07
150.28	19.46	-22.1	41.56	Vertical	43.5	24.04
180.35	13.23	-20.8	34.03	Vertical	43.5	30.27
545.9915	12.4	-9.9	22.3	Vertical	46	33.6
928.1715	17.76	-3.4	21.16	Vertical	46	28.24

For 802.11ax(HE80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl	Pmea	Polarity	Limit	Margin
----------------	----------------	------	------	----------	-------	--------

		(dB)	(dBuV/m)		(dBuV/m)	(dB)
33.3465	10.3	-20.1	30.4	Vertical	40	29.7
84.126	21.93	-20.9	42.83	Vertical	40	18.07
150.28	19.47	-22.1	41.57	Vertical	43.5	24.03
180.35	13.25	-20.8	34.05	Vertical	43.5	30.25
517.7645	12.02	-10.5	22.52	Vertical	46	33.98
949.948	17.74	-3.2	20.94	Vertical	46	28.26


For 802.11ax(HE160)Channel No.:50

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.014	12.44	-19.7	32.14	Vertical	40	27.56
84.126	21.93	-20.9	42.83	Vertical	40	18.07
150.28	19.48	-22.1	41.58	Vertical	43.5	24.02
180.35	13.23	-20.8	34.03	Vertical	43.5	30.27
477.8005	10.06	-11.5	21.56	Vertical	46	35.94
909.5475	17.41	-3.6	21.01	Vertical	46	28.59

For 802.11ax(HE160)Channel No.:114

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.492	9.82	-20.1	29.92	Vertical	40	30.18
84.126	21.93	-20.9	42.83	Vertical	40	18.07
150.28	19.46	-22.1	41.56	Vertical	43.5	24.04
180.35	13.23	-20.8	34.03	Vertical	43.5	30.27
537.7465	12.4	-10.1	22.5	Vertical	46	33.6
952.664	17.67	-3.2	20.87	Vertical	46	28.33

Full Spectrum



Frequency Range: 9kHz -30MHz


Detector: QP mode

Note: The relevant tests have been performed in order to verify in which mode would have the worstfeatures, the result show above is the worst case.

Partial RU (Tone26)

Carrier frequency (MHz): 5180


Channel No.:36




Frequency Range: 30MHz -1GHz

Detector: QP mode


Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5220
Channel No.44




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode

Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5240
Channel No.:48




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5190


Channel No.:38




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5230


Channel No.:46




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5210


Channel No.:42




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5260


Channel No.:52




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5300


Channel No.:60




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5320


Channel No.:64




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5260


Channel No.:54




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5310


Channel No.:62




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5290


Channel No.:58




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5500


Channel No.:100




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5600


Channel No.:120




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5700


Channel No.:140




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5510


Channel No.:102




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5590


Channel No.:118




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5670


Channel No.:134




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5530


Channel No.:106




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5610


Channel No.:122




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5690


Channel No.:138




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5745


Channel No.:149




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5785


Channel No.:157




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5825


Channel No.:165




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5755


Channel No.:151




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5795


Channel No.:159




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5775

Channel No.:155



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)