Project Information			
Mode:	802.11ac_20	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7446.62	31.18	17.06	48.24	54.00	5.76	RMS	Horizontal	PASS
2	15378.33	31.78	11.91	43.69	54.00	10.31	RMS	Horizontal	PASS
3	17990.67	30.07	16.79	46.86	54.00	7.14	RMS	Horizontal	PASS
4	5316.07	91.60	11.61	103.21	-	-	PK	Horizontal	NA
5	7983.90	39.80	17.33	57.13	68.20	11.07	PK	Horizontal	PASS
6	15361.00	40.14	11.91	52.05	74.00	21.95	PK	Horizontal	PASS
7	17033.00	38.00	14.18	52.18	68.20	16.02	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_20	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7507.88	30.04	17.29	47.33	54.00	6.67	RMS	Vertical	PASS
2	15950.67	32.50	11.25	43.75	54.00	10.25	RMS	Vertical	PASS
3	17868.00	30.47	15.93	46.40	54.00	7.60	RMS	Vertical	PASS
4	5321.32	92.10	11.65	103.75	-	-	PK	Vertical	NA
5	7225.06	40.13	16.24	56.37	68.20	11.83	PK	Vertical	PASS
6	15348.33	40.17	11.92	52.09	68.20	16.11	PK	Vertical	PASS
7	17966.33	38.10	16.61	54.71	74.00	19.29	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_40	Band:	UNII-2A
Bandwidth	40MHz	Channel	62
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7538.68	30.42	17.10	47.52	54.00	6.48	RMS	Horizontal	PASS
2	15890.67	31.56	11.78	43.34	54.00	10.66	RMS	Horizontal	PASS
3	17969.67	30.28	16.63	46.91	54.00	7.09	RMS	Horizontal	PASS
4	5301.72	89.64	11.51	101.15	-	-	PK	Horizontal	NA
5	7488.27	39.14	17.29	56.43	74.00	17.57	PK	Horizontal	PASS
6	15270.33	39.77	11.80	51.57	68.20	16.63	PK	Horizontal	PASS
7	17978.33	38.16	16.69	54.85	74.00	19.15	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_40	Band:	UNII-2A
Bandwidth	40MHz	Channel	62
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7508.58	30.31	17.29	47.60	54.00	6.40	RMS	Vertical	PASS
2	15862.33	32.38	11.63	44.01	54.00	9.99	RMS	Vertical	PASS
3	17896.33	30.26	16.08	46.34	54.00	7.66	RMS	Vertical	PASS
4	5311.52	89.80	11.58	101.38	-	-	PK	Vertical	NA
5	7656.28	39.53	16.74	56.27	74.00	17.73	PK	Vertical	PASS
6	15398.33	39.62	11.89	51.51	74.00	22.49	PK	Vertical	PASS
7	17331.33	39.16	13.72	52.88	68.20	15.32	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_80	Band:	UNII-2A
Bandwidth	80MHz	Channel	58
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7464.82	30.55	17.17	47.72	54.00	6.28	RMS	Horizontal	PASS
2	15355.00	32.42	11.92	44.34	54.00	9.66	RMS	Horizontal	PASS
3	17998.33	29.46	16.84	46.30	54.00	7.70	RMS	Horizontal	PASS
4	5281.06	85.85	11.36	97.21	-	-	PK	Horizontal	NA
5	7844.24	39.25	17.34	56.59	68.20	11.61	PK	Horizontal	PASS
6	14800.00	38.86	11.72	50.58	68.20	17.62	PK	Horizontal	PASS
7	17719.00	38.56	15.57	54.13	74.00	19.87	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_80	Band:	UNII-2A
Bandwidth	80MHz	Channel	58
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7468.67	30.17	17.19	47.36	54.00	6.64	RMS	Vertical	PASS
2	15890.67	31.76	11.78	43.54	54.00	10.46	RMS	Vertical	PASS
3	17993.33	29.98	16.81	46.79	54.00	7.21	RMS	Vertical	PASS
4	5283.16	86.53	11.37	97.90	-	-	PK	Vertical	NA
5	7507.53	38.91	17.29	56.20	74.00	17.80	PK	Vertical	PASS
6	14739.33	39.89	10.56	50.45	68.20	17.75	PK	Vertical	PASS
7	17033.67	38.15	14.17	52.32	68.20	15.88	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	UNII-2C
Bandwidth	20MHz	Channel	100
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7543.93	30.59	17.06	47.65	54.00	6.35	RMS	Horizontal	PASS
2	15356.67	32.28	11.91	44.19	54.00	9.81	RMS	Horizontal	PASS
3	17771.67	30.66	15.57	46.23	54.00	7.77	RMS	Horizontal	PASS
4	5498.42	92.86	12.59	105.45	-	-	PK	Horizontal	NA
5	7563.53	38.95	16.91	55.86	74.00	18.14	PK	Horizontal	PASS
6	15362.33	39.62	11.91	51.53	74.00	22.47	PK	Horizontal	PASS
7	17304.00	38.80	13.78	52.58	68.20	15.62	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	UNII-2C
Bandwidth	20MHz	Channel	100
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7532.03	30.25	17.14	47.39	54.00	6.61	RMS	Vertical	PASS
2	15857.33	31.98	11.60	43.58	54.00	10.42	RMS	Vertical	PASS
3	17969.33	30.09	16.63	46.72	54.00	7.28	RMS	Vertical	PASS
4	5501.23	92.47	12.59	105.06	-	-	PK	Vertical	NA
5	7535.53	39.27	17.12	56.39	74.00	17.61	PK	Vertical	PASS
6	15849.33	40.21	11.56	51.77	74.00	22.23	PK	Vertical	PASS
7	17327.00	39.08	13.73	52.81	68.20	15.39	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	UNII-2C
Bandwidth	20MHz	Channel	120
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7361.92	31.37	16.58	47.95	54.00	6.05	RMS	Horizontal	PASS
2	15826.33	32.03	11.43	43.46	54.00	10.54	RMS	Horizontal	PASS
3	17967.00	30.09	16.61	46.70	54.00	7.30	RMS	Horizontal	PASS
4	5599.23	94.52	12.74	107.26	-	-	PK	Horizontal	NA
5	7277.21	40.16	16.39	56.55	74.00	17.45	PK	Horizontal	PASS
6	15185.33	39.55	11.15	50.70	68.20	17.50	PK	Horizontal	PASS
7	17501.67	38.31	14.11	52.42	68.20	15.78	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	UNII-2C
Bandwidth	20MHz	Channel	120
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7531.68	30.48	17.14	47.62	54.00	6.38	RMS	Vertical	PASS
2	15881.00	31.36	11.73	43.09	54.00	10.91	RMS	Vertical	PASS
3	17951.00	31.06	16.48	47.54	54.00	6.46	RMS	Vertical	PASS
4	5603.08	95.87	12.76	108.63	-	-	PK	Vertical	NA
5	7355.62	39.98	16.60	56.58	74.00	17.42	PK	Vertical	PASS
6	15300.33	38.87	11.95	50.82	68.20	17.38	PK	Vertical	PASS
7	16969.33	38.86	13.92	52.78	68.20	15.42	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	UNII-2C
Bandwidth	20MHz	Channel	140
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7511.38	30.12	17.27	47.39	54.00	6.61	RMS	Horizontal	PASS
2	15834.67	31.86	11.48	43.34	54.00	10.66	RMS	Horizontal	PASS
3	17977.33	29.96	16.69	46.65	54.00	7.35	RMS	Horizontal	PASS
4	5698.63	93.77	13.36	107.13	-	-	PK	Horizontal	NA
5	7476.02	39.07	17.23	56.30	74.00	17.70	PK	Horizontal	PASS
6	14805.00	39.41	11.62	51.03	68.20	17.17	PK	Horizontal	PASS
7	17432.00	39.01	13.77	52.78	68.20	15.42	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	UNII-2C
Bandwidth	20MHz	Channel	140
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7555.83	30.67	16.98	47.65	54.00	6.35	RMS	Vertical	PASS
2	15365.33	32.30	11.91	44.21	54.00	9.79	RMS	Vertical	PASS
3	17801.67	31.10	15.59	46.69	54.00	7.31	RMS	Vertical	PASS
4	5701.44	92.48	13.38	105.86	-	-	PK	Vertical	NA
5	7698.28	39.68	16.91	56.59	74.00	17.41	PK	Vertical	PASS
6	15177.33	39.49	10.99	50.48	68.20	17.72	PK	Vertical	PASS
7	16979.67	38.96	14.12	53.08	68.20	15.12	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_20	Band:	UNII-2C
Bandwidth	20MHz	Channel	120
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7532.38	30.49	17.14	47.63	54.00	6.37	RMS	Horizontal	PASS
2	15843.00	32.17	11.52	43.69	54.00	10.31	RMS	Horizontal	PASS
3	17959.67	30.72	16.55	47.27	54.00	6.73	RMS	Horizontal	PASS
4	5598.88	97.65	12.74	110.39	-	-	PK	Horizontal	NA
5	7646.83	39.52	16.71	56.23	74.00	17.77	PK	Horizontal	PASS
6	15231.00	39.06	11.60	50.66	68.20	17.54	PK	Horizontal	PASS
7	17329.33	39.15	13.73	52.88	68.20	15.32	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_20	Band:	UNII-2C
Bandwidth	20MHz	Channel	120
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7466.92	30.51	17.18	47.69	54.00	6.31	RMS	Vertical	PASS
2	15783.00	32.46	11.29	43.75	54.00	10.25	RMS	Vertical	PASS
3	17988.00	30.11	16.77	46.88	54.00	7.12	RMS	Vertical	PASS
4	5596.78	99.82	12.73	112.55	-	-	PK	Vertical	NA
5	7728.04	39.06	17.07	56.13	74.00	17.87	PK	Vertical	PASS
6	14875.67	40.55	10.33	50.88	68.20	17.32	PK	Vertical	PASS
7	17257.00	38.57	13.75	52.32	68.20	15.88	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_40	Band:	UNII-2C
Bandwidth	40MHz	Channel	118
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7462.02	30.59	17.16	47.75	54.00	6.25	RMS	Horizontal	PASS
2	11501.00	34.59	6.52	41.11	54.00	12.89	RMS	Horizontal	PASS
3	17952.00	30.09	16.50	46.59	54.00	7.41	RMS	Horizontal	PASS
4	5592.58	90.85	12.74	103.59	-	-	PK	Horizontal	NA
5	7486.52	39.13	17.27	56.40	74.00	17.60	PK	Horizontal	PASS
6	11522.33	42.14	6.52	48.66	74.00	25.34	PK	Horizontal	PASS
7	17938.00	38.50	16.39	54.89	74.00	19.11	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_40	Band:	UNII-2C
Bandwidth	40MHz	Channel	118
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7445.57	30.20	17.04	47.24	54.00	6.76	RMS	Vertical	PASS
2	12278.67	33.52	7.48	41.00	54.00	13.00	RMS	Vertical	PASS
3	17966.67	30.52	16.61	47.13	54.00	6.87	RMS	Vertical	PASS
4	5585.58	91.77	12.73	104.50	-	-	PK	Vertical	NA
5	7511.73	39.26	17.27	56.53	74.00	17.47	PK	Vertical	PASS
6	12139.67	42.04	6.94	48.98	74.00	25.02	PK	Vertical	PASS
7	17966.33	38.23	16.61	54.84	74.00	19.16	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_80	Band:	UNII-2C
Bandwidth	80MHz	Channel	122
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7732.94	30.24	17.10	47.34	54.00	6.66	RMS	Horizontal	PASS
2	12227.00	33.51	7.62	41.13	54.00	12.87	RMS	Horizontal	PASS
3	17908.67	30.38	16.16	46.54	54.00	7.46	RMS	Horizontal	PASS
4	5619.18	85.48	12.84	98.32	-	-	PK	Horizontal	NA
5	7321.32	39.92	16.47	56.39	74.00	17.61	PK	Horizontal	PASS
6	12513.00	41.52	7.21	48.73	74.00	25.27	PK	Horizontal	PASS
7	17914.33	38.25	16.21	54.46	74.00	19.54	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_80	Band:	UNII-2C
Bandwidth	80MHz	Channel	122
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7708.79	30.88	16.97	47.85	54.00	6.15	RMS	Vertical	PASS
2	12214.67	33.36	7.66	41.02	54.00	12.98	RMS	Vertical	PASS
3	17977.00	29.90	16.69	46.59	54.00	7.41	RMS	Vertical	PASS
4	5603.43	87.85	12.76	100.61	-	-	PK	Vertical	NA
5	7444.52	39.32	17.03	56.35	74.00	17.65	PK	Vertical	PASS
6	11820.00	42.39	6.46	48.85	74.00	25.15	PK	Vertical	PASS
7	17893.67	37.90	16.07	53.97	74.00	20.03	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7459.22	30.86	17.14	48.00	54.00	6.00	RMS	Horizontal	PASS
2	15367.00	31.98	11.91	43.89	54.00	10.11	RMS	Horizontal	PASS
3	17981.00	30.48	16.71	47.19	54.00	6.81	RMS	Horizontal	PASS
4	5743.79	94.60	13.81	108.41	-	-	PK	Horizontal	NA
5	7663.28	40.42	16.77	57.19	74.00	16.81	PK	Horizontal	PASS
6	16431.67	41.09	12.50	53.59	68.20	14.61	PK	Horizontal	PASS
7	17903.00	38.46	16.12	54.58	74.00	19.42	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7520.48	30.17	17.21	47.38	54.00	6.62	RMS	Vertical	PASS
2	5745.19	90.83	13.82	104.65	-	-	PK	Vertical	NA
3	7537.63	39.61	17.10	56.71	74.00	17.29	PK	Vertical	PASS
4	12342.00	41.67	7.51	49.18	74.00	24.82	PK	Vertical	PASS
5	17924.67	37.68	16.29	53.97	74.00	20.03	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7404.97	30.90	16.52	47.42	54.00	6.58	RMS	Horizontal	PASS
2	12290.00	33.36	7.45	40.81	54.00	13.19	RMS	Horizontal	PASS
3	17996.00	29.74	16.83	46.57	54.00	7.43	RMS	Horizontal	PASS
4	5788.24	96.16	14.25	110.41	-	-	PK	Horizontal	NA
5	7676.23	39.11	16.82	55.93	74.00	18.07	PK	Horizontal	PASS
6	11556.00	42.28	6.54	48.82	74.00	25.18	PK	Horizontal	PASS
7	17908.00	39.44	16.16	55.60	74.00	18.40	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7526.08	30.50	17.18	47.68	54.00	6.32	RMS	Vertical	PASS
2	11568.00	36.57	6.55	43.12	54.00	10.88	RMS	Vertical	PASS
3	17983.00	30.27	16.73	47.00	54.00	7.00	RMS	Vertical	PASS
4	5782.99	92.44	14.20	106.64	-	-	PK	Vertical	NA
5	7824.29	39.95	17.30	57.25	68.20	10.95	PK	Vertical	PASS
6	11563.67	43.64	6.55	50.19	74.00	23.81	PK	Vertical	PASS
7	17988.33	37.84	16.77	54.61	74.00	19.39	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7511.03	30.05	17.27	47.32	54.00	6.68	RMS	Horizontal	PASS
2	12262.33	33.53	7.53	41.06	54.00	12.94	RMS	Horizontal	PASS
3	17801.00	31.84	15.59	47.43	54.00	6.57	RMS	Horizontal	PASS
4	5822.54	95.76	14.30	110.06	-	-	PK	Horizontal	NA
5	7485.82	38.87	17.28	56.15	74.00	17.85	PK	Horizontal	PASS
6	12454.00	41.04	7.42	48.46	74.00	25.54	PK	Horizontal	PASS
7	17984.33	37.88	16.74	54.62	74.00	19.38	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7468.32	30.41	17.19	47.60	54.00	6.40	RMS	Vertical	PASS
2	11709.00	34.43	6.46	40.89	54.00	13.11	RMS	Vertical	PASS
3	17984.67	30.02	16.74	46.76	54.00	7.24	RMS	Vertical	PASS
4	5826.04	90.25	14.29	104.54	-	-	PK	Vertical	NA
5	7708.79	39.76	16.97	56.73	74.00	17.27	PK	Vertical	PASS
6	11648.00	42.48	6.51	48.99	74.00	25.01	PK	Vertical	PASS
7	17993.00	37.76	16.80	54.56	74.00	19.44	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7655.58	31.11	16.74	47.85	54.00	6.15	RMS	Horizontal	PASS
2	11652.67	34.26	6.51	40.77	54.00	13.23	RMS	Horizontal	PASS
3	17920.00	30.23	16.25	46.48	54.00	7.52	RMS	Horizontal	PASS
4	5823.59	96.79	14.30	111.09	-	-	PK	Horizontal	NA
5	7834.09	39.52	17.32	56.84	68.20	11.36	PK	Horizontal	PASS
6	11651.00	42.20	6.51	48.71	74.00	25.29	PK	Horizontal	PASS
7	17862.67	38.74	15.91	54.65	74.00	19.35	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	11652.67	35.01	6.51	41.52	54.00	12.48	RMS	Vertical	PASS
2	17963.33	29.90	16.58	46.48	54.00	7.52	RMS	Vertical	PASS
3	11650.67	43.83	6.51	50.34	74.00	23.66	PK	Vertical	PASS
4	17986.67	37.24	16.76	54.00	74.00	20.00	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7495.97	30.36	17.32	47.68	54.00	6.32	RMS	Horizontal	PASS
2	12267.00	34.42	7.51	41.93	54.00	12.07	RMS	Horizontal	PASS
3	17707.00	30.80	15.57	46.37	54.00	7.63	RMS	Horizontal	PASS
4	5799.09	91.78	14.35	106.13	-	-	PK	Horizontal	NA
5	7534.83	39.06	17.12	56.18	74.00	17.82	PK	Horizontal	PASS
6	12461.67	41.42	7.39	48.81	74.00	25.19	PK	Horizontal	PASS
7	17990.33	37.43	16.79	54.22	74.00	19.78	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7534.48	30.25	17.12	47.37	54.00	6.63	RMS	Vertical	PASS
2	12232.33	33.49	7.61	41.10	54.00	12.90	RMS	Vertical	PASS
3	17977.33	30.26	16.69	46.95	54.00	7.05	RMS	Vertical	PASS
4	5796.29	87.50	14.32	101.82	-	-	PK	Vertical	NA
5	7481.62	39.43	17.25	56.68	74.00	17.32	PK	Vertical	PASS
6	12430.33	41.48	7.52	49.00	74.00	25.00	PK	Vertical	PASS
7	17950.33	37.60	16.48	54.08	74.00	19.92	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7499.47	30.33	17.34	47.67	54.00	6.33	RMS	Horizontal	PASS
2	12343.33	33.56	7.52	41.08	54.00	12.92	RMS	Horizontal	PASS
3	17984.00	30.05	16.74	46.79	54.00	7.21	RMS	Horizontal	PASS
4	5763.39	87.77	14.00	101.77	-	-	PK	Horizontal	NA
5	7508.23	39.07	17.29	56.36	74.00	17.64	PK	Horizontal	PASS
6	12410.00	41.70	7.60	49.30	74.00	24.70	PK	Horizontal	PASS
7	17965.33	37.72	16.60	54.32	74.00	19.68	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7607.63	31.02	16.62	47.64	54.00	6.36	RMS	Vertical	PASS
2	11540.67	34.09	6.53	40.62	54.00	13.38	RMS	Vertical	PASS
3	17995.00	29.92	16.82	46.74	54.00	7.26	RMS	Vertical	PASS
4	5778.79	83.92	14.15	98.07	-	-	PK	Vertical	NA
5	7876.44	40.14	17.34	57.48	68.20	10.72	PK	Vertical	PASS
6	11553.67	43.17	6.54	49.71	74.00	24.29	PK	Vertical	PASS
7	17968.00	38.07	16.61	54.68	74.00	19.32	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5141.19	34.36	10.96	45.32	54.00	8.68	RMS	Horizontal	PASS
2	5144.96	35.09	10.97	46.06	54.00	7.94	RMS	Horizontal	PASS
3	5147.44	36.39	10.97	47.36	54.00	6.64	RMS	Horizontal	PASS
4	5143.01	46.58	10.97	57.55	74.00	16.45	PK	Horizontal	PASS
5	5146.04	49.11	10.97	60.08	74.00	13.92	PK	Horizontal	PASS
6	5148.90	49.54	10.97	60.51	74.00	13.49	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5143.31	35.01	10.97	45.98	54.00	8.02	RMS	Vertical	PASS
2	5146.98	36.65	10.97	47.62	54.00	6.38	RMS	Vertical	PASS
3	5149.29	37.46	10.97	48.43	54.00	5.57	RMS	Vertical	PASS
4	5143.21	49.61	10.97	60.58	74.00	13.42	PK	Vertical	PASS
5	5146.10	51.18	10.97	62.15	74.00	11.85	PK	Vertical	PASS
6	5149.13	51.55	10.97	62.52	74.00	11.48	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_20	Band:	UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5141.10	32.66	10.96	43.62	54.00	10.38	RMS	Horizontal	PASS
2	5145.16	33.30	10.97	44.27	54.00	9.73	RMS	Horizontal	PASS
3	5148.38	33.44	10.97	44.41	54.00	9.59	RMS	Horizontal	PASS
4	5141.29	44.47	10.96	55.43	74.00	18.57	PK	Horizontal	PASS
5	5145.97	45.35	10.97	56.32	74.00	17.68	PK	Horizontal	PASS
6	5149.39	47.07	10.97	58.04	74.00	15.96	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_20	Band:	UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5141.94	33.05	10.96	44.01	54.00	9.99	RMS	Vertical	PASS
2	5145.97	33.32	10.97	44.29	54.00	9.71	RMS	Vertical	PASS
3	5148.70	34.56	10.97	45.53	54.00	8.47	RMS	Vertical	PASS
4	5142.01	45.99	10.96	56.95	74.00	17.05	PK	Vertical	PASS
5	5146.69	47.24	10.97	58.21	74.00	15.79	PK	Vertical	PASS
6	5147.99	47.17	10.97	58.14	74.00	15.86	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_40	Band:	UNII-1
Bandwidth	40MHz	Channel	38
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5142.43	35.39	10.97	46.36	54.00	7.64	RMS	Horizontal	PASS
2	5145.58	36.89	10.97	47.86	54.00	6.14	RMS	Horizontal	PASS
3	5148.98	38.12	10.97	49.09	54.00	4.91	RMS	Horizontal	PASS
4	5143.37	48.03	10.97	59.00	74.00	15.00	PK	Horizontal	PASS
5	5146.26	49.19	10.97	60.16	74.00	13.84	PK	Horizontal	PASS
6	5149.49	50.46	10.97	61.43	74.00	12.57	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_40	Band:	UNII-1
Bandwidth	40MHz	Channel	38
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5142.77	35.39	10.97	46.36	54.00	7.64	RMS	Vertical	PASS
2	5146.13	37.03	10.97	48.00	54.00	6.00	RMS	Vertical	PASS
3	5148.68	38.46	10.97	49.43	54.00	4.57	RMS	Vertical	PASS
4	5141.16	49.07	10.96	60.03	74.00	13.97	PK	Vertical	PASS
5	5143.62	50.00	10.97	60.97	74.00	13.03	PK	Vertical	PASS
6	5147.79	51.30	10.97	62.27	74.00	11.73	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5127.81	37.23	10.95	48.18	54.00	5.82	RMS	Horizontal	PASS
2	5132.13	37.81	10.95	48.76	54.00	5.24	RMS	Horizontal	PASS
3	5144.26	38.42	10.97	49.39	54.00	4.61	RMS	Horizontal	PASS
4	5128.94	49.18	10.95	60.13	74.00	13.87	PK	Horizontal	PASS
5	5134.00	49.61	10.95	60.56	74.00	13.44	PK	Horizontal	PASS
6	5147.70	52.34	10.97	63.31	74.00	10.69	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5137.51	38.06	10.96	49.02	54.00	4.98	RMS	Vertical	PASS
2	5144.63	37.87	10.97	48.84	54.00	5.16	RMS	Vertical	PASS
3	5148.39	37.90	10.97	48.87	54.00	5.13	RMS	Vertical	PASS
4	5137.76	49.60	10.96	60.56	74.00	13.44	PK	Vertical	PASS
5	5142.76	50.94	10.97	61.91	74.00	12.09	PK	Vertical	PASS
6	5148.07	52.61	10.97	63.58	74.00	10.42	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.19	38.99	11.85	50.84	54.00	3.16	RMS	Horizontal	PASS
2	5352.08	38.18	11.86	50.04	54.00	3.96	RMS	Horizontal	PASS
3	5354.94	36.07	11.87	47.94	54.00	6.06	RMS	Horizontal	PASS
4	5350.52	52.13	11.85	63.98	74.00	10.02	PK	Horizontal	PASS
5	5351.52	52.00	11.86	63.86	74.00	10.14	PK	Horizontal	PASS
6	5353.86	51.05	11.87	62.92	74.00	11.08	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.32	38.61	11.85	50.46	54.00	3.54	RMS	Vertical	PASS
2	5353.80	36.89	11.87	48.76	54.00	5.24	RMS	Vertical	PASS
3	5358.38	34.57	11.88	46.45	54.00	7.55	RMS	Vertical	PASS
4	5350.58	51.77	11.85	63.62	74.00	10.38	PK	Vertical	PASS
5	5353.28	52.25	11.86	64.11	74.00	9.89	PK	Vertical	PASS
6	5358.22	47.94	11.88	59.82	74.00	14.18	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_20	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5351.65	31.69	11.86	43.55	54.00	10.45	RMS	Horizontal	PASS
2	5354.22	31.59	11.87	43.46	54.00	10.54	RMS	Horizontal	PASS
3	5358.77	31.49	11.89	43.38	54.00	10.62	RMS	Horizontal	PASS
4	5351.69	44.46	11.86	56.32	74.00	17.68	PK	Horizontal	PASS
5	5354.55	43.79	11.87	55.66	74.00	18.34	PK	Horizontal	PASS
6	5358.71	45.06	11.88	56.94	74.00	17.06	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_20	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.26	31.34	11.85	43.19	54.00	10.81	RMS	Vertical	PASS
2	5352.92	31.53	11.86	43.39	54.00	10.61	RMS	Vertical	PASS
3	5357.34	31.59	11.88	43.47	54.00	10.53	RMS	Vertical	PASS
4	5350.52	44.22	11.85	56.07	74.00	17.93	PK	Vertical	PASS
5	5352.76	45.20	11.86	57.06	74.00	16.94	PK	Vertical	PASS
6	5356.82	43.49	11.88	55.37	74.00	18.63	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_40	Band:	UNII-2A
Bandwidth	40MHz	Channel	62
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5351.74	37.91	11.86	49.77	54.00	4.23	RMS	Horizontal	PASS
2	5354.97	36.46	11.87	48.33	54.00	5.67	RMS	Horizontal	PASS
3	5358.33	34.43	11.88	46.31	54.00	7.69	RMS	Horizontal	PASS
4	5351.15	51.28	11.85	63.13	74.00	10.87	PK	Horizontal	PASS
5	5355.61	48.87	11.87	60.74	74.00	13.26	PK	Horizontal	PASS
6	5359.05	46.98	11.89	58.87	74.00	15.13	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_40	Band:	UNII-2A
Bandwidth	40MHz	Channel	62
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.59	38.39	11.85	50.24	54.00	3.76	RMS	Vertical	PASS
2	5355.65	36.09	11.87	47.96	54.00	6.04	RMS	Vertical	PASS
3	5360.08	33.43	11.89	45.32	54.00	8.68	RMS	Vertical	PASS
4	5350.81	50.67	11.85	62.52	74.00	11.48	PK	Vertical	PASS
5	5356.89	49.21	11.88	61.09	74.00	12.91	PK	Vertical	PASS
6	5360.59	48.05	11.89	59.94	74.00	14.06	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_80	Band:	UNII-2A
Bandwidth	80MHz	Channel	58
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5351.68	38.11	11.86	49.97	54.00	4.03	RMS	Horizontal	PASS
2	5358.18	37.19	11.88	49.07	54.00	4.93	RMS	Horizontal	PASS
3	5368.81	36.34	11.94	48.28	54.00	5.72	RMS	Horizontal	PASS
4	5352.61	52.05	11.86	63.91	74.00	10.09	PK	Horizontal	PASS
5	5360.12	49.21	11.89	61.10	74.00	12.90	PK	Horizontal	PASS
6	5368.56	47.95	11.93	59.88	74.00	14.12	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac_80	Band:	UNII-2A
Bandwidth	80MHz	Channel	58
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5351.99	38.56	11.86	50.42	54.00	3.58	RMS	Vertical	PASS
2	5356.24	38.40	11.87	50.27	54.00	3.73	RMS	Vertical	PASS
3	5366.93	37.32	11.93	49.25	54.00	4.75	RMS	Vertical	PASS
4	5352.80	52.21	11.86	64.07	74.00	9.93	PK	Vertical	PASS
5	5357.68	50.40	11.88	62.28	74.00	11.72	PK	Vertical	PASS
6	5369.18	49.60	11.94	61.54	74.00	12.46	PK	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	UNII-2C
Bandwidth	20MHz	Channel	100
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5453.30	30.42	12.50	42.92	54.00	11.08	RMS	Horizontal	PASS
2	5456.60	30.50	12.50	43.00	54.00	11.00	RMS	Horizontal	PASS
3	5459.06	30.72	12.51	43.23	54.00	10.77	RMS	Horizontal	PASS
4	5462.76	41.86	12.52	54.38	68.20	13.82	PK	Horizontal	PASS
5	5465.79	42.69	12.52	55.21	68.20	12.99	PK	Horizontal	PASS
6	5469.42	43.10	12.53	55.63	68.20	12.57	PK	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.