| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11a | Band: | UNII-2C |
| Bandwidth | 20MHz | Channel | 100 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5451.95 | 31.10 | 12.49 | 43.59 | 54.00 | 10.41 | RMS | Vertical | PASS |
| 2 | 5456.90 | 31.41 | 12.50 | 43.91 | 54.00 | 10.09 | RMS | Vertical | PASS |
| 3 | 5459.18 | 31.75 | 12.51 | 44.26 | 54.00 | 9.74 | RMS | Vertical | PASS |
| 4 | 5462.19 | 44.57 | 12.51 | 57.08 | 68.20 | 11.12 | PK | Vertical | PASS |
| 5 | 5465.73 | 43.96 | 12.52 | 56.48 | 68.20 | 11.72 | PK | Vertical | PASS |
| 6 | 5469.60 | 45.11 | 12.53 | 57.64 | 68.20 | 10.56 | PK | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11a | Band: | UNII-2C |
| Bandwidth | 20MHz | Channel | 140 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5725.63 | 46.74 | 13.62 | 60.36 | 68.20 | 7.84 | PK | Horizontal | PASS |
| 2 | 5728.45 | 46.22 | 13.65 | 59.87 | 68.20 | 8.33 | PK | Horizontal | PASS |
| 3 | 5731.30 | 44.91 | 13.68 | 58.59 | 68.20 | 9.61 | PK | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11a | Band: | UNII-2C |
| Bandwidth | 20MHz | Channel | 140 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5726.02 | 45.56 | 13.63 | 59.19 | 68.20 | 9.01 | PK | Vertical | PASS |
| 2 | 5729.08 | 43.97 | 13.66 | 57.63 | 68.20 | 10.57 | PK | Vertical | PASS |
| 3 | 5734.42 | 43.96 | 13.71 | 57.67 | 68.20 | 10.53 | PK | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_20 | Band: | U-NII-2C |
| Bandwidth | 20MHz | Channel | 100 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5453.36 | 31.59 | 12.50 | 44.09 | 54.00 | 9.91 | RMS | Horizontal | PASS |
| 2 | 5457.20 | 32.43 | 12.50 | 44.93 | 54.00 | 9.07 | RMS | Horizontal | PASS |
| 3 | 5459.66 | 32.83 | 12.51 | 45.34 | 54.00 | 8.66 | RMS | Horizontal | PASS |
| 4 | 5453.15 | 43.07 | 12.50 | 55.57 | 74.00 | 18.43 | PK | Horizontal | PASS |
| 5 | 5457.74 | 45.51 | 12.51 | 58.02 | 74.00 | 15.98 | PK | Horizontal | PASS |
| 6 | 5469.24 | 48.98 | 12.53 | 61.51 | 68.20 | 6.69 | PK | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_20 | Band: | U-NII-2C |
| Bandwidth | 20MHz | Channel | 100 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5452.67 | 32.70 | 12.50 | 45.20 | 54.00 | 8.80 | RMS | Vertical | PASS |
| 2 | 5456.30 | 33.73 | 12.50 | 46.23 | 54.00 | 7.77 | RMS | Vertical | PASS |
| 3 | 5458.67 | 34.35 | 12.51 | 46.86 | 54.00 | 7.14 | RMS | Vertical | PASS |
| 4 | 5455.07 | 46.20 | 12.50 | 58.70 | 74.00 | 15.30 | PK | Vertical | PASS |
| 5 | 5467.11 | 50.42 | 12.52 | 62.94 | 68.20 | 5.26 | PK | Vertical | PASS |
| 6 | 5469.90 | 51.02 | 12.53 | 63.55 | 68.20 | 4.65 | PK | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_20 | Band: | UNII-2C |
| Bandwidth | 20MHz | Channel | 140 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5725.21 | 47.79 | 13.62 | 61.41 | 68.20 | 6.79 | PK | Horizontal | PASS |
| 2 | 5728.48 | 44.45 | 13.65 | 58.10 | 68.20 | 10.10 | PK | Horizontal | PASS |
| 3 | 5734.30 | 44.41 | 13.71 | 58.12 | 68.20 | 10.08 | PK | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_20 | Band: | UNII-2C |
| Bandwidth | 20MHz | Channel | 140 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5725.21 | 47.09 | 13.62 | 60.71 | 68.20 | 7.49 | PK | Vertical | PASS |
| 2 | 5728.78 | 43.34 | 13.66 | 57.00 | 68.20 | 11.20 | PK | Vertical | PASS |
| 3 | 5734.69 | 43.57 | 13.71 | 57.28 | 68.20 | 10.92 | PK | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_40 | Band: | U-NII-2C |
| Bandwidth | 40MHz | Channel | 102 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5451.80 | 31.13 | 12.49 | 43.62 | 54.00 | 10.38 | RMS | Horizontal | PASS |
| 2 | 5457.04 | 31.14 | 12.50 | 43.64 | 54.00 | 10.36 | RMS | Horizontal | PASS |
| 3 | 5459.52 | 32.67 | 12.51 | 45.18 | 54.00 | 8.82 | RMS | Horizontal | PASS |
| 4 | 5460.17 | 47.40 | 12.51 | 59.91 | 68.20 | 8.29 | PK | Horizontal | PASS |
| 5 | 5465.65 | 49.52 | 12.52 | 62.04 | 68.20 | 6.16 | PK | Horizontal | PASS |
| 6 | 5469.73 | 50.36 | 12.53 | 62.89 | 68.20 | 5.31 | PK | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_40 | Band: | U-NII-2C |
| Bandwidth | 40MHz | Channel | 102 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5451.08 | 31.64 | 12.49 | 44.13 | 54.00 | 9.87 | RMS | Vertical | PASS |
| 2 | 5457.92 | 32.51 | 12.51 | 45.02 | 54.00 | 8.98 | RMS | Vertical | PASS |
| 3 | 5459.88 | 33.64 | 12.51 | 46.15 | 54.00 | 7.85 | RMS | Vertical | PASS |
| 4 | 5459.88 | 47.77 | 12.51 | 60.28 | 74.00 | 13.72 | PK | Vertical | PASS |
| 5 | 5466.13 | 50.55 | 12.52 | 63.07 | 68.20 | 5.13 | PK | Vertical | PASS |
| 6 | 5468.29 | 52.56 | 12.53 | 65.09 | 68.20 | 3.11 | PK | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_40 | Band: | U-NII-2C |
| Bandwidth | 40MHz | Channel | 134 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5729.29 | 46.19 | 13.66 | 59.85 | 68.20 | 8.35 | PK | Horizontal | PASS |
| 2 | 5741.60 | 43.23 | 13.78 | 57.01 | 68.20 | 11.19 | PK | Horizontal | PASS |
| 3 | 5748.65 | 42.74 | 13.85 | 56.59 | 68.20 | 11.61 | PK | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_40 | Band: | U-NII-2C |
| Bandwidth | 40MHz | Channel | 134 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5730.69 | 44.08 | 13.67 | 57.75 | 68.20 | 10.45 | PK | Vertical | PASS |
| 2 | 5738.54 | 42.61 | 13.75 | 56.36 | 68.20 | 11.84 | PK | Vertical | PASS |
| 3 | 5747.95 | 42.43 | 13.85 | 56.28 | 68.20 | 11.92 | PK | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_80 | Band: | U-NII-2C |
| Bandwidth | 80MHz | Channel | 106 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5450.96 | 35.71 | 12.49 | 48.20 | 54.00 | 5.80 | RMS | Horizontal | PASS |
| 2 | 5454.92 | 35.94 | 12.50 | 48.44 | 54.00 | 5.56 | RMS | Horizontal | PASS |
| 3 | 5459.48 | 36.43 | 12.51 | 48.94 | 54.00 | 5.06 | RMS | Horizontal | PASS |
| 4 | 5453.84 | 47.29 | 12.50 | 59.79 | 74.00 | 14.21 | PK | Horizontal | PASS |
| 5 | 5463.99 | 49.27 | 12.52 | 61.79 | 68.20 | 6.41 | PK | Horizontal | PASS |
| 6 | 5468.67 | 48.63 | 12.53 | 61.16 | 68.20 | 7.04 | PK | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_80 | Band: | U-NII-2C |
| Bandwidth | 80MHz | Channel | 106 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5452.58 | 37.85 | 12.50 | 50.35 | 54.00 | 3.65 | RMS | Vertical | PASS |
| 2 | 5454.92 | 38.27 | 12.50 | 50.77 | 54.00 | 3.23 | RMS | Vertical | PASS |
| 3 | 5458.64 | 38.31 | 12.51 | 50.82 | 54.00 | 3.18 | RMS | Vertical | PASS |
| 4 | 5457.32 | 49.95 | 12.50 | 62.45 | 74.00 | 11.55 | PK | Vertical | PASS |
| 5 | 5463.81 | 50.25 | 12.52 | 62.77 | 68.20 | 5.43 | PK | Vertical | PASS |
| 6 | 5468.85 | 50.59 | 12.53 | 63.12 | 68.20 | 5.08 | PK | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_80 | Band: | U-NII-2C |
| Bandwidth | 80MHz | Channel | 122 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5728.12 | 42.93 | 13.65 | 56.58 | 68.20 | 11.62 | PK | Horizontal | PASS |
| 2 | 5743.34 | 43.75 | 13.80 | 57.55 | 68.20 | 10.65 | PK | Horizontal | PASS |
| 3 | 5748.20 | 42.96 | 13.85 | 56.81 | 68.20 | 11.39 | PK | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_80 | Band: | U-NII-2C |
| Bandwidth | 80MHz | Channel | 122 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5725.51 | 41.43 | 13.62 | 55.05 | 68.20 | 13.15 | PK | Vertical | PASS |
| 2 | 5732.35 | 42.22 | 13.69 | 55.91 | 68.20 | 12.29 | PK | Vertical | PASS |
| 3 | 5748.11 | 42.51 | 13.85 | 56.36 | 68.20 | 11.84 | PK | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11a | Band: | U-NII-3 |
| Bandwidth | 20MHz | Channel | 149 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5627.93 | 41.95 | 12.89 | 54.84 | 68.20 | 13.36 | PK | Horizontal | PASS |
| 2 | 5942.20 | 41.72 | 13.96 | 55.68 | 68.20 | 12.52 | PK | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11a | Band: | U-NII-3 |
| Bandwidth | 20MHz | Channel | 149 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5648.57 | 42.43 | 13.00 | 55.43 | 68.20 | 12.77 | PK | Vertical | PASS |
| 2 | 5935.21 | 41.74 | 13.98 | 55.72 | 68.20 | 12.48 | PK | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11a | Band: | U-NII-3 |
| Bandwidth | 20MHz | Channel | 165 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5634.10 | 42.28 | 12.92 | 55.20 | 68.20 | 13.00 | PK | Horizontal | PASS |
| 2 | 5929.35 | 42.00 | 14.00 | 56.00 | 68.20 | 12.20 | PK | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11a | Band: | U-NII-3 |
| Bandwidth | 20MHz | Channel | 165 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5626.79 | 42.35 | 12.88 | 55.23 | 68.20 | 12.97 | PK | Vertical | PASS |
| 2 | 5946.26 | 41.72 | 13.95 | 55.67 | 68.20 | 12.53 | PK | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_20 | Band: | U-NII-3 |
| Bandwidth | 20MHz | Channel | 149 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5642.07 | 41.91 | 12.96 | 54.87 | 68.20 | 13.33 | PK | Horizontal | PASS |
| 2 | 5949.19 | 42.08 | 13.93 | 56.01 | 68.20 | 12.19 | PK | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_20 | Band: | U-NII-3 |
| Bandwidth | 20MHz | Channel | 149 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5634.92 | 41.97 | 12.93 | 54.90 | 68.20 | 13.30 | PK | Vertical | PASS |
| 2 | 5949.84 | 41.51 | 13.93 | 55.44 | 68.20 | 12.76 | PK | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_20 | Band: | U-NII-3 |
| Bandwidth | 20MHz | Channel | 165 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5639.63 | 42.04 | 12.95 | 54.99 | 68.20 | 13.21 | PK | Horizontal | PASS |
| 2 | 5932.93 | 41.71 | 13.98 | 55.69 | 68.20 | 12.51 | PK | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_20 | Band: | U-NII-3 |
| Bandwidth | 20MHz | Channel | 165 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5639.47 | 42.32 | 12.95 | 55.27 | 68.20 | 12.93 | PK | Vertical | PASS |
| 2 | 5942.20 | 41.82 | 13.96 | 55.78 | 68.20 | 12.42 | PK | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_40 | Band: | U-NII-3 |
| Bandwidth | 40MHz | Channel | 151 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5641.26 | 42.21 | 12.96 | 55.17 | 68.20 | 13.03 | PK | Horizontal | PASS |
| 2 | 5929.68 | 41.92 | 14.00 | 55.92 | 68.20 | 12.28 | PK | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_40 | Band: | U-NII-3 |
| Bandwidth | 40MHz | Channel | 151 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5637.68 | 42.15 | 12.94 | 55.09 | 68.20 | 13.11 | PK | Vertical | PASS |
| 2 | 5943.33 | 42.02 | 13.95 | 55.97 | 68.20 | 12.23 | PK | Vertical | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_40 | Band: | U-NII-3 |
| Bandwidth | 40MHz | Channel | 159 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5647.60 | 42.33 | 13.00 | 55.33 | 68.20 | 12.87 | PK | Horizontal | PASS |
| 2 | 5943.33 | 42.08 | 13.95 | 56.03 | 68.20 | 12.17 | PK | Horizontal | PASS |


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

| Project Information | | | |
|---|---|---|---|
| Mode: | 802.11ac_40 | Band: | U-NII-3 |
| Bandwidth | 40MHz | Channel | 159 |
| IMEI: | 864712070805911 | Engineer: | Oushuyan |
| Remark: | | | |

**Test Graph**




**Data List**

| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB/m] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Trace | Polarity | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 5629.55 | 42.01 | 12.90 | 54.91 | 68.20 | 13.29 | PK | Vertical | PASS |
| 2 | 5935.69 | 41.36 | 13.98 | 55.34 | 68.20 | 12.86 | PK | Vertical | PASS |

~The End~


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.