


Project Information

Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4982.50	48.06	-6.07	41.99	54.00	12.01	250	RMS	Vertical	PASS
2	12833.50	33.42	7.77	41.19	54.00	12.81	250	RMS	Vertical	PASS
3	17965.50	30.79	16.79	47.58	54.00	6.42	250	RMS	Vertical	PASS
4	2411.13	97.49	1.91	99.40	-	-	250	PK	Vertical	NA
5	4977.50	59.79	-6.06	53.73	74.00	20.27	250	PK	Vertical	PASS
6	12279.50	42.38	7.12	49.50	74.00	24.50	250	PK	Vertical	PASS
7	17977.00	38.12	16.96	55.08	74.00	18.92	250	PK	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4980.50	47.25	-6.07	41.18	54.00	12.82	250	RMS	Horizontal	PASS
2	15889.00	31.41	12.05	43.46	54.00	10.54	250	RMS	Horizontal	PASS
3	17841.50	31.07	16.13	47.20	54.00	6.80	250	RMS	Horizontal	PASS
4	2437.93	96.02	2.20	98.22	-	-	250	PK	Horizontal	NA
5	5000.00	58.10	-6.13	51.97	74.00	22.03	250	PK	Horizontal	PASS
6	15334.50	39.62	11.88	51.50	74.00	22.50	250	PK	Horizontal	PASS
7	17975.00	37.83	16.93	54.76	74.00	19.24	250	PK	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4997.00	49.44	-6.12	43.32	54.00	10.68	250	RMS	Vertical	PASS
2	15312.00	31.92	12.05	43.97	54.00	10.03	250	RMS	Vertical	PASS
3	17964.50	30.24	16.78	47.02	54.00	6.98	250	RMS	Vertical	PASS
4	2437.87	98.40	2.20	100.60	-	-	250	PK	Vertical	NA
5	4980.00	59.80	-6.07	53.73	74.00	20.27	250	PK	Vertical	PASS
6	15302.00	39.51	12.13	51.64	74.00	22.36	250	PK	Vertical	PASS
7	17956.50	37.59	16.67	54.26	74.00	19.74	250	PK	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4982.00	48.40	-6.07	42.33	54.00	11.67	250	RMS	Horizontal	PASS
2	15348.00	32.72	11.77	44.49	54.00	9.51	250	RMS	Horizontal	PASS
3	17974.50	30.47	16.92	47.39	54.00	6.61	250	RMS	Horizontal	PASS
4	2461.07	93.37	2.44	95.81	-	-	250	PK	Horizontal	NA
5	4981.50	59.11	-6.08	53.03	74.00	20.97	250	PK	Horizontal	PASS
6	15887.00	40.08	12.03	52.11	74.00	21.89	250	PK	Horizontal	PASS
7	17984.50	38.22	17.06	55.28	74.00	18.72	250	PK	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4982.50	48.15	-6.07	42.08	54.00	11.92	250	RMS	Vertical	PASS
2	16439.50	31.68	12.59	44.27	54.00	9.73	250	RMS	Vertical	PASS
3	17798.50	30.23	16.29	46.52	54.00	7.48	250	RMS	Vertical	PASS
4	2461.13	97.04	2.44	99.48	-	-	250	PK	Vertical	NA
5	4982.00	59.49	-6.07	53.42	74.00	20.58	250	PK	Vertical	PASS
6	15762.00	40.09	11.56	51.65	74.00	22.35	250	PK	Vertical	PASS
7	17966.50	37.87	16.81	54.68	74.00	19.32	250	PK	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4982.00	48.02	-6.07	41.95	54.00	12.05	250	RMS	Horizontal	PASS
2	11865.50	34.16	6.48	40.64	54.00	13.36	250	RMS	Horizontal	PASS
3	17050.50	30.67	14.32	44.99	54.00	9.01	250	RMS	Horizontal	PASS
4	2410.53	94.57	1.91	96.48	-	-	250	PK	Horizontal	NA
5	4985.50	58.55	-6.08	52.47	74.00	21.53	250	PK	Horizontal	PASS
6	11615.00	41.93	6.50	48.43	74.00	25.57	250	PK	Horizontal	PASS
7	17974.50	37.61	16.92	54.53	74.00	19.47	250	PK	Horizontal	PASS

Project Information

Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4981.00	48.56	-6.08	42.48	54.00	11.52	250	RMS	Vertical	PASS
2	15748.00	32.08	11.64	43.72	54.00	10.28	250	RMS	Vertical	PASS
3	17973.00	29.46	16.90	46.36	54.00	7.64	250	RMS	Vertical	PASS
4	2409.47	97.93	1.90	99.83	-	-	250	PK	Vertical	NA
5	4977.50	59.30	-6.06	53.24	74.00	20.76	250	PK	Vertical	PASS
6	15342.50	39.16	11.82	50.98	74.00	23.02	250	PK	Vertical	PASS
7	17737.50	38.83	15.80	54.63	74.00	19.37	250	PK	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	6
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4979.50	48.70	-6.07	42.63	54.00	11.37	250	RMS	Horizontal	PASS
2	15356.50	32.64	11.70	44.34	54.00	9.66	250	RMS	Horizontal	PASS
3	17968.00	30.23	16.83	47.06	54.00	6.94	250	RMS	Horizontal	PASS
4	2438.33	95.98	2.20	98.18	-	-	250	PK	Horizontal	NA
5	4989.50	58.23	-6.10	52.13	74.00	21.87	250	PK	Horizontal	PASS
6	15336.00	39.15	11.86	51.01	74.00	22.99	250	PK	Horizontal	PASS
7	17915.00	38.22	16.09	54.31	74.00	19.69	250	PK	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	6
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4998.00	48.59	-6.13	42.46	54.00	11.54	250	RMS	Vertical	PASS
2	15303.50	31.51	12.13	43.64	54.00	10.36	250	RMS	Vertical	PASS
3	17971.00	30.09	16.87	46.96	54.00	7.04	250	RMS	Vertical	PASS
4	2434.47	99.38	2.17	101.55	-	-	250	PK	Vertical	NA
5	4991.50	59.62	-6.11	53.51	74.00	20.49	250	PK	Vertical	PASS
6	15300.50	39.24	12.15	51.39	74.00	22.61	250	PK	Vertical	PASS
7	17966.00	37.77	16.80	54.57	74.00	19.43	250	PK	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4997.50	47.74	-6.12	41.62	54.00	12.38	250	RMS	Horizontal	PASS
2	15300.50	31.57	12.15	43.72	54.00	10.28	250	RMS	Horizontal	PASS
3	17947.50	29.97	16.54	46.51	54.00	7.49	250	RMS	Horizontal	PASS
4	2461.93	94.61	2.46	97.07	-	-	250	PK	Horizontal	NA
5	4992.50	58.00	-6.10	51.90	74.00	22.10	250	PK	Horizontal	PASS
6	15338.00	40.06	11.85	51.91	74.00	22.09	250	PK	Horizontal	PASS
7	17897.50	38.63	15.89	54.52	74.00	19.48	250	PK	Horizontal	PASS

Project Information

Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4997.50	49.38	-6.12	43.26	54.00	10.74	250	RMS	Vertical	PASS
2	15311.50	32.15	12.06	44.21	54.00	9.79	250	RMS	Vertical	PASS
3	17999.00	29.44	17.27	46.71	54.00	7.29	250	RMS	Vertical	PASS
4	2460.87	97.91	2.44	100.35	-	-	250	PK	Vertical	NA
5	4980.50	59.33	-6.07	53.26	74.00	20.74	250	PK	Vertical	PASS
6	15342.00	39.79	11.81	51.60	74.00	22.40	250	PK	Vertical	PASS
7	17972.50	37.64	16.89	54.53	74.00	19.47	250	PK	Vertical	PASS

Project Information			
Mode:	802.11n_20	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4980.00	47.56	-6.07	41.49	54.00	12.51	250	RMS	Horizontal	PASS
2	15360.50	32.16	11.67	43.83	54.00	10.17	250	RMS	Horizontal	PASS
3	17994.00	29.65	17.20	46.85	54.00	7.15	250	RMS	Horizontal	PASS
4	2414.13	94.82	1.95	96.77	-	-	250	PK	Horizontal	NA
5	4994.50	58.13	-6.12	52.01	74.00	21.99	250	PK	Horizontal	PASS
6	15348.50	39.97	11.77	51.74	74.00	22.26	250	PK	Horizontal	PASS
7	17946.00	37.75	16.52	54.27	74.00	19.73	250	PK	Horizontal	PASS

Project Information			
Mode:	802.11n_20	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4979.00	48.07	-6.06	42.01	54.00	11.99	250	RMS	Vertical	PASS
2	15290.50	31.67	12.02	43.69	54.00	10.31	250	RMS	Vertical	PASS
3	17979.00	30.92	16.99	47.91	54.00	6.09	250	RMS	Vertical	PASS
4	2414.27	98.50	1.95	100.45	-	-	250	PK	Vertical	NA
5	4981.50	59.40	-6.08	53.32	74.00	20.68	250	PK	Vertical	PASS
6	15345.00	39.29	11.79	51.08	74.00	22.92	250	PK	Vertical	PASS
7	17947.00	37.77	16.54	54.31	74.00	19.69	250	PK	Vertical	PASS

Project Information			
Mode:	802.11n_20	Band:	-
Bandwidth	20MHz	Channel	6
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4978.50	46.47	-6.06	40.41	54.00	13.59	250	RMS	Horizontal	PASS
2	15317.00	31.56	12.01	43.57	54.00	10.43	250	RMS	Horizontal	PASS
3	17990.50	29.72	17.14	46.86	54.00	7.14	250	RMS	Horizontal	PASS
4	2437.93	95.72	2.20	97.92	-	-	250	PK	Horizontal	NA
5	4981.50	58.15	-6.08	52.07	74.00	21.93	250	PK	Horizontal	PASS
6	15911.50	38.91	11.97	50.88	74.00	23.12	250	PK	Horizontal	PASS
7	17976.50	37.83	16.95	54.78	74.00	19.22	250	PK	Horizontal	PASS

Project Information			
Mode:	802.11n_20	Band:	-
Bandwidth	20MHz	Channel	6
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4978.50	48.08	-6.06	42.02	54.00	11.98	250	RMS	Vertical	PASS
2	15316.00	31.70	12.02	43.72	54.00	10.28	250	RMS	Vertical	PASS
3	17946.50	29.94	16.53	46.47	54.00	7.53	250	RMS	Vertical	PASS
4	2435.40	99.07	2.17	101.24	-	-	250	PK	Vertical	NA
5	4986.00	59.76	-6.09	53.67	74.00	20.33	250	PK	Vertical	PASS
6	15536.00	39.62	11.49	51.11	74.00	22.89	250	PK	Vertical	PASS
7	17736.00	39.56	15.78	55.34	74.00	18.66	250	PK	Vertical	PASS

Project Information			
Mode:	802.11n_20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4999.00	47.31	-6.12	41.19	54.00	12.81	250	RMS	Horizontal	PASS
2	15439.50	31.99	11.44	43.43	54.00	10.57	250	RMS	Horizontal	PASS
3	17966.50	30.16	16.81	46.97	54.00	7.03	250	RMS	Horizontal	PASS
4	2459.07	95.27	2.43	97.70	-	-	250	PK	Horizontal	NA
5	4980.50	58.81	-6.07	52.74	74.00	21.26	250	PK	Horizontal	PASS
6	15266.50	39.71	11.71	51.42	74.00	22.58	250	PK	Horizontal	PASS
7	17735.00	38.40	15.77	54.17	74.00	19.83	250	PK	Horizontal	PASS

Project Information

Mode:	802.11n_20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4982.50	47.52	-6.07	41.45	54.00	12.55	250	RMS	Vertical	PASS
2	15348.50	32.02	11.77	43.79	54.00	10.21	250	RMS	Vertical	PASS
3	17976.50	30.12	16.95	47.07	54.00	6.93	250	RMS	Vertical	PASS
4	2461.07	97.65	2.44	100.09	-	-	250	PK	Vertical	NA
5	4986.00	59.86	-6.09	53.77	74.00	20.23	250	PK	Vertical	PASS
6	15343.00	40.01	11.81	51.82	74.00	22.18	250	PK	Vertical	PASS
7	17977.00	38.00	16.96	54.96	74.00	19.04	250	PK	Vertical	PASS

Project Information			
Mode:	802.11n_40	Band:	-
Bandwidth	40MHz	Channel	3
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4997.50	47.59	-6.12	41.47	54.00	12.53	250	RMS	Horizontal	PASS
2	11739.50	34.53	6.51	41.04	54.00	12.96	250	RMS	Horizontal	PASS
3	17988.00	29.72	17.11	46.83	54.00	7.17	250	RMS	Horizontal	PASS
4	2428.00	91.62	2.09	93.71	-	-	250	PK	Horizontal	NA
5	4977.50	58.09	-6.06	52.03	74.00	21.97	250	PK	Horizontal	PASS
6	11700.50	43.01	6.35	49.36	74.00	24.64	250	PK	Horizontal	PASS
7	17945.50	38.18	16.51	54.69	74.00	19.31	250	PK	Horizontal	PASS

Project Information			
Mode:	802.11n_40	Band:	-
Bandwidth	40MHz	Channel	3
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4981.00	48.63	-6.08	42.55	54.00	11.45	250	RMS	Vertical	PASS
2	12398.00	33.54	7.50	41.04	54.00	12.96	250	RMS	Vertical	PASS
3	17939.50	30.66	16.43	47.09	54.00	6.91	250	RMS	Vertical	PASS
4	2434.87	94.88	2.17	97.05	-	-	250	PK	Vertical	NA
5	4980.50	59.80	-6.07	53.73	74.00	20.27	250	PK	Vertical	PASS
6	12353.50	41.87	7.28	49.15	74.00	24.85	250	PK	Vertical	PASS
7	17999.00	37.07	17.27	54.34	74.00	19.66	250	PK	Vertical	PASS

Project Information			
Mode:	802.11n_40	Band:	-
Bandwidth	40MHz	Channel	6
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4982.00	46.71	-6.07	40.64	54.00	13.36	250	RMS	Horizontal	PASS
2	11815.50	33.78	6.69	40.47	54.00	13.53	250	RMS	Horizontal	PASS
3	17965.50	30.22	16.79	47.01	54.00	6.99	250	RMS	Horizontal	PASS
4	2440.73	91.91	2.23	94.14	-	-	250	PK	Horizontal	NA
5	4982.00	58.36	-6.07	52.29	74.00	21.71	250	PK	Horizontal	PASS
6	11465.00	41.86	6.71	48.57	74.00	25.43	250	PK	Horizontal	PASS
7	17949.00	37.92	16.57	54.49	74.00	19.51	250	PK	Horizontal	PASS

Project Information			
Mode:	802.11n_40	Band:	-
Bandwidth	40MHz	Channel	6
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4995.50	48.20	-6.11	42.09	54.00	11.91	250	RMS	Vertical	PASS
2	15316.00	31.98	12.02	44.00	54.00	10.00	250	RMS	Vertical	PASS
3	17975.00	30.46	16.93	47.39	54.00	6.61	250	RMS	Vertical	PASS
4	2440.87	95.40	2.23	97.63	-	-	250	PK	Vertical	NA
5	4983.00	60.03	-6.08	53.95	74.00	20.05	250	PK	Vertical	PASS
6	15330.00	39.51	11.91	51.42	74.00	22.58	250	PK	Vertical	PASS
7	17990.50	37.13	17.14	54.27	74.00	19.73	250	PK	Vertical	PASS

Project Information			
Mode:	802.11n_40	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4981.00	47.37	-6.08	41.29	54.00	12.71	250	RMS	Horizontal	PASS
2	15296.00	31.53	12.10	43.63	54.00	10.37	250	RMS	Horizontal	PASS
3	17997.50	29.16	17.24	46.40	54.00	7.60	250	RMS	Horizontal	PASS
4	2457.40	92.33	2.41	94.74	-	-	250	PK	Horizontal	NA
5	4977.50	58.65	-6.06	52.59	74.00	21.41	250	PK	Horizontal	PASS
6	15340.50	39.32	11.83	51.15	74.00	22.85	250	PK	Horizontal	PASS
7	17976.50	37.08	16.95	54.03	74.00	19.97	250	PK	Horizontal	PASS

Project Information			
Mode:	802.11n_40	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Trace	Polarity	Verdict
1	4998.00	49.56	-6.13	43.43	54.00	10.57	250	RMS	Vertical	PASS
2	15307.50	31.41	12.10	43.51	54.00	10.49	250	RMS	Vertical	PASS
3	17855.50	31.06	16.06	47.12	54.00	6.88	250	RMS	Vertical	PASS
4	2457.20	95.15	2.41	97.56	-	-	250	PK	Vertical	NA
5	4990.00	59.37	-6.10	53.27	74.00	20.73	250	PK	Vertical	PASS
6	15368.00	39.93	11.62	51.55	74.00	22.45	250	PK	Vertical	PASS
7	17957.00	37.37	16.68	54.05	74.00	19.95	250	PK	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2362.10	40.37	1.62	41.99	54.00	12.01	RMS	Horizontal	PASS
2	2377.89	39.59	1.69	41.28	54.00	12.72	RMS	Horizontal	PASS
3	2385.03	39.06	1.73	40.79	54.00	13.21	RMS	Horizontal	PASS
4	2364.30	53.23	1.63	54.86	74.00	19.14	PK	Horizontal	PASS
5	2377.82	51.23	1.69	52.92	74.00	21.08	PK	Horizontal	PASS
6	2385.77	49.93	1.73	51.66	74.00	22.34	PK	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2362.17	38.75	1.62	40.37	54.00	13.63	RMS	Vertical	PASS
2	2375.99	38.57	1.68	40.25	54.00	13.75	RMS	Vertical	PASS
3	2387.83	38.44	1.74	40.18	54.00	13.82	RMS	Vertical	PASS
4	2363.96	50.44	1.63	52.07	74.00	21.93	PK	Vertical	PASS
5	2375.02	49.62	1.68	51.30	74.00	22.70	PK	Vertical	PASS
6	2386.89	49.39	1.74	51.13	74.00	22.87	PK	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.82	37.86	2.70	40.56	54.00	13.44	RMS	Horizontal	PASS
2	2487.51	37.80	2.73	40.53	54.00	13.47	RMS	Horizontal	PASS
3	2490.23	37.94	2.76	40.70	54.00	13.30	RMS	Horizontal	PASS
4	2484.06	49.34	2.69	52.03	74.00	21.97	PK	Horizontal	PASS
5	2486.67	49.99	2.72	52.71	74.00	21.29	PK	Horizontal	PASS
6	2490.08	49.52	2.75	52.27	74.00	21.73	PK	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.08	37.88	2.69	40.57	54.00	13.43	RMS	Vertical	PASS
2	2489.05	37.85	2.75	40.60	54.00	13.40	RMS	Vertical	PASS
3	2490.54	37.98	2.76	40.74	54.00	13.26	RMS	Vertical	PASS
4	2484.03	50.08	2.69	52.77	74.00	21.23	PK	Vertical	PASS
5	2488.95	49.69	2.75	52.44	74.00	21.56	PK	Vertical	PASS
6	2490.30	50.11	2.76	52.87	74.00	21.13	PK	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2361.76	39.83	1.62	41.45	54.00	12.55	RMS	Horizontal	PASS
2	2374.38	39.43	1.68	41.11	54.00	12.89	RMS	Horizontal	PASS
3	2383.38	39.23	1.72	40.95	54.00	13.05	RMS	Horizontal	PASS
4	2364.49	50.37	1.63	52.00	74.00	22.00	PK	Horizontal	PASS
5	2376.70	50.02	1.69	51.71	74.00	22.29	PK	Horizontal	PASS
6	2386.75	50.13	1.74	51.87	74.00	22.13	PK	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2371.66	38.59	1.66	40.25	54.00	13.75	RMS	Vertical	PASS
2	2380.28	38.51	1.70	40.21	54.00	13.79	RMS	Vertical	PASS
3	2386.33	38.59	1.74	40.33	54.00	13.67	RMS	Vertical	PASS
4	2372.74	50.73	1.67	52.40	74.00	21.60	PK	Vertical	PASS
5	2382.23	49.66	1.71	51.37	74.00	22.63	PK	Vertical	PASS
6	2388.39	50.13	1.74	51.87	74.00	22.13	PK	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.32	37.95	2.70	40.65	54.00	13.35	RMS	Horizontal	PASS
2	2487.78	37.83	2.73	40.56	54.00	13.44	RMS	Horizontal	PASS
3	2491.72	37.86	2.78	40.64	54.00	13.36	RMS	Horizontal	PASS
4	2485.45	49.82	2.70	52.52	74.00	21.48	PK	Horizontal	PASS
5	2488.14	49.78	2.73	52.51	74.00	21.49	PK	Horizontal	PASS
6	2491.50	50.25	2.77	53.02	74.00	20.98	PK	Horizontal	PASS

Project Information

Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.18	38.78	2.70	41.48	54.00	12.52	RMS	Vertical	PASS
2	2488.14	38.22	2.73	40.95	54.00	13.05	RMS	Vertical	PASS
3	2491.21	37.98	2.76	40.74	54.00	13.26	RMS	Vertical	PASS
4	2484.03	50.35	2.69	53.04	74.00	20.96	PK	Vertical	PASS
5	2487.75	50.20	2.73	52.93	74.00	21.07	PK	Vertical	PASS
6	2491.76	49.18	2.78	51.96	74.00	22.04	PK	Vertical	PASS

Project Information			
Mode:	802.11n_20	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2365.68	40.08	1.63	41.71	54.00	12.29	RMS	Horizontal	PASS
2	2377.48	39.43	1.69	41.12	54.00	12.88	RMS	Horizontal	PASS
3	2387.31	39.10	1.74	40.84	54.00	13.16	RMS	Horizontal	PASS
4	2366.24	50.50	1.63	52.13	74.00	21.87	PK	Horizontal	PASS
5	2377.67	51.98	1.69	53.67	74.00	20.33	PK	Horizontal	PASS
6	2386.30	49.52	1.74	51.26	74.00	22.74	PK	Horizontal	PASS

Project Information			
Mode:	802.11n_20	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2360.12	38.80	1.60	40.40	54.00	13.60	RMS	Vertical	PASS
2	2369.94	38.75	1.65	40.40	54.00	13.60	RMS	Vertical	PASS
3	2386.11	38.78	1.73	40.51	54.00	13.49	RMS	Vertical	PASS
4	2357.80	49.87	1.59	51.46	74.00	22.54	PK	Vertical	PASS
5	2374.16	49.78	1.68	51.46	74.00	22.54	PK	Vertical	PASS
6	2388.28	50.88	1.74	52.62	74.00	21.38	PK	Vertical	PASS

Project Information			
Mode:	802.11n_20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.25	37.92	2.70	40.62	54.00	13.38	RMS	Horizontal	PASS
2	2488.47	37.93	2.73	40.66	54.00	13.34	RMS	Horizontal	PASS
3	2493.61	37.91	2.79	40.70	54.00	13.30	RMS	Horizontal	PASS
4	2484.80	49.46	2.70	52.16	74.00	21.84	PK	Horizontal	PASS
5	2486.34	50.03	2.72	52.75	74.00	21.25	PK	Horizontal	PASS
6	2492.17	49.77	2.78	52.55	74.00	21.45	PK	Horizontal	PASS

Project Information			
Mode:	802.11n_20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2485.93	38.75	2.71	41.46	54.00	12.54	RMS	Vertical	PASS
2	2488.23	38.30	2.73	41.03	54.00	12.97	RMS	Vertical	PASS
3	2492.12	37.80	2.78	40.58	54.00	13.42	RMS	Vertical	PASS
4	2484.94	50.06	2.70	52.76	74.00	21.24	PK	Vertical	PASS
5	2488.16	50.21	2.73	52.94	74.00	21.06	PK	Vertical	PASS
6	2491.67	49.59	2.78	52.37	74.00	21.63	PK	Vertical	PASS

Project Information			
Mode:	802.11n_40	Band:	-
Bandwidth	40MHz	Channel	3
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2362.86	40.16	1.62	41.78	54.00	12.22	RMS	Horizontal	PASS
2	2376.02	39.80	1.68	41.48	54.00	12.52	RMS	Horizontal	PASS
3	2386.37	39.29	1.74	41.03	54.00	12.97	RMS	Horizontal	PASS
4	2365.33	50.00	1.63	51.63	74.00	22.37	PK	Horizontal	PASS
5	2376.99	50.49	1.69	52.18	74.00	21.82	PK	Horizontal	PASS
6	2387.38	50.33	1.74	52.07	74.00	21.93	PK	Horizontal	PASS

Project Information			
Mode:	802.11n_40	Band:	-
Bandwidth	40MHz	Channel	3
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2358.42	38.80	1.59	40.39	54.00	13.61	RMS	Vertical	PASS
2	2378.05	38.32	1.69	40.01	54.00	13.99	RMS	Vertical	PASS
3	2387.73	38.73	1.74	40.47	54.00	13.53	RMS	Vertical	PASS
4	2364.67	49.61	1.63	51.24	74.00	22.76	PK	Vertical	PASS
5	2378.31	49.59	1.69	51.28	74.00	22.72	PK	Vertical	PASS
6	2386.28	49.53	1.74	51.27	74.00	22.73	PK	Vertical	PASS

Project Information			
Mode:	802.11n_40	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.05	38.74	2.69	41.43	54.00	12.57	RMS	Horizontal	PASS
2	2489.22	37.94	2.75	40.69	54.00	13.31	RMS	Horizontal	PASS
3	2493.71	37.88	2.79	40.67	54.00	13.33	RMS	Horizontal	PASS
4	2485.51	49.91	2.70	52.61	74.00	21.39	PK	Horizontal	PASS
5	2488.67	49.41	2.74	52.15	74.00	21.85	PK	Horizontal	PASS
6	2493.64	50.09	2.79	52.88	74.00	21.12	PK	Horizontal	PASS

Project Information			
Mode:	802.11n_40	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	864712070805911	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.96	40.34	2.70	43.04	54.00	10.96	RMS	Vertical	PASS
2	2487.99	38.75	2.73	41.48	54.00	12.52	RMS	Vertical	PASS
3	2495.78	38.26	2.81	41.07	54.00	12.93	RMS	Vertical	PASS
4	2484.01	51.96	2.69	54.65	74.00	19.35	PK	Vertical	PASS
5	2487.52	49.74	2.73	52.47	74.00	21.53	PK	Vertical	PASS
6	2492.52	49.28	2.78	52.06	74.00	21.94	PK	Vertical	PASS

~The End~