




EXHIBIT C - EUT INTERNAL PHOTOGRAPHS

EUT



Host Internal Photos






WWAN Antenna




GPS Antenna



LTE AUX Antenna



RFID Antenna



A close-up photograph of a black plastic component, possibly a camera lens or sensor cover, resting on a blue textured surface. The component features a green circuit board with gold markings, including a large arrow pointing right and the text "DX8000 S V100". A black label with white text is visible, reading "MAXUM DX8000-WIFI-ANT" and "K2039". The component has a complex shape with a notch at the top and a small rectangular opening in the center.

ingenico
Rechargeable Li-Ion Battery


Model: L2010
Nominal Voltage: 2.2 V DC
Typical Capacity: 3400mAh/24.48Wh
Nominal Capacity: 3400mAh/24.48Wh
Charge Voltage: 4.2V
MFD: 2820.08.21

You are advised to replace the battery every 2 years.

CAUTION
*Use only the approved charger.
*Do not expose the battery to temperatures above 60°C (140°F).
*Do not short-circuit the battery or modify the battery.
*Keep the battery far away from the fire or liquid.
*Please dispose or deal with this item as "Waste Electrical and Electronic Equipment" (WEEE) in accordance with the applicable regulations.

Recycling symbol (♻️)
RoHS symbol (Xn)
CE mark
UL mark (UL)
IEC mark (IEC)
EN mark (EN)
RoHS symbol (Xn)
WEEE symbol (WEEE)

Barcode
1 609 951 2010 0



Battery #2(manufacturer: Ganfeng)

