

## SAR EVALUATION REPORT

**Applicant Name:**

LG Electronics MobileComm USA, Inc.  
1000 Sylvan Avenue, Englewood Cliffs NJ 07632

**Date of Issue:** 08. 25, 2017

**Test Report No.:** HCT-A-1708-F003-1

**Test Site:** HCT CO., LTD.

**FCC ID:**

**ZNFM700H**

**Equipment Type:**  
**Application Type:**

GSM/WCDMA/LTE Phone with Bluetooth4.2LE, WIFI802.11 b/g/n  
Class II Permissive Change

**Model Name:**  
**Additional FCC Model(s):**

LG-M700H  
LGM700H, M700H

**ECC Rule Part:**  
**Permissive change:**

47CFR §2.1093  
Changing Some target powers

**Date of Test:**

08/10/2017

This device has been shown to be capable of compliance for localized specific absorption rate (SAR) for uncontrolled environment/general population exposure limits specified in FCC KDB procedures and had been tested in accordance with the measurement procedures specified in FCC KDB procedures.


I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

**Tested By**



Sung-Kun, Kwon  
Test Engineer  
SAR Team  
Certification Division

**Reviewed By**



Yun-Jeang, Heo  
Technical Manager  
SAR Team  
Certification Division

This report only responds to the tested sample and may not be reproduced, except in full, without written approval of the HCT Co., Ltd.

## DOCUMENT HISTORY

| Version           | DATE         | DESCRIPTION           |
|-------------------|--------------|-----------------------|
| HCT-A-1708-F003   | 08. 16, 2017 | First Approval Report |
| HCT-A-1708-F003-1 | 08. 25, 2017 | Sec.1.4 was revised.  |

## Table of Contents

|                                       |     |
|---------------------------------------|-----|
| 1. Device Under Test Description..... | 4   |
| 2. Output Power Specifications.....   | 8   |
| 3. TEST EQUIPMENT .....               | 2 0 |
| 4. CONCLUSION.....                    | 2 1 |
| 5. REFERENCES .....                   | 2 2 |

# 1. Device Under Test Description

## 1.1 DUT specification

| Device Wireless specification overview |                |                       |
|----------------------------------------|----------------|-----------------------|
| Band & Mode                            | Operating Mode | Tx Frequency          |
| GSM/GPRS/EDGE 850                      | Voice / Data   | 824.2 – 848.8 MHz     |
| GSM/GPRS/EDGE 1900                     | Voice / Data   | 1 850.2 – 1 909.8 MHz |
| UMTS 850                               | Voice / Data   | 826.4 – 846.6 MHz     |
| UMTS 1700                              | Voice / Data   | 1 712.4 – 1 752.6 MHz |
| UMTS 1900                              | Voice / Data   | 1 852.4 – 1 907.6 MHz |
| LTE Band 2 (PCS)                       | Voice / Data   | 1 850.7 – 1 909.3 MHz |
| LTE Band 4 (AWS)                       | Voice / Data   | 1 710.7 – 1 754.3 MHz |
| LTE Band 5 (Cell)                      | Voice / Data   | 824.7 – 848.3 MHz     |
| LTE Band 7                             | Voice / Data   | 2 502.5 – 2 567.5 MHz |
| LTE Band 12                            | Voice / Data   | 699.7 – 715.3 MHz     |
| LTE Band 13                            | Voice / Data   | 779.5 – 784.5 MHz     |
| LTE Band 17                            | Voice / Data   | 706.5 – 713.5 MHz     |
| LTE Band 66 (AWS)                      | Voice / Data   | 1 712.5 ~ 1 777.5 MHz |
| 2.4 GHz WLAN                           | Voice / Data   | 2 412 – 2 462 MHz     |
| Bluetooth                              | Data           | 2 402 – 2 480 MHz     |

| Device Description    |                                                                                                                          |               |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------|---------------|
| Device Dimension      | Overall (Length x Width): 69.3 mm x 142.5 mm<br>Overall diagonal dimension: 151 mm<br>Display diagonal dimension: 135 mm |               |
| Back Cover:           | Normal Battery cover                                                                                                     |               |
| Battery Options       | Standard (Li-ion Polymer Battery)                                                                                        |               |
|                       | Battery Model Name: BL-T33, Manufacturer: LishenVX                                                                       |               |
| Device Serial Numbers | Mode                                                                                                                     | Serial Number |
|                       | UMTS 1700 / UMTS1900                                                                                                     | 34E9G         |
|                       | LTE 2/ 4/ 7/ 66                                                                                                          | 34E7D         |

## 1.2 DUT Wireless mode

| Wireless Modulation | Band                       | Operating Mode                                                                                                                               |                                                                            | Duty Cycle                                                                                           |
|---------------------|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| GSM                 | 850<br>1900                | Voice(GMSK)<br>GPRS (GMSK)<br>EGPRS (8PSK)                                                                                                   | GPRS/ EDGE<br>Multi-Slot Class:<br>Class 33 – 4 Up, 5 Down<br>Mode class B | GSM Voice: 12.5%<br>GPRS/EDGE:<br>1 Slot: 12.5%<br>2 Slots : 25%<br>3 Slots : 37.5%<br>4 Slots : 50% |
| WCDMA<br>(UMTS)     | Band 5<br>Band 4<br>Band 2 | UMTS Rel.99 (Voice / DATA)<br>HSDPA (Rel. 5,Cat.10)<br>HSUPA (Rel. 6 Cat.6)<br>DC-HSDPA (Rel.8, Cat.24)<br>HSPA+ (Rel. 7) (Uplink QPSK Only) |                                                                            | 100 %                                                                                                |
| LTE Band            | 2 (PCS)                    | Voice / Data (QPSK, 16QAM)                                                                                                                   |                                                                            | 100 % (FDD)                                                                                          |
|                     | 4 (AWS)                    | Voice / Data (QPSK, 16QAM)                                                                                                                   |                                                                            | 100 % (FDD)                                                                                          |
|                     | 5 (Cell)                   | Voice / Data (QPSK, 16QAM)                                                                                                                   |                                                                            | 100 % (FDD)                                                                                          |
|                     | 7                          | Voice / Data (QPSK, 16QAM)                                                                                                                   |                                                                            | 100 % (FDD)                                                                                          |
|                     | 12                         | Voice / Data (QPSK, 16QAM)                                                                                                                   |                                                                            | 100 % (FDD)                                                                                          |
|                     | 13                         | Voice / Data (QPSK, 16QAM)                                                                                                                   |                                                                            | 100 % (FDD)                                                                                          |
|                     | 17                         | Voice / Data (QPSK, 16QAM)                                                                                                                   |                                                                            | 100 % (FDD)                                                                                          |
|                     | 66 (AWS)                   | Voice / Data (QPSK, 16QAM)                                                                                                                   |                                                                            | 100 % (FDD)                                                                                          |
| 2.4 GHz WLAN        |                            | Voice / Data                                                                                                                                 | 802.11 b, 802.11 g, 802.11 n (HT20)                                        | 99.84 %                                                                                              |
| Bluetooth           |                            | Data                                                                                                                                         |                                                                            | 76.4 % (DH5)                                                                                         |
| Bluetooth 4.2 LE    |                            | Data                                                                                                                                         |                                                                            | N/A                                                                                                  |

### 1.3 Nominal and Maximum Output Power Specifications

This device operates using the following maximum output power specifications. SAR values were scaled to the maximum allowed power to determine compliance per KDB publication 447498 D01v06.

#### Maximum PCE Power

| Mode / Band            |         | 3GPP WCDMA | 3GPP HSDPA(dBm) |           |           |           | 3GPP HSUPA(dBm) |           |           |           |           | DC-HSDPA(dBm) |           |           |           |
|------------------------|---------|------------|-----------------|-----------|-----------|-----------|-----------------|-----------|-----------|-----------|-----------|---------------|-----------|-----------|-----------|
|                        |         |            | Sub test1       | Sub test2 | Sub test3 | Sub test4 | Sub test1       | Sub test2 | Sub test3 | Sub test4 | Sub Test5 | Sub test1     | Sub test2 | Sub test3 | Sub test4 |
| UMTS Band 4 (1700 MHz) | Maximum | 23.2       | 23.2            | 23.2      | 22.7      | 22.7      | 23.2            | 21.2      | 22.2      | 21.2      | 23.2      | 23.2          | 23.2      | 22.7      | 22.7      |
|                        | Nominal | 22.7       | 22.7            | 22.7      | 22.2      | 22.2      | 22.7            | 20.7      | 21.7      | 20.7      | 22.7      | 22.7          | 22.7      | 22.2      | 22.2      |
| UMTS Band 2 (1900 MHz) | Maximum | 23.2       | 23.2            | 23.2      | 22.7      | 22.7      | 23.2            | 21.2      | 22.2      | 21.2      | 23.2      | 23.2          | 23.2      | 22.7      | 22.7      |
|                        | Nominal | 22.7       | 22.7            | 22.7      | 22.2      | 22.2      | 22.7            | 20.7      | 21.7      | 20.7      | 22.7      | 22.7          | 22.7      | 22.2      | 22.2      |

| Mode / Band       |         | Modulated Average (dBm) |
|-------------------|---------|-------------------------|
| LTE Band 2 (PCS)  | Maximum | 23.2                    |
|                   | Nominal | 22.7                    |
| LTE Band 4 (AWS)  | Maximum | 23.2                    |
|                   | Nominal | 22.7                    |
| LTE Band 7        | Maximum | 23.7                    |
|                   | Nominal | 23.2                    |
| LTE Band 66 (AWS) | Maximum | 23.2                    |
|                   | Nominal | 22.7                    |

## 1.4 SAR Test Exclusion

The power of the bands ( WCDMA2 / WCDMA4 / LTE2 / LTE4 / LTE66/ LTE7 )in the original model has been changed as shown in the table below

Conducted Output powers of C2PC model were measured and verified for the WCDMA2, WCDMA4, LTE2, LTE4, LTE66 and LTE7 Sec.2

Target Powers for the original model ( WCDMA2 / WCDMA4 / LTE2 / LTE4 / LTE66/ LTE7) are higher than C2PC model. Therefore, additional SAR testing of the C2PC model are not required.

Detailed description of the change are include in LG Class II Change Description Document.  
See Original Report No: HCT-A-1705-F001-1 for SAR compliance evaluation

| Item                  | Band     | Description    |                          |
|-----------------------|----------|----------------|--------------------------|
|                       |          | Original Model | Permissive Changed model |
| Main RF Tune up power | WCDMA B2 | 23.2 dBm       | 22.7 dBm                 |
|                       | WCDMA B4 | 24.2 dBm       | 22.7 dBm                 |
|                       | LTE B2   | 23.2 dBm       | 22.7 dBm                 |
|                       | LTE B4   | 24.2 dBm       | 22.7 dBm                 |
|                       | LTE B7   | 23.7 dBm       | 23.2 dBm                 |
|                       | LTE B66  | 23.7 dBm       | 22.7 dBm                 |

## 1.5 Guidance Applied

- IEEE1528-2013
- FCC KDB Publication 941225 D01 3G SAR Procedures v03r01
- FCC KDB Publication 941225 D05 SAR for LTE Devices v02r05
- FCC KDB Publication 447498 D01 General SAR Guidance v06
- FCC KDB Publication 865664 D01 SAR measurement 100 MHz to 6 GHz v01r04

## 2. Output Power Specifications

This device operates using the following maximum output power specifications. SAR values were scaled to the maximum allowed power to determine compliance per KDB publication 447498 D01v06.

### 2.1 UMTS

#### WCDMA Band 4

| 3GPP Release Version | Mode     | 3GPP 34.121   | WCDMA Band 4 [dBm] |                    |                    |
|----------------------|----------|---------------|--------------------|--------------------|--------------------|
|                      |          | Subtest       | UL 1312<br>DL 1537 | UL 1412<br>DL 1637 | UL 1513<br>DL 1738 |
| 99                   | WCDMA    | 12.2 kbps RMC | 23.00              | 22.97              | 23.16              |
| 99                   | WCDMA    | 12.2 kbps AMR | 23.00              | 22.96              | 23.12              |
| 5                    | HSDPA    | Subtest 1     | 23.00              | 22.96              | 23.04              |
| 5                    |          | Subtest 2     | 22.91              | 22.95              | 23.04              |
| 5                    |          | Subtest 3     | 22.40              | 22.49              | 22.54              |
| 5                    |          | Subtest 4     | 22.42              | 22.47              | 22.47              |
| 6                    | HSUPA    | Subtest 1     | 22.86              | 22.03              | 22.89              |
| 6                    |          | Subtest 2     | 21.07              | 21.08              | 21.21              |
| 6                    |          | Subtest 3     | 22.08              | 22.13              | 22.20              |
| 6                    |          | Subtest 4     | 21.07              | 21.17              | 21.13              |
| 6                    |          | Subtest 5     | 22.66              | 22.93              | 22.85              |
| 8                    | DC-HSDPA | Subtest 1     | 22.89              | 22.64              | 22.81              |
| 8                    |          | Subtest 2     | 22.88              | 22.66              | 22.81              |
| 8                    |          | Subtest 3     | 22.40              | 22.21              | 22.33              |
| 8                    |          | Subtest 4     | 22.41              | 22.22              | 22.34              |

#### WCDMA Band 2

| 3GPP Release Version | Mode     | 3GPP 34.121   | WCDMA Band 2 [dBm] |                    |                    |
|----------------------|----------|---------------|--------------------|--------------------|--------------------|
|                      |          | Subtest       | UL 9262<br>DL 9662 | UL 9400<br>DL 9800 | UL 9538<br>DL 9938 |
| 99                   | WCDMA    | 12.2 kbps RMC | 23.14              | 23.08              | 23.15              |
| 99                   | WCDMA    | 12.2 kbps AMR | 23.03              | 23.02              | 23.00              |
| 5                    | HSDPA    | Subtest 1     | 22.97              | 23.01              | 23.03              |
| 5                    |          | Subtest 2     | 22.94              | 23.06              | 23.04              |
| 5                    |          | Subtest 3     | 22.50              | 22.51              | 22.45              |
| 5                    |          | Subtest 4     | 22.46              | 22.50              | 22.41              |
| 6                    | HSUPA    | Subtest 1     | 22.75              | 22.67              | 22.50              |
| 6                    |          | Subtest 2     | 20.99              | 21.11              | 21.05              |
| 6                    |          | Subtest 3     | 21.99              | 22.15              | 22.10              |
| 6                    |          | Subtest 4     | 21.04              | 21.07              | 21.17              |
| 6                    |          | Subtest 5     | 22.74              | 22.71              | 22.48              |
| 8                    | DC-HSDPA | Subtest 1     | 22.98              | 22.76              | 22.86              |
| 8                    |          | Subtest 2     | 22.89              | 22.73              | 22.75              |
| 8                    |          | Subtest 3     | 22.53              | 22.30              | 22.39              |
| 8                    |          | Subtest 4     | 22.53              | 22.30              | 22.38              |

WCDMA Average Conducted output powers

## 2.2 LTE

### LTE Band 2 Conducted Power

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |          |            | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|----------|------------|----------------------|------|
|           |            |         |           | 18607                    | 18900    | 19193      |                      |      |
|           |            |         |           | 1850.7 MHz               | 1880 MHz | 1909.3 MHz | [dB]                 | [dB] |
| 1.4 MHz   | QPSK       | 1       | 0         | 22.80                    | 22.69    | 22.97      | 0                    | 0    |
|           |            | 1       | 3         | 22.87                    | 22.76    | 22.94      | 0                    | 0    |
|           |            | 1       | 5         | 22.78                    | 22.66    | 23.01      | 0                    | 0    |
|           |            | 3       | 0         | 22.68                    | 22.61    | 22.75      | 0                    | 0    |
|           |            | 3       | 1         | 22.73                    | 22.74    | 22.79      | 0                    | 0    |
|           |            | 3       | 3         | 22.86                    | 22.75    | 22.73      | 0                    | 0    |
|           |            | 6       | 0         | 21.68                    | 21.49    | 21.68      | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.83                    | 21.36    | 21.61      | 0-1                  | 1    |
|           |            | 1       | 3         | 21.91                    | 21.59    | 21.79      | 0-1                  | 1    |
|           |            | 1       | 5         | 21.49                    | 21.47    | 21.58      | 0-1                  | 1    |
|           |            | 3       | 0         | 21.66                    | 21.49    | 21.70      | 0-1                  | 1    |
|           |            | 3       | 1         | 21.72                    | 21.32    | 21.75      | 0-1                  | 1    |
|           |            | 3       | 3         | 21.55                    | 21.37    | 21.77      | 0-1                  | 1    |
|           |            | 6       | 0         | 20.71                    | 20.39    | 20.52      | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |          |            | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|----------|------------|----------------------|------|
|           |            |         |           | 18615                    | 18900    | 19185      |                      |      |
|           |            |         |           | 1851.5 MHz               | 1880 MHz | 1908.5 MHz | [dB]                 | [dB] |
| 3 MHz     | QPSK       | 1       | 0         | 22.96                    | 22.85    | 22.87      | 0                    | 0    |
|           |            | 1       | 7         | 23.11                    | 22.99    | 23.10      | 0                    | 0    |
|           |            | 1       | 14        | 22.89                    | 22.76    | 22.91      | 0                    | 0    |
|           |            | 8       | 0         | 21.98                    | 21.51    | 21.71      | 0-1                  | 1    |
|           |            | 8       | 3         | 21.95                    | 21.66    | 21.73      | 0-1                  | 1    |
|           |            | 8       | 7         | 21.96                    | 21.64    | 21.70      | 0-1                  | 1    |
|           |            | 15      | 0         | 21.77                    | 21.61    | 21.69      | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.50                    | 21.52    | 21.58      | 0-1                  | 1    |
|           |            | 1       | 7         | 21.92                    | 21.31    | 21.34      | 0-1                  | 1    |
|           |            | 1       | 14        | 21.64                    | 21.25    | 21.01      | 0-1                  | 1    |
|           |            | 8       | 0         | 20.50                    | 20.67    | 20.73      | 0-2                  | 2    |
|           |            | 8       | 3         | 20.89                    | 20.91    | 20.90      | 0-2                  | 2    |
|           |            | 8       | 7         | 20.92                    | 20.89    | 20.81      | 0-2                  | 2    |
|           |            | 15      | 0         | 20.78                    | 20.69    | 20.68      | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |          |            | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|----------|------------|----------------------|------|
|           |            |         |           | 18625                    | 18900    | 19175      |                      |      |
|           |            |         |           | 1852.5 MHz               | 1880 MHz | 1907.5 MHz | [dB]                 | [dB] |
| 5 MHz     | QPSK       | 1       | 0         | 22.68                    | 22.72    | 22.67      | 0                    | 0    |
|           |            | 1       | 12        | 23.00                    | 23.02    | 23.10      | 0                    | 0    |
|           |            | 1       | 24        | 22.68                    | 22.74    | 22.82      | 0                    | 0    |
|           |            | 12      | 0         | 21.69                    | 21.59    | 21.62      | 0-1                  | 1    |
|           |            | 12      | 6         | 21.69                    | 21.56    | 21.71      | 0-1                  | 1    |
|           |            | 12      | 11        | 21.59                    | 21.63    | 21.68      | 0-1                  | 1    |
|           |            | 25      | 0         | 21.66                    | 21.56    | 21.56      | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.38                    | 21.43    | 21.46      | 0-1                  | 1    |
|           |            | 1       | 12        | 21.21                    | 21.33    | 21.25      | 0-1                  | 1    |
|           |            | 1       | 24        | 21.44                    | 21.32    | 21.38      | 0-1                  | 1    |
|           |            | 12      | 0         | 20.53                    | 20.68    | 20.62      | 0-2                  | 2    |
|           |            | 12      | 6         | 20.52                    | 20.65    | 20.85      | 0-2                  | 2    |
|           |            | 12      | 11        | 20.62                    | 20.66    | 20.81      | 0-2                  | 2    |
|           |            | 25      | 0         | 20.70                    | 20.60    | 20.75      | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |          |          | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|----------|----------|----------------------|------|
|           |            |         |           | 18650                    | 18900    | 19150    |                      |      |
|           |            |         |           | 1855 MHz                 | 1880 MHz | 1905 MHz | [dB]                 | [dB] |
| 10 MHz    | QPSK       | 1       | 0         | 22.91                    | 22.99    | 22.77    | 0                    | 0    |
|           |            | 1       | 24        | 23.09                    | 22.95    | 22.90    | 0                    | 0    |
|           |            | 1       | 49        | 22.89                    | 22.81    | 22.79    | 0                    | 0    |
|           |            | 25      | 0         | 21.85                    | 21.78    | 21.66    | 0-1                  | 1    |
|           |            | 25      | 12        | 21.66                    | 21.63    | 21.68    | 0-1                  | 1    |
|           |            | 25      | 24        | 21.68                    | 21.59    | 21.62    | 0-1                  | 1    |
|           |            | 50      | 0         | 21.69                    | 21.52    | 21.64    | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.58                    | 21.59    | 21.51    | 0-1                  | 1    |
|           |            | 1       | 24        | 21.49                    | 21.42    | 21.42    | 0-1                  | 1    |
|           |            | 1       | 49        | 21.43                    | 21.36    | 21.52    | 0-1                  | 1    |
|           |            | 25      | 0         | 20.81                    | 20.87    | 20.68    | 0-2                  | 2    |
|           |            | 25      | 12        | 20.69                    | 20.66    | 20.74    | 0-2                  | 2    |
|           |            | 25      | 24        | 20.65                    | 20.58    | 20.66    | 0-2                  | 2    |
|           |            | 50      | 0         | 20.68                    | 20.61    | 20.63    | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |          |            | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|----------|------------|----------------------|------|
|           |            |         |           | 18675                    | 18900    | 19125      |                      |      |
|           |            |         |           | 1857.5 MHz               | 1880 MHz | 1902.5 MHz | [dB]                 | [dB] |
| 15 MHz    | QPSK       | 1       | 0         | 22.89                    | 22.92    | 22.80      | 0                    | 0    |
|           |            | 1       | 36        | 23.10                    | 23.05    | 23.12      | 0                    | 0    |
|           |            | 1       | 74        | 22.66                    | 22.80    | 23.10      | 0                    | 0    |
|           |            | 36      | 0         | 21.73                    | 21.84    | 21.49      | 0-1                  | 1    |
|           |            | 36      | 18        | 21.67                    | 21.55    | 21.68      | 0-1                  | 1    |
|           |            | 36      | 38        | 21.69                    | 21.56    | 21.67      | 0-1                  | 1    |
|           |            | 75      | 0         | 21.69                    | 21.69    | 21.61      | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.64                    | 21.72    | 21.54      | 0-1                  | 1    |
|           |            | 1       | 36        | 21.54                    | 21.46    | 21.53      | 0-1                  | 1    |
|           |            | 1       | 74        | 21.39                    | 21.46    | 21.50      | 0-1                  | 1    |
|           |            | 36      | 0         | 20.63                    | 20.91    | 20.55      | 0-2                  | 2    |
|           |            | 36      | 18        | 20.65                    | 20.61    | 20.63      | 0-2                  | 2    |
|           |            | 36      | 38        | 20.66                    | 20.54    | 20.64      | 0-2                  | 2    |
|           |            | 75      | 0         | 20.66                    | 20.77    | 20.69      | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |          |          | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|----------|----------|----------------------|------|
|           |            |         |           | 18700                    | 18900    | 19100    |                      |      |
|           |            |         |           | 1860 MHz                 | 1880 MHz | 1900 MHz | [dB]                 | [dB] |
| 20 MHz    | QPSK       | 1       | 0         | 22.90                    | 22.91    | 22.73    | 0                    | 0    |
|           |            | 1       | 49        | 22.95                    | 23.07    | 23.05    | 0                    | 0    |
|           |            | 1       | 99        | 22.78                    | 22.68    | 23.06    | 0                    | 0    |
|           |            | 50      | 0         | 21.69                    | 21.90    | 21.52    | 0-1                  | 1    |
|           |            | 50      | 25        | 21.76                    | 21.60    | 21.63    | 0-1                  | 1    |
|           |            | 50      | 49        | 21.76                    | 21.61    | 21.65    | 0-1                  | 1    |
|           |            | 100     | 0         | 21.72                    | 21.72    | 21.61    | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.57                    | 21.60    | 21.35    | 0-1                  | 1    |
|           |            | 1       | 49        | 21.55                    | 21.49    | 21.44    | 0-1                  | 1    |
|           |            | 1       | 99        | 21.38                    | 21.34    | 21.49    | 0-1                  | 1    |
|           |            | 50      | 0         | 20.86                    | 20.81    | 20.71    | 0-2                  | 2    |
|           |            | 50      | 25        | 20.84                    | 20.69    | 20.62    | 0-2                  | 2    |
|           |            | 50      | 49        | 20.63                    | 20.66    | 20.71    | 0-2                  | 2    |
|           |            | 100     | 0         | 20.61                    | 20.80    | 20.57    | 0-2                  | 2    |

## LTE Band 4 Conducted Power

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |            |            | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|------------|------------|----------------------|------|
|           |            |         |           | 19957                    | 20175      | 20393      |                      |      |
|           |            |         |           | 1710.7 MHz               | 1732.5 MHz | 1754.3 MHz | [dB]                 | [dB] |
| 1.4 MHz   | QPSK       | 1       | 0         | 22.68                    | 22.64      | 22.57      | 0                    | 0    |
|           |            | 1       | 3         | 22.84                    | 22.77      | 22.67      | 0                    | 0    |
|           |            | 1       | 5         | 22.50                    | 22.65      | 22.56      | 0                    | 0    |
|           |            | 3       | 0         | 22.61                    | 22.52      | 22.44      | 0                    | 0    |
|           |            | 3       | 1         | 22.73                    | 22.65      | 22.61      | 0                    | 0    |
|           |            | 3       | 3         | 22.73                    | 22.68      | 22.64      | 0                    | 0    |
|           |            | 6       | 0         | 21.48                    | 21.58      | 21.48      | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.17                    | 21.65      | 21.19      | 0-1                  | 1    |
|           |            | 1       | 3         | 21.59                    | 21.69      | 21.39      | 0-1                  | 1    |
|           |            | 1       | 5         | 21.42                    | 21.29      | 21.22      | 0-1                  | 1    |
|           |            | 3       | 0         | 21.65                    | 21.39      | 21.40      | 0-1                  | 1    |
|           |            | 3       | 1         | 21.50                    | 21.44      | 21.58      | 0-1                  | 1    |
|           |            | 3       | 3         | 21.62                    | 21.35      | 21.52      | 0-1                  | 1    |
|           |            | 6       | 0         | 20.63                    | 20.54      | 20.41      | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |            |            | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|------------|------------|----------------------|------|
|           |            |         |           | 19965                    | 20175      | 20385      |                      |      |
|           |            |         |           | 1711.5 MHz               | 1732.5 MHz | 1753.5 MHz | [dB]                 | [dB] |
| 3 MHz     | QPSK       | 1       | 0         | 22.74                    | 22.71      | 22.33      | 0                    | 0    |
|           |            | 1       | 7         | 22.76                    | 22.77      | 22.57      | 0                    | 0    |
|           |            | 1       | 14        | 22.58                    | 22.62      | 22.59      | 0                    | 0    |
|           |            | 8       | 0         | 21.81                    | 21.49      | 21.46      | 0-1                  | 1    |
|           |            | 8       | 3         | 21.84                    | 21.56      | 21.45      | 0-1                  | 1    |
|           |            | 8       | 7         | 21.51                    | 21.52      | 21.40      | 0-1                  | 1    |
|           |            | 15      | 0         | 21.56                    | 21.57      | 21.37      | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.47                    | 21.34      | 21.13      | 0-1                  | 1    |
|           |            | 1       | 7         | 21.19                    | 21.20      | 21.05      | 0-1                  | 1    |
|           |            | 1       | 14        | 21.35                    | 21.24      | 21.23      | 0-1                  | 1    |
|           |            | 8       | 0         | 20.81                    | 20.54      | 20.26      | 0-2                  | 2    |
|           |            | 8       | 3         | 20.75                    | 20.79      | 20.26      | 0-2                  | 2    |
|           |            | 8       | 7         | 20.73                    | 20.83      | 20.62      | 0-2                  | 2    |
|           |            | 15      | 0         | 20.60                    | 20.66      | 20.46      | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |            |            | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|------------|------------|----------------------|------|
|           |            |         |           | 19975                    | 20175      | 20375      |                      |      |
|           |            |         |           | 1712.5 MHz               | 1732.5 MHz | 1752.5 MHz | [dB]                 | [dB] |
| 5 MHz     | QPSK       | 1       | 0         | 22.62                    | 22.57      | 22.48      | 0                    | 0    |
|           |            | 1       | 12        | 22.90                    | 22.79      | 22.50      | 0                    | 0    |
|           |            | 1       | 24        | 22.57                    | 22.49      | 22.66      | 0                    | 0    |
|           |            | 12      | 0         | 21.51                    | 21.44      | 21.42      | 0-1                  | 1    |
|           |            | 12      | 6         | 21.59                    | 21.50      | 21.46      | 0-1                  | 1    |
|           |            | 12      | 11        | 21.60                    | 21.47      | 21.61      | 0-1                  | 1    |
|           |            | 25      | 0         | 21.54                    | 21.55      | 21.48      | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.30                    | 21.18      | 21.20      | 0-1                  | 1    |
|           |            | 1       | 12        | 21.03                    | 21.17      | 21.14      | 0-1                  | 1    |
|           |            | 1       | 24        | 21.29                    | 21.23      | 21.24      | 0-1                  | 1    |
|           |            | 12      | 0         | 20.70                    | 20.28      | 20.17      | 0-2                  | 2    |
|           |            | 12      | 6         | 20.65                    | 20.39      | 20.23      | 0-2                  | 2    |
|           |            | 12      | 11        | 20.58                    | 20.32      | 20.27      | 0-2                  | 2    |
|           |            | 25      | 0         | 20.79                    | 20.59      | 20.30      | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |            |          | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|------------|----------|----------------------|------|
|           |            |         |           | 20000                    | 20175      | 20350    |                      |      |
|           |            |         |           | 1715 MHz                 | 1732.5 MHz | 1750 MHz | [dB]                 | [dB] |
| 10 MHz    | QPSK       | 1       | 0         | 22.91                    | 22.77      | 22.72    | 0                    | 0    |
|           |            | 1       | 24        | 23.14                    | 22.82      | 22.95    | 0                    | 0    |
|           |            | 1       | 49        | 22.60                    | 22.46      | 22.80    | 0                    | 0    |
|           |            | 25      | 0         | 21.61                    | 21.45      | 21.46    | 0-1                  | 1    |
|           |            | 25      | 12        | 21.66                    | 21.59      | 21.48    | 0-1                  | 1    |
|           |            | 25      | 24        | 21.67                    | 21.51      | 21.49    | 0-1                  | 1    |
|           |            | 50      | 0         | 21.55                    | 21.57      | 21.45    | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.33                    | 21.10      | 21.29    | 0-1                  | 1    |
|           |            | 1       | 24        | 21.34                    | 21.24      | 21.20    | 0-1                  | 1    |
|           |            | 1       | 49        | 21.21                    | 21.24      | 21.23    | 0-1                  | 1    |
|           |            | 25      | 0         | 20.72                    | 20.61      | 20.50    | 0-2                  | 2    |
|           |            | 25      | 12        | 20.99                    | 20.55      | 20.43    | 0-2                  | 2    |
|           |            | 25      | 24        | 20.72                    | 20.59      | 20.41    | 0-2                  | 2    |
|           |            | 50      | 0         | 20.54                    | 20.65      | 20.40    | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |            |            | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|------------|------------|----------------------|------|
|           |            |         |           | 20025                    | 20175      | 20325      |                      |      |
|           |            |         |           | 1717.5 MHz               | 1732.5 MHz | 1747.5 MHz | [dB]                 | [dB] |
| 15 MHz    | QPSK       | 1       | 0         | 22.90                    | 22.77      | 22.75      | 0                    | 0    |
|           |            | 1       | 36        | 22.77                    | 22.90      | 22.71      | 0                    | 0    |
|           |            | 1       | 74        | 22.65                    | 22.56      | 22.53      | 0                    | 0    |
|           |            | 36      | 0         | 21.82                    | 21.48      | 21.42      | 0-1                  | 1    |
|           |            | 36      | 18        | 21.57                    | 21.45      | 21.40      | 0-1                  | 1    |
|           |            | 36      | 38        | 21.47                    | 21.42      | 21.41      | 0-1                  | 1    |
|           |            | 75      | 0         | 21.56                    | 21.40      | 21.43      | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.46                    | 21.29      | 21.13      | 0-1                  | 1    |
|           |            | 1       | 36        | 21.23                    | 21.08      | 21.09      | 0-1                  | 1    |
|           |            | 1       | 74        | 21.27                    | 21.07      | 21.08      | 0-1                  | 1    |
|           |            | 36      | 0         | 20.65                    | 20.55      | 20.32      | 0-2                  | 2    |
|           |            | 36      | 18        | 20.61                    | 20.58      | 20.45      | 0-2                  | 2    |
|           |            | 36      | 38        | 20.42                    | 20.59      | 20.24      | 0-2                  | 2    |
|           |            | 75      | 0         | 20.60                    | 20.61      | 20.64      | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|----------------------|------|
|           |            |         |           | 20175                    | [dB]                 | [dB] |
|           |            |         |           | 1732.5 MHz               |                      |      |
| 20 MHz    | QPSK       | 1       | 0         | 22.82                    | 0                    | 0    |
|           |            | 1       | 49        | 22.91                    | 0                    | 0    |
|           |            | 1       | 99        | 22.50                    | 0                    | 0    |
|           |            | 50      | 0         | 21.49                    | 0-1                  | 1    |
|           |            | 50      | 25        | 21.41                    | 0-1                  | 1    |
|           |            | 50      | 49        | 21.35                    | 0-1                  | 1    |
|           |            | 100     | 0         | 21.44                    | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.30                    | 0-1                  | 1    |
|           |            | 1       | 49        | 21.16                    | 0-1                  | 1    |
|           |            | 1       | 99        | 21.10                    | 0-1                  | 1    |
|           |            | 50      | 0         | 20.48                    | 0-2                  | 2    |
|           |            | 50      | 25        | 20.62                    | 0-2                  | 2    |
|           |            | 50      | 49        | 20.45                    | 0-2                  | 2    |
|           |            | 100     | 0         | 20.54                    | 0-2                  | 2    |

**Note:** LTE Band 4 (AWS) at 20 MHz Bandwidth does not support three non-overlapping channels. Per KDB 941225 D05v02r05, when a device supports overlapping channel assignment in a channel bandwidth configuration, the mid channel of the group of overlapping channels should be selected for testing.

## LTE Band 7 Conducted Power

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |         |           | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|---------|-----------|----------------------|------|
|           |            |         |           | 20775                    | 21100   | 21425     |                      |      |
|           |            |         |           | 2502.5MHz                | 2535MHz | 2567.5MHz | [dB]                 | [dB] |
| 5 MHz     | QPSK       | 1       | 0         | 23.23                    | 23.13   | 23.21     | 0                    | 0    |
|           |            | 1       | 12        | 23.69                    | 23.31   | 23.41     | 0                    | 0    |
|           |            | 1       | 24        | 23.04                    | 22.99   | 23.11     | 0                    | 0    |
|           |            | 12      | 0         | 22.15                    | 21.99   | 22.13     | 0-1                  | 1    |
|           |            | 12      | 6         | 22.34                    | 22.13   | 22.13     | 0-1                  | 1    |
|           |            | 12      | 11        | 22.18                    | 22.11   | 22.20     | 0-1                  | 1    |
|           |            | 25      | 0         | 22.29                    | 22.10   | 22.16     | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 22.03                    | 21.97   | 21.90     | 0-1                  | 1    |
|           |            | 1       | 12        | 22.14                    | 21.85   | 22.20     | 0-1                  | 1    |
|           |            | 1       | 24        | 21.85                    | 21.66   | 21.84     | 0-1                  | 1    |
|           |            | 12      | 0         | 21.13                    | 21.03   | 21.04     | 0-2                  | 2    |
|           |            | 12      | 6         | 21.05                    | 21.04   | 21.06     | 0-2                  | 2    |
|           |            | 12      | 11        | 20.93                    | 21.21   | 21.09     | 0-2                  | 2    |
|           |            | 25      | 0         | 21.28                    | 21.09   | 21.12     | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |         |         | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|---------|---------|----------------------|------|
|           |            |         |           | 20800                    | 21100   | 21400   |                      |      |
|           |            |         |           | 2505MHz                  | 2535MHz | 2565MHz | [dB]                 | [dB] |
| 10 MHz    | QPSK       | 1       | 0         | 23.23                    | 23.19   | 23.26   | 0                    | 0    |
|           |            | 1       | 24        | 23.14                    | 23.42   | 23.42   | 0                    | 0    |
|           |            | 1       | 49        | 23.32                    | 22.99   | 23.44   | 0                    | 0    |
|           |            | 25      | 0         | 22.26                    | 22.07   | 22.14   | 0-1                  | 1    |
|           |            | 25      | 12        | 22.23                    | 22.06   | 22.23   | 0-1                  | 1    |
|           |            | 25      | 24        | 22.26                    | 22.08   | 22.19   | 0-1                  | 1    |
|           |            | 50      | 0         | 22.31                    | 22.14   | 22.22   | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 22.01                    | 22.08   | 21.98   | 0-1                  | 1    |
|           |            | 1       | 24        | 22.20                    | 21.96   | 22.55   | 0-1                  | 1    |
|           |            | 1       | 49        | 22.09                    | 21.75   | 22.08   | 0-1                  | 1    |
|           |            | 25      | 0         | 21.21                    | 21.10   | 21.22   | 0-2                  | 2    |
|           |            | 25      | 12        | 21.25                    | 21.14   | 21.24   | 0-2                  | 2    |
|           |            | 25      | 24        | 21.26                    | 20.91   | 21.22   | 0-2                  | 2    |
|           |            | 50      | 0         | 21.23                    | 21.10   | 21.17   | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |         |           | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|---------|-----------|----------------------|------|
|           |            |         |           | 20825                    | 21100   | 21375     |                      |      |
|           |            |         |           | 2507.5MHz                | 2535MHz | 2562.5MHz | [dB]                 | [dB] |
| 15 MHz    | QPSK       | 1       | 0         | 23.28                    | 23.32   | 23.24     | 0                    | 0    |
|           |            | 1       | 36        | 23.62                    | 23.38   | 23.46     | 0                    | 0    |
|           |            | 1       | 74        | 23.12                    | 23.13   | 23.37     | 0                    | 0    |
|           |            | 36      | 0         | 22.18                    | 22.12   | 22.03     | 0-1                  | 1    |
|           |            | 36      | 18        | 22.30                    | 22.04   | 22.25     | 0-1                  | 1    |
|           |            | 36      | 38        | 22.25                    | 21.88   | 22.26     | 0-1                  | 1    |
|           |            | 75      | 0         | 22.34                    | 22.04   | 22.21     | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 22.02                    | 22.29   | 21.88     | 0-1                  | 1    |
|           |            | 1       | 36        | 22.27                    | 21.93   | 22.30     | 0-1                  | 1    |
|           |            | 1       | 74        | 21.98                    | 22.02   | 22.01     | 0-1                  | 1    |
|           |            | 36      | 0         | 21.30                    | 20.95   | 21.04     | 0-2                  | 2    |
|           |            | 36      | 18        | 21.21                    | 21.09   | 21.14     | 0-2                  | 2    |
|           |            | 36      | 38        | 21.16                    | 20.91   | 21.09     | 0-2                  | 2    |
|           |            | 75      | 0         | 21.19                    | 21.06   | 21.14     | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |         |         | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|---------|---------|----------------------|------|
|           |            |         |           | 20850                    | 21100   | 21350   |                      |      |
|           |            |         |           | 2510MHz                  | 2535MHz | 2560MHz | [dB]                 | [dB] |
| 20 MHz    | QPSK       | 1       | 0         | 23.23                    | 23.34   | 23.12   | 0                    | 0    |
|           |            | 1       | 49        | 23.56                    | 23.21   | 23.54   | 0                    | 0    |
|           |            | 1       | 99        | 23.37                    | 23.05   | 23.24   | 0                    | 0    |
|           |            | 50      | 0         | 22.19                    | 22.19   | 21.96   | 0-1                  | 1    |
|           |            | 50      | 25        | 22.22                    | 22.11   | 22.23   | 0-1                  | 1    |
|           |            | 50      | 49        | 22.12                    | 21.98   | 22.17   | 0-1                  | 1    |
|           |            | 100     | 0         | 22.17                    | 22.02   | 22.12   | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.95                    | 21.96   | 21.82   | 0-1                  | 1    |
|           |            | 1       | 49        | 22.29                    | 22.05   | 22.01   | 0-1                  | 1    |
|           |            | 1       | 99        | 22.04                    | 22.05   | 21.94   | 0-1                  | 1    |
|           |            | 50      | 0         | 21.14                    | 21.26   | 21.07   | 0-2                  | 2    |
|           |            | 50      | 25        | 21.17                    | 21.05   | 21.22   | 0-2                  | 2    |
|           |            | 50      | 49        | 21.23                    | 21.11   | 21.05   | 0-2                  | 2    |
|           |            | 100     | 0         | 21.13                    | 21.05   | 20.98   | 0-2                  | 2    |

## LTE Band 66 Conducted Power

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |          |            | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|----------|------------|----------------------|------|
|           |            |         |           | 131979                   | 132322   | 132665     |                      |      |
|           |            |         |           | 1710.7 MHz               | 1745 MHz | 1779.3 MHz | [dB]                 | [dB] |
| 1.4 MHz   | QPSK       | 1       | 0         | 23.00                    | 23.03    | 23.02      | 0                    | 0    |
|           |            | 1       | 3         | 23.08                    | 23.13    | 23.16      | 0                    | 0    |
|           |            | 1       | 5         | 23.11                    | 23.06    | 23.18      | 0                    | 0    |
|           |            | 3       | 0         | 23.15                    | 23.02    | 23.06      | 0                    | 0    |
|           |            | 3       | 1         | 23.18                    | 23.08    | 23.09      | 0                    | 0    |
|           |            | 3       | 3         | 23.08                    | 23.13    | 23.03      | 0                    | 0    |
|           | 16QAM      | 6       | 0         | 22.12                    | 21.91    | 22.12      | 0-1                  | 1    |
|           |            | 1       | 0         | 21.90                    | 22.02    | 22.18      | 0-1                  | 1    |
|           |            | 1       | 3         | 22.07                    | 22.14    | 22.09      | 0-1                  | 1    |
|           |            | 1       | 5         | 21.94                    | 22.09    | 21.93      | 0-1                  | 1    |
|           |            | 3       | 0         | 22.07                    | 21.98    | 21.96      | 0-1                  | 1    |
|           |            | 3       | 1         | 22.14                    | 21.96    | 22.08      | 0-1                  | 1    |
|           |            | 3       | 3         | 22.00                    | 21.93    | 22.08      | 0-1                  | 1    |
|           |            | 6       | 0         | 21.13                    | 20.82    | 21.09      | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |          |            | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|----------|------------|----------------------|------|
|           |            |         |           | 131987                   | 132322   | 132657     |                      |      |
|           |            |         |           | 1711.5 MHz               | 1745 MHz | 1778.5 MHz | [dB]                 | [dB] |
| 3 MHz     | QPSK       | 1       | 0         | 22.91                    | 23.08    | 23.13      | 0                    | 0    |
|           |            | 1       | 7         | 23.13                    | 23.10    | 23.15      | 0                    | 0    |
|           |            | 1       | 14        | 23.03                    | 22.81    | 23.04      | 0                    | 0    |
|           |            | 8       | 0         | 22.19                    | 21.84    | 22.09      | 0-1                  | 1    |
|           |            | 8       | 3         | 22.12                    | 21.99    | 22.08      | 0-1                  | 1    |
|           |            | 8       | 7         | 22.20                    | 21.95    | 22.06      | 0-1                  | 1    |
|           |            | 15      | 0         | 22.10                    | 21.90    | 22.08      | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 22.02                    | 21.79    | 21.82      | 0-1                  | 1    |
|           |            | 1       | 7         | 21.78                    | 21.55    | 21.70      | 0-1                  | 1    |
|           |            | 1       | 14        | 21.93                    | 21.72    | 21.78      | 0-1                  | 1    |
|           |            | 8       | 0         | 21.13                    | 20.62    | 21.08      | 0-2                  | 2    |
|           |            | 8       | 3         | 21.12                    | 21.02    | 21.19      | 0-2                  | 2    |
|           |            | 8       | 7         | 21.10                    | 21.10    | 21.02      | 0-2                  | 2    |
|           |            | 15      | 0         | 21.10                    | 21.00    | 21.17      | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |          |            | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|----------|------------|----------------------|------|
|           |            |         |           | 131997                   | 132322   | 132647     |                      |      |
|           |            |         |           | 1712.5 MHz               | 1745 MHz | 1777.5 MHz | [dB]                 | [dB] |
| 5 MHz     | QPSK       | 1       | 0         | 22.77                    | 22.83    | 23.02      | 0                    | 0    |
|           |            | 1       | 12        | 22.99                    | 22.92    | 22.96      | 0                    | 0    |
|           |            | 1       | 24        | 22.73                    | 22.75    | 23.03      | 0                    | 0    |
|           |            | 12      | 0         | 22.05                    | 21.85    | 22.04      | 0-1                  | 1    |
|           |            | 12      | 6         | 22.10                    | 21.88    | 22.03      | 0-1                  | 1    |
|           |            | 12      | 11        | 22.08                    | 21.93    | 22.09      | 0-1                  | 1    |
|           |            | 25      | 0         | 22.11                    | 21.89    | 22.03      | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.82                    | 21.64    | 21.74      | 0-1                  | 1    |
|           |            | 1       | 12        | 22.14                    | 21.52    | 22.00      | 0-1                  | 1    |
|           |            | 1       | 24        | 21.83                    | 21.63    | 21.53      | 0-1                  | 1    |
|           |            | 12      | 0         | 21.11                    | 20.93    | 20.78      | 0-2                  | 2    |
|           |            | 12      | 6         | 20.90                    | 20.93    | 21.08      | 0-2                  | 2    |
|           |            | 12      | 11        | 21.02                    | 20.70    | 21.03      | 0-2                  | 2    |
|           |            | 25      | 0         | 21.03                    | 20.97    | 21.17      | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |          |          | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|----------|----------|----------------------|------|
|           |            |         |           | 132022                   | 132322   | 132622   |                      |      |
|           |            |         |           | 1715 MHz                 | 1745 MHz | 1775 MHz | [dB]                 | [dB] |
| 10 MHz    | QPSK       | 1       | 0         | 23.14                    | 23.17    | 23.06    | 0                    | 0    |
|           |            | 1       | 24        | 23.11                    | 22.98    | 23.03    | 0                    | 0    |
|           |            | 1       | 49        | 22.87                    | 22.89    | 22.95    | 0                    | 0    |
|           |            | 25      | 0         | 22.07                    | 21.96    | 21.95    | 0-1                  | 1    |
|           |            | 25      | 12        | 22.11                    | 21.87    | 21.96    | 0-1                  | 1    |
|           |            | 25      | 24        | 22.04                    | 21.94    | 21.96    | 0-1                  | 1    |
|           |            | 50      | 0         | 22.04                    | 21.93    | 21.93    | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.82                    | 21.78    | 21.49    | 0-1                  | 1    |
|           |            | 1       | 24        | 21.72                    | 21.24    | 21.64    | 0-1                  | 1    |
|           |            | 1       | 49        | 21.61                    | 21.63    | 21.59    | 0-1                  | 1    |
|           |            | 25      | 0         | 21.02                    | 21.13    | 20.94    | 0-2                  | 2    |
|           |            | 25      | 12        | 21.03                    | 20.87    | 20.99    | 0-2                  | 2    |
|           |            | 25      | 24        | 21.01                    | 21.00    | 20.88    | 0-2                  | 2    |
|           |            | 50      | 0         | 21.07                    | 20.87    | 21.05    | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |          |            | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|----------|------------|----------------------|------|
|           |            |         |           | 132047                   | 132322   | 132597     |                      |      |
|           |            |         |           | 1717.5 MHz               | 1745 MHz | 1772.5 MHz | [dB]                 | [dB] |
| 15 MHz    | QPSK       | 1       | 0         | 23.17                    | 22.98    | 23.12      | 0                    | 0    |
|           |            | 1       | 36        | 23.16                    | 23.17    | 23.07      | 0                    | 0    |
|           |            | 1       | 74        | 22.95                    | 22.88    | 23.07      | 0                    | 0    |
|           |            | 36      | 0         | 22.17                    | 22.05    | 22.07      | 0-1                  | 1    |
|           |            | 36      | 18        | 22.11                    | 21.89    | 21.95      | 0-1                  | 1    |
|           |            | 36      | 38        | 22.02                    | 21.96    | 22.00      | 0-1                  | 1    |
|           |            | 75      | 0         | 22.13                    | 21.97    | 21.97      | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.85                    | 21.86    | 21.62      | 0-1                  | 1    |
|           |            | 1       | 36        | 21.74                    | 21.46    | 21.65      | 0-1                  | 1    |
|           |            | 1       | 74        | 21.74                    | 21.53    | 21.70      | 0-1                  | 1    |
|           |            | 36      | 0         | 20.99                    | 21.01    | 21.18      | 0-2                  | 2    |
|           |            | 36      | 18        | 21.06                    | 20.84    | 20.97      | 0-2                  | 2    |
|           |            | 36      | 38        | 20.88                    | 20.91    | 20.89      | 0-2                  | 2    |
|           |            | 75      | 0         | 21.13                    | 21.03    | 21.03      | 0-2                  | 2    |

| Bandwidth | Modulation | RB Size | RB Offset | Max. Average Power (dBm) |          |          | MPR Allowed Per 3GPP | MPR  |
|-----------|------------|---------|-----------|--------------------------|----------|----------|----------------------|------|
|           |            |         |           | 132072                   | 132322   | 132572   |                      |      |
|           |            |         |           | 1720 MHz                 | 1745 MHz | 1770 MHz | [dB]                 | [dB] |
| 20 MHz    | QPSK       | 1       | 0         | 23.19                    | 23.10    | 23.18    | 0                    | 0    |
|           |            | 1       | 49        | 23.10                    | 22.92    | 23.16    | 0                    | 0    |
|           |            | 1       | 99        | 22.84                    | 23.08    | 22.96    | 0                    | 0    |
|           |            | 50      | 0         | 22.17                    | 22.12    | 22.09    | 0-1                  | 1    |
|           |            | 50      | 25        | 22.00                    | 21.98    | 22.01    | 0-1                  | 1    |
|           |            | 50      | 49        | 22.06                    | 21.86    | 21.88    | 0-1                  | 1    |
|           |            | 100     | 0         | 22.09                    | 22.02    | 22.08    | 0-1                  | 1    |
|           | 16QAM      | 1       | 0         | 21.79                    | 21.92    | 21.92    | 0-1                  | 1    |
|           |            | 1       | 49        | 21.72                    | 21.55    | 21.80    | 0-1                  | 1    |
|           |            | 1       | 99        | 21.61                    | 21.68    | 21.66    | 0-1                  | 1    |
|           |            | 50      | 0         | 21.16                    | 21.11    | 21.06    | 0-2                  | 2    |
|           |            | 50      | 25        | 21.03                    | 21.05    | 21.04    | 0-2                  | 2    |
|           |            | 50      | 49        | 20.93                    | 20.92    | 20.90    | 0-2                  | 2    |
|           |            | 100     | 0         | 20.94                    | 20.88    | 21.04    | 0-2                  | 2    |

### 3. TEST EQUIPMENT

| Manufacturer | Type / Model                                     | S/N        | Calib. Date | Calib.Interval | Calib.Due  |
|--------------|--------------------------------------------------|------------|-------------|----------------|------------|
| Agilent      | Base Station E5515C                              | GB44400269 | 02/02/2017  | Annual         | 02/08/2018 |
| R&S          | Wideband Radio<br>Communication Tester<br>CMW500 | 101519     | 04/27/2017  | Annual         | 04/27/2018 |
| Anritsu      | Radio Communication<br>Analyzer/ MT8820C         | 6200628628 | 07/04/2017  | Annual         | 07/04/2018 |
| Anritsu      | Radio Communication<br>Analyzer/ MT8820C         | 6200576565 | 07/04/2017  | Annual         | 07/04/2018 |

## 4. CONCLUSION

The SAR measurement indicates that the EUT complies with the RF radiation exposure limits of the ANSI/IEEE C95.1 1992.

These measurements are taken to simulate the RF effects exposure under worst-case conditions. Precise laboratory measures were taken to assure repeatability of the tests.

The SAR measurement indicates that the EUT complies with the RF radiation exposure limits of the FCC and Industry Canada. These measurements were taken to simulate the RF effects of RF exposure under worst-case conditions. Precise laboratory measures were taken to assure repeatability of the tests. The results and statements relate only to the item(s) tested.

## 5. REFERENCES

- [1] IEEE Standards Coordinating Committee 34 – IEEE Std. 1528-2013, IEEE Recommended Practice or Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Body from Wireless Communications Devices.
- [2] Federal Communications Commission, ET Docket 93-62, Guidelines for Evaluating the Environmental Effects of Radio frequency Radiation, Aug. 1996.
- [3] ANSI/IEEE C95.1 - 1991, American National Standard safety levels with respect to human exposure to radio frequency electromagnetic fields, 300 kHz to 100 GHz, New York: IEEE, Aug. 1992
- [4] ANSI/IEEE C 95.1 - 2005, American National Standard safety levels with respect to human exposure to radio frequency electromagnetic fields, 3 kHz to 300 GHz, New York: IEEE, 2006.
- [5] ANSI/IEEE C95.3 - 1991, IEEE Recommended Practice for the Measurement of Potentially Hazardous Electromagnetic Fields - RF and Microwave, New York: IEEE, 1992.
- [6] NCRP, National Council on Radiation Protection and Measurements, Biological Effects and Exposure Criteria for Radio Frequency Electromagnetic Fields, NCRP Report No. 86, 1986. Reprinted Feb. 1995.
- [7] T. Schmid, O. Egger, N. Kuster, Automated E-field scanning system for dosimetric assessments, IEEE Transaction on Microwave Theory and Techniques, vol. 44, Jan. 1996, pp. 105-113.
- [8] K. Pokovic, T. Schmid, N. Kuster, Robust setup for precise calibration of E-field probes in tissue simulating liquids at mobile communications frequencies, ICECOM97, Oct. 1997, pp. 120-124.
- [9] K. Pokovic, T. Schmid, and N. Kuster, E-field Probe with improved isotropy in brain simulating liquids, Proceedings of the ELMAR, Zadar, Croatia, June 23-25, 1996, pp. 172-175.
- [10] Schmid & Partner Engineering AG, Application Note: Data Storage and Evaluation, June 1998, p2.
- [11] V. Hombach, K. Meier, M. Burkhardt, E. Kuhn, N. Kuster, The Dependence of EM Energy Absorption upon Human Head Modeling at 900 MHz, IEEE Transaction on Microwave Theory and Techniques, vol. 44 no. 10, Oct. 1996, pp. 1865-1873.
- [12] N. Kuster and Q. Balzano, Energy absorption mechanism by biological bodies in the near field of dipole antennas above 300 MHz, IEEE Transaction on Vehicular Technology, vol. 41, no. 1, Feb. 1992, pp. 17-23.
- [13] G. Hartsgrrove, A. Kraszewski, A. Surowiec, Simulated Biological Materials for Electromagnetic Radiation Absorption Studies, University of Ottawa, Bioelectro magnetics, Canada: 1987, pp. 29-36.
- [14] Q. Balzano, O. Garay, T. Manning Jr., Electromagnetic Energy Exposure of Simulated Users of Portable Cellular Telephones, IEEE Transactions on Vehicular Technology, vol. 44, no.3, Aug. 1995.
- [15] W. Gander, Computer mathematick, Birkhaeuser, Basel, 1992.
- [16] W.H. Press, S.A. Teukolsky, W.T. Vetterling, and B.P. Flannery, Numerical Recepies in C, The Art of Scientific Computing, Second edition, Cambridge University Press, 1992.
- [17] N. Kuster, R. Kastle, T. Schmid, Dosimetric evaluation of mobile communications equipment with known precision, IEEE Transaction on Communications, vol. E80-B, no. 5, May 1997, pp. 645-652.
- [18] CENELEC CLC/SC111B, European Prestandard (prENV 50166-2), Human Exposure to Electromagnetic Fields High-frequency: 10 kHz-300 GHz, Jan. 1995.
- [19] Prof. Dr. Niels Kuster, ETH, EidgenØssische Technische Hoschs Schule ZØrich, Dosimetric Evaluation of the Cellular Phone.

- [20] IEC 62209-1, Human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices – Human models, instrumentation and procedures – Part 1: Procedure to determine the specific absorption rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz), Feb. 2005.
- [21] IEC 62209-2, Human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices – Human models, instrumentation, and procedures – Part 2: Procedure to determine the specific absorption rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz) Mar. 2010.
- [22] Industry Canada RSS-102 Radio Frequency Exposure Compliance of Radio communication Apparatus (All Frequency Band) Issue 5, March 2015.
- [23] Health Canada Safety Code 6 Limits of Human Exposure to Radio Frequency Electromagnetic Fields in the Frequency Range from 3 kHz – 300 GHz, 2009
- [24] FCC SAR Test procedures for 2G-3G Devices, Mobile Hotspot and UMPC Device KDB 941225 D01.
- [25] SAR Measurement Guidance for IEEE 802.11 transmitters, KDB 248227 D01.
- [26] SAR Evaluation of Handsets with Multiple Transmitters and Antennas KDB 648474 D03, D04.
- [27] SAR Evaluation for Laptop, Notebook, Netbook and Tablet computers KDB 616217 D04.
- [28] SAR Measurement and Reporting Requirements for 100 MHz – 6 GHz, KDB 865664 D01, D02.
- [29] FCC General RF Exposure Guidance and SAR procedures for Dongles, KDB 447498 D01, D02.