




802.11ac(VHT20)_LCH_5745MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5745MHz_MIMO_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5785MHz_MIMO_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5825MHz_MIMO_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5755MHz_MIMO_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5795MHz_MIMO_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5775MHz_MIMO_NTNV




802.11ax(HEW20)_LCH_5745MHz_SU_/_Ant1_NTNV




802.11ax(HEW20)_LCH_5745MHz_SU_/_Ant2_NTNV




802.11ax(HEW20)_LCH_5745MHz_SU_/_MIMO_NTNV




802.11ax(HEW20)_MCH_5785MHz_SU_ / Ant1_NTNV




802.11ax(HEW20)_MCH_5785MHz_SU_ / Ant2_NTNV




802.11ax(HEW20)_MCH_5785MHz_SU_/_MIMO_NTNV




802.11ax(HEW20)_HCH_5825MHz_SU_/_Ant1_NTNV




802.11ax(HEW20)_HCH_5825MHz_SU / _Ant2_NTNV




802.11ax(HEW20)_HCH_5825MHz_SU / _MIMO_NTNV




802.11ax(HEW40)_LCH_5755MHz_SU_/_Ant1_NTNV




802.11ax(HEW40)_LCH_5755MHz_SU_/_Ant2_NTNV




802.11ax(HEW40) LCH 5755MHz_SU / _MIMO_NTNV




802.11ax(HEW40) HCH 5795MHz_SU / _Ant1_NTNV




802.11ax(HEW40)_HCH_5795MHz_SU / _Ant2_NTNV




802.11ax(HEW40)_HCH_5795MHz_SU / _MIMO_NTNV




802.11ax(HEW80)_MCH_5775MHz_SU_ / Ant1_NTNV



802.11ax(HEW80)_MCH_5775MHz_SU_ / Ant2_NTNV



802.11ax(HEW80)_MCH_5775MHz_SU_/_MIMO_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	Tx Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5745	/	/	20	102	5744.980	5725 to 5850	Pass
						120	5744.980	5725 to 5850	Pass
						138	5744.960	5725 to 5850	Pass
					-30	120	5744.940	5725 to 5850	Pass
					-20	120	5744.920	5725 to 5850	Pass
					-10	120	5744.900	5725 to 5850	Pass
					0	120	5744.960	5725 to 5850	Pass
					10	120	5744.940	5725 to 5850	Pass
					30	120	5744.980	5725 to 5850	Pass
					40	120	5744.920	5725 to 5850	Pass
					50	120	5744.940	5725 to 5850	Pass
		5785	/	/	20	102	5784.980	5725 to 5850	Pass
						120	5784.960	5725 to 5850	Pass
						138	5784.940	5725 to 5850	Pass
					-30	120	5784.960	5725 to 5850	Pass
					-20	120	5784.940	5725 to 5850	Pass
					-10	120	5784.980	5725 to 5850	Pass
					0	120	5784.960	5725 to 5850	Pass
					10	120	5784.940	5725 to 5850	Pass
					30	120	5784.900	5725 to 5850	Pass
					40	120	5784.960	5725 to 5850	Pass
					50	120	5785.000	5725 to 5850	Pass
		5825	/	/	20	102	5824.940	5725 to 5850	Pass
						120	5824.900	5725 to 5850	Pass
						138	5824.920	5725 to 5850	Pass
					-30	120	5824.940	5725 to 5850	Pass
					-20	120	5824.940	5725 to 5850	Pass
					-10	120	5824.980	5725 to 5850	Pass
					0	120	5824.900	5725 to 5850	Pass
					10	120	5824.960	5725 to 5850	Pass
					30	120	5824.980	5725 to 5850	Pass
					40	120	5824.940	5725 to 5850	Pass
					50	120	5824.960	5725 to 5850	Pass
802.11n (HT20)	MIMO	5745	/	/	20	102	5744.940	5725 to 5850	Pass
						120	5744.940	5725 to 5850	Pass
						138	5744.920	5725 to 5850	Pass
					-30	120	5744.940	5725 to 5850	Pass
					-20	120	5744.880	5725 to 5850	Pass
					-10	120	5744.900	5725 to 5850	Pass
					0	120	5744.920	5725 to 5850	Pass
					10	120	5744.880	5725 to 5850	Pass
					30	120	5744.900	5725 to 5850	Pass
					40	120	5744.940	5725 to 5850	Pass
					50	120	5744.900	5725 to 5850	Pass
		5785	/	/	20	102	5784.960	5725 to 5850	Pass
						120	5784.920	5725 to 5850	Pass

						138	5784.960	5725 to 5850	Pass
					-30	120	5784.920	5725 to 5850	Pass
					-20	120	5784.920	5725 to 5850	Pass
					-10	120	5784.940	5725 to 5850	Pass
					0	120	5784.940	5725 to 5850	Pass
					10	120	5784.940	5725 to 5850	Pass
					30	120	5784.960	5725 to 5850	Pass
					40	120	5784.920	5725 to 5850	Pass
					50	120	5784.940	5725 to 5850	Pass
		5825	/	/	20	102	5824.920	5725 to 5850	Pass
						120	5824.960	5725 to 5850	Pass
						138	5824.960	5725 to 5850	Pass
					-30	120	5824.880	5725 to 5850	Pass
					-20	120	5824.920	5725 to 5850	Pass
					-10	120	5824.920	5725 to 5850	Pass
					0	120	5824.900	5725 to 5850	Pass
					10	120	5824.940	5725 to 5850	Pass
					30	120	5824.900	5725 to 5850	Pass
					40	120	5824.940	5725 to 5850	Pass
					50	120	5824.900	5725 to 5850	Pass
802.11n (HT40)	MIMO	5755	/	/	20	102	5754.960	5725 to 5850	Pass
						120	5754.960	5725 to 5850	Pass
						138	5754.960	5725 to 5850	Pass
					-30	120	5754.960	5725 to 5850	Pass
					-20	120	5754.920	5725 to 5850	Pass
					-10	120	5755.000	5725 to 5850	Pass
					0	120	5754.920	5725 to 5850	Pass
					10	120	5754.920	5725 to 5850	Pass
					30	120	5754.960	5725 to 5850	Pass
					40	120	5754.880	5725 to 5850	Pass
					50	120	5754.960	5725 to 5850	Pass
		5795	/	/	20	102	5795.040	5725 to 5850	Pass
						120	5794.920	5725 to 5850	Pass
						138	5795.040	5725 to 5850	Pass
					-30	120	5795.000	5725 to 5850	Pass
					-20	120	5795.000	5725 to 5850	Pass
					-10	120	5794.960	5725 to 5850	Pass
					0	120	5794.960	5725 to 5850	Pass
					10	120	5794.960	5725 to 5850	Pass
					30	120	5794.960	5725 to 5850	Pass
					40	120	5794.920	5725 to 5850	Pass
					50	120	5794.960	5725 to 5850	Pass
802.11ac (VHT20)	MIMO	5745	/	/	20	102	5744.920	5725 to 5850	Pass
						120	5744.920	5725 to 5850	Pass
						138	5744.960	5725 to 5850	Pass
					-30	120	5744.960	5725 to 5850	Pass
					-20	120	5744.960	5725 to 5850	Pass
					-10	120	5744.900	5725 to 5850	Pass
					0	120	5744.940	5725 to 5850	Pass
					10	120	5744.940	5725 to 5850	Pass
					30	120	5744.920	5725 to 5850	Pass
					40	120	5744.940	5725 to 5850	Pass
					50	120	5744.960	5725 to 5850	Pass
		5785	/	/	20	102	5784.920	5725 to 5850	Pass
						120	5784.920	5725 to 5850	Pass
						138	5784.940	5725 to 5850	Pass
					-30	120	5784.920	5725 to 5850	Pass
					-20	120	5784.900	5725 to 5850	Pass
					-10	120	5784.920	5725 to 5850	Pass

					0	120	5784.920	5725 to 5850	Pass
					10	120	5784.960	5725 to 5850	Pass
					30	120	5784.900	5725 to 5850	Pass
					40	120	5784.920	5725 to 5850	Pass
					50	120	5784.940	5725 to 5850	Pass
		5825	/	/	20	102	5824.920	5725 to 5850	Pass
						120	5824.920	5725 to 5850	Pass
						138	5824.880	5725 to 5850	Pass
					-30	120	5824.920	5725 to 5850	Pass
					-20	120	5824.920	5725 to 5850	Pass
					-10	120	5824.900	5725 to 5850	Pass
					0	120	5824.880	5725 to 5850	Pass
					10	120	5824.900	5725 to 5850	Pass
					30	120	5824.900	5725 to 5850	Pass
					40	120	5824.880	5725 to 5850	Pass
					50	120	5824.900	5725 to 5850	Pass
802.11ac (VHT40)	MIMO	5755	/	/	20	102	5755.040	5725 to 5850	Pass
						120	5754.920	5725 to 5850	Pass
						138	5755.000	5725 to 5850	Pass
					-30	120	5754.920	5725 to 5850	Pass
					-20	120	5755.000	5725 to 5850	Pass
					-10	120	5754.960	5725 to 5850	Pass
					0	120	5754.960	5725 to 5850	Pass
					10	120	5754.960	5725 to 5850	Pass
					30	120	5755.040	5725 to 5850	Pass
		5795	/	/	40	120	5754.960	5725 to 5850	Pass
					50	120	5755.040	5725 to 5850	Pass
					20	102	5795.000	5725 to 5850	Pass
						120	5794.960	5725 to 5850	Pass
						138	5794.960	5725 to 5850	Pass
					-30	120	5794.960	5725 to 5850	Pass
					-20	120	5794.960	5725 to 5850	Pass
					-10	120	5795.000	5725 to 5850	Pass
					0	120	5794.960	5725 to 5850	Pass
					10	120	5794.960	5725 to 5850	Pass
802.11ac (VHT80)	MIMO	5775	/	/	30	120	5794.960	5725 to 5850	Pass
					40	120	5794.960	5725 to 5850	Pass
					50	120	5794.960	5725 to 5850	Pass
					20	102	5774.925	5725 to 5850	Pass
						120	5775.000	5725 to 5850	Pass
						138	5775.000	5725 to 5850	Pass
					-30	120	5774.925	5725 to 5850	Pass
					-20	120	5774.925	5725 to 5850	Pass
					-10	120	5774.925	5725 to 5850	Pass
					0	120	5774.925	5725 to 5850	Pass
802.11ax (HEW20)	MIMO	5745	SU	/	10	120	5775.000	5725 to 5850	Pass
					30	120	5775.075	5725 to 5850	Pass
					40	120	5775.000	5725 to 5850	Pass
					50	120	5775.000	5725 to 5850	Pass
					20	102	5744.980	5725 to 5850	Pass
						120	5744.960	5725 to 5850	Pass
						138	5744.940	5725 to 5850	Pass
					-30	120	5744.940	5725 to 5850	Pass
					-20	120	5744.960	5725 to 5850	Pass
					-10	120	5744.960	5725 to 5850	Pass
					0	120	5744.920	5725 to 5850	Pass
					10	120	5744.940	5725 to 5850	Pass
					30	120	5744.900	5725 to 5850	Pass
					40	120	5744.920	5725 to 5850	Pass

		5785	SU	/	50	120	5744.980	5725 to 5850	Pass
					20	102	5784.980	5725 to 5850	Pass
						120	5784.920	5725 to 5850	Pass
						138	5784.940	5725 to 5850	Pass
					-30	120	5784.920	5725 to 5850	Pass
					-20	120	5784.960	5725 to 5850	Pass
					-10	120	5784.940	5725 to 5850	Pass
					0	120	5784.920	5725 to 5850	Pass
					10	120	5784.920	5725 to 5850	Pass
					30	120	5784.920	5725 to 5850	Pass
					40	120	5784.920	5725 to 5850	Pass
					50	120	5784.940	5725 to 5850	Pass
		5825	SU	/	20	102	5824.920	5725 to 5850	Pass
						120	5824.920	5725 to 5850	Pass
						138	5824.940	5725 to 5850	Pass
					-30	120	5824.900	5725 to 5850	Pass
					-20	120	5824.920	5725 to 5850	Pass
					-10	120	5824.960	5725 to 5850	Pass
					0	120	5824.940	5725 to 5850	Pass
					10	120	5824.900	5725 to 5850	Pass
					30	120	5824.940	5725 to 5850	Pass
					40	120	5824.920	5725 to 5850	Pass
					50	120	5824.940	5725 to 5850	Pass
802.11ax (HEW40)	MIMO	5755	SU	/	20	102	5754.960	5725 to 5850	Pass
						120	5755.000	5725 to 5850	Pass
						138	5754.960	5725 to 5850	Pass
					-30	120	5755.000	5725 to 5850	Pass
					-20	120	5755.000	5725 to 5850	Pass
					-10	120	5755.040	5725 to 5850	Pass
					0	120	5754.960	5725 to 5850	Pass
					10	120	5754.960	5725 to 5850	Pass
					30	120	5754.920	5725 to 5850	Pass
					40	120	5754.960	5725 to 5850	Pass
					50	120	5754.960	5725 to 5850	Pass
		5795	SU	/	20	102	5794.960	5725 to 5850	Pass
						120	5794.960	5725 to 5850	Pass
						138	5795.000	5725 to 5850	Pass
					-30	120	5794.960	5725 to 5850	Pass
					-20	120	5794.960	5725 to 5850	Pass
					-10	120	5794.960	5725 to 5850	Pass
					0	120	5795.000	5725 to 5850	Pass
					10	120	5795.000	5725 to 5850	Pass
					30	120	5795.000	5725 to 5850	Pass
					40	120	5794.960	5725 to 5850	Pass
					50	120	5794.960	5725 to 5850	Pass
802.11ax (HEW80)	MIMO	5775	SU	/	20	102	5774.925	5725 to 5850	Pass
						120	5774.925	5725 to 5850	Pass
						138	5774.925	5725 to 5850	Pass
					-30	120	5775.000	5725 to 5850	Pass
					-20	120	5774.925	5725 to 5850	Pass
					-10	120	5774.925	5725 to 5850	Pass
					0	120	5774.925	5725 to 5850	Pass
					10	120	5774.925	5725 to 5850	Pass
					30	120	5775.000	5725 to 5850	Pass
					40	120	5774.925	5725 to 5850	Pass
					50	120	5775.000	5725 to 5850	Pass

6. Form731

6.1 Test Result

6.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
5745	5825	0.0628	17.98
5755	5795	0.0570	17.56
5775	5775	0.0600	17.78