




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5270MHz_Ant1_NTNV




802.11n(HT40)_HCH_5310MHz_Ant1_NTNV




802.11n(HT40)_LCH_5510MHz_Ant1_NTNV




802.11n(HT40)_MCH_5550MHz_Ant1_NTNV




802.11n(HT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV



802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV



802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.2.2 PSD-Band3




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV



802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (Vdc)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	20	3.5	5179.980	5150 to 5250	Pass
				3.8	5180.060	5150 to 5250	Pass
				4.35	5180.080	5150 to 5250	Pass
			-30	3.8	5180.000	5150 to 5250	Pass
			-20	3.8	5180.080	5150 to 5250	Pass
			-10	3.8	5180.080	5150 to 5250	Pass
			0	3.8	5180.080	5150 to 5250	Pass
			10	3.8	5179.920	5150 to 5250	Pass
			30	3.8	5180.040	5150 to 5250	Pass
			40	3.8	5180.100	5150 to 5250	Pass
			50	3.8	5180.000	5150 to 5250	Pass
		5200	20	3.5	5200.080	5150 to 5250	Pass
				3.8	5200.040	5150 to 5250	Pass
				4.35	5200.060	5150 to 5250	Pass
			-30	3.8	5199.980	5150 to 5250	Pass
			-20	3.8	5200.080	5150 to 5250	Pass
			-10	3.8	5200.000	5150 to 5250	Pass
			0	3.8	5200.080	5150 to 5250	Pass
			10	3.8	5199.940	5150 to 5250	Pass
			30	3.8	5200.100	5150 to 5250	Pass
			40	3.8	5200.100	5150 to 5250	Pass
			50	3.8	5200.060	5150 to 5250	Pass
		5240	20	3.5	5240.080	5150 to 5250	Pass
				3.8	5240.120	5150 to 5250	Pass
				4.35	5240.040	5150 to 5250	Pass
			-30	3.8	5240.080	5150 to 5250	Pass
			-20	3.8	5240.120	5150 to 5250	Pass
			-10	3.8	5240.020	5150 to 5250	Pass
			0	3.8	5240.020	5150 to 5250	Pass
			10	3.8	5240.080	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 208 of 227

			30	3.8	5239.960	5150 to 5250	Pass
			40	3.8	5240.060	5150 to 5250	Pass
			50	3.8	5239.980	5150 to 5250	Pass
		5260	20	3.5	5260.080	5250 to 5350	Pass
				3.8	5259.980	5250 to 5350	Pass
				4.35	5260.040	5250 to 5350	Pass
			-30	3.8	5260.140	5250 to 5350	Pass
			-20	3.8	5260.040	5250 to 5350	Pass
			-10	3.8	5260.120	5250 to 5350	Pass
			0	3.8	5260.160	5250 to 5350	Pass
			10	3.8	5260.020	5250 to 5350	Pass
			30	3.8	5260.100	5250 to 5350	Pass
			40	3.8	5260.000	5250 to 5350	Pass
			50	3.8	5260.000	5250 to 5350	Pass
		5300	20	3.5	5300.100	5250 to 5350	Pass
				3.8	5300.080	5250 to 5350	Pass
				4.35	5300.000	5250 to 5350	Pass
			-30	3.8	5300.120	5250 to 5350	Pass
			-20	3.8	5300.060	5250 to 5350	Pass
			-10	3.8	5300.040	5250 to 5350	Pass
			0	3.8	5300.140	5250 to 5350	Pass
			10	3.8	5300.100	5250 to 5350	Pass
			30	3.8	5300.100	5250 to 5350	Pass
			40	3.8	5300.040	5250 to 5350	Pass
			50	3.8	5300.020	5250 to 5350	Pass
		5320	20	3.5	5320.080	5250 to 5350	Pass
				3.8	5320.040	5250 to 5350	Pass
				4.35	5319.960	5250 to 5350	Pass
			-30	3.8	5320.000	5250 to 5350	Pass
			-20	3.8	5320.160	5250 to 5350	Pass
			-10	3.8	5320.020	5250 to 5350	Pass
			0	3.8	5320.120	5250 to 5350	Pass
			10	3.8	5320.020	5250 to 5350	Pass
			30	3.8	5320.100	5250 to 5350	Pass
			40	3.8	5320.020	5250 to 5350	Pass
			50	3.8	5320.000	5250 to 5350	Pass
		5500	20	3.5	5500.160	5470 to 5725	Pass
				3.8	5500.080	5470 to 5725	Pass
				4.35	5500.100	5470 to 5725	Pass
			-30	3.8	5500.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 209 of 227

			-20	3.8	5500.000	5470 to 5725	Pass
			-10	3.8	5500.060	5470 to 5725	Pass
			0	3.8	5500.060	5470 to 5725	Pass
			10	3.8	5500.100	5470 to 5725	Pass
			30	3.8	5499.960	5470 to 5725	Pass
			40	3.8	5500.120	5470 to 5725	Pass
			50	3.8	5500.040	5470 to 5725	Pass
		5580	20	3.5	5580.040	5470 to 5725	Pass
				3.8	5579.980	5470 to 5725	Pass
				4.35	5580.000	5470 to 5725	Pass
			-30	3.8	5580.020	5470 to 5725	Pass
			-20	3.8	5579.980	5470 to 5725	Pass
			-10	3.8	5580.020	5470 to 5725	Pass
			0	3.8	5580.040	5470 to 5725	Pass
			10	3.8	5580.080	5470 to 5725	Pass
			30	3.8	5580.020	5470 to 5725	Pass
			40	3.8	5580.040	5470 to 5725	Pass
			50	3.8	5580.080	5470 to 5725	Pass
		5700	20	3.5	5700.040	5470 to 5725	Pass
				3.8	5700.020	5470 to 5725	Pass
				4.35	5700.020	5470 to 5725	Pass
			-30	3.8	5700.060	5470 to 5725	Pass
			-20	3.8	5699.980	5470 to 5725	Pass
			-10	3.8	5700.040	5470 to 5725	Pass
			0	3.8	5700.060	5470 to 5725	Pass
			10	3.8	5700.020	5470 to 5725	Pass
			30	3.8	5700.080	5470 to 5725	Pass
			40	3.8	5699.960	5470 to 5725	Pass
			50	3.8	5700.040	5470 to 5725	Pass
		5745	20	3.5	5745.040	5725 to 5850	Pass
				3.8	5745.040	5725 to 5850	Pass
				4.35	5745.080	5725 to 5850	Pass
			-30	3.8	5745.060	5725 to 5850	Pass
			-20	3.8	5744.960	5725 to 5850	Pass
			-10	3.8	5745.060	5725 to 5850	Pass
			0	3.8	5745.020	5725 to 5850	Pass
			10	3.8	5745.100	5725 to 5850	Pass
			30	3.8	5744.980	5725 to 5850	Pass
			40	3.8	5745.160	5725 to 5850	Pass
			50	3.8	5744.960	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing and Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 210 of 227

		5785	20	3.5	5785.080	5725 to 5850	Pass
				3.8	5785.080	5725 to 5850	Pass
				4.35	5785.080	5725 to 5850	Pass
			-30	3.8	5785.040	5725 to 5850	Pass
			-20	3.8	5785.140	5725 to 5850	Pass
			-10	3.8	5785.120	5725 to 5850	Pass
			0	3.8	5785.060	5725 to 5850	Pass
			10	3.8	5785.140	5725 to 5850	Pass
			30	3.8	5785.020	5725 to 5850	Pass
			40	3.8	5785.080	5725 to 5850	Pass
			50	3.8	5785.040	5725 to 5850	Pass
		5825	20	3.5	5825.140	5725 to 5850	Pass
				3.8	5824.940	5725 to 5850	Pass
				4.35	5825.040	5725 to 5850	Pass
			-30	3.8	5825.060	5725 to 5850	Pass
			-20	3.8	5825.140	5725 to 5850	Pass
			-10	3.8	5824.980	5725 to 5850	Pass
			0	3.8	5825.120	5725 to 5850	Pass
			10	3.8	5824.980	5725 to 5850	Pass
			30	3.8	5825.060	5725 to 5850	Pass
			40	3.8	5825.020	5725 to 5850	Pass
			50	3.8	5825.140	5725 to 5850	Pass
802.11n (HT20)	SISO	5180	20	3.5	5180.020	5150 to 5250	Pass
				3.8	5180.040	5150 to 5250	Pass
				4.35	5180.100	5150 to 5250	Pass
			-30	3.8	5180.000	5150 to 5250	Pass
			-20	3.8	5180.100	5150 to 5250	Pass
			-10	3.8	5179.960	5150 to 5250	Pass
			0	3.8	5180.040	5150 to 5250	Pass
			10	3.8	5179.960	5150 to 5250	Pass
			30	3.8	5180.040	5150 to 5250	Pass
		5200	20	3.5	5199.960	5150 to 5250	Pass
				3.8	5199.980	5150 to 5250	Pass
				4.35	5200.000	5150 to 5250	Pass
			-30	3.8	5199.960	5150 to 5250	Pass
			-20	3.8	5200.000	5150 to 5250	Pass
			-10	3.8	5199.940	5150 to 5250	Pass
			0	3.8	5199.920	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing, Training & QC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 211 of 227

			10	3.8	5200.040	5150 to 5250	Pass
			30	3.8	5200.060	5150 to 5250	Pass
			40	3.8	5199.920	5150 to 5250	Pass
			50	3.8	5200.000	5150 to 5250	Pass
	5240	20		3.5	5240.000	5150 to 5250	Pass
				3.8	5240.040	5150 to 5250	Pass
				4.35	5240.060	5150 to 5250	Pass
		-30		3.8	5240.000	5150 to 5250	Pass
				3.8	5240.000	5150 to 5250	Pass
				3.8	5240.040	5150 to 5250	Pass
		0		3.8	5239.980	5150 to 5250	Pass
				3.8	5240.060	5150 to 5250	Pass
				3.8	5239.920	5150 to 5250	Pass
		30		3.8	5240.100	5150 to 5250	Pass
				3.8	5240.140	5150 to 5250	Pass
				3.8	5240.000	5150 to 5250	Pass
	5260	20		3.5	5260.100	5250 to 5350	Pass
				3.8	5260.000	5250 to 5350	Pass
				4.35	5260.000	5250 to 5350	Pass
		-30		3.8	5260.020	5250 to 5350	Pass
				3.8	5260.040	5250 to 5350	Pass
				3.8	5260.060	5250 to 5350	Pass
		0		3.8	5260.000	5250 to 5350	Pass
				3.8	5259.940	5250 to 5350	Pass
				3.8	5259.940	5250 to 5350	Pass
		30		3.8	5260.080	5250 to 5350	Pass
				3.8	5260.060	5250 to 5350	Pass
				3.8	5260.000	5250 to 5350	Pass
	5300	20		3.5	5300.020	5250 to 5350	Pass
				3.8	5300.040	5250 to 5350	Pass
				4.35	5300.200	5250 to 5350	Pass
		-30		3.8	5299.980	5250 to 5350	Pass
				3.8	5299.940	5250 to 5350	Pass
				3.8	5300.040	5250 to 5350	Pass
		0		3.8	5300.160	5250 to 5350	Pass
				3.8	5300.140	5250 to 5350	Pass
				3.8	5300.040	5250 to 5350	Pass
		30		3.8	5300.000	5250 to 5350	Pass
				3.8	5299.960	5250 to 5350	Pass
				3.8	5300.000	5250 to 5350	Pass
	5320	20		3.5	5320.080	5250 to 5350	Pass
				3.8	5320.000	5250 to 5350	Pass
				4.35	5320.120	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing and Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 212 of 227

			-30	3.8	5319.980	5250 to 5350	Pass
			-20	3.8	5320.080	5250 to 5350	Pass
			-10	3.8	5319.980	5250 to 5350	Pass
			0	3.8	5319.880	5250 to 5350	Pass
			10	3.8	5319.980	5250 to 5350	Pass
			30	3.8	5320.080	5250 to 5350	Pass
			40	3.8	5319.940	5250 to 5350	Pass
			50	3.8	5320.060	5250 to 5350	Pass
		5500	20	3.5	5499.980	5470 to 5725	Pass
				3.8	5500.060	5470 to 5725	Pass
				4.35	5500.020	5470 to 5725	Pass
			-30	3.8	5500.020	5470 to 5725	Pass
			-20	3.8	5499.980	5470 to 5725	Pass
			-10	3.8	5500.080	5470 to 5725	Pass
			0	3.8	5500.000	5470 to 5725	Pass
			10	3.8	5500.060	5470 to 5725	Pass
			30	3.8	5500.020	5470 to 5725	Pass
			40	3.8	5500.000	5470 to 5725	Pass
			50	3.8	5500.060	5470 to 5725	Pass
		5580	20	3.5	5580.100	5470 to 5725	Pass
				3.8	5580.060	5470 to 5725	Pass
				4.35	5580.000	5470 to 5725	Pass
			-30	3.8	5580.060	5470 to 5725	Pass
			-20	3.8	5579.980	5470 to 5725	Pass
			-10	3.8	5580.040	5470 to 5725	Pass
			0	3.8	5580.040	5470 to 5725	Pass
			10	3.8	5580.000	5470 to 5725	Pass
			30	3.8	5580.060	5470 to 5725	Pass
			40	3.8	5580.000	5470 to 5725	Pass
			50	3.8	5580.100	5470 to 5725	Pass
		5700	20	3.5	5699.960	5470 to 5725	Pass
				3.8	5700.000	5470 to 5725	Pass
				4.35	5700.020	5470 to 5725	Pass
			-30	3.8	5700.040	5470 to 5725	Pass
			-20	3.8	5700.000	5470 to 5725	Pass
			-10	3.8	5700.000	5470 to 5725	Pass
			0	3.8	5700.000	5470 to 5725	Pass
			10	3.8	5700.040	5470 to 5725	Pass
			30	3.8	5700.040	5470 to 5725	Pass
			40	3.8	5700.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 213 of 227

		5745	50	3.8	5700.040	5470 to 5725	Pass
			20	3.5	5745.060	5725 to 5850	Pass
				3.8	5745.020	5725 to 5850	Pass
				4.35	5745.020	5725 to 5850	Pass
			-30	3.8	5744.960	5725 to 5850	Pass
			-20	3.8	5744.920	5725 to 5850	Pass
			-10	3.8	5745.040	5725 to 5850	Pass
			0	3.8	5745.040	5725 to 5850	Pass
			10	3.8	5744.960	5725 to 5850	Pass
			30	3.8	5745.040	5725 to 5850	Pass
			40	3.8	5744.960	5725 to 5850	Pass
			50	3.8	5744.980	5725 to 5850	Pass
		5785	20	3.5	5784.980	5725 to 5850	Pass
				3.8	5785.040	5725 to 5850	Pass
				4.35	5784.980	5725 to 5850	Pass
			-30	3.8	5785.080	5725 to 5850	Pass
			-20	3.8	5785.020	5725 to 5850	Pass
			-10	3.8	5785.000	5725 to 5850	Pass
			0	3.8	5785.080	5725 to 5850	Pass
			10	3.8	5785.040	5725 to 5850	Pass
			30	3.8	5784.940	5725 to 5850	Pass
			40	3.8	5785.040	5725 to 5850	Pass
			50	3.8	5785.060	5725 to 5850	Pass
		5825	20	3.5	5825.040	5725 to 5850	Pass
				3.8	5825.040	5725 to 5850	Pass
				4.35	5825.060	5725 to 5850	Pass
			-30	3.8	5825.000	5725 to 5850	Pass
			-20	3.8	5824.940	5725 to 5850	Pass
			-10	3.8	5825.100	5725 to 5850	Pass
			0	3.8	5825.000	5725 to 5850	Pass
			10	3.8	5825.060	5725 to 5850	Pass
			30	3.8	5825.100	5725 to 5850	Pass
			40	3.8	5825.080	5725 to 5850	Pass
			50	3.8	5825.040	5725 to 5850	Pass
802.11n (HT40)	SISO	5190	20	3.5	5190.040	5150 to 5250	Pass
				3.8	5190.000	5150 to 5250	Pass
				4.35	5189.960	5150 to 5250	Pass
			-30	3.8	5189.960	5150 to 5250	Pass
			-20	3.8	5190.000	5150 to 5250	Pass
			-10	3.8	5190.040	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing and Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 214 of 227

			0	3.8	5190.040	5150 to 5250	Pass
			10	3.8	5190.000	5150 to 5250	Pass
			30	3.8	5189.960	5150 to 5250	Pass
			40	3.8	5189.960	5150 to 5250	Pass
			50	3.8	5190.040	5150 to 5250	Pass
		5230	20	3.5	5230.040	5150 to 5250	Pass
				3.8	5230.120	5150 to 5250	Pass
				4.35	5230.000	5150 to 5250	Pass
			-30	3.8	5230.080	5150 to 5250	Pass
			-20	3.8	5230.080	5150 to 5250	Pass
			-10	3.8	5230.000	5150 to 5250	Pass
			0	3.8	5230.000	5150 to 5250	Pass
			10	3.8	5230.080	5150 to 5250	Pass
			30	3.8	5230.000	5150 to 5250	Pass
			40	3.8	5230.000	5150 to 5250	Pass
			50	3.8	5230.040	5150 to 5250	Pass
		5270	20	3.5	5270.000	5250 to 5350	Pass
				3.8	5270.080	5250 to 5350	Pass
				4.35	5270.040	5250 to 5350	Pass
			-30	3.8	5270.000	5250 to 5350	Pass
			-20	3.8	5270.080	5250 to 5350	Pass
			-10	3.8	5269.960	5250 to 5350	Pass
			0	3.8	5270.120	5250 to 5350	Pass
			10	3.8	5270.040	5250 to 5350	Pass
			30	3.8	5270.000	5250 to 5350	Pass
			40	3.8	5270.040	5250 to 5350	Pass
			50	3.8	5270.200	5250 to 5350	Pass
		5310	20	3.5	5310.000	5250 to 5350	Pass
				3.8	5310.040	5250 to 5350	Pass
				4.35	5310.040	5250 to 5350	Pass
			-30	3.8	5310.000	5250 to 5350	Pass
			-20	3.8	5310.040	5250 to 5350	Pass
			-10	3.8	5310.120	5250 to 5350	Pass
			0	3.8	5309.960	5250 to 5350	Pass
			10	3.8	5310.040	5250 to 5350	Pass
			30	3.8	5310.040	5250 to 5350	Pass
			40	3.8	5310.040	5250 to 5350	Pass
			50	3.8	5310.040	5250 to 5350	Pass
		5510	20	3.5	5510.640	5470 to 5725	Pass
				3.8	5510.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 215 of 227

				4.35	5510.040	5470 to 5725	Pass
			-30	3.8	5509.960	5470 to 5725	Pass
			-20	3.8	5510.080	5470 to 5725	Pass
			-10	3.8	5510.000	5470 to 5725	Pass
			0	3.8	5510.000	5470 to 5725	Pass
			10	3.8	5510.000	5470 to 5725	Pass
			30	3.8	5510.040	5470 to 5725	Pass
			40	3.8	5510.040	5470 to 5725	Pass
			50	3.8	5509.880	5470 to 5725	Pass
		5550	20	3.5	5550.000	5470 to 5725	Pass
				3.8	5550.120	5470 to 5725	Pass
				4.35	5550.040	5470 to 5725	Pass
			-30	3.8	5550.080	5470 to 5725	Pass
			-20	3.8	5550.120	5470 to 5725	Pass
			-10	3.8	5550.160	5470 to 5725	Pass
			0	3.8	5550.040	5470 to 5725	Pass
			10	3.8	5550.080	5470 to 5725	Pass
			30	3.8	5550.040	5470 to 5725	Pass
			40	3.8	5550.080	5470 to 5725	Pass
			50	3.8	5550.120	5470 to 5725	Pass
		5670	20	3.5	5670.040	5470 to 5725	Pass
				3.8	5670.040	5470 to 5725	Pass
				4.35	5670.080	5470 to 5725	Pass
			-30	3.8	5669.960	5470 to 5725	Pass
			-20	3.8	5670.000	5470 to 5725	Pass
			-10	3.8	5669.960	5470 to 5725	Pass
			0	3.8	5669.920	5470 to 5725	Pass
			10	3.8	5670.040	5470 to 5725	Pass
			30	3.8	5670.080	5470 to 5725	Pass
			40	3.8	5670.080	5470 to 5725	Pass
			50	3.8	5670.040	5470 to 5725	Pass
		5755	20	3.5	5755.000	5725 to 5850	Pass
				3.8	5754.960	5725 to 5850	Pass
				4.35	5755.080	5725 to 5850	Pass
			-30	3.8	5755.000	5725 to 5850	Pass
			-20	3.8	5755.000	5725 to 5850	Pass
			-10	3.8	5755.000	5725 to 5850	Pass
			0	3.8	5754.960	5725 to 5850	Pass
			10	3.8	5754.960	5725 to 5850	Pass
			30	3.8	5755.080	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 216 of 227

		5795	40	3.8	5755.040	5725 to 5850	Pass
			50	3.8	5754.960	5725 to 5850	Pass
			20	3.5	5795.080	5725 to 5850	Pass
				3.8	5795.040	5725 to 5850	Pass
				4.35	5795.000	5725 to 5850	Pass
			-30	3.8	5795.000	5725 to 5850	Pass
			-20	3.8	5795.040	5725 to 5850	Pass
			-10	3.8	5795.000	5725 to 5850	Pass
			0	3.8	5795.080	5725 to 5850	Pass
			10	3.8	5794.960	5725 to 5850	Pass
			30	3.8	5795.040	5725 to 5850	Pass
			40	3.8	5795.000	5725 to 5850	Pass
			50	3.8	5795.000	5725 to 5850	Pass
802.11ac (VHT20)	SISO	5180	20	3.5	5179.960	5150 to 5250	Pass
				3.8	5179.980	5150 to 5250	Pass
				4.35	5180.000	5150 to 5250	Pass
			-30	3.8	5180.040	5150 to 5250	Pass
			-20	3.8	5180.020	5150 to 5250	Pass
			-10	3.8	5180.000	5150 to 5250	Pass
			0	3.8	5180.080	5150 to 5250	Pass
			10	3.8	5179.980	5150 to 5250	Pass
			30	3.8	5180.040	5150 to 5250	Pass
			40	3.8	5180.060	5150 to 5250	Pass
			50	3.8	5180.000	5150 to 5250	Pass
		5200	20	3.5	5199.980	5150 to 5250	Pass
				3.8	5200.040	5150 to 5250	Pass
				4.35	5200.020	5150 to 5250	Pass
			-30	3.8	5200.040	5150 to 5250	Pass
			-20	3.8	5199.980	5150 to 5250	Pass
			-10	3.8	5200.040	5150 to 5250	Pass
			0	3.8	5199.960	5150 to 5250	Pass
			10	3.8	5199.940	5150 to 5250	Pass
			30	3.8	5199.960	5150 to 5250	Pass
			40	3.8	5199.960	5150 to 5250	Pass
			50	3.8	5199.980	5150 to 5250	Pass
		5240	20	3.5	5239.960	5150 to 5250	Pass
				3.8	5240.040	5150 to 5250	Pass
				4.35	5240.340	5150 to 5250	Pass
			-30	3.8	5240.060	5150 to 5250	Pass
			-20	3.8	5240.060	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 217 of 227

			-10	3.8	5240.160	5150 to 5250	Pass
			0	3.8	5240.020	5150 to 5250	Pass
			10	3.8	5240.120	5150 to 5250	Pass
			30	3.8	5239.980	5150 to 5250	Pass
			40	3.8	5239.920	5150 to 5250	Pass
			50	3.8	5239.960	5150 to 5250	Pass
		5260	20	3.5	5260.020	5250 to 5350	Pass
				3.8	5260.100	5250 to 5350	Pass
				4.35	5260.040	5250 to 5350	Pass
			-30	3.8	5260.060	5250 to 5350	Pass
			-20	3.8	5259.980	5250 to 5350	Pass
			-10	3.8	5259.960	5250 to 5350	Pass
			0	3.8	5260.060	5250 to 5350	Pass
			10	3.8	5259.940	5250 to 5350	Pass
			30	3.8	5259.980	5250 to 5350	Pass
			40	3.8	5260.040	5250 to 5350	Pass
			50	3.8	5259.940	5250 to 5350	Pass
		5300	20	3.5	5299.880	5250 to 5350	Pass
				3.8	5300.240	5250 to 5350	Pass
				4.35	5299.980	5250 to 5350	Pass
			-30	3.8	5300.040	5250 to 5350	Pass
			-20	3.8	5300.100	5250 to 5350	Pass
			-10	3.8	5300.040	5250 to 5350	Pass
			0	3.8	5300.020	5250 to 5350	Pass
			10	3.8	5300.060	5250 to 5350	Pass
			30	3.8	5300.140	5250 to 5350	Pass
			40	3.8	5300.040	5250 to 5350	Pass
			50	3.8	5300.020	5250 to 5350	Pass
		5320	20	3.5	5319.980	5250 to 5350	Pass
				3.8	5320.060	5250 to 5350	Pass
				4.35	5320.060	5250 to 5350	Pass
			-30	3.8	5320.020	5250 to 5350	Pass
			-20	3.8	5320.220	5250 to 5350	Pass
			-10	3.8	5320.040	5250 to 5350	Pass
			0	3.8	5319.960	5250 to 5350	Pass
			10	3.8	5320.000	5250 to 5350	Pass
			30	3.8	5320.060	5250 to 5350	Pass
			40	3.8	5320.020	5250 to 5350	Pass
			50	3.8	5320.120	5250 to 5350	Pass
		5500	20	3.5	5500.080	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 218 of 227

				3.8	5500.000	5470 to 5725	Pass
				4.35	5500.160	5470 to 5725	Pass
			-30	3.8	5500.140	5470 to 5725	Pass
			-20	3.8	5500.120	5470 to 5725	Pass
			-10	3.8	5499.980	5470 to 5725	Pass
			0	3.8	5500.020	5470 to 5725	Pass
			10	3.8	5499.980	5470 to 5725	Pass
			30	3.8	5500.060	5470 to 5725	Pass
			40	3.8	5499.980	5470 to 5725	Pass
			50	3.8	5500.000	5470 to 5725	Pass
		5580	20	3.5	5580.020	5470 to 5725	Pass
				3.8	5580.000	5470 to 5725	Pass
				4.35	5580.000	5470 to 5725	Pass
			-30	3.8	5580.060	5470 to 5725	Pass
			-20	3.8	5580.040	5470 to 5725	Pass
			-10	3.8	5580.000	5470 to 5725	Pass
			0	3.8	5580.120	5470 to 5725	Pass
			10	3.8	5580.040	5470 to 5725	Pass
			30	3.8	5580.000	5470 to 5725	Pass
			40	3.8	5580.040	5470 to 5725	Pass
			50	3.8	5580.060	5470 to 5725	Pass
		5700	20	3.5	5699.980	5470 to 5725	Pass
				3.8	5700.060	5470 to 5725	Pass
				4.35	5700.000	5470 to 5725	Pass
			-30	3.8	5699.960	5470 to 5725	Pass
			-20	3.8	5700.000	5470 to 5725	Pass
			-10	3.8	5699.980	5470 to 5725	Pass
			0	3.8	5700.000	5470 to 5725	Pass
			10	3.8	5700.060	5470 to 5725	Pass
			30	3.8	5700.060	5470 to 5725	Pass
			40	3.8	5700.000	5470 to 5725	Pass
			50	3.8	5700.000	5470 to 5725	Pass
		5745	20	3.5	5744.980	5725 to 5850	Pass
				3.8	5744.960	5725 to 5850	Pass
				4.35	5745.040	5725 to 5850	Pass
			-30	3.8	5744.980	5725 to 5850	Pass
			-20	3.8	5745.020	5725 to 5850	Pass
			-10	3.8	5744.940	5725 to 5850	Pass
			0	3.8	5745.040	5725 to 5850	Pass
			10	3.8	5745.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 219 of 227

			30	3.8	5745.020	5725 to 5850	Pass
			40	3.8	5744.960	5725 to 5850	Pass
			50	3.8	5745.080	5725 to 5850	Pass
		5785	20	3.5	5784.980	5725 to 5850	Pass
				3.8	5785.000	5725 to 5850	Pass
				4.35	5784.980	5725 to 5850	Pass
			-30	3.8	5785.080	5725 to 5850	Pass
			-20	3.8	5784.940	5725 to 5850	Pass
			-10	3.8	5785.160	5725 to 5850	Pass
			0	3.8	5784.920	5725 to 5850	Pass
			10	3.8	5784.940	5725 to 5850	Pass
			30	3.8	5784.940	5725 to 5850	Pass
			40	3.8	5785.020	5725 to 5850	Pass
			50	3.8	5785.100	5725 to 5850	Pass
		5825	20	3.5	5825.020	5725 to 5850	Pass
				3.8	5825.040	5725 to 5850	Pass
				4.35	5825.060	5725 to 5850	Pass
			-30	3.8	5825.000	5725 to 5850	Pass
			-20	3.8	5825.080	5725 to 5850	Pass
			-10	3.8	5824.960	5725 to 5850	Pass
			0	3.8	5825.020	5725 to 5850	Pass
			10	3.8	5825.060	5725 to 5850	Pass
			30	3.8	5825.040	5725 to 5850	Pass
			40	3.8	5824.980	5725 to 5850	Pass
			50	3.8	5824.920	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	20	3.5	5189.960	5150 to 5250	Pass
				3.8	5190.040	5150 to 5250	Pass
				4.35	5190.120	5150 to 5250	Pass
			-30	3.8	5189.960	5150 to 5250	Pass
			-20	3.8	5190.080	5150 to 5250	Pass
			-10	3.8	5190.040	5150 to 5250	Pass
			0	3.8	5190.120	5150 to 5250	Pass
			10	3.8	5190.040	5150 to 5250	Pass
			30	3.8	5189.960	5150 to 5250	Pass
			40	3.8	5190.080	5150 to 5250	Pass
			50	3.8	5190.000	5150 to 5250	Pass
		5230	20	3.5	5230.000	5150 to 5250	Pass
				3.8	5230.120	5150 to 5250	Pass
				4.35	5230.040	5150 to 5250	Pass
			-30	3.8	5230.040	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing and Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 220 of 227

			-20	3.8	5230.000	5150 to 5250	Pass
			-10	3.8	5230.080	5150 to 5250	Pass
			0	3.8	5230.040	5150 to 5250	Pass
			10	3.8	5229.960	5150 to 5250	Pass
			30	3.8	5230.000	5150 to 5250	Pass
			40	3.8	5230.080	5150 to 5250	Pass
			50	3.8	5230.000	5150 to 5250	Pass
		5270	20	3.5	5270.000	5250 to 5350	Pass
				3.8	5270.120	5250 to 5350	Pass
				4.35	5270.040	5250 to 5350	Pass
			-30	3.8	5270.040	5250 to 5350	Pass
			-20	3.8	5270.000	5250 to 5350	Pass
			-10	3.8	5270.080	5250 to 5350	Pass
			0	3.8	5270.000	5250 to 5350	Pass
			10	3.8	5270.000	5250 to 5350	Pass
			30	3.8	5270.040	5250 to 5350	Pass
			40	3.8	5270.080	5250 to 5350	Pass
			50	3.8	5270.160	5250 to 5350	Pass
		5310	20	3.5	5310.160	5250 to 5350	Pass
				3.8	5310.080	5250 to 5350	Pass
				4.35	5310.040	5250 to 5350	Pass
			-30	3.8	5310.120	5250 to 5350	Pass
			-20	3.8	5309.920	5250 to 5350	Pass
			-10	3.8	5310.040	5250 to 5350	Pass
			0	3.8	5310.160	5250 to 5350	Pass
			10	3.8	5310.080	5250 to 5350	Pass
			30	3.8	5310.000	5250 to 5350	Pass
			40	3.8	5310.120	5250 to 5350	Pass
			50	3.8	5310.080	5250 to 5350	Pass
		5510	20	3.5	5510.040	5470 to 5725	Pass
				3.8	5510.080	5470 to 5725	Pass
				4.35	5510.080	5470 to 5725	Pass
			-30	3.8	5510.000	5470 to 5725	Pass
			-20	3.8	5510.040	5470 to 5725	Pass
			-10	3.8	5510.120	5470 to 5725	Pass
			0	3.8	5510.080	5470 to 5725	Pass
			10	3.8	5510.080	5470 to 5725	Pass
			30	3.8	5510.040	5470 to 5725	Pass
			40	3.8	5510.000	5470 to 5725	Pass
			50	3.8	5510.120	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 221 of 227

		5550	20	3.5	5550.120	5470 to 5725	Pass
				3.8	5550.080	5470 to 5725	Pass
				4.35	5550.120	5470 to 5725	Pass
			-30	3.8	5550.000	5470 to 5725	Pass
			-20	3.8	5550.120	5470 to 5725	Pass
			-10	3.8	5550.040	5470 to 5725	Pass
			0	3.8	5550.120	5470 to 5725	Pass
			10	3.8	5550.120	5470 to 5725	Pass
			30	3.8	5550.040	5470 to 5725	Pass
			40	3.8	5550.120	5470 to 5725	Pass
			50	3.8	5550.120	5470 to 5725	Pass
		5670	20	3.5	5670.080	5470 to 5725	Pass
				3.8	5670.000	5470 to 5725	Pass
				4.35	5670.040	5470 to 5725	Pass
			-30	3.8	5670.120	5470 to 5725	Pass
			-20	3.8	5670.000	5470 to 5725	Pass
			-10	3.8	5670.000	5470 to 5725	Pass
			0	3.8	5670.000	5470 to 5725	Pass
			10	3.8	5670.040	5470 to 5725	Pass
			30	3.8	5670.000	5470 to 5725	Pass
			40	3.8	5670.040	5470 to 5725	Pass
			50	3.8	5670.040	5470 to 5725	Pass
		5755	20	3.5	5755.000	5725 to 5850	Pass
				3.8	5755.040	5725 to 5850	Pass
				4.35	5755.040	5725 to 5850	Pass
			-30	3.8	5755.000	5725 to 5850	Pass
			-20	3.8	5754.960	5725 to 5850	Pass
			-10	3.8	5755.000	5725 to 5850	Pass
			0	3.8	5755.040	5725 to 5850	Pass
			10	3.8	5755.000	5725 to 5850	Pass
			30	3.8	5755.000	5725 to 5850	Pass
			40	3.8	5754.960	5725 to 5850	Pass
			50	3.8	5754.960	5725 to 5850	Pass
		5795	20	3.5	5795.040	5725 to 5850	Pass
				3.8	5795.000	5725 to 5850	Pass
				4.35	5795.000	5725 to 5850	Pass
			-30	3.8	5795.040	5725 to 5850	Pass
			-20	3.8	5795.080	5725 to 5850	Pass
			-10	3.8	5795.000	5725 to 5850	Pass
			0	3.8	5795.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing and Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 222 of 227

			10	3.8	5795.000	5725 to 5850	Pass
			30	3.8	5795.080	5725 to 5850	Pass
			40	3.8	5795.080	5725 to 5850	Pass
			50	3.8	5795.000	5725 to 5850	Pass
802.11ac (VHT80)	SISO	5210	20	3.5	5210.075	5150 to 5250	Pass
				3.8	5210.000	5150 to 5250	Pass
				4.35	5210.000	5150 to 5250	Pass
			-30	3.8	5210.075	5150 to 5250	Pass
			-20	3.8	5210.000	5150 to 5250	Pass
			-10	3.8	5210.000	5150 to 5250	Pass
			0	3.8	5210.075	5150 to 5250	Pass
			10	3.8	5210.000	5150 to 5250	Pass
			30	3.8	5210.000	5150 to 5250	Pass
			40	3.8	5210.000	5150 to 5250	Pass
			50	3.8	5210.000	5150 to 5250	Pass
		5290	20	3.5	5290.000	5250 to 5350	Pass
				3.8	5290.075	5250 to 5350	Pass
				4.35	5290.075	5250 to 5350	Pass
			-30	3.8	5290.000	5250 to 5350	Pass
			-20	3.8	5290.075	5250 to 5350	Pass
			-10	3.8	5290.075	5250 to 5350	Pass
			0	3.8	5290.075	5250 to 5350	Pass
			10	3.8	5290.150	5250 to 5350	Pass
			30	3.8	5290.150	5250 to 5350	Pass
			40	3.8	5290.150	5250 to 5350	Pass
			50	3.8	5290.075	5250 to 5350	Pass
		5530	20	3.5	5530.150	5470 to 5725	Pass
				3.8	5530.000	5470 to 5725	Pass
				4.35	5530.075	5470 to 5725	Pass
			-30	3.8	5530.150	5470 to 5725	Pass
			-20	3.8	5530.000	5470 to 5725	Pass
			-10	3.8	5530.000	5470 to 5725	Pass
			0	3.8	5530.075	5470 to 5725	Pass
			10	3.8	5530.075	5470 to 5725	Pass
			30	3.8	5530.075	5470 to 5725	Pass
			40	3.8	5530.075	5470 to 5725	Pass
			50	3.8	5530.150	5470 to 5725	Pass
		5610	20	3.5	5610.000	5470 to 5725	Pass
				3.8	5610.000	5470 to 5725	Pass
				4.35	5610.075	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR251200556405

Page: 223 of 227

			-30	3.8	5610.075	5470 to 5725	Pass
			-20	3.8	5610.150	5470 to 5725	Pass
			-10	3.8	5610.000	5470 to 5725	Pass
			0	3.8	5610.000	5470 to 5725	Pass
			10	3.8	5609.925	5470 to 5725	Pass
			30	3.8	5610.075	5470 to 5725	Pass
			40	3.8	5610.150	5470 to 5725	Pass
			50	3.8	5610.075	5470 to 5725	Pass
		5775	20	3.5	5774.925	5725 to 5850	Pass
				3.8	5775.000	5725 to 5850	Pass
				4.35	5774.925	5725 to 5850	Pass
			-30	3.8	5774.925	5725 to 5850	Pass
			-20	3.8	5774.925	5725 to 5850	Pass
			-10	3.8	5775.000	5725 to 5850	Pass
			0	3.8	5775.000	5725 to 5850	Pass
			10	3.8	5774.925	5725 to 5850	Pass
			30	3.8	5775.000	5725 to 5850	Pass
			40	3.8	5775.000	5725 to 5850	Pass
			50	3.8	5775.075	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

6.DFS



Radar




5290MHz:



5530MHz:



DC(64.8%)



- End of the Report -