

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test


Band Edges, 2.31GHz ~ 2.5GHz

802.11b


Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2382.20	38.35	33.60	4.75	54.00	-15.65	266	262	Average	Horizontal		
2 *	2412.00	102.36	97.48	4.96	54.00	48.36	266	262	Average	Horizontal		
3	2496.92	38.81	33.66	5.15	54.00	-15.19	266	262	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.65	38.50	33.69	4.81	54.00	-15.50	361	258	Average	Vertical		
2 *	2412.00	102.96	98.00	4.96	54.00	48.96	361	258	Average	Vertical		
3	2496.58	38.87	33.72	5.15	54.00	-15.13	361	258	Average	Vertical		

802.11b

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2324.97	51.70	47.29	4.41	74.00	-22.30	264	262	Peak	Horizontal		
2 *	2437.00	105.32	100.25	5.07	74.00	31.32	264	262	Peak	Horizontal		
3	2487.73	52.54	47.39	5.15	74.00	-21.46	264	262	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2358.74	52.23	47.74	4.49	74.00	-21.77	350	259	Peak	Vertical		
2 *	2437.00	107.25	102.18	5.07	74.00	33.25	350	259	Peak	Vertical		
3	2485.26	52.72	47.57	5.15	74.00	-21.28	350	259	Peak	Vertical		

802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.68	38.32	33.53	4.79	54.00	-15.68	264	262	Average	Horizontal		
2 *	2437.00	102.88	97.81	5.07	54.00	48.88	264	262	Average	Horizontal		
3	2491.56	38.92	33.77	5.15	54.00	-15.08	264	262	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.68	38.27	33.48	4.79	54.00	-15.73	350	259	Average	Vertical		
2 *	2437.00	104.80	99.73	5.07	54.00	50.80	350	259	Average	Vertical		
3	2484.50	39.00	33.85	5.15	54.00	-15.00	350	259	Average	Vertical		

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2330.75	51.47	47.05	4.42	74.00	-22.53	258	265	Peak	Horizontal		
2 *	2462.00	105.95	100.82	5.13	74.00	31.95	258	265	Peak	Horizontal		
3	2489.32	52.46	47.31	5.15	74.00	-21.54	258	265	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2380.07	52.15	47.42	4.73	74.00	-21.85	388	254	Peak	Vertical		
2 *	2462.00	107.21	102.08	5.13	74.00	33.21	388	254	Peak	Vertical		
3	2489.66	52.38	47.23	5.15	74.00	-21.62	388	254	Peak	Vertical		

802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.95	38.22	33.41	4.81	54.00	-15.78	258	265	Average	Horizontal	
2	2462.00	103.32	98.19	5.13	54.00	49.32	258	265	Average	Horizontal	
3	2485.07	107.36	35.61	5.15	54.00	-13.24	258	265	Average	Horizontal	

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.72	71.40	66.59	4.81	74.00	-2.60	202	321	Peak	Horizontal		
2	2412.00	109.92	104.96	4.96	74.00	35.92	202	321	Peak	Horizontal		
3	2495.67	52.16	47.01	5.15	74.00	-21.84	202	321	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.91	73.60	68.79	4.81	74.00	-0.40	301	262	Peak	Vertical		
2	2412.00	109.76	104.80	4.96	74.00	35.76	301	262	Peak	Vertical		
3	2496.20	52.32	47.17	5.15	74.00	-21.68	301	262	Peak	Vertical		

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	53.31	48.58	4.81	54.00	-0.69	202	321	Average	Horizontal		
2	2412.00	100.00	95.04	4.96	54.00	46.00	202	321	Average	Horizontal		
3	2487.65	38.93	33.78	5.15	54.00	-15.07	202	321	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.91	53.07	48.26	4.81	54.00	-0.93	301	262	Average	Vertical		
2	2412.00	99.37	94.41	4.96	54.00	45.37	301	262	Average	Vertical		
3	2495.48	38.94	33.79	5.15	54.00	-15.06	301	262	Average	Vertical		

802.11g

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.95	52.49	47.68	4.81	74.00	-21.51	200	315	Peak	Horizontal		
2 *	2437.00	109.70	104.63	5.07	74.00	35.70	200	315	Peak	Horizontal		
3	2488.30	57.69	52.54	5.15	74.00	-16.31	200	315	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.62	52.73	47.95	4.78	74.00	-21.27	371	292	Peak	Vertical		
2 *	2437.00	109.48	104.41	5.07	74.00	35.48	371	292	Peak	Vertical		
3	2484.31	55.56	50.41	5.15	74.00	-18.44	371	292	Peak	Vertical		

802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.34	38.87	34.07	4.80	54.00	-15.13	200	315	Average	Horizontal		
2 *	2437.00	100.22	95.15	5.07	54.00	46.22	200	315	Average	Horizontal		
3	2483.66	40.76	35.61	5.15	54.00	-13.24	200	315	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.36	38.50	33.70	4.80	54.00	-15.50	371	292	Average	Vertical		
2 *	2437.00	99.41	94.34	5.07	54.00	45.41	371	292	Average	Vertical		
3	2484.42	39.64	34.49	5.15	54.00	-14.36	371	292	Average	Vertical		

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



High Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	38.21	33.40	4.81	54.00	-15.79	158	324	Average	Horizontal	
2 *	2462.00	99.04	93.91	5.13	54.00	45.04	158	324	Average	Horizontal	
3	2483.51	47.43	42.28	5.15	54.00	-6.57	158	324	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.14	38.36	33.56	4.80	54.00	-15.64	370	115	Average	Vertical	
2 *	2462.00	98.14	93.01	5.13	54.00	44.14	370	115	Average	Vertical	
3	2483.55	46.14	40.99	5.15	54.00	-7.86	370	115	Average	Vertical	

802.11be EHT20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.65	65.43	60.62	4.81	74.00	-8.57	100	314	Peak	Horizontal		
2 *	2412.00	108.00	103.84	4.96	74.00	34.00	100	314	Peak	Horizontal		
3	2495.97	52.88	47.73	5.15	74.00	-21.12	100	314	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.38	60.60	55.79	4.81	74.00	-13.40	376	291	Peak	Vertical		
2 *	2412.00	107.85	102.89	4.96	74.00	33.85	376	291	Peak	Vertical		
3	2494.76	51.96	46.81	5.15	74.00	-22.04	376	291	Peak	Vertical		

802.11be EHT20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	2389.42	45.33	40.52	4.81	54.00	-8.67	100	314	Average	Horizontal		
2 *	2412.00	96.97	92.01	4.96	54.00	42.97	100	314	Average	Horizontal		
3	2490.20	39.51	34.36	5.15	54.00	-14.49	100	314	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	2389.99	43.05	38.24	4.81	54.00	-10.95	376	291	Average	Vertical		
2 *	2412.00	95.84	90.88	4.96	54.00	41.84	376	291	Average	Vertical		
3	2497.38	39.36	34.21	5.15	54.00	-14.64	376	291	Average	Vertical		

802.11be EHT20

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.89	54.30	49.51	4.79	74.00	-19.70		100	311	Peak	Horizontal	
2 *	2437.00	111.67	106.60	5.07	74.00	37.67		100	311	Peak	Horizontal	
3	2484.57	57.69	52.54	5.15	74.00	-16.31		100	311	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2358.94	52.32	47.77	4.55	74.00	-21.68		371	290	Peak	Vertical	
2 *	2437.00	111.07	106.00	5.07	74.00	37.07		371	290	Peak	Vertical	
3	2490.01	52.50	47.35	5.15	74.00	-21.50		371	290	Peak	Vertical	

802.11be EHT20

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.61	40.01	35.20	4.81	54.00	-13.99	100	311	Average	Horizontal		
2 *	2437.00	98.85	93.78	5.07	54.00	44.85	100	311	Average	Horizontal		
3	2483.70	42.63	37.48	5.15	54.00	-11.37	100	311	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.69	38.80	33.99	4.81	54.00	-15.20	371	290	Average	Vertical		
2 *	2437.00	98.33	93.26	5.07	54.00	44.33	371	290	Average	Vertical		
3	2485.14	40.12	34.97	5.15	54.00	-13.88	371	290	Average	Vertical		

802.11be EHT20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.15	51.38	46.62	4.76	74.00	-22.62	177	314	Peak	Horizontal		
2 *	2462.00	109.76	104.63	5.13	74.00	35.76	177	314	Peak	Horizontal		
3 !	2484.23	70.52	65.37	5.15	74.00	-3.48	177	314	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2358.07	52.40	47.87	4.53	74.00	-21.60	361	291	Peak	Vertical		
2 *	2462.00	109.48	104.35	5.13	74.00	35.48	361	291	Peak	Vertical		
3 !	2484.76	71.08	65.93	5.15	74.00	-2.92	361	291	Peak	Vertical		

802.11be EHT20

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2373.69	38.68	34.01	4.67	54.00	-15.32	177	314	Average	Horizontal		
2 *	2462.00	97.84	92.71	5.13	54.00	43.84	177	314	Average	Horizontal		
3 !	2483.96	53.29	48.14	5.15	54.00	-0.71	177	314	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.25	38.80	34.00	4.80	54.00	-15.20	361	291	Average	Vertical		
2 *	2462.00	97.67	92.54	5.13	54.00	43.67	361	291	Average	Vertical		
3 !	2483.85	52.79	47.64	5.15	54.00	-1.21	361	291	Average	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11g

Low Channel(Open) 9kHz~150kHz

Low Channel(Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	69.49	49.66	19.83	119.13	-49.64	100	44 Peak	Open	
2	0.05	56.16	37.14	19.02	113.76	-57.60	100	282 Peak	Open	
3	0.08	48.02	29.72	18.30	109.84	-61.82	100	58 Peak	Open	
4	0.09	41.80	23.78	18.02	108.16	-66.36	100	290 Peak	Open	
5	0.13	37.83	19.65	18.18	105.66	-67.83	100	278 Peak	Open	
6	0.14	34.89	16.62	18.27	104.63	-69.74	100	283 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.51	36.85	18.10	18.75	73.48	-36.63	100	219 Peak	Open	
2	5.25	32.35	12.44	19.91	69.50	-37.15	100	221 Peak	Open	
3	12.09	35.44	13.73	21.71	69.50	-34.06	100	360 Peak	Open	
4	15.43	35.16	13.46	21.70	69.50	-34.34	100	359 Peak	Open	
5	20.96	36.02	13.37	22.65	69.50	-33.48	100	277 Peak	Open	
6	25.76	36.77	13.86	22.91	69.50	-32.73	100	99 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	71.71	31.74	41.62	-9.88	40.00	-8.26	200	155	Peak	Horizontal		
2	167.74	35.77	42.20	-6.43	43.50	-7.73	200	267	Peak	Horizontal		
3	231.76	41.99	49.95	-7.96	46.00	-4.01	100	229	Peak	Horizontal		
4	264.74	40.24	47.36	-7.12	46.00	-5.76	100	66	Peak	Horizontal		
5	790.24	40.85	37.41	3.44	46.00	-5.15	200	349	Peak	Horizontal		
6	903.97	38.42	33.38	5.04	46.00	-7.58	100	107	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	80.44	32.38	44.18	-11.80	40.00	-7.62	100	210	Peak	Vertical		
2	167.74	30.80	37.23	-6.43	43.50	-12.70	140	360	Peak	Vertical		
3	231.76	35.39	43.35	-7.96	46.00	-10.61	100	138	Peak	Vertical		
4	265.71	33.00	40.08	-7.08	46.00	-13.00	157	360	Peak	Vertical		
5	484.93	34.31	36.47	-2.16	46.00	-11.69	100	206	Peak	Vertical		
6	832.19	37.20	33.35	3.85	46.00	-8.80	200	231	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.00	42.79	34.29	8.50	54.00	-11.21	204	360 Average	Horizontal	
2	4824.00	48.42	39.92	8.50	74.00	-25.58	204	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.00	42.94	34.44	8.50	54.00	-11.06	300	298 Average	Vertical	
2	4824.00	48.31	39.81	8.50	74.00	-25.69	300	298 Peak	Vertical	

802.11b

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	44.11	35.43	8.68	54.00	-9.89	100	342	Average	Horizontal		
2	4874.00	49.60	40.92	8.68	74.00	-24.40	100	342	Peak	Horizontal		
3	7311.00	52.96	43.72	9.24	54.00	-1.04	314	169	Average	Horizontal		
4	7311.00	57.10	47.86	9.24	74.00	-16.90	314	169	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	45.68	37.00	8.68	54.00	-8.32	300	280	Average	Vertical		
2	4874.00	50.31	41.63	8.68	74.00	-23.69	300	280	Peak	Vertical		
3	7311.00	49.06	39.82	9.24	54.00	-4.94	300	255	Average	Vertical		
4	7311.00	54.59	45.35	9.24	74.00	-19.41	300	255	Peak	Vertical		

802.11b

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	46.33	37.43	8.90	54.00	-7.67	216	145	Average	Horizontal		
2	4924.00	51.09	42.19	8.90	74.00	-22.91	216	145	Peak	Horizontal		
3	7386.00	53.48	44.34	9.14	54.00	-0.52	297	170	Average	Horizontal		
4	7386.00	58.07	48.93	9.14	74.00	-15.93	297	170	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	46.81	37.91	8.90	54.00	-7.19	300	219	Average	Vertical		
2	4924.00	51.02	42.12	8.90	74.00	-22.98	300	219	Peak	Vertical		
3	7386.00	51.32	42.18	9.14	54.00	-2.68	300	280	Average	Vertical		
4	7386.00	56.00	46.86	9.14	74.00	-18.00	300	280	Peak	Vertical		


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	31.56	23.06	8.50	54.00	-22.44	100	322	Average	Horizontal		
2	4824.00	45.28	36.78	8.50	74.00	-28.72	100	322	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	34.22	25.72	8.50	54.00	-19.78	165	21	Average	Vertical		
2	4824.00	47.07	38.57	8.50	74.00	-26.93	165	21	Peak	Vertical		

802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	4874.00	31.53	22.85	8.68	54.00	-22.47	143	333	Average	Horizontal		
2	4874.00	45.43	36.75	8.68	74.00	-28.57	143	333	Peak	Horizontal		
3	7311.00	44.42	35.18	9.24	54.00	-9.58	259	56	Average	Horizontal		
4	7311.00	57.96	48.72	9.24	74.00	-16.04	259	56	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	4874.00	34.20	25.52	8.68	54.00	-19.80	100	310	Average	Vertical		
2	4874.00	47.22	38.54	8.68	74.00	-26.78	100	310	Peak	Vertical		
3	7311.00	49.13	39.89	9.24	54.00	-4.87	117	350	Average	Vertical		
4	7311.00	63.35	54.11	9.24	74.00	-10.65	117	350	Peak	Vertical		

802.11g

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	4924.00	32.33	23.43	8.90	54.00	-21.67	347	360	Average	Horizontal		
2	4924.00	45.82	36.92	8.90	74.00	-28.18	347	360	Peak	Horizontal		
3	7386.00	42.57	33.43	9.14	54.00	-11.43	100	309	Average	Horizontal		
4	7386.00	56.95	47.81	9.14	74.00	-17.05	100	309	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	4924.00	35.72	26.82	8.90	54.00	-18.28	100	301	Average	Vertical		
2	4924.00	48.77	39.87	8.90	74.00	-25.23	100	301	Peak	Vertical		
3	7386.00	47.43	38.29	9.14	54.00	-6.57	100	349	Average	Vertical		
4	7386.00	62.60	53.46	9.14	74.00	-11.40	100	349	Peak	Vertical		


802.11be EHT20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	31.73	23.23	8.50	54.00	-22.27	100	255	Average	Horizontal		
2	4824.00	45.28	36.78	8.50	74.00	-28.72	100	255	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	34.12	25.62	8.50	54.00	-19.88	139	35	Average	Vertical		
2	4824.00	47.49	38.99	8.50	74.00	-26.51	139	35	Peak	Vertical		

802.11be EHT20

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	4874.00	31.60	22.92	8.68	54.00	-22.40	113	239	Average	Horizontal		
2	4874.00	45.18	36.50	8.68	74.00	-28.82	113	239	Peak	Horizontal		
3	7311.00	43.22	33.98	9.24	54.00	-10.78	129	56	Average	Horizontal		
4	7311.00	56.41	47.17	9.24	74.00	-17.59	129	56	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	4874.00	33.98	25.30	8.68	54.00	-20.02	100	33	Average	Vertical		
2	4874.00	46.44	37.76	8.68	74.00	-27.56	100	33	Peak	Vertical		
3	7311.00	48.12	38.88	9.24	54.00	-5.88	100	350	Average	Vertical		
4	7311.00	61.72	52.48	9.24	74.00	-12.28	100	350	Peak	Vertical		

802.11be EHT20

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
32.34	23.44	8.90	54.00	-21.66	200	219	Average	Horizontal	
45.72	36.82	8.90	74.00	-28.28	200	219	Peak	Horizontal	
41.55	32.41	9.14	54.00	-12.45	100	330	Average	Horizontal	
55.29	46.15	9.14	74.00	-18.71	100	330	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
35.84	26.94	8.90	54.00	-18.16	204	31	Average	Vertical	
48.64	39.74	8.90	74.00	-25.36	204	31	Peak	Vertical	
46.29	37.15	9.14	54.00	-7.71	103	350	Average	Vertical	
59.80	50.66	9.14	74.00	-14.20	103	350	Peak	Vertical	

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	22.54	12.91	9.63	55.88	-33.34	Average	line1	
2	0.15	35.72	26.09	9.63	65.88	-30.16	QP	line1	
3	0.47	32.97	23.34	9.63	46.52	-13.55	Average	line1	
4	0.47	39.80	30.17	9.63	56.52	-16.72	QP	line1	
5	0.90	20.01	10.37	9.64	46.00	-25.99	Average	line1	
6	0.90	25.80	16.16	9.64	56.00	-30.20	QP	line1	
7	5.27	17.94	8.24	9.70	50.00	-32.06	Average	line1	
8	5.27	23.35	13.65	9.70	60.00	-36.65	QP	line1	
9	9.02	25.53	15.79	9.74	50.00	-24.47	Average	line1	
10	9.02	30.70	20.96	9.74	60.00	-29.30	QP	line1	
11	13.58	31.30	21.56	9.74	50.00	-18.70	Average	line1	
12	13.58	36.54	26.80	9.74	60.00	-23.46	QP	line1	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	22.36	12.72	9.64	55.71	-33.35	Average	neutral	
2	0.16	34.56	24.92	9.64	65.71	-31.15	QP	neutral	
3	0.47	35.20	25.57	9.63	46.56	-11.36	Average	neutral	
4	0.47	41.56	31.93	9.63	56.56	-15.00	QP	neutral	
5	1.22	19.06	9.42	9.64	46.00	-26.94	Average	neutral	
6	1.22	25.24	15.60	9.64	56.00	-30.76	QP	neutral	
7	1.39	21.59	11.95	9.64	46.00	-24.41	Average	neutral	
8	1.39	26.79	17.15	9.64	56.00	-29.21	QP	neutral	
9	8.59	25.51	15.75	9.76	50.00	-24.49	Average	neutral	
10	8.59	31.05	21.29	9.76	60.00	-28.95	QP	neutral	
11	14.49	33.05	23.23	9.82	50.00	-16.95	Average	neutral	
12	14.49	38.16	28.34	9.82	60.00	-21.84	QP	neutral	