

## Appendix B: Test Results of Radiation Spurious Emissions & Mains

### Conducted Emission

#### Band Edges, 4.5GHz ~ 7GHz

#### U-NII-1


#### 802.11a

#### CH 36 (Horizontal) Peak

#### CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5150.00 | 64.85  | 56.05 | 8.80  | 74.00  | -9.15  | 100  | 350  | Peak | Horizontal |           |      |
| 2 * | 5180.00 | 105.15 | 96.21 | 8.94  | 68.20  | 36.95  | 100  | 350  | Peak | Horizontal |           |      |
| 3   | 5402.50 | 54.32  | 45.00 | 9.32  | 74.00  | -19.68 | 100  | 350  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5150.00 | 66.26  | 57.46  | 8.80  | 74.00  | -7.74  | 259  | 82   | Peak | Vertical |           |      |
| 2 * | 5180.00 | 110.57 | 101.63 | 8.94  | 68.20  | 42.37  | 259  | 82   | Peak | Vertical |           |      |
| 3   | 5437.00 | 54.36  | 45.29  | 9.07  | 74.00  | -19.64 | 259  | 82   | Peak | Vertical |           |      |

**802.11a**

**CH 36 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 | 5150.00 | 49.07  | 40.27 | 8.80  | 54.00  | -4.93  | 100  | 350  | Average | Horizontal |           |      |
| 2 | 5180.00 | 96.40  | 87.46 | 8.94  | 54.00  | 42.40  | 100  | 350  | Average | Horizontal |           |      |
| 3 | 5411.50 | 41.61  | 32.36 | 9.25  | 54.00  | -12.39 | 100  | 350  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 | 5150.00 | 52.85  | 44.05 | 8.80  | 54.00  | -1.15  | 259  | 82   | Average | Vertical |           |      |
| 2 | 5180.00 | 101.45 | 92.51 | 8.94  | 54.00  | 47.45  | 259  | 82   | Average | Vertical |           |      |
| 3 | 5406.00 | 41.77  | 32.49 | 9.28  | 54.00  | -12.23 | 259  | 82   | Average | Vertical |           |      |

**802.11a**

**CH 40 (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg  |            |           |      |
| 1   | 5150.00 | 56.21  | 47.41 | 8.80  | 74.00  | -17.79 | 100   | 349  | Peak | Horizontal |           |      |
| 2 * | 5200.00 | 107.97 | 98.93 | 9.04  | 68.20  | 39.77  | 100   | 349  | Peak | Horizontal |           |      |
| 3   | 5402.00 | 54.97  | 45.65 | 9.32  | 74.00  | -19.03 | 100   | 349  | Peak | Horizontal |           |      |

**CH 40 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over  | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|-------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | Limit | cm   | deg  |          |           |      |
| 1   | 5148.50 | 60.55  | 51.76  | 8.79  | 74.00  | -13.45 | 283   | 81   | Peak | Vertical |           |      |
| 2 * | 5200.00 | 111.27 | 102.23 | 9.04  | 68.20  | 43.07  | 283   | 81   | Peak | Vertical |           |      |
| 3   | 5422.00 | 54.91  | 45.74  | 9.17  | 74.00  | -19.09 | 283   | 81   | Peak | Vertical |           |      |

**802.11a**

**CH 40 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1   | 5150.00 | 43.67  | 34.87 | 8.80  | 54.00  | -10.33 | 100  | 349  | Average | Horizontal |           |      |
| 2 * | 5200.00 | 97.97  | 88.93 | 9.04  | 54.00  | 43.97  | 100  | 349  | Average | Horizontal |           |      |
| 3   | 5401.50 | 41.68  | 32.36 | 9.32  | 54.00  | -12.32 | 100  | 349  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1   | 5149.50 | 45.51  | 36.71 | 8.80  | 54.00  | -8.49  | 283  | 81   | Average | Vertical |           |      |
| 2 * | 5200.00 | 102.20 | 93.16 | 9.04  | 54.00  | 48.20  | 283  | 81   | Average | Vertical |           |      |
| 3   | 5402.00 | 41.72  | 32.40 | 9.32  | 54.00  | -12.28 | 283  | 81   | Average | Vertical |           |      |


**802.11a**

**CH 48 (Horizontal) Peak**

**CH 48 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg  |            |           |      |
| 1   | 5087.00 | 55.10  | 46.21 | 8.89  | 74.00  | -18.90 | 100   | 358  | Peak | Horizontal |           |      |
| 2 * | 5240.00 | 107.53 | 98.78 | 8.75  | 68.20  | 39.33  | 100   | 358  | Peak | Horizontal |           |      |
| 3   | 5435.00 | 54.68  | 45.60 | 9.08  | 74.00  | -19.32 | 100   | 358  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over  | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|-------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | Limit | cm   | deg  |          |           |      |
| 1   | 5087.50 | 54.49  | 45.78  | 8.71  | 74.00  | -19.51 | 268   | 81   | Peak | Vertical |           |      |
| 2 * | 5240.00 | 112.60 | 103.85 | 8.75  | 68.20  | 44.40  | 268   | 81   | Peak | Vertical |           |      |
| 3   | 5407.00 | 54.94  | 45.66  | 9.28  | 74.00  | -19.06 | 268   | 81   | Peak | Vertical |           |      |

**802.11a**

**CH 48 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1   | 5148.00 | 41.28  | 32.49 | 8.79  | 54.00  | -12.72 | 100  | 358  | Average | Horizontal |           |      |
| 2 * | 5240.00 | 97.69  | 88.94 | 8.75  | 54.00  | 43.69  | 100  | 358  | Average | Horizontal |           |      |
| 3   | 5402.00 | 41.63  | 32.31 | 9.32  | 54.00  | -12.37 | 100  | 358  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1   | 5146.50 | 41.60  | 32.81 | 8.79  | 54.00  | -12.40 | 268  | 81   | Average | Vertical |           |      |
| 2 * | 5240.00 | 103.40 | 94.65 | 8.75  | 54.00  | 49.40  | 268  | 81   | Average | Vertical |           |      |
| 3   | 5404.00 | 42.03  | 32.73 | 9.30  | 54.00  | -11.97 | 268  | 81   | Average | Vertical |           |      |

**802.11be EHT20**

**CH 36 (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5150.00 | 64.59  | 55.79 | 8.80  | 74.00  | -9.41  | 304  | 352  | Peak | Horizontal |           |      |
| 2 * | 5180.00 | 107.27 | 98.33 | 8.94  | 68.20  | 39.07  | 304  | 352  | Peak | Horizontal |           |      |
| 3   | 5414.50 | 55.99  | 46.76 | 9.23  | 74.00  | -18.01 | 304  | 352  | Peak | Horizontal |           |      |

**CH 36 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5146.50 | 69.63  | 60.84  | 8.79  | 74.00  | -4.37  | 138  | 118  | Peak | Vertical |           |      |
| 2 * | 5180.00 | 111.87 | 102.93 | 8.94  | 68.20  | 43.67  | 138  | 118  | Peak | Vertical |           |      |
| 3   | 5426.50 | 55.60  | 46.46  | 9.14  | 74.00  | -18.40 | 138  | 118  | Peak | Vertical |           |      |

**802.11be EHT20**

**CH 36 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 | 5150.00 | 50.87  | 42.07 | 8.80  | 54.00  | -3.13  | 304  | 352  | Average | Horizontal |           |      |
| 2 | 5180.00 | 96.63  | 87.69 | 8.94  | 54.00  | 42.63  | 304  | 352  | Average | Horizontal |           |      |
| 3 | 5416.50 | 42.78  | 33.57 | 9.21  | 54.00  | -11.22 | 304  | 352  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 | 5149.00 | 53.29  | 44.50 | 8.79  | 54.00  | -0.71  | 138  | 118  | Average | Vertical |           |      |
| 2 | 5180.00 | 100.23 | 91.29 | 8.94  | 54.00  | 46.23  | 138  | 118  | Average | Vertical |           |      |
| 3 | 5425.50 | 42.92  | 33.76 | 9.16  | 54.00  | -11.08 | 138  | 118  | Average | Vertical |           |      |

**802.11be EHT20**

**CH 40 (Horizontal) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5149.00 | 60.49  | 51.78  | 8.79  | 74.00  | -13.51 | 284  | 349  | Peak | Horizontal |           |      |
| 2 * | 5200.00 | 111.01 | 101.97 | 9.04  | 68.20  | 42.81  | 284  | 349  | Peak | Horizontal |           |      |
| 3   | 5383.00 | 55.56  | 46.46  | 9.10  | 74.00  | -18.44 | 284  | 349  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5149.50 | 63.59  | 54.79  | 8.80  | 74.00  | -10.41 | 138  | 120  | Peak | Vertical |           |      |
| 2 * | 5200.00 | 114.16 | 105.12 | 9.04  | 68.20  | 45.96  | 138  | 120  | Peak | Vertical |           |      |
| 3   | 5381.00 | 54.96  | 45.88  | 9.08  | 74.00  | -19.04 | 138  | 120  | Peak | Vertical |           |      |

**802.11be EHT20**

**CH 40 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1   | 5150.00 | 47.77  | 38.97 | 8.80  | 54.00  | -6.23  | 284  | 349  | Average | Horizontal |           |      |
| 2 * | 5200.00 | 100.31 | 91.27 | 9.04  | 54.00  | 46.31  | 284  | 349  | Average | Horizontal |           |      |
| 3   | 5418.00 | 42.95  | 33.75 | 9.20  | 54.00  | -11.05 | 284  | 349  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1   | 5149.50 | 49.87  | 41.07 | 8.80  | 54.00  | -4.13  | 138  | 120  | Average | Vertical |           |      |
| 2 * | 5200.00 | 101.90 | 92.86 | 9.04  | 54.00  | 47.90  | 138  | 120  | Average | Vertical |           |      |
| 3   | 5412.50 | 42.93  | 33.69 | 9.24  | 54.00  | -11.07 | 138  | 120  | Average | Vertical |           |      |

**802.11be EHT20**

**CH 48 (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over  | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|-------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | Limit | cm   | deg  |            |           |      |
| 1   | 5087.50 | 55.54  | 46.65  | 8.89  | 74.00  | -18.46 | 280   | 11   | Peak | Horizontal |           |      |
| 2 * | 5240.00 | 110.95 | 102.20 | 8.75  | 68.20  | 42.75  | 280   | 11   | Peak | Horizontal |           |      |
| 3   | 5360.50 | 55.07  | 46.25  | 8.82  | 74.00  | -18.93 | 280   | 11   | Peak | Horizontal |           |      |

**CH 48 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over  | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|-------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | Limit | cm   | deg  |          |           |      |
| 1   | 5132.50 | 55.43  | 46.62  | 8.81  | 74.00  | -18.57 | 144   | 120  | Peak | Vertical |           |      |
| 2 * | 5240.00 | 113.96 | 105.21 | 8.75  | 68.20  | 45.76  | 144   | 120  | Peak | Vertical |           |      |
| 3   | 5451.00 | 54.56  | 45.58  | 8.98  | 74.00  | -19.44 | 144   | 120  | Peak | Vertical |           |      |

**802.11be EHT20**

**CH 48 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg     |            |           |      |
| 1   | 5146.50 | 42.48  | 33.69 | 8.79  | 54.00  | -11.52 | 280   | 11   | Average | Horizontal |           |      |
| 2 * | 5240.00 | 100.36 | 91.61 | 8.75  | 54.00  | 46.36  | 280   | 11   | Average | Horizontal |           |      |
| 3   | 5405.00 | 42.84  | 33.55 | 9.29  | 54.00  | -11.16 | 280   | 11   | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg     |          |           |      |
| 1   | 5149.00 | 42.90  | 34.11 | 8.79  | 54.00  | -11.10 | 144   | 120  | Average | Vertical |           |      |
| 2 * | 5240.00 | 102.00 | 93.25 | 8.75  | 54.00  | 48.00  | 144   | 120  | Average | Vertical |           |      |
| 3   | 5402.50 | 42.88  | 33.56 | 9.32  | 54.00  | -11.12 | 144   | 120  | Average | Vertical |           |      |

**802.11be EHT40**

**CH 38 (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5149.83 | 60.58  | 51.78 | 8.80  | 74.00  | -13.42 | 301  | 353  | Peak | Horizontal |           |      |
| 2 * | 5190.00 | 105.36 | 96.37 | 8.99  | 68.20  | 37.16  | 301  | 353  | Peak | Horizontal |           |      |
| 3   | 5411.36 | 55.42  | 46.17 | 9.25  | 74.00  | -18.58 | 301  | 353  | Peak | Horizontal |           |      |

**CH 38 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5149.83 | 67.41  | 58.61 | 8.80  | 74.00  | -6.59  | 100  | 339  | Peak | Vertical |           |      |
| 2 * | 5190.00 | 107.92 | 98.93 | 8.99  | 68.20  | 39.72  | 100  | 339  | Peak | Vertical |           |      |
| 3   | 5404.87 | 56.02  | 46.73 | 9.29  | 74.00  | -17.98 | 100  | 339  | Peak | Vertical |           |      |

**802.11be EHT40**

**CH 38 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos    | Remark     | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|-------|------|---------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg     |            |           |      |
| 1 | 5149.83 | 49.31  | 40.51 | 8.80  | 54.00  | -4.69  | 301   | 353  | Average | Horizontal |           |      |
| 2 | 5190.00 | 93.73  | 84.74 | 8.99  | 54.00  | 39.73  | 301   | 353  | Average | Horizontal |           |      |
| 3 | 5371.93 | 43.19  | 34.22 | 8.97  | 54.00  | -10.81 | 301   | 353  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos    | Remark   | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|-------|------|---------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg     |          |           |      |
| 1 | 5149.33 | 53.09  | 44.30 | 8.79  | 54.00  | -0.91  | 100   | 339  | Average | Vertical |           |      |
| 2 | 5190.00 | 95.86  | 86.87 | 8.99  | 54.00  | 41.86  | 100   | 339  | Average | Vertical |           |      |
| 3 | 5387.90 | 43.41  | 34.24 | 9.17  | 54.00  | -10.59 | 100   | 339  | Average | Vertical |           |      |

**802.11be EHT40**

**CH 46 (Horizontal) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5147.50 | 60.72  | 51.93 | 8.79  | 74.00  | -13.28 | 346  | 356  | Peak | Horizontal |           |      |
| 2 * | 5238.00 | 107.98 | 99.15 | 8.83  | 68.20  | 39.78  | 346  | 356  | Peak | Horizontal |           |      |
| 3   | 5378.00 | 56.05  | 47.01 | 9.04  | 74.00  | -17.95 | 346  | 356  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5149.50 | 63.75  | 54.95  | 8.80  | 74.00  | -10.25 | 100  | 338  | Peak | Vertical |           |      |
| 2 * | 5238.00 | 109.19 | 100.36 | 8.83  | 68.20  | 40.99  | 100  | 338  | Peak | Vertical |           |      |
| 3   | 5356.00 | 56.49  | 47.74  | 8.75  | 74.00  | -17.51 | 100  | 338  | Peak | Vertical |           |      |

**802.11be EHT40**

**CH 46 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Level | Factor | Limit | Over  | APos | TPos    | Remark     | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|-------|-------|------|---------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | Limit | cm   | deg     |            |           |      |
| 1 | 5149.50 | 48.92  | 40.12 | 8.80  | 54.00  | -5.08 | 346   | 356  | Average | Horizontal |           |      |
| 2 | 5238.00 | 96.15  | 87.32 | 8.83  | 54.00  | 42.15 | 346   | 356  | Average | Horizontal |           |      |
| 3 | 5357.50 | 44.07  | 35.29 | 8.78  | 54.00  | -9.93 | 346   | 356  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Level | Factor | Limit | Over  | APos | TPos    | Remark   | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|-------|-------|------|---------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | Limit | cm   | deg     |          |           |      |
| 1 | 5147.50 | 51.79  | 43.00 | 8.79  | 54.00  | -2.21 | 100   | 338  | Average | Vertical |           |      |
| 2 | 5238.00 | 98.56  | 89.73 | 8.83  | 54.00  | 44.56 | 100   | 338  | Average | Vertical |           |      |
| 3 | 5358.00 | 44.48  | 35.80 | 8.68  | 54.00  | -9.52 | 100   | 338  | Average | Vertical |           |      |


**802.11be EHT80**

**CH 42 (Horizontal) Peak**

**CH 42 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5141.00 | 59.94  | 51.17 | 8.77  | 74.00  | -14.06 | 243  | 355  | Peak | Horizontal |           |      |
| 2 * | 5210.00 | 103.60 | 94.66 | 8.94  | 68.20  | 35.40  | 243  | 355  | Peak | Horizontal |           |      |
| 3   | 5354.00 | 58.28  | 49.56 | 8.72  | 74.00  | -15.72 | 243  | 355  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5147.50 | 64.98  | 56.22 | 8.76  | 74.00  | -9.02  | 114  | 360  | Peak | Vertical |           |      |
| 2 * | 5210.00 | 106.26 | 97.32 | 8.94  | 68.20  | 38.06  | 114  | 360  | Peak | Vertical |           |      |
| 3   | 5365.50 | 58.90  | 50.04 | 8.86  | 74.00  | -15.10 | 114  | 360  | Peak | Vertical |           |      |

**802.11be EHT80**

**CH 42 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Level | Factor | Limit | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|-------|------|------|---------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | dB   | cm   | deg     |            |           |      |
| 1 | 5135.50 | 48.89  | 40.12 | 8.77  | 54.00  | -5.11 | 243  | 355  | Average | Horizontal |           |      |
| 2 | 5210.00 | 91.76  | 82.82 | 8.94  | 54.00  | 37.76 | 243  | 355  | Average | Horizontal |           |      |
| 3 | 5350.00 | 46.07  | 37.41 | 8.66  | 54.00  | -7.93 | 243  | 355  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Level | Factor | Limit | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|-------|------|------|---------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | dB   | cm   | deg     |          |           |      |
| 1 | 5147.00 | 53.23  | 44.47 | 8.76  | 54.00  | -0.77 | 114  | 360  | Average | Vertical |           |      |
| 2 | 5210.00 | 93.52  | 84.58 | 8.94  | 54.00  | 39.52 | 114  | 360  | Average | Vertical |           |      |
| 3 | 5352.00 | 47.03  | 38.34 | 8.69  | 54.00  | -6.97 | 114  | 360  | Average | Vertical |           |      |

## Band Edges, 4.5GHz ~ 7GHz

### U-NII-2A


#### 802.11a

#### CH 52 (Horizontal) Peak

#### CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     |      | cm   | deg  |            |           |      |
| 1   | 4912.50 | 54.44  | 45.58 | 8.86  | 74.00  | -19.56 | 100  | 349  | Peak | Horizontal |           |      |
| 2 * | 5260.00 | 107.80 | 99.00 | 8.80  | 68.20  | 39.60  | 100  | 349  | Peak | Horizontal |           |      |
| 3   | 5397.00 | 54.48  | 45.18 | 9.30  | 74.00  | -19.52 | 100  | 349  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     |      | cm   | deg  |          |           |      |
| 1   | 5137.00 | 55.34  | 46.53  | 8.81  | 74.00  | -18.66 | 279  | 80   | Peak | Vertical |           |      |
| 2 * | 5260.00 | 113.30 | 104.50 | 8.80  | 68.20  | 45.10  | 279  | 80   | Peak | Vertical |           |      |
| 3   | 5397.00 | 55.02  | 45.72  | 9.30  | 74.00  | -18.98 | 279  | 80   | Peak | Vertical |           |      |

**802.11a**

**CH 52 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1   | 5149.00 | 41.25  | 32.46 | 8.79  | 54.00  | -12.75 | 100  | 349  | Average | Horizontal |           |      |
| 2 * | 5260.00 | 98.74  | 89.94 | 8.80  | 54.00  | 44.74  | 100  | 349  | Average | Horizontal |           |      |
| 3   | 5482.00 | 41.93  | 32.61 | 9.32  | 54.00  | -12.07 | 100  | 349  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1   | 5148.50 | 41.57  | 32.78 | 8.79  | 54.00  | -12.43 | 279  | 80   | Average | Vertical |           |      |
| 2 * | 5260.00 | 103.60 | 94.80 | 8.80  | 54.00  | 49.60  | 279  | 80   | Average | Vertical |           |      |
| 3   | 5385.50 | 41.96  | 32.81 | 9.15  | 54.00  | -12.04 | 279  | 80   | Average | Vertical |           |      |

**802.11a**

**CH 60 (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg  |            |           |      |
| 1   | 4752.00 | 53.95  | 45.16 | 8.79  | 74.00  | -20.05 | 100   | 357  | Peak | Horizontal |           |      |
| 2 * | 5300.00 | 108.12 | 98.89 | 9.23  | 68.20  | 39.92  | 100   | 357  | Peak | Horizontal |           |      |
| 3   | 5352.00 | 58.45  | 49.74 | 8.71  | 74.00  | -15.55 | 100   | 357  | Peak | Horizontal |           |      |

**CH 60 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over  | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|-------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | Limit | cm   | deg  |          |           |      |
| 1   | 4949.50 | 54.99  | 46.01  | 8.98  | 74.00  | -19.01 | 275   | 83   | Peak | Vertical |           |      |
| 2 * | 5300.00 | 113.52 | 104.29 | 9.23  | 68.20  | 45.32  | 275   | 83   | Peak | Vertical |           |      |
| 3   | 5351.50 | 60.72  | 52.02  | 8.70  | 74.00  | -13.28 | 275   | 83   | Peak | Vertical |           |      |

**802.11a**

**CH 60 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg     |            |           |      |
| 1   | 5144.00 | 41.12  | 32.32 | 8.80  | 54.00  | -12.88 | 100   | 357  | Average | Horizontal |           |      |
| 2 * | 5300.00 | 99.23  | 90.00 | 9.23  | 54.00  | 45.23  | 100   | 357  | Average | Horizontal |           |      |
| 3   | 5350.50 | 44.76  | 36.07 | 8.69  | 54.00  | -9.24  | 100   | 357  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg     |          |           |      |
| 1   | 5147.50 | 41.27  | 32.48 | 8.79  | 54.00  | -12.73 | 275   | 83   | Average | Vertical |           |      |
| 2 * | 5300.00 | 103.49 | 94.26 | 9.23  | 54.00  | 49.49  | 275   | 83   | Average | Vertical |           |      |
| 3   | 5351.50 | 45.92  | 37.22 | 8.70  | 54.00  | -8.08  | 275   | 83   | Average | Vertical |           |      |


**802.11a**

**CH 64 (Horizontal) Peak**

**CH 64 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg  |            |           |      |
| 1   | 4959.50 | 54.30  | 45.38 | 8.92  | 74.00  | -19.70 | 100   | 357  | Peak | Horizontal |           |      |
| 2 * | 5320.00 | 107.69 | 98.67 | 9.02  | 68.20  | 39.49  | 100   | 357  | Peak | Horizontal |           |      |
| 3   | 5350.00 | 64.69  | 56.01 | 8.68  | 74.00  | -9.31  | 100   | 357  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over  | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|-------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | Limit | cm   | deg  |          |           |      |
| 1   | 4985.00 | 54.41  | 45.66  | 8.75  | 74.00  | -19.59 | 260   | 82   | Peak | Vertical |           |      |
| 2 * | 5320.00 | 111.95 | 102.93 | 9.02  | 68.20  | 43.75  | 260   | 82   | Peak | Vertical |           |      |
| 3 ! | 5352.00 | 69.38  | 60.67  | 8.71  | 74.00  | -4.62  | 260   | 82   | Peak | Vertical |           |      |

**802.11a**

**CH 64 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg     |            |           |      |
| 1   | 5134.00 | 40.98  | 32.17 | 8.81  | 54.00  | -13.02 | 100   | 357  | Average | Horizontal |           |      |
| 2 * | 5328.00 | 98.54  | 89.52 | 9.02  | 54.00  | 44.54  | 100   | 357  | Average | Horizontal |           |      |
| 3 ! | 5350.00 | 49.88  | 41.20 | 8.68  | 54.00  | -4.12  | 100   | 357  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg     |          |           |      |
| 1   | 5147.00 | 41.01  | 32.22 | 8.79  | 54.00  | -12.99 | 260   | 82   | Average | Vertical |           |      |
| 2 * | 5328.00 | 102.59 | 93.57 | 9.02  | 54.00  | 48.59  | 260   | 82   | Average | Vertical |           |      |
| 3 ! | 5350.00 | 52.96  | 44.28 | 8.68  | 54.00  | -1.04  | 260   | 82   | Average | Vertical |           |      |

**802.11be EHT20**

**CH 52 (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over  | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|-------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | Limit | cm   | deg  |            |           |      |
| 1   | 4997.00 | 55.74  | 47.07  | 8.67  | 74.00  | -18.26 | 296   | 352  | Peak | Horizontal |           |      |
| 2 * | 5260.00 | 110.88 | 102.08 | 8.80  | 68.20  | 42.68  | 296   | 352  | Peak | Horizontal |           |      |
| 3   | 5352.00 | 55.31  | 46.60  | 8.71  | 74.00  | -18.69 | 296   | 352  | Peak | Horizontal |           |      |

**CH 52 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over  | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|-------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | Limit | cm   | deg  |          |           |      |
| 1   | 4966.00 | 54.94  | 46.07  | 8.87  | 74.00  | -19.06 | 211   | 121  | Peak | Vertical |           |      |
| 2 * | 5260.00 | 112.83 | 104.03 | 8.80  | 68.20  | 44.63  | 211   | 121  | Peak | Vertical |           |      |
| 3   | 5411.50 | 56.28  | 47.03  | 9.25  | 74.00  | -17.72 | 211   | 121  | Peak | Vertical |           |      |

**802.11be EHT20**

**CH 52 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg     |            |           |      |
| 1   | 5145.00 | 42.39  | 33.59 | 8.80  | 54.00  | -11.61 | 296   | 352  | Average | Horizontal |           |      |
| 2 * | 5260.00 | 100.78 | 91.98 | 8.80  | 54.00  | 46.78  | 296   | 352  | Average | Horizontal |           |      |
| 3   | 5375.50 | 43.02  | 34.00 | 9.02  | 54.00  | -10.98 | 296   | 352  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg     |          |           |      |
| 1   | 5150.00 | 42.72  | 33.92 | 8.80  | 54.00  | -11.28 | 211   | 121  | Average | Vertical |           |      |
| 2 * | 5260.00 | 102.61 | 93.81 | 8.80  | 54.00  | 48.61  | 211   | 121  | Average | Vertical |           |      |
| 3   | 5350.50 | 43.10  | 34.41 | 8.69  | 54.00  | -10.90 | 211   | 121  | Average | Vertical |           |      |

**802.11be EHT20**

**CH 60 (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1   | 5097.00 | 55.50  | 46.65  | 8.85  | 74.00  | -18.50 |      | 291  | 352  | Peak   | Horizontal |      |
| 2 * | 5300.00 | 112.74 | 103.51 | 9.23  | 68.20  | 44.54  |      | 291  | 352  | Peak   | Horizontal |      |
| 3   | 5350.00 | 58.92  | 50.24  | 8.68  | 74.00  | -15.08 |      | 291  | 352  | Peak   | Horizontal |      |

**CH 60 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|--------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1   | 5092.50 | 55.05  | 46.18  | 8.87  | 74.00  | -18.95 |      | 100  | 333  | Peak   | Vertical  |      |
| 2 * | 5300.00 | 113.17 | 103.94 | 9.23  | 68.20  | 44.97  |      | 100  | 333  | Peak   | Vertical  |      |
| 3   | 5351.50 | 61.60  | 52.90  | 8.70  | 74.00  | -12.40 |      | 100  | 333  | Peak   | Vertical  |      |

**802.11be EHT20**

**CH 60 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg     |            |           |      |
| 1   | 5146.50 | 42.38  | 33.59 | 8.79  | 54.00  | -11.62 | 291   | 352  | Average | Horizontal |           |      |
| 2 * | 5300.00 | 101.53 | 92.30 | 9.23  | 54.00  | 47.53  | 291   | 352  | Average | Horizontal |           |      |
| 3   | 5351.00 | 45.81  | 37.12 | 8.69  | 54.00  | -8.19  | 291   | 352  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg     |          |           |      |
| 1   | 5142.00 | 42.27  | 33.47 | 8.80  | 54.00  | -11.73 | 100   | 333  | Average | Vertical |           |      |
| 2 * | 5300.00 | 101.72 | 92.49 | 9.23  | 54.00  | 47.72  | 100   | 333  | Average | Vertical |           |      |
| 3   | 5350.00 | 47.70  | 39.02 | 8.68  | 54.00  | -6.30  | 100   | 333  | Average | Vertical |           |      |

**802.11be EHT20**

**CH 64 (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5083.50 | 54.77  | 45.88  | 8.89  | 74.00  | -19.23 | 102  | 44   | Peak | Horizontal |           |      |
| 2 * | 5320.00 | 109.88 | 100.86 | 9.02  | 68.20  | 41.68  | 102  | 44   | Peak | Horizontal |           |      |
| 3 ! | 5351.00 | 68.30  | 59.61  | 8.69  | 74.00  | -5.70  | 102  | 44   | Peak | Horizontal |           |      |

**CH 64 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5134.50 | 55.98  | 47.17  | 8.81  | 74.00  | -18.02 | 218  | 122  | Peak | Vertical |           |      |
| 2 * | 5320.00 | 113.02 | 104.00 | 9.02  | 68.20  | 44.82  | 218  | 122  | Peak | Vertical |           |      |
| 3   | 5354.00 | 65.37  | 56.63  | 8.74  | 74.00  | -8.63  | 218  | 122  | Peak | Vertical |           |      |

**802.11be EHT20**

**CH 64 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1   | 5137.00 | 42.38  | 33.57 | 8.81  | 54.00  | -11.62 | 102  | 44   | Average | Horizontal |           |      |
| 2 * | 5328.00 | 98.71  | 89.69 | 9.02  | 54.00  | 44.71  | 102  | 44   | Average | Horizontal |           |      |
| 3 ! | 5350.00 | 51.24  | 42.56 | 8.68  | 54.00  | -2.76  | 102  | 44   | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1   | 5142.50 | 42.38  | 33.58 | 8.80  | 54.00  | -11.62 | 218  | 122  | Average | Vertical |           |      |
| 2 * | 5328.00 | 101.31 | 92.29 | 9.02  | 54.00  | 47.31  | 218  | 122  | Average | Vertical |           |      |
| 3 ! | 5351.00 | 50.29  | 41.60 | 8.69  | 54.00  | -3.71  | 218  | 122  | Average | Vertical |           |      |

**802.11be EHT40**

**CH 54 (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5149.00 | 55.96  | 47.17  | 8.79  | 74.00  | -18.04 | 251  | 357  | Peak | Horizontal |           |      |
| 2 * | 5270.00 | 109.91 | 101.00 | 8.91  | 68.20  | 41.71  | 251  | 357  | Peak | Horizontal |           |      |
| 3   | 5351.00 | 59.38  | 50.69  | 8.69  | 74.00  | -14.62 | 251  | 357  | Peak | Horizontal |           |      |

**CH 54 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5122.50 | 56.81  | 47.99  | 8.82  | 74.00  | -17.19 | 100  | 360  | Peak | Vertical |           |      |
| 2 * | 5270.00 | 111.00 | 102.17 | 8.91  | 68.20  | 42.88  | 100  | 360  | Peak | Vertical |           |      |
| 3   | 5366.00 | 63.25  | 54.37  | 8.88  | 74.00  | -10.75 | 100  | 360  | Peak | Vertical |           |      |

**802.11be EHT40**

**CH 54 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1   | 5149.50 | 43.44  | 34.64 | 8.80  | 54.00  | -10.56 | 251  | 357  | Average | Horizontal |           |      |
| 2 * | 5270.00 | 97.41  | 88.50 | 8.91  | 54.00  | 43.41  | 251  | 357  | Average | Horizontal |           |      |
| 3   | 5350.50 | 47.23  | 38.54 | 8.69  | 54.00  | -6.77  | 251  | 357  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|-------|------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | dB   | cm   | deg     |          |           |      |
| 1   | 5148.50 | 44.21  | 35.42 | 8.79  | 54.00  | -9.79 | 100  | 360  | Average | Vertical |           |      |
| 2 * | 5270.00 | 99.33  | 90.42 | 8.91  | 54.00  | 45.33 | 100  | 360  | Average | Vertical |           |      |
| 3 ! | 5351.50 | 50.43  | 41.73 | 8.70  | 54.00  | -3.57 | 100  | 360  | Average | Vertical |           |      |


**802.11be EHT40**

**CH 62 (Horizontal) Peak**

**CH 62 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg  |            |           |      |
| 1   | 4994.50 | 54.99  | 46.31 | 8.68  | 74.00  | -19.01 | 287   | 355  | Peak | Horizontal |           |      |
| 2 * | 5318.00 | 105.09 | 95.96 | 9.13  | 68.20  | 36.89  | 287   | 355  | Peak | Horizontal |           |      |
| 3   | 5351.50 | 64.90  | 56.20 | 8.70  | 74.00  | -9.10  | 287   | 355  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over  | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|-------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | Limit | cm   | deg  |          |           |      |
| 1   | 4757.00 | 55.33  | 46.57 | 8.76  | 74.00  | -18.67 | 100   | 360  | Peak | Vertical |           |      |
| 2 * | 5318.00 | 106.83 | 97.70 | 9.13  | 68.20  | 38.63  | 100   | 360  | Peak | Vertical |           |      |
| 3   | 5350.00 | 65.29  | 56.61 | 8.68  | 74.00  | -8.71  | 100   | 360  | Peak | Vertical |           |      |

**802.11be EHT40**

**CH 62 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1   | 4935.50 | 42.89  | 33.96 | 8.93  | 54.00  | -11.11 | 287  | 355  | Average | Horizontal |           |      |
| 2 * | 5310.00 | 94.17  | 85.04 | 9.13  | 54.00  | 40.17  | 287  | 355  | Average | Horizontal |           |      |
| 3 ! | 5350.00 | 53.18  | 44.50 | 8.68  | 54.00  | -0.82  | 287  | 355  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1   | 4910.00 | 42.86  | 34.01 | 8.85  | 54.00  | -11.14 | 100  | 360  | Average | Vertical |           |      |
| 2 * | 5310.00 | 95.73  | 86.60 | 9.13  | 54.00  | 41.73  | 100  | 360  | Average | Vertical |           |      |
| 3 ! | 5351.50 | 53.22  | 44.52 | 8.70  | 54.00  | -0.78  | 100  | 360  | Average | Vertical |           |      |