


802.11be EHT80

CH 58 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5133.50	55.58	46.80	8.78	74.00	-18.42	112	45	Peak	Horizontal		
2 *	5290.00	102.66	93.56	9.10	68.20	34.46	112	45	Peak	Horizontal		
3	5351.00	64.06	55.39	8.67	74.00	-9.94	112	45	Peak	Horizontal		

CH 58 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5135.50	58.64	49.87	8.77	74.00	-15.36	100	360	Peak	Vertical		
2 *	5290.00	106.06	96.96	9.10	68.20	37.86	100	360	Peak	Vertical		
3	5354.00	62.71	53.99	8.72	74.00	-11.29	100	360	Peak	Vertical		

802.11be EHT80

CH 58 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5129.50	44.13	35.35	8.78	54.00	-9.87	112	45	Average	Horizontal		
2 *	5290.00	91.55	82.45	9.10	54.00	37.55	112	45	Average	Horizontal		
3 !	5350.50	53.14	44.47	8.67	54.00	-0.86	112	45	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5147.00	45.17	36.41	8.76	54.00	-8.83	100	360	Average	Vertical		
2 *	5290.00	93.48	84.38	9.10	54.00	39.48	100	360	Average	Vertical		
3 !	5351.50	51.27	42.59	8.68	54.00	-2.73	100	360	Average	Vertical		

Band Edges, 4.5GHz ~ 7GHz

U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.50	54.05	45.05	9.00	74.00	-19.95	100	349 Peak	Horizontal	
2	5470.00	57.73	48.70	9.03	68.20	-10.47	100	349 Peak	Horizontal	
3 *	5500.00	101.33	92.21	9.12	68.20	33.13	100	349 Peak	Horizontal	
4	6071.50	54.81	45.17	9.64	68.20	-13.39	100	349 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.00	64.24	55.24	9.00	74.00	-9.76	283	86 Peak	Vertical	
2 !	5470.00	67.14	58.11	9.03	68.20	-1.06	283	86 Peak	Vertical	
3 *	5500.00	113.50	104.38	9.12	68.20	45.30	283	86 Peak	Vertical	
4	5970.00	56.53	47.21	9.32	68.20	-11.67	283	86 Peak	Vertical	

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5460.00	40.52	31.52	9.00	54.00	-13.48	100	349	Average	Horizontal		
2 *	5500.00	91.23	82.11	9.12	54.00	37.23	100	349	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5460.00	48.83	39.83	9.00	54.00	-5.17	283	86	Average	Vertical		
2 *	5500.50	104.47	95.34	9.13	54.00	50.47	283	86	Average	Vertical		

802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5421.50	55.45	46.28	9.17	74.00	-18.55	100	360	Peak	Horizontal		
2	5461.00	53.92	44.92	9.00	68.20	-14.28	100	360	Peak	Horizontal		
3 *	5580.00	111.63	102.77	8.86	68.20	43.43	100	360	Peak	Horizontal		
4	6097.00	56.81	46.96	9.85	68.20	-11.39	100	360	Peak	Horizontal		

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5407.00	56.00	46.72	9.28	74.00	-18.00	266	74	Peak	Vertical		
2	5467.50	55.14	46.11	9.03	68.20	-13.06	266	74	Peak	Vertical		
3 *	5580.00	113.87	105.01	8.86	68.20	45.67	266	74	Peak	Vertical		
4	6088.50	58.29	48.51	9.78	68.20	-9.91	266	74	Peak	Vertical		

802.11a

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5400.50	42.47	33.14	9.33	54.00	-11.53	100	360	Average	Horizontal		
2 *	5580.00	101.88	93.02	8.86	54.00	47.88	100	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5398.50	42.45	33.14	9.31	54.00	-11.55	266	74	Average	Vertical		
2 *	5580.00	104.38	95.52	8.86	54.00	50.38	266	74	Average	Vertical		


802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	5429.00	54.89	45.76	9.13	74.00	-19.11	100	360	Peak	Horizontal		
2	5467.00	54.28	45.25	9.03	68.20	-13.92	100	360	Peak	Horizontal		
3 *	5700.00	109.92	101.11	8.81	68.20	41.72	100	360	Peak	Horizontal		
4 !	5728.50	63.79	54.75	9.04	68.20	-4.41	100	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	5391.00	55.71	46.50	9.21	74.00	-18.29	292	84	Peak	Vertical		
2	5465.00	54.61	45.59	9.02	68.20	-13.59	292	84	Peak	Vertical		
3 *	5700.00	111.38	102.57	8.81	68.20	43.18	292	84	Peak	Vertical		
4 !	5725.00	67.35	58.34	9.01	68.20	-0.85	292	84	Peak	Vertical		

802.11a

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5414.00	42.31	33.07	9.24	54.00	-11.69	100	360	Average	Horizontal		
2 *	5700.00	100.04	91.23	8.81	54.00	46.04	100	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5401.00	42.40	33.08	9.32	54.00	-11.60	292	84	Average	Vertical		
2 *	5700.00	102.25	93.44	8.81	54.00	48.25	292	84	Average	Vertical		


802.11a

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5407.00	55.32	46.04	9.28	74.00	-18.68	100	360	Peak	Horizontal		
2	5464.00	54.40	45.37	9.03	68.20	-13.80	100	360	Peak	Horizontal		
3	5720.00	109.57	100.60	8.97	122.20	-12.63	100	360	Peak	Horizontal		
4	5851.00	54.96	45.85	9.11	119.92	-64.96	100	360	Peak	Horizontal		
5	5871.50	54.64	45.50	9.14	106.18	-51.54	100	360	Peak	Horizontal		
6	5918.00	56.13	46.93	9.20	73.36	-17.23	100	360	Peak	Horizontal		
7	5947.50	56.13	46.94	9.19	68.20	-12.07	100	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5439.50	56.20	47.15	9.05	74.00	-17.80	290	75	Peak	Vertical		
2	5469.00	54.94	45.90	9.04	68.20	-13.26	290	75	Peak	Vertical		
3	5720.00	113.14	104.17	8.97	122.20	-9.06	290	75	Peak	Vertical		
4	5855.00	54.74	45.63	9.11	110.80	-56.06	290	75	Peak	Vertical		
5	5850.00	55.45	46.33	9.12	109.96	-54.51	290	75	Peak	Vertical		
6	5917.50	55.94	46.74	9.20	73.73	-17.79	290	75	Peak	Vertical		
7	5978.50	56.63	47.27	9.36	68.20	-11.57	290	75	Peak	Vertical		

802.11a

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5398.50	42.49	33.18	9.31	54.00	-11.51	100	360	Average	Horizontal		
2 *	5720.00	100.52	91.55	8.97	54.00	46.52	100	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5400.50	42.31	32.98	9.33	54.00	-11.69	290	75	Average	Vertical		
2 *	5720.00	103.06	94.09	8.97	54.00	49.06	290	75	Average	Vertical		

802.11be EHT20

CH 100 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5457.50	59.27	50.27	9.00	74.00	-14.73	314	8	Peak	Horizontal		
2	5468.50	67.33	58.30	9.03	68.20	-0.87	314	8	Peak	Horizontal		
3 *	5500.00	111.51	102.39	9.12	68.20	43.31	314	8	Peak	Horizontal		
4	6029.50	56.46	46.98	9.48	68.20	-11.74	314	8	Peak	Horizontal		

CH 100 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.50	56.30	47.30	9.00	74.00	-17.70	107	14	Peak	Vertical		
2	5469.50	63.97	54.93	9.04	68.20	-4.23	107	14	Peak	Vertical		
3 *	5500.00	110.21	101.09	9.12	68.20	42.01	107	14	Peak	Vertical		
4	6762.50	56.63	47.21	9.42	68.20	-11.57	107	14	Peak	Vertical		

802.11be EHT20

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5460.00	46.34	37.34	9.00	54.00	-7.66	314	8	Average	Horizontal		
2 *	5500.00	100.51	91.39	9.12	54.00	46.51	314	8	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.50	45.31	36.31	9.00	54.00	-8.69	107	14	Average	Vertical		
2 *	5500.00	98.90	89.78	9.12	54.00	44.90	107	14	Average	Vertical		

802.11be EHT20

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5394.50	55.25	46.00	9.25	74.00	-18.75	265	3	Peak	Horizontal		
2	5463.50	54.00	44.98	9.02	68.20	-14.20	265	3	Peak	Horizontal		
3 *	5580.00	114.20	105.34	8.86	68.20	46.00	265	3	Peak	Horizontal		
4	6822.50	57.56	48.13	9.43	68.20	-10.64	265	3	Peak	Horizontal		

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5413.00	55.42	46.18	9.24	74.00	-18.58	309	187	Peak	Vertical		
2	5467.00	55.65	46.62	9.03	68.20	-12.55	309	187	Peak	Vertical		
3 *	5580.00	114.16	105.30	8.86	68.20	45.96	309	187	Peak	Vertical		
4	6788.50	56.98	47.51	9.47	68.20	-11.22	309	187	Peak	Vertical		

802.11be EHT20

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5420.50	42.97	33.79	9.18	54.00	-11.03	265	3	Average	Horizontal		
2 *	5580.00	103.20	94.34	8.86	54.00	49.20	265	3	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5454.50	42.76	33.77	8.99	54.00	-11.24	309	187	Average	Vertical		
2 *	5580.00	102.47	93.61	8.86	54.00	48.47	309	187	Average	Vertical		

802.11be EHT20

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	5438.00	56.06	47.00	9.06	74.00	-17.94	307	360	Peak	Horizontal		
2	5467.50	54.79	45.76	9.03	68.20	-13.41	307	360	Peak	Horizontal		
3 *	5700.00	113.81	105.00	8.81	68.20	45.61	307	360	Peak	Horizontal		
4 !	5725.00	67.07	58.06	9.01	68.20	-1.13	307	360	Peak	Horizontal		

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	5455.50	55.53	46.54	8.99	74.00	-18.47	311	188	Peak	Vertical		
2	5468.00	55.02	45.99	9.03	68.20	-13.18	311	188	Peak	Vertical		
3 *	5700.00	111.33	102.52	8.81	68.20	43.13	311	188	Peak	Vertical		
4 !	5725.00	65.49	56.48	9.01	68.20	-2.71	311	188	Peak	Vertical		

802.11be EHT20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5400.50	42.75	33.42	9.33	54.00	-11.25	307	360	Average	Horizontal		
2 *	5700.00	100.65	91.84	8.81	54.00	46.65	307	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5398.50	42.89	33.58	9.31	54.00	-11.11	311	188	Average	Vertical		
2 *	5700.00	100.46	91.65	8.81	54.00	46.46	311	188	Average	Vertical		


802.11be EHT20

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5387.50	56.03	46.86	9.17	74.00	-17.97	305	3	Peak	Horizontal		
2	5466.50	54.49	45.46	9.03	68.20	-13.71	305	3	Peak	Horizontal		
3	5720.00	114.63	105.66	8.97	122.20	-7.57	305	3	Peak	Horizontal		
4	5852.50	55.31	46.21	9.10	116.50	-61.19	305	3	Peak	Horizontal		
5	5857.00	56.40	47.29	9.11	110.24	-53.04	305	3	Peak	Horizontal		
6	5876.50	57.16	48.00	9.16	102.60	-45.44	305	3	Peak	Horizontal		
7	5996.50	56.73	47.26	9.47	68.20	-11.47	305	3	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5446.50	55.10	46.10	9.00	74.00	-18.90	295	188	Peak	Vertical		
2	5461.50	54.30	45.28	9.02	68.20	-13.90	295	188	Peak	Vertical		
3	5720.00	115.25	106.28	8.97	122.20	-6.95	295	188	Peak	Vertical		
4	5852.00	55.31	46.21	9.10	117.64	-62.33	295	188	Peak	Vertical		
5	5850.50	55.75	46.63	9.12	109.82	-54.07	295	188	Peak	Vertical		
6	5923.00	56.24	47.05	9.19	69.67	-13.43	295	188	Peak	Vertical		
7	5997.50	56.53	47.05	9.48	68.20	-11.67	295	188	Peak	Vertical		

802.11be EHT20

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5404.00	42.85	33.55	9.30	54.00	-11.15	305	3	Average	Horizontal		
2 *	5720.00	103.57	94.60	8.97	54.00	49.57	305	3	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5406.50	42.82	33.54	9.28	54.00	-11.18	295	188	Average	Vertical		
2 *	5720.00	104.00	95.11	8.97	54.00	50.00	295	188	Average	Vertical		


802.11be EHT40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5453.50	63.60	54.62	8.98	74.00	-10.40		113	351	Peak	Horizontal	
2	5465.50	65.69	56.67	9.02	68.20	-2.51		113	351	Peak	Horizontal	
3 *	5510.00	107.49	98.41	9.08	68.20	39.29		113	351	Peak	Horizontal	
4	6912.50	57.97	48.51	9.46	68.20	-10.23		113	351	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5460.00	61.30	52.30	9.00	74.00	-12.70		317	186	Peak	Vertical	
2	5469.00	66.18	57.14	9.04	68.20	-2.02		317	186	Peak	Vertical	
3 *	5510.00	108.81	99.73	9.08	68.20	40.61		317	186	Peak	Vertical	
4	6094.00	57.42	47.60	9.82	68.20	-10.78		317	186	Peak	Vertical	

802.11be EHT40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.00	49.63	40.63	9.00	54.00	-4.37	113	351 Average	Horizontal	
2	5510.00	95.99	86.91	9.08	54.00	41.99	113	351 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.00	47.45	38.45	9.00	54.00	-6.55	317	186 Average	Vertical	
2	5510.00	96.86	87.78	9.08	54.00	42.86	317	186 Average	Vertical	

802.11be EHT40

CH 110 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.00	59.77	50.77	9.00	74.00	-14.23		100	351	Peak	Horizontal	
2	5468.50	63.28	54.25	9.03	68.20	-4.92		100	351	Peak	Horizontal	
3	5558.00	108.93	100.01	8.92	68.20	40.73		100	351	Peak	Horizontal	
4	6015.00	56.52	47.03	9.49	68.20	-11.68		100	351	Peak	Horizontal	

CH 110 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5454.50	61.99	53.00	8.99	74.00	-12.01		126	16	Peak	Vertical	
2	5465.00	63.63	54.61	9.02	68.20	-4.57		126	16	Peak	Vertical	
3	5558.00	111.07	102.15	8.92	68.20	42.87		126	16	Peak	Vertical	
4	6497.50	57.74	48.18	9.56	68.20	-10.46		126	16	Peak	Vertical	

802.11be EHT40

CH 110 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5460.00	48.69	39.69	9.00	54.00	-5.31	100	351	Average	Horizontal		
2	5558.00	98.46	89.54	8.92	54.00	44.46	100	351	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5460.00	48.74	39.74	9.00	54.00	-5.26	126	16	Average	Vertical		
2	5558.00	98.55	89.63	8.92	54.00	44.55	126	16	Average	Vertical		

802.11be EHT40

CH 134 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	5359.00	55.54	46.73	8.81	74.00	-18.46	295	2	Peak	Horizontal		
2	5466.50	54.53	45.50	9.03	68.20	-13.67	295	2	Peak	Horizontal		
3 *	5678.00	111.21	102.39	8.82	68.20	43.01	295	2	Peak	Horizontal		
4 !	5726.50	63.75	54.73	9.02	68.20	-4.45	295	2	Peak	Horizontal		

CH 134 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	5363.00	56.20	47.35	8.85	74.00	-17.80	300	188	Peak	Vertical		
2	5469.00	55.68	46.64	9.04	68.20	-12.52	300	188	Peak	Vertical		
3 *	5678.00	112.07	103.25	8.82	68.20	43.87	300	188	Peak	Vertical		
4 !	5725.50	66.41	57.40	9.01	68.20	-1.79	300	188	Peak	Vertical		

802.11be EHT40


CH 134 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT40

CH 142 (Horizontal) Peak

CH 142 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5377.50	55.56	46.52	9.04	74.00	-18.44	305	6	Peak	Horizontal		
2	5463.50	54.82	45.80	9.02	68.20	-13.38	305	6	Peak	Horizontal		
3	5710.00	112.74	103.85	8.89	122.20	-9.46	305	6	Peak	Horizontal		
4	5850.00	56.87	47.77	9.10	122.20	-65.33	305	6	Peak	Horizontal		
5	5866.50	56.62	47.40	9.13	107.50	-50.96	305	6	Peak	Horizontal		
6	5914.50	56.86	47.67	9.19	75.94	-19.08	305	6	Peak	Horizontal		
7	5970.50	56.47	47.16	9.31	68.20	-11.73	305	6	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5427.50	55.91	46.78	9.13	74.00	-18.09	295	188	Peak	Vertical		
2	5460.50	54.55	45.55	9.00	68.20	-13.65	295	188	Peak	Vertical		
3	5710.00	113.17	104.28	8.89	122.20	-9.03	295	188	Peak	Vertical		
4	5850.00	57.63	48.53	9.10	122.20	-64.57	295	188	Peak	Vertical		
5	5857.00	56.68	47.57	9.11	110.24	-53.56	295	188	Peak	Vertical		
6	5915.00	56.62	47.43	9.19	75.57	-18.95	295	188	Peak	Vertical		
7	5984.50	56.96	47.56	9.40	68.20	-11.24	295	188	Peak	Vertical		

802.11be EHT40

CH 142 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5415.50	43.31	34.09	9.22	54.00	-10.69	305	6	Average	Horizontal		
2 *	5710.00	101.19	92.30	8.89	54.00	47.19	305	6	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5421.50	43.39	34.22	9.17	54.00	-10.61	295	188	Average	Vertical		
2 *	5710.00	101.44	92.55	8.89	54.00	47.44	295	188	Average	Vertical		


802.11be EHT80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5436.50	63.07	54.01	9.06	74.00	-10.93	100	351	Peak	Horizontal		
2	5465.00	63.75	54.74	9.01	68.20	-4.45	100	351	Peak	Horizontal		
3 *	5530.00	104.29	95.30	8.99	68.20	36.09	100	351	Peak	Horizontal		
4	6523.50	57.22	47.58	9.64	68.20	-10.98	100	351	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5457.50	65.01	56.02	8.99	74.00	-8.99	100	15	Peak	Vertical		
2	5464.50	65.26	56.25	9.01	68.20	-2.94	100	15	Peak	Vertical		
3 *	5530.00	106.28	97.29	8.99	68.20	38.08	100	15	Peak	Vertical		
4	5770.50	57.26	48.09	9.17	68.20	-10.94	100	15	Peak	Vertical		

802.11be EHT80

CH 106 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5460.00	50.74	41.75	8.99	54.00	-3.26	100	351	Average	Horizontal		
2	5530.00	92.56	83.57	8.99	54.00	38.56	100	351	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.00	52.58	43.59	8.99	54.00	-1.42	100	15	Average	Vertical		
2	5530.00	93.02	84.03	8.99	54.00	39.02	100	15	Average	Vertical		

802.11be EHT80

CH 122 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.50	65.91	56.92	8.99	74.00	-8.09	261	4	Peak	Horizontal		
2	5468.50	66.62	57.60	9.02	68.20	-1.58	261	4	Peak	Horizontal		
3 *	5618.00	108.73	99.91	8.82	68.20	40.53	261	4	Peak	Horizontal		
4	5767.50	67.31	58.12	9.19	68.20	-0.89	261	4	Peak	Horizontal		

CH 122 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5456.00	61.58	52.60	8.98	74.00	-12.42	319	189	Peak	Vertical		
2	5465.50	64.67	55.66	9.01	68.20	-3.53	319	189	Peak	Vertical		
3 *	5618.00	107.94	99.12	8.82	68.20	39.74	319	189	Peak	Vertical		
4	5753.00	66.59	57.39	9.20	68.20	-1.61	319	189	Peak	Vertical		

802.11be EHT80

CH 122 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5458.50	53.22	44.23	8.99	54.00	-0.78	261	4	Average	Horizontal		
2	5610.00	96.17	87.35	8.82	54.00	42.17	261	4	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5460.00	50.50	41.51	8.99	54.00	-3.50	319	189	Average	Vertical		
2	5610.00	96.35	87.53	8.82	54.00	42.35	319	189	Average	Vertical		


802.11be EHT80

CH 138 (Horizontal) Peak

CH 138 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5414.50	58.10	48.89	9.21	74.00	-15.90	307	7	Peak	Horizontal		
2	5467.00	56.88	47.86	9.02	68.20	-11.32	307	7	Peak	Horizontal		
3	5690.00	108.10	99.29	8.81	122.20	-14.10	307	7	Peak	Horizontal		
4	5851.00	63.99	54.87	9.12	119.92	-55.93	307	7	Peak	Horizontal		
5	5855.00	63.90	54.78	9.12	110.00	-46.90	307	7	Peak	Horizontal		
6	5881.00	59.51	50.34	9.17	100.74	-41.23	307	7	Peak	Horizontal		
7	5944.50	57.17	47.96	9.21	68.20	-11.03	307	7	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.00	59.32	50.33	8.99	74.00	-14.68	310	190	Peak	Vertical		
2	5467.50	59.98	50.96	9.02	68.20	-8.22	310	190	Peak	Vertical		
3	5690.00	109.81	101.00	8.81	122.20	-12.39	310	190	Peak	Vertical		
4	5851.50	67.77	58.66	9.11	118.78	-51.01	310	190	Peak	Vertical		
5	5862.00	67.35	58.21	9.14	100.84	-41.40	310	190	Peak	Vertical		
6	5879.00	63.43	54.26	9.17	102.23	-38.80	310	190	Peak	Vertical		
7	5946.50	57.39	48.18	9.21	68.20	-10.81	310	190	Peak	Vertical		

802.11be EHT80

CH 138 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5418.00	47.44	38.25	9.19	54.00	-6.56	307	7	Average	Horizontal		
2 *	5690.00	96.84	88.03	8.81	54.00	42.84	307	7	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5453.50	47.69	38.72	8.97	54.00	-6.31	310	190	Average	Vertical		
2 *	5690.00	97.51	88.70	8.81	54.00	43.51	310	190	Average	Vertical		

Band Edges, 4.5GHz ~ 7GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5641.00	55.94	47.13	8.81	68.20	-12.26	100	360 Peak	Horizontal	
2	5698.00	61.38	52.57	8.81	103.73	-42.35	100	360 Peak	Horizontal	
3	5719.00	69.86	60.90	8.96	110.52	-40.66	100	360 Peak	Horizontal	
4	5724.00	77.01	68.01	9.00	130.16	-53.15	100	360 Peak	Horizontal	
5	5745.00	111.73	102.57	9.16	135.00	-23.27	100	360 Peak	Horizontal	
6	5855.00	56.77	47.66	9.11	110.80	-54.03	100	360 Peak	Horizontal	
7	5855.00	56.77	47.66	9.11	110.80	-54.03	100	360 Peak	Horizontal	
8	5881.00	56.46	47.30	9.16	100.74	-44.28	100	360 Peak	Horizontal	
9	5941.50	56.64	47.45	9.19	68.20	-11.56	100	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5578.50	54.86	46.00	8.86	68.20	-13.34	293	189 Peak	Vertical	
2	5700.00	60.88	52.07	8.81	105.20	-44.32	293	189 Peak	Vertical	
3	5720.00	72.70	63.73	8.97	110.80	-38.10	293	189 Peak	Vertical	
4	5725.00	78.49	69.48	9.01	135.00	-56.51	293	189 Peak	Vertical	
5	5745.00	113.69	104.53	9.16	135.00	-21.31	293	189 Peak	Vertical	
6	5854.00	55.41	46.30	9.11	115.64	-60.23	293	189 Peak	Vertical	
7	5856.00	55.50	46.39	9.11	110.52	-55.02	293	189 Peak	Vertical	
8	5916.50	55.56	46.36	9.20	74.47	-18.91	293	189 Peak	Vertical	
9	5937.00	55.75	46.56	9.19	68.20	-12.45	293	189 Peak	Vertical	