


802.11a

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5575.50	55.20	46.33	8.87	68.20	-13.00	100	6	Peak	Horizontal		
2	5696.50	55.25	46.44	8.81	102.62	-47.37	100	6	Peak	Horizontal		
3	5720.00	56.50	47.53	8.97	110.80	-54.30	100	6	Peak	Horizontal		
4	5724.00	57.64	48.64	9.00	130.16	-72.52	100	6	Peak	Horizontal		
5	5785.00	111.93	102.00	9.13	135.00	-23.07	100	6	Peak	Horizontal		
6	5850.50	56.40	47.30	9.10	132.58	-76.18	100	6	Peak	Horizontal		
7	5862.00	55.59	46.47	9.12	108.84	-53.25	100	6	Peak	Horizontal		
8	5891.00	55.94	46.76	9.18	93.33	-37.39	100	6	Peak	Horizontal		
9	5940.00	56.04	46.85	9.19	68.20	-12.16	100	6	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5568.00	55.46	46.58	8.88	68.20	-12.74	313	181	Peak	Vertical		
2	5694.50	55.33	46.52	8.81	101.15	-45.82	313	181	Peak	Vertical		
3	5719.50	56.38	47.41	8.97	110.66	-54.28	313	181	Peak	Vertical		
4	5720.00	56.33	47.36	8.97	110.80	-54.47	313	181	Peak	Vertical		
5	5785.00	113.83	104.70	9.13	135.00	-21.17	313	181	Peak	Vertical		
6	5854.00	56.10	46.99	9.11	115.64	-59.54	313	181	Peak	Vertical		
7	5858.00	56.55	47.43	9.12	109.96	-53.41	313	181	Peak	Vertical		
8	5890.00	56.97	47.79	9.18	94.07	-37.10	313	181	Peak	Vertical		
9	5986.00	56.96	47.55	9.41	68.20	-11.24	313	181	Peak	Vertical		


802.11a

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5515.50	55.40	46.33	9.07	68.20	-12.80	100	6	Peak	Horizontal		
2	5662.00	55.72	46.91	8.81	77.11	-21.39	100	6	Peak	Horizontal		
3	5788.50	55.15	46.27	8.88	107.58	-52.43	100	6	Peak	Horizontal		
4	5724.00	54.75	45.75	9.00	130.16	-75.41	100	6	Peak	Horizontal		
5	5825.00	111.27	102.16	9.11	135.00	-23.73	100	6	Peak	Horizontal		
6	5850.50	72.59	63.49	9.10	132.58	-59.09	100	6	Peak	Horizontal		
7	5855.50	71.54	62.43	9.11	110.66	-39.12	100	6	Peak	Horizontal		
8	5876.50	59.40	50.26	9.14	104.09	-44.69	100	6	Peak	Horizontal		
9	5926.50	56.67	47.48	9.19	68.20	-11.53	100	6	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5585.50	55.50	46.65	8.85	68.20	-12.70	254	159	Peak	Vertical		
2	5683.50	55.36	46.54	8.82	93.03	-37.67	254	159	Peak	Vertical		
3	5715.00	55.32	46.39	8.93	109.40	-54.08	254	159	Peak	Vertical		
4	5720.50	54.88	45.92	8.96	113.22	-58.34	254	159	Peak	Vertical		
5	5825.00	112.00	102.09	9.11	135.00	-23.00	254	159	Peak	Vertical		
6	5851.00	74.38	65.27	9.11	130.16	-55.78	254	159	Peak	Vertical		
7	5857.50	73.14	64.03	9.11	110.10	-36.96	254	159	Peak	Vertical		
8	5884.00	63.60	54.43	9.17	98.52	-34.92	254	159	Peak	Vertical		
9	5973.00	56.67	47.34	9.33	68.20	-11.53	254	159	Peak	Vertical		

802.11be EHT20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5468.50	55.53	46.50	9.03	68.20	-12.67	303	5	Peak	Horizontal		
2	5696.50	65.16	56.35	8.81	102.62	-37.46	303	5	Peak	Horizontal		
3	5719.00	75.40	66.44	8.96	110.52	-35.12	303	5	Peak	Horizontal		
4	5723.00	83.75	74.76	8.99	125.32	-41.57	303	5	Peak	Horizontal		
5	5745.00	115.38	106.22	9.16	135.00	-19.62	303	5	Peak	Horizontal		
6	5851.50	54.95	45.85	9.10	127.74	-72.79	303	5	Peak	Horizontal		
7	5875.00	54.96	45.82	9.14	105.20	-50.24	303	5	Peak	Horizontal		
8	5915.00	55.80	46.61	9.19	75.57	-19.77	303	5	Peak	Horizontal		
9	5929.00	55.36	46.16	9.20	68.20	-12.84	303	5	Peak	Horizontal		

CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5565.00	57.19	48.29	8.90	68.20	-11.01	292	188	Peak	Vertical		
2	5697.00	62.94	54.13	8.81	102.99	-40.05	292	188	Peak	Vertical		
3	5720.00	77.18	68.21	8.97	110.00	-33.62	292	188	Peak	Vertical		
4	5723.50	82.00	73.00	9.00	127.74	-45.74	292	188	Peak	Vertical		
5	5745.00	114.71	105.55	9.16	135.00	-20.29	292	188	Peak	Vertical		
6	5853.50	55.30	46.19	9.11	118.06	-62.76	292	188	Peak	Vertical		
7	5872.00	56.70	47.56	9.14	106.04	-49.34	292	188	Peak	Vertical		
8	5880.00	56.49	47.33	9.16	101.49	-45.00	292	188	Peak	Vertical		
9	5978.00	56.07	46.71	9.36	68.20	-12.13	292	188	Peak	Vertical		


802.11be EHT20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5534.00	56.17	47.19	8.98	68.20	-12.03		313	7	Peak	Horizontal	
2	5659.50	55.41	46.59	8.82	75.26	-19.85		313	7	Peak	Horizontal	
3	5706.00	55.54	46.68	8.86	106.88	-51.34		313	7	Peak	Horizontal	
4	5722.00	56.85	47.86	8.99	120.48	-63.63		313	7	Peak	Horizontal	
5	5785.00	114.84	105.71	9.13	135.00	-20.16		313	7	Peak	Horizontal	
6	5851.00	56.21	47.10	9.11	130.16	-73.95		313	7	Peak	Horizontal	
7	5872.50	56.12	46.97	9.15	105.90	-49.78		313	7	Peak	Horizontal	
8	5895.50	56.51	47.32	9.19	89.99	-33.48		313	7	Peak	Horizontal	
9	5987.50	56.57	47.16	9.41	68.20	-11.63		313	7	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5633.50	56.49	47.67	8.82	68.20	-11.71		304	189	Peak	Vertical	
2	5699.50	55.37	46.56	8.81	104.83	-49.46		304	189	Peak	Vertical	
3	5709.50	56.52	47.63	8.89	107.86	-51.34		304	189	Peak	Vertical	
4	5724.00	58.08	49.08	9.00	130.16	-72.08		304	189	Peak	Vertical	
5	5785.00	115.65	106.52	9.13	135.00	-19.35		304	189	Peak	Vertical	
6	5853.50	57.06	47.95	9.11	118.06	-61.00		304	189	Peak	Vertical	
7	5862.00	56.47	47.35	9.12	108.84	-52.37		304	189	Peak	Vertical	
8	5878.00	56.57	47.41	9.16	102.97	-46.40		304	189	Peak	Vertical	
9	6000.00	56.70	47.21	9.49	68.20	-11.50		304	189	Peak	Vertical	


802.11be EHT20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	5541.00	55.80	46.83	8.97	68.20	-12.40		310	7	Peak	Horizontal	
2	5651.00	55.87	47.06	8.81	68.94	-13.07		310	7	Peak	Horizontal	
3	5710.00	56.07	47.18	8.89	108.00	-51.93		310	7	Peak	Horizontal	
4	5721.50	56.13	47.15	8.98	118.06	-61.93		310	7	Peak	Horizontal	
5	5825.00	113.86	104.75	9.11	135.00	-21.14		310	7	Peak	Horizontal	
6	5851.00	77.93	68.82	9.11	139.16	-52.23		310	7	Peak	Horizontal	
7	5855.00	71.10	61.99	9.11	110.80	-39.79		310	7	Peak	Horizontal	
8	5888.50	57.40	48.23	9.17	95.18	-37.78		310	7	Peak	Horizontal	
9	5971.00	57.02	47.70	9.32	68.20	-11.18		310	7	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	5639.50	56.18	47.37	8.81	68.20	-12.02		100	351	Peak	Vertical	
2	5685.00	55.22	46.41	8.81	94.13	-38.91		100	351	Peak	Vertical	
3	5715.00	55.56	46.63	8.93	109.40	-53.84		100	351	Peak	Vertical	
4	5720.50	55.43	46.47	8.96	113.22	-57.79		100	351	Peak	Vertical	
5	5825.00	112.25	103.14	9.11	135.00	-22.75		100	351	Peak	Vertical	
6	5850.50	76.40	67.30	9.10	132.58	-56.18		100	351	Peak	Vertical	
7	5856.00	72.36	63.25	9.11	110.52	-38.16		100	351	Peak	Vertical	
8	5875.50	63.17	54.03	9.14	104.83	-41.66		100	351	Peak	Vertical	
9	5978.50	56.08	46.72	9.36	68.20	-12.12		100	351	Peak	Vertical	

802.11be EHT40

CH 151 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5649.00	61.78	52.97	8.81	68.20	-6.42		314		S Peak	Horizontal	
2	5698.00	67.36	58.55	8.81	103.73	-36.37		314		S Peak	Horizontal	
3	5720.00	79.67	70.70	8.97	110.80	-31.13		314		S Peak	Horizontal	
4	5725.00	79.94	70.93	9.01	135.00	-55.06		314		S Peak	Horizontal	
5	5755.00	112.14	102.94	9.20	135.00	-22.06		314		S Peak	Horizontal	
6	5855.00	56.64	47.53	9.11	110.80	-54.16		314		S Peak	Horizontal	
7	5866.00	58.28	49.15	9.13	107.72	-49.44		314		S Peak	Horizontal	
8	5890.00	57.37	48.19	9.18	94.07	-36.70		314		S Peak	Horizontal	
9	5980.00	56.67	47.30	9.37	68.20	-11.53		314		S Peak	Horizontal	

CH 151 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5648.00	60.50	51.68	8.82	68.20	-7.70		305		189 Peak	Vertical	
2	5699.50	67.83	59.02	8.81	104.83	-37.00		305		189 Peak	Vertical	
3	5720.00	80.90	71.93	8.97	110.80	-29.90		305		189 Peak	Vertical	
4	5720.00	80.90	71.93	8.97	110.80	-29.90		305		189 Peak	Vertical	
5	5755.00	112.70	103.50	9.20	135.00	-22.30		305		189 Peak	Vertical	
6	5852.50	58.48	49.38	9.10	122.90	-64.42		305		189 Peak	Vertical	
7	5855.50	58.45	49.34	9.11	110.66	-52.21		305		189 Peak	Vertical	
8	5888.00	57.14	47.97	9.17	95.55	-38.41		305		189 Peak	Vertical	
9	5927.50	57.27	48.08	9.19	68.20	-10.93		305		189 Peak	Vertical	

802.11be EHT40

CH 159 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5647.50	57.15	48.33	8.82	68.20	-11.05	313	6	Peak	Horizontal		
2	5699.00	60.19	51.38	8.81	104.46	-44.27	313	6	Peak	Horizontal		
3	5719.50	63.61	54.64	8.97	110.66	-47.05	313	6	Peak	Horizontal		
4	5720.00	62.92	53.95	8.97	110.80	-47.88	313	6	Peak	Horizontal		
5	5795.00	112.28	103.17	9.11	135.00	-22.72	313	6	Peak	Horizontal		
6	5852.50	61.92	52.82	9.10	122.90	-60.98	313	6	Peak	Horizontal		
7	5865.00	63.14	54.01	9.13	108.00	-44.86	313	6	Peak	Horizontal		
8	5886.00	60.90	51.73	9.17	97.03	-36.13	313	6	Peak	Horizontal		
9	5936.00	57.03	47.84	9.19	68.20	-11.17	313	6	Peak	Horizontal		

CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5645.00	55.81	46.99	8.82	68.20	-12.39	100	360	Peak	Vertical		
2	5680.50	59.24	50.43	8.81	90.81	-31.57	100	360	Peak	Vertical		
3	5719.00	64.02	55.06	8.96	110.52	-46.50	100	360	Peak	Vertical		
4	5724.00	65.38	56.38	9.00	130.16	-64.78	100	360	Peak	Vertical		
5	5795.00	110.25	101.14	9.11	135.00	-24.75	100	360	Peak	Vertical		
6	5850.00	67.77	58.67	9.10	135.00	-67.23	100	360	Peak	Vertical		
7	5856.50	67.02	57.91	9.11	110.38	-43.36	100	360	Peak	Vertical		
8	5876.50	63.28	54.14	9.14	104.09	-40.81	100	360	Peak	Vertical		
9	5943.50	56.83	47.63	9.20	68.20	-11.37	100	360	Peak	Vertical		


802.11be EHT80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5641.50	67.26	58.45	8.81	68.20	-0.94	314	5	Peak	Horizontal		
2	5682.50	72.35	63.53	8.82	92.29	-19.94	314	5	Peak	Horizontal		
3	5716.50	74.85	65.91	8.94	109.82	-34.97	314	5	Peak	Horizontal		
4	5723.00	74.75	65.76	8.99	125.32	-50.57	314	5	Peak	Horizontal		
5	5775.00	107.70	90.54	9.16	135.00	-27.30	314	5	Peak	Horizontal		
6	5852.00	70.55	61.44	9.11	125.32	-54.77	314	5	Peak	Horizontal		
7	5872.00	72.56	63.41	9.15	106.04	-33.48	314	5	Peak	Horizontal		
8	5877.00	71.29	62.13	9.16	103.71	-32.42	314	5	Peak	Horizontal		
9	5932.50	59.91	50.70	9.21	68.20	-8.29	314	5	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5649.00	63.72	54.91	8.81	68.20	-4.48	100	2	Peak	Vertical		
2	5696.50	74.22	65.41	8.81	102.62	-28.40	100	2	Peak	Vertical		
3	5719.00	75.10	66.13	8.97	110.52	-35.42	100	2	Peak	Vertical		
4	5721.50	75.59	66.61	8.98	118.06	-42.47	100	2	Peak	Vertical		
5	5775.00	105.76	96.60	9.16	135.00	-29.24	100	2	Peak	Vertical		
6	5851.50	74.99	65.88	9.11	127.74	-52.75	100	2	Peak	Vertical		
7	5857.00	74.68	65.56	9.12	110.24	-35.56	100	2	Peak	Vertical		
8	5875.50	72.19	63.03	9.16	104.83	-32.64	100	2	Peak	Vertical		
9	5936.50	61.93	52.72	9.21	68.20	-6.27	100	2	Peak	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~30MHz


802.11be EHT80

CH 138 (Open) (9kHz ~ 150kHz)

CH 138 (Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	69.62	49.79	19.83	119.13	-49.51	100	266 Peak	Open	
2	0.05	56.19	37.31	18.88	113.39	-57.20	100	158 Peak	Open	
3	0.08	48.87	30.59	18.28	109.74	-60.87	100	286 Peak	Open	
4	0.10	41.99	23.95	18.04	107.25	-65.26	100	247 Peak	Open	
5	0.13	38.74	20.56	18.18	105.66	-66.92	100	239 Peak	Open	
6	0.14	35.20	16.93	18.27	104.63	-69.43	100	299 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.36	39.44	20.83	18.61	96.50	-57.06	100	268 Peak	Open	
2	6.51	34.48	13.73	20.75	69.50	-35.02	100	282 Peak	Open	
3	12.84	35.44	13.87	21.57	69.50	-34.06	100	327 Peak	Open	
4	20.09	36.99	14.18	22.81	69.50	-32.51	100	325 Peak	Open	
5	24.42	35.89	13.20	22.69	69.50	-33.61	100	237 Peak	Open	
6	26.48	36.34	13.23	23.11	69.50	-33.16	100	360 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11be EHT80

CH 138 (Horizontal)

CH 138 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	71.71	31.53	41.41	-9.88	40.00	-8.47	200	155	Peak	Horizontal		
2	199.75	36.23	45.43	-9.20	43.50	-7.27	100	129	Peak	Horizontal		
3	232.73	41.03	48.92	-7.89	46.00	-4.97	100	241	Peak	Horizontal		
4	288.99	38.98	45.13	-6.15	46.00	-7.02	100	220	Peak	Horizontal		
5	799.21	41.33	37.06	3.47	46.00	-4.67	100	310	Peak	Horizontal		
6	900.09	39.44	34.50	4.94	46.00	-6.56	100	351	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	80.44	32.90	44.70	-11.80	40.00	-7.10	100	240	Peak	Vertical		
2	167.74	30.12	36.55	-6.43	43.50	-13.38	100	360	Peak	Vertical		
3	232.73	34.70	42.59	-7.89	46.00	-11.30	100	269	Peak	Vertical		
4	484.93	33.75	35.91	-2.16	46.00	-12.25	100	188	Peak	Vertical		
5	832.19	36.57	32.72	3.85	46.00	-9.43	100	231	Peak	Vertical		
6	896.21	37.54	32.69	4.85	46.00	-8.46	100	169	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10360.00	50.34	40.86	9.48	68.20	-17.86	300	294	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10360.00	51.37	41.89	9.48	68.20	-16.83	300	270	Peak	Vertical	


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10400.00	50.12	40.63	9.49	68.20	-18.08		200	357	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10400.00	50.99	41.50	9.49	68.20	-17.21		300	333	Peak	Vertical	


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10480.00	49.63	40.07	9.56	68.20	-18.57		400	269	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10480.00	49.61	40.05	9.56	68.20	-18.59		100	61	Peak	Vertical	

802.11be EHT20

CH 36 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10360.00	50.57	41.09	9.48	68.20	-17.63		200	188	Peak	Horizontal	

CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10360.00	51.08	41.60	9.48	68.20	-17.12		300	318	Peak	Vertical	

802.11be EHT20

CH 40 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10400.00	50.57	41.08	9.49	68.20	-17.63		200	186	Peak	Horizontal	

CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10400.00	50.83	41.34	9.49	68.20	-17.37		100	315	Peak	Vertical	

802.11be EHT20

CH 48 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10480.00	50.60	41.04	9.56	68.20	-17.60		300	84	Peak	Horizontal	

CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10480.00	50.92	41.36	9.56	68.20	-17.28		138	360	Peak	Vertical	

802.11be EHT40

CH 38 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10380.00	50.83	41.34	9.49	68.20	-17.37		300	45	Peak	Horizontal	

CH 38 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10380.00	50.48	40.99	9.49	68.20	-17.72		200	192	Peak	Vertical	

802.11be EHT40

CH 46 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10460.00	50.76	41.22	9.54	68.20	-17.44		100	196	Peak	Horizontal	

CH 46 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10460.00	50.31	40.77	9.54	68.20	-17.89		100	305	Peak	Vertical	

802.11be EHT80

CH 42 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10420.00	49.81	40.37	9.44	68.20	-18.39		238	166	Peak	Horizontal	

CH 42 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10420.00	50.09	40.65	9.44	68.20	-18.11		300	260	Peak	Vertical	

U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10520.00	50.35	40.78	9.57	68.20	-17.85	300	179	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10520.00	50.57	41.00	9.57	68.20	-17.63	100	33	Peak	Vertical	


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.00	35.79	26.26	9.53	54.00	-18.21	200	91	Average	Horizontal		
2	10600.00	49.42	39.89	9.53	74.00	-24.58	200	91	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.00	36.69	27.16	9.53	54.00	-17.31	200	138	Average	Vertical		
2	10600.00	49.87	40.34	9.53	74.00	-24.13	200	138	Peak	Vertical		


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10640.00	34.55	25.07	9.48	54.00	-19.45	100	228	Average	Horizontal		
2	10640.00	49.28	39.80	9.48	74.00	-24.72	100	228	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10640.00	35.60	26.12	9.48	54.00	-18.40	200	200	Average	Vertical		
2	10640.00	49.02	39.54	9.48	74.00	-24.98	200	200	Peak	Vertical		

802.11be EHT20

CH 52 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10520.00	50.23	40.66	9.57	68.20	-17.97		100	114	Peak	Horizontal	

CH 52 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10520.00	50.68	41.11	9.57	68.20	-17.52		300	229	Peak	Vertical	


802.11be EHT20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.00	36.37	26.84	9.53	54.00	-17.63	100	273	Average	Horizontal		
2	10600.00	50.75	41.22	9.53	74.00	-23.25	100	273	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.00	36.56	27.03	9.53	54.00	-17.44	300	103	Average	Vertical		
2	10600.00	50.88	41.35	9.53	74.00	-23.12	300	103	Peak	Vertical		

802.11be EHT20

CH 64 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10640.00	35.93	26.45	9.48	54.00	-18.07	200	360	Average	Horizontal		
2	10640.00	50.35	40.87	9.48	74.00	-23.65	200	360	Peak	Horizontal		

CH 64 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10640.00	36.26	26.78	9.48	54.00	-17.74	100	27	Average	Vertical		
2	10640.00	50.55	41.07	9.48	74.00	-23.45	100	27	Peak	Vertical		

802.11be EHT40

CH 54 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10540.00	50.12	40.56	9.56	68.20	-18.08		102	350	Peak	Horizontal	

CH 54 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10540.00	50.72	41.16	9.56	68.20	-17.48		138	360	Peak	Vertical	


802.11be EHT40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10620.00	36.56	27.06	9.50	54.00	-17.44	100	332	Average	Horizontal		
2	10620.00	49.93	40.43	9.50	74.00	-24.07	100	332	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10620.00	36.82	27.32	9.50	54.00	-17.18	106	360	Average	Vertical		
2	10620.00	50.53	41.03	9.50	74.00	-23.47	106	360	Peak	Vertical		


802.11be EHT80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10580.00	49.81	40.35	9.46	68.20	-18.39	100	228	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10580.00	49.94	40.48	9.46	68.20	-18.26	200	253	Peak	Vertical		

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11000.00	35.57	26.23	9.34	54.00	-18.43	198	360	Average	Horizontal		
2	11000.00	49.85	40.51	9.34	74.00	-24.15	198	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11000.00	35.97	26.63	9.34	54.00	-18.03	200	148	Average	Vertical		
2	11000.00	50.23	40.89	9.34	74.00	-23.77	200	148	Peak	Vertical		

802.11a

CH 116 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11160.00	35.61	26.29	9.32	54.00	-18.39	100	103	Average	Horizontal		
2	11160.00	50.93	41.61	9.32	74.00	-23.07	100	103	Peak	Horizontal		

CH 116 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11160.00	36.01	26.69	9.32	54.00	-17.99	200	66	Average	Vertical		
2	11160.00	51.03	41.71	9.32	74.00	-22.97	200	66	Peak	Vertical		

802.11a

CH 140 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11400.00	36.58	27.13	9.45	54.00	-17.42	100	275	Average	Horizontal		
2	11400.00	51.01	41.56	9.45	74.00	-22.99	100	275	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11400.00	36.66	27.21	9.45	54.00	-17.34	150	266	Average	Vertical		
2	11400.00	51.11	41.66	9.45	74.00	-22.89	150	266	Peak	Vertical		

802.11a

CH 144 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11440.00	36.38	26.95	9.43	54.00	-17.62	140	255	Average	Horizontal		
2	11440.00	50.97	41.54	9.43	74.00	-23.03	140	255	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11440.00	36.56	27.13	9.43	54.00	-17.44	200	77	Average	Vertical		
2	11440.00	51.20	41.77	9.43	74.00	-22.80	200	77	Peak	Vertical		

802.11be EHT20

CH 100 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11000.00	36.05	26.71	9.34	54.00	-17.95	100	255	Average	Horizontal		
2	11000.00	50.36	41.02	9.34	74.00	-23.64	100	255	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11000.00	35.92	26.58	9.34	54.00	-18.08	300	57	Average	Vertical		
2	11000.00	50.15	40.81	9.34	74.00	-23.85	300	57	Peak	Vertical		

802.11be EHT20

CH 116 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11160.00	36.13	26.81	9.32	54.00	-17.87	200	107	Average	Horizontal		
2	11160.00	50.47	41.15	9.32	74.00	-23.53	200	107	Peak	Horizontal		

CH 116 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11160.00	36.20	26.88	9.32	54.00	-17.80	100	69	Average	Vertical		
2	11160.00	50.81	41.49	9.32	74.00	-23.19	100	69	Peak	Vertical		