


802.11be EHT20

CH 140 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11400.00	36.78	27.33	9.45	54.00	-17.22	200	32	Average	Horizontal		
2	11400.00	51.08	41.63	9.45	74.00	-22.92	200	32	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11400.00	36.87	27.42	9.45	54.00	-17.13	100	162	Average	Vertical		
2	11400.00	51.30	41.85	9.45	74.00	-22.70	100	162	Peak	Vertical		

802.11be EHT20

CH 144 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11440.00	36.42	26.99	9.43	54.00	-17.58	100	194	Average	Horizontal		
2	11440.00	50.82	41.39	9.43	74.00	-23.18	100	194	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11440.00	36.49	27.06	9.43	54.00	-17.51	152	360	Average	Vertical		
2	11440.00	51.09	41.66	9.43	74.00	-22.91	152	360	Peak	Vertical		

802.11be EHT40

CH 102 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11020.00	36.68	27.35	9.33	54.00	-17.32	100	321	Average	Horizontal		
2	11020.00	50.10	40.77	9.33	74.00	-23.90	100	321	Peak	Horizontal		

CH 102 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11020.00	36.38	27.05	9.33	54.00	-17.62	100	157	Average	Vertical		
2	11020.00	49.74	40.41	9.33	74.00	-24.26	100	157	Peak	Vertical		

802.11be EHT40

CH 110 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11100.00	36.64	27.35	9.29	54.00	-17.36	100		233	Average	Horizontal	
2	11100.00	50.38	41.09	9.29	74.00	-23.62	100		233	Peak	Horizontal	

CH 110 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11100.00	36.38	27.09	9.29	54.00	-17.62	100		345	Average	Vertical	
2	11100.00	49.97	40.68	9.29	74.00	-24.03	100		345	Peak	Vertical	

802.11be EHT40

CH 134 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11340.00	37.63	28.15	9.48	54.00	-16.37	200	235	Average	Horizontal		
2	11340.00	51.03	41.55	9.48	74.00	-22.97	200	235	Peak	Horizontal		

CH 134 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11340.00	37.49	28.01	9.48	54.00	-16.51	100	155	Average	Vertical		
2	11340.00	50.41	40.93	9.48	74.00	-23.59	100	155	Peak	Vertical		

802.11be EHT40

CH 142 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11420.00	37.52	28.08	9.44	54.00	-16.48	145	360	Average	Horizontal		
2	11420.00	51.76	42.32	9.44	74.00	-22.24	145	360	Peak	Horizontal		

CH 142 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11420.00	37.46	28.02	9.44	54.00	-16.54	200	349	Average	Vertical		
2	11420.00	51.38	41.94	9.44	74.00	-22.62	200	349	Peak	Vertical		

802.11be EHT80

CH 106 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11060.00	36.49	27.28	9.21	54.00	-17.51	300	42	Average	Horizontal		
2	11060.00	49.37	40.16	9.21	74.00	-24.63	300	42	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11060.00	36.57	27.36	9.21	54.00	-17.43	299	360	Average	Vertical		
2	11060.00	49.65	40.44	9.21	74.00	-24.35	299	360	Peak	Vertical		

802.11be EHT80

CH 122 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11220.00	37.18	27.91	9.27	54.00	-16.82	100	43	Average	Horizontal		
2	11220.00	50.34	41.07	9.27	74.00	-23.66	100	43	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11220.00	37.24	27.97	9.27	54.00	-16.76	115	360	Average	Vertical		
2	11220.00	50.41	41.14	9.27	74.00	-23.59	115	360	Peak	Vertical		


802.11be EHT80

CH 138 (Horizontal)

CH 138 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11380.00	37.64	28.28	9.36	54.00	-16.36	200	332	Average	Horizontal		
2	11380.00	50.70	41.34	9.36	74.00	-23.30	200	332	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11380.00	37.93	28.57	9.36	54.00	-16.07	100	163	Average	Vertical		
2	11380.00	50.90	41.54	9.36	74.00	-23.10	100	163	Peak	Vertical		

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	36.21	26.80	9.41	54.00	-17.79	200	245 Average	Horizontal	
2	11490.00	51.00	41.59	9.41	74.00	-23.00	200	245 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	36.42	27.01	9.41	54.00	-17.58	300	298 Average	Vertical	
2	11490.00	50.68	41.27	9.41	74.00	-23.32	300	298 Peak	Vertical	

802.11a

CH 157 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11570.00	35.74	26.37	9.37	54.00	-18.26	100	156	Average	Horizontal		
2	11570.00	50.86	41.49	9.37	74.00	-23.14	100	156	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11570.00	36.02	26.65	9.37	54.00	-17.98	100	83	Average	Vertical		
2	11570.00	50.86	41.49	9.37	74.00	-23.14	100	83	Peak	Vertical		

802.11a

CH 165 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.00	36.08	26.65	9.43	54.00	-17.92	300	305	Average	Horizontal		
2	11650.00	50.22	40.79	9.43	74.00	-23.78	300	305	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.00	36.33	26.90	9.43	54.00	-17.67	100	167	Average	Vertical		
2	11650.00	50.13	40.70	9.43	74.00	-23.87	100	167	Peak	Vertical		

802.11be EHT20

CH 149 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11490.00	36.09	26.68	9.41	54.00	-17.91	200	18	Average	Horizontal		
2	11490.00	49.79	40.38	9.41	74.00	-24.21	200	18	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11490.00	36.29	26.88	9.41	54.00	-17.71	119	360	Average	Vertical		
2	11490.00	50.25	40.84	9.41	74.00	-23.75	119	360	Peak	Vertical		

802.11be EHT20

CH 157 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11570.00	36.19	26.82	9.37	54.00	-17.81	300	315	Average	Horizontal		
2	11570.00	49.99	40.62	9.37	74.00	-24.01	300	315	Peak	Horizontal		

CH 157 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11570.00	36.26	26.89	9.37	54.00	-17.74	300	282	Average	Vertical		
2	11570.00	50.20	40.83	9.37	74.00	-23.80	300	282	Peak	Vertical		

802.11be EHT20

CH 165 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.00	36.46	27.03	9.43	54.00	-17.54	100	338	Average	Horizontal		
2	11650.00	50.24	40.81	9.43	74.00	-23.76	100	338	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.00	36.62	27.19	9.43	54.00	-17.38	300	168	Average	Vertical		
2	11650.00	50.34	40.91	9.43	74.00	-23.66	300	168	Peak	Vertical		

802.11be EHT40

CH 151 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11510.00	36.69	27.29	9.40	54.00	-17.31	100	325	Average	Horizontal		
2	11510.00	50.72	41.32	9.40	74.00	-23.28	100	325	Peak	Horizontal		

CH 151 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11510.00	36.73	27.33	9.40	54.00	-17.27	100	280	Average	Vertical		
2	11510.00	50.81	41.41	9.40	74.00	-23.19	100	280	Peak	Vertical		

802.11be EHT40

CH 159 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11590.00	36.53	27.17	9.36	54.00	-17.47	100	41	Average	Horizontal		
2	11590.00	50.49	41.13	9.36	74.00	-23.51	100	41	Peak	Horizontal		

CH 159 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	11590.00	36.74	27.38	9.36	54.00	-17.26	200	266	Average	Vertical		
2	11590.00	50.58	41.22	9.36	74.00	-23.42	200	266	Peak	Vertical		

802.11be EHT80

CH 155 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11550.00	37.09	27.82	9.27	54.00	-16.91	200	236	Average	Horizontal		
2	11550.00	50.24	40.97	9.27	74.00	-23.76	200	236	Peak	Horizontal		

CH 155 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11550.00	37.18	27.91	9.27	54.00	-16.82	100	276	Average	Vertical		
2	11550.00	50.35	41.08	9.27	74.00	-23.65	100	276	Peak	Vertical		

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over		
	MHz	dBuV	dBuV	dB	dBuV	dB	Remark	Pol/Phase Note
1	0.15	22.83	13.20	9.63	55.79	-32.96	Average	line1
2	0.15	35.90	26.27	9.63	65.79	-29.89	QP	line1
3	0.46	34.50	24.87	9.63	46.64	-12.14	Average	line1
4	0.46	40.33	30.70	9.63	56.64	-16.31	QP	line1
5	0.92	19.77	10.13	9.64	46.00	-26.23	Average	line1
6	0.92	25.50	15.86	9.64	56.00	-30.50	QP	line1
7	2.97	17.87	8.19	9.68	46.00	-28.13	Average	line1
8	2.97	23.49	13.81	9.68	56.00	-32.51	QP	line1
9	8.98	25.67	15.93	9.74	50.00	-24.33	Average	line1
10	8.98	30.81	21.07	9.74	60.00	-29.19	QP	line1
11	13.45	31.19	21.45	9.74	50.00	-18.81	Average	line1
12	13.45	36.44	26.70	9.74	60.00	-23.56	QP	line1



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over		
	MHz	dBuV	dBuV	dB	dBuV	dB	Remark	Pol/Phase Note
1	0.16	22.21	12.57	9.64	55.63	-33.42	Average	neutral
2	0.16	34.32	24.68	9.64	65.63	-31.31	QP	neutral
3	0.47	34.09	24.46	9.63	46.52	-12.43	Average	neutral
4	0.47	41.04	31.41	9.63	56.52	-15.48	QP	neutral
5	0.91	21.18	11.54	9.64	46.00	-24.82	Average	neutral
6	0.91	26.77	17.13	9.64	56.00	-29.23	QP	neutral
7	1.36	20.50	10.86	9.64	46.00	-25.50	Average	neutral
8	1.36	26.74	17.10	9.64	56.00	-29.26	QP	neutral
9	8.63	25.55	15.79	9.76	50.00	-24.45	Average	neutral
10	8.63	30.96	21.20	9.76	60.00	-29.04	QP	neutral
11	13.58	32.79	22.98	9.81	50.00	-17.21	Average	neutral
12	13.58	38.05	28.24	9.81	60.00	-21.95	QP	neutral