

## Appendix B: Test Results of Radiated Spurious Emissions & Mains

### Conducted Emission Test

#### Band Edges, 5.4GHz ~ 7.2GHz

#### U-NII 5


#### 802.11a

#### CH01 (Horizontal) Peak

#### CH01 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     |      | cm   | deg  |            |           |      |
| 1   | 5920.44 | 71.33  | 62.60  | 8.73  | 88.20  | -16.87 | 100  | 26   | Peak | Horizontal |           |      |
| 2 * | 5955.00 | 110.44 | 101.82 | 8.62  | 88.20  | 22.24  | 100  | 26   | Peak | Horizontal |           |      |
| 3   | 7230.12 | 64.10  | 55.19  | 8.91  | 88.20  | -24.10 | 100  | 26   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     |      | cm   | deg  |          |           |      |
| 1   | 5924.40 | 73.28  | 64.57  | 8.71  | 88.20  | -14.92 | 100  | 344  | Peak | Vertical |           |      |
| 2 * | 5955.00 | 113.73 | 105.09 | 8.64  | 88.20  | 25.53  | 100  | 344  | Peak | Vertical |           |      |
| 3   | 7193.22 | 63.16  | 54.18  | 8.98  | 88.20  | -25.04 | 100  | 344  | Peak | Vertical |           |      |


**802.11a**

**CH01 (Horizontal) RMS**

**CH01 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5924.94 | 61.48  | 52.77 | 8.71  | 68.20  | -6.72  | 100  | 26   | RMS  | Horizontal |           |      |
| 2 * | 5955.00 | 101.70 | 93.08 | 8.62  | 68.20  | 33.50  | 100  | 26   | RMS  | Horizontal |           |      |
| 3   | 7225.98 | 52.29  | 43.36 | 8.93  | 68.20  | -15.91 | 100  | 26   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5924.76 | 62.64  | 53.93 | 8.71  | 68.20  | -5.56  | 100  | 344  | RMS  | Vertical |           |      |
| 2 * | 5955.00 | 105.06 | 96.44 | 8.62  | 68.20  | 36.86  | 100  | 344  | RMS  | Vertical |           |      |
| 3   | 7242.36 | 52.21  | 43.32 | 8.89  | 68.20  | -15.99 | 100  | 344  | RMS  | Vertical |           |      |

**802.11a**

**CH45 (Horizontal) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1   | 5829.72 | 64.34  | 55.63  | 8.71  | 88.20  | -23.86 | 100  |      |      | 2 Peak | Horizontal |      |
| 2 * | 6175.00 | 110.87 | 101.60 | 9.27  | 88.20  | 22.67  | 100  |      |      | 2 Peak | Horizontal |      |
| 3   | 7172.34 | 63.62  | 54.68  | 8.94  | 88.20  | -24.58 | 100  |      |      | 2 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5819.82 | 64.80  | 56.09  | 8.71  | 88.20  | -23.40 | 100  |      |      | 342 Peak | Vertical  |      |
| 2 * | 6175.00 | 112.56 | 103.29 | 9.27  | 88.20  | 24.36  | 100  |      |      | 342 Peak | Vertical  |      |
| 3   | 7245.42 | 64.24  | 55.36  | 8.88  | 88.20  | -23.96 | 100  |      |      | 342 Peak | Vertical  |      |


**802.11a**

**CH45 (Horizontal) RMS**

**CH45 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5463.24 | 52.78  | 44.16 | 8.62  | 68.20  | -15.42 | 100  | 2    | RMS  | Horizontal |           |      |
| 2 * | 6175.00 | 102.37 | 93.10 | 9.27  | 68.20  | 34.17  | 100  | 2    | RMS  | Horizontal |           |      |
| 3   | 7228.32 | 52.20  | 43.28 | 8.92  | 68.20  | -16.00 | 100  | 2    | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5472.78 | 52.77  | 44.18 | 8.59  | 68.20  | -15.43 | 100  | 342  | RMS  | Vertical |           |      |
| 2 * | 6175.00 | 104.89 | 95.62 | 9.27  | 68.20  | 36.69  | 100  | 342  | RMS  | Vertical |           |      |
| 3   | 7218.06 | 52.15  | 43.21 | 8.94  | 68.20  | -16.05 | 100  | 342  | RMS  | Vertical |           |      |


**802.11a**

**CH93 (Horizontal) Peak**

**CH93 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1   | 5481.06 | 65.11  | 56.54  | 8.57  | 88.20  | -23.09 |      | 100  | 41   | Peak   | Horizontal |      |
| 2 * | 6415.00 | 109.03 | 100.14 | 8.89  | 88.20  | 20.83  |      | 100  | 41   | Peak   | Horizontal |      |
| 3   | 7231.74 | 63.97  | 55.06  | 8.91  | 88.20  | -24.23 |      | 100  | 41   | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|--------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1   | 5923.14 | 64.70  | 55.98  | 8.72  | 88.20  | -23.50 |      | 115  | 352  | Peak   | Vertical  |      |
| 2 * | 6415.00 | 113.83 | 104.96 | 8.87  | 88.20  | 25.63  |      | 115  | 352  | Peak   | Vertical  |      |
| 3   | 7207.44 | 63.88  | 54.90  | 8.98  | 88.20  | -24.32 |      | 115  | 352  | Peak   | Vertical  |      |


**802.11a**

**CH93 (Horizontal) RMS**

**CH93 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5462.52 | 52.73  | 44.11 | 8.62  | 68.20  | -15.47 | 100  | 41   | RMS  | Horizontal |           |      |
| 2 * | 6415.00 | 100.64 | 91.78 | 8.86  | 68.20  | 32.44  | 100  | 41   | RMS  | Horizontal |           |      |
| 3   | 7222.02 | 52.45  | 43.51 | 8.94  | 68.20  | -15.75 | 100  | 41   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5465.94 | 52.72  | 44.10 | 8.62  | 68.20  | -15.48 | 115  | 352  | RMS  | Vertical |           |      |
| 2 * | 6415.00 | 104.94 | 96.06 | 8.88  | 68.20  | 36.74  | 115  | 352  | RMS  | Vertical |           |      |
| 3   | 7247.04 | 52.19  | 43.31 | 8.88  | 68.20  | -16.01 | 115  | 352  | RMS  | Vertical |           |      |


**802.11be EHT20**

**CH01 (Horizontal) Peak**

**CH01 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5922.24 | 73.02  | 63.82  | 9.20  | 88.20  | -15.18 | 309  | 181  | Peak | Horizontal |           |      |
| 2 * | 5955.00 | 113.34 | 104.11 | 9.23  | 88.20  | 25.14  | 309  | 181  | Peak | Horizontal |           |      |
| 3   | 7200.96 | 64.41  | 55.04  | 9.37  | 88.20  | -23.79 | 309  | 181  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5921.16 | 67.10  | 57.90  | 9.20  | 88.20  | -21.10 | 265  | 360  | Peak | Vertical |           |      |
| 2 * | 5955.00 | 111.19 | 101.96 | 9.23  | 88.20  | 22.99  | 265  | 360  | Peak | Vertical |           |      |
| 3   | 7172.88 | 64.52  | 55.14  | 9.38  | 88.20  | -23.68 | 265  | 360  | Peak | Vertical |           |      |


**802.11be EHT20**

**CH01 (Horizontal) RMS**

**CH01 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5924.40 | 59.37  | 50.18 | 9.19  | 68.20  | -8.83  | 309  | 181  | RMS  | Horizontal |           |      |
| 2 * | 5955.00 | 101.85 | 92.62 | 9.23  | 68.20  | 33.65  | 309  | 181  | RMS  | Horizontal |           |      |
| 3   | 7172.16 | 51.83  | 42.45 | 9.38  | 68.20  | -16.37 | 309  | 181  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5924.40 | 55.96  | 46.77 | 9.19  | 68.20  | -12.24 | 265  | 360  | RMS  | Vertical |           |      |
| 2 * | 5955.00 | 99.81  | 90.58 | 9.23  | 68.20  | 31.61  | 265  | 360  | RMS  | Vertical |           |      |
| 3   | 7184.76 | 51.91  | 42.53 | 9.38  | 68.20  | -16.29 | 265  | 360  | RMS  | Vertical |           |      |


**802.11be EHT20**

**CH45 (Horizontal) Peak**

**CH45 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5543.16 | 63.37  | 54.42  | 8.95  | 88.20  | -24.83 | 313  | 184  | Peak | Horizontal |           |      |
| 2 * | 6175.00 | 111.57 | 101.77 | 9.80  | 88.20  | 23.37  | 313  | 184  | Peak | Horizontal |           |      |
| 3   | 7174.68 | 63.84  | 54.46  | 9.38  | 88.20  | -24.36 | 313  | 184  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5479.41 | 62.94  | 53.87  | 9.07  | 88.20  | -25.26 | 240  | 360  | Peak | Vertical |           |      |
| 2 * | 6175.00 | 110.23 | 100.43 | 9.80  | 88.20  | 22.03  | 240  | 360  | Peak | Vertical |           |      |
| 3   | 7239.88 | 64.18  | 54.75  | 9.43  | 88.20  | -24.02 | 240  | 360  | Peak | Vertical |           |      |

**802.11be EHT20**

**CH45 (Horizontal) RMS**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1   | 5983.88 | 51.09  | 41.89 | 9.20  | 68.20  | -17.11 |      | 313  | 184 RMS | Horizontal |           |      |
| 2 * | 6175.00 | 102.13 | 92.33 | 9.80  | 68.20  | 33.93  |      | 313  | 184 RMS | Horizontal |           |      |
| 3   | 7179.36 | 51.87  | 42.50 | 9.37  | 68.20  | -16.33 |      | 313  | 184 RMS | Horizontal |           |      |

**CH45 (Vertical) RMS**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1   | 5982.00 | 51.04  | 41.85 | 9.19  | 68.20  | -17.16 |      | 240  | 360 RMS | Vertical |           |      |
| 2 * | 6175.00 | 100.98 | 91.18 | 9.80  | 68.20  | 32.78  |      | 240  | 360 RMS | Vertical |           |      |
| 3   | 7158.30 | 51.95  | 42.57 | 9.38  | 68.20  | -16.25 |      | 240  | 360 RMS | Vertical |           |      |


**802.11be EHT20**

**CH93 (Horizontal) Peak**

**CH93 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1   | 5919.61 | 64.00  | 54.80  | 9.20  | 88.20  | -24.20 |      | 350  | 195  | Peak   | Horizontal |      |
| 2 * | 6415.00 | 113.48 | 103.99 | 9.49  | 88.20  | 25.28  |      | 350  | 195  | Peak   | Horizontal |      |
| 3   | 7124.88 | 64.09  | 54.75  | 9.34  | 88.20  | -24.11 |      | 350  | 195  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|--------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1   | 5804.62 | 62.78  | 53.68  | 9.10  | 88.20  | -25.42 |      | 245  | 360  | Peak   | Vertical  |      |
| 2 * | 6415.00 | 113.23 | 103.74 | 9.49  | 88.20  | 25.03  |      | 245  | 360  | Peak   | Vertical  |      |
| 3   | 7225.50 | 63.55  | 54.14  | 9.41  | 88.20  | -24.65 |      | 245  | 360  | Peak   | Vertical  |      |


**802.11be EHT20**

**CH93 (Horizontal) RMS**

**CH93 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1   | 5922.49 | 51.17  | 41.97 | 9.20  | 68.20  | -17.03 |      | 350  | 195  | RMS    | Horizontal |      |
| 2 * | 6415.00 | 102.81 | 93.32 | 9.49  | 68.20  | 34.61  |      | 350  | 195  | RMS    | Horizontal |      |
| 3   | 7223.35 | 52.05  | 42.64 | 9.41  | 68.20  | -16.15 |      | 350  | 195  | RMS    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1   | 5818.63 | 51.36  | 42.26 | 9.10  | 68.20  | -16.84 |      | 245  | 360  | RMS    | Vertical  |      |
| 2 * | 6415.00 | 102.96 | 93.47 | 9.49  | 68.20  | 34.76  |      | 245  | 360  | RMS    | Vertical  |      |
| 3   | 7198.55 | 51.85  | 42.48 | 9.37  | 68.20  | -16.35 |      | 245  | 360  | RMS    | Vertical  |      |


**802.11be EHT40**

**CH03 (Horizontal) Peak**

**CH03 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1   | 5924.28 | 72.49  | 63.30 | 9.19  | 88.20  | -15.71 |      | 309  | 185  | Peak   | Horizontal |      |
| 2 * | 5965.00 | 107.26 | 97.98 | 9.28  | 88.20  | 19.06  |      | 309  | 185  | Peak   | Horizontal |      |
| 3   | 7142.13 | 64.45  | 55.08 | 9.37  | 88.20  | -23.75 |      | 309  | 185  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1   | 5919.61 | 70.31  | 61.11 | 9.20  | 88.20  | -17.89 |      | 197  | 360  | Peak   | Vertical  |      |
| 2 * | 5965.00 | 106.05 | 96.77 | 9.28  | 88.20  | 17.85  |      | 197  | 360  | Peak   | Vertical  |      |
| 3   | 7229.81 | 64.72  | 55.31 | 9.41  | 88.20  | -23.48 |      | 197  | 360  | Peak   | Vertical  |      |


**802.11be EHT40**

**CH03 (Horizontal) RMS**

**CH03 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5924.64 | 60.67  | 51.48 | 9.19  | 68.20  | -7.53  | 309  | 185  | RMS  | Horizontal |           |      |
| 2 * | 5965.00 | 97.55  | 88.27 | 9.28  | 68.20  | 29.35  | 309  | 185  | RMS  | Horizontal |           |      |
| 3   | 7150.76 | 52.03  | 42.65 | 9.38  | 68.20  | -16.17 | 309  | 185  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5924.64 | 57.52  | 48.33 | 9.19  | 68.20  | -10.68 | 197  | 360  | RMS  | Vertical |           |      |
| 2 * | 5965.00 | 94.95  | 85.67 | 9.28  | 68.20  | 26.75  | 197  | 360  | RMS  | Vertical |           |      |
| 3   | 7162.62 | 52.53  | 43.15 | 9.38  | 68.20  | -15.67 | 197  | 360  | RMS  | Vertical |           |      |

**802.11be EHT40**

**CH43 (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5770.12 | 64.84  | 55.68 | 9.16  | 88.20  | -23.36 | 332  | 191  | Peak | Horizontal |           |      |
| 2 * | 6165.00 | 109.38 | 99.56 | 9.82  | 88.20  | 21.18  | 332  | 191  | Peak | Horizontal |           |      |
| 3   | 7151.12 | 63.71  | 54.32 | 9.39  | 88.20  | -24.49 | 332  | 191  | Peak | Horizontal |           |      |

**CH43 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5785.22 | 64.80  | 55.67 | 9.13  | 88.20  | -23.40 | 231  | 360  | Peak | Vertical |           |      |
| 2 * | 6165.00 | 109.74 | 99.92 | 9.82  | 88.20  | 21.54  | 231  | 360  | Peak | Vertical |           |      |
| 3   | 7137.10 | 63.52  | 54.16 | 9.36  | 88.20  | -24.68 | 231  | 360  | Peak | Vertical |           |      |


**802.11be EHT40**

**CH43 (Horizontal) RMS**

**CH43 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5988.47 | 51.83  | 42.63 | 9.20  | 68.20  | -16.37 | 332  | 191  | RMS  | Horizontal |           |      |
| 2 * | 6165.00 | 99.30  | 89.48 | 9.82  | 68.20  | 31.10  | 332  | 191  | RMS  | Horizontal |           |      |
| 3   | 7233.77 | 52.65  | 43.22 | 9.43  | 68.20  | -15.55 | 332  | 191  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5887.85 | 51.72  | 42.62 | 9.10  | 68.20  | -16.48 | 231  | 360  | RMS  | Vertical |           |      |
| 2 * | 6165.00 | 98.86  | 89.04 | 9.82  | 68.20  | 30.66  | 231  | 360  | RMS  | Vertical |           |      |
| 3   | 7141.41 | 52.35  | 42.98 | 9.37  | 68.20  | -15.85 | 231  | 360  | RMS  | Vertical |           |      |


802.11be EHT40

CH91 (Horizontal) Peak

CH91 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1   | 5495.94 | 64.00  | 54.89 | 9.11  | 88.20  | -24.20 |      | 348  | 182  | Peak   | Horizontal |      |
| 2 * | 6405.00 | 109.24 | 99.75 | 9.49  | 88.20  | 21.04  |      | 348  | 182  | Peak   | Horizontal |      |
| 3   | 7141.77 | 64.03  | 54.66 | 9.37  | 88.20  | -24.17 |      | 348  | 182  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|--------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1   | 5871.10 | 63.74  | 54.60  | 9.14  | 88.20  | -24.46 |      | 220  | 360  | Peak   | Vertical  |      |
| 2 * | 6405.00 | 110.10 | 100.61 | 9.49  | 88.20  | 21.90  |      | 220  | 360  | Peak   | Vertical  |      |
| 3   | 7164.77 | 64.30  | 54.92  | 9.38  | 88.20  | -23.90 |      | 220  | 360  | Peak   | Vertical  |      |


**802.11be EHT40**

**CH91 (Horizontal) RMS**

**CH91 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1   | 5798.51 | 51.91  | 42.81 | 9.10  | 68.20  | -16.29 |      | 348  | 182  | RMS    | Horizontal |      |
| 2 * | 6405.00 | 98.17  | 88.68 | 9.49  | 68.20  | 29.97  |      | 348  | 182  | RMS    | Horizontal |      |
| 3   | 7137.46 | 52.29  | 42.93 | 9.36  | 68.20  | -15.91 |      | 348  | 182  | RMS    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1   | 5917.82 | 51.73  | 42.53 | 9.20  | 68.20  | -16.47 |      | 220  | 360  | RMS    | Vertical  |      |
| 2 * | 6405.00 | 99.91  | 90.42 | 9.49  | 68.20  | 31.71  |      | 220  | 360  | RMS    | Vertical  |      |
| 3   | 7188.49 | 52.39  | 43.02 | 9.37  | 68.20  | -15.81 |      | 220  | 360  | RMS    | Vertical  |      |


**802.11be EHT80**

**CH07 (Horizontal) Peak**

**CH07 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5915.58 | 77.71  | 68.50 | 9.21  | 88.20  | -10.49 | 300  | 23   | Peak | Horizontal |           |      |
| 2 * | 5985.00 | 104.86 | 95.44 | 9.42  | 88.20  | 16.66  | 300  | 23   | Peak | Horizontal |           |      |
| 3   | 7150.20 | 64.19  | 54.78 | 9.41  | 88.20  | -24.01 | 300  | 23   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5919.18 | 75.22  | 66.01 | 9.21  | 88.20  | -12.98 | 264  | 350  | Peak | Vertical |           |      |
| 2 * | 5985.00 | 106.30 | 96.88 | 9.42  | 88.20  | 18.10  | 264  | 350  | Peak | Vertical |           |      |
| 3   | 7186.92 | 64.39  | 55.00 | 9.39  | 88.20  | -23.81 | 264  | 350  | Peak | Vertical |           |      |


**802.11be EHT80**

**CH07 (Horizontal) RMS**

**CH07 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 5913.42 | 67.45  | 58.24 | 9.21  | 68.20  | -0.75  | 300  | 23   | RMS  | Horizontal |           |      |
| 2 | 5985.00 | 94.54  | 85.12 | 9.42  | 68.20  | 26.34  | 300  | 23   | RMS  | Horizontal |           |      |
| 3 | 7128.42 | 52.87  | 43.50 | 9.37  | 68.20  | -15.33 | 300  | 23   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 5928.98 | 65.11  | 55.90 | 9.21  | 68.20  | -3.09  | 264  | 350  | RMS  | Vertical |           |      |
| 2 | 5985.00 | 95.49  | 86.07 | 9.42  | 68.20  | 27.29  | 264  | 350  | RMS  | Vertical |           |      |
| 3 | 7128.42 | 52.91  | 43.54 | 9.37  | 68.20  | -15.29 | 264  | 350  | RMS  | Vertical |           |      |


**802.11be EHT80**

**CH39 (Horizontal) Peak**

**CH39 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5920.80 | 64.84  | 55.63 | 9.21  | 88.20  | -23.36 | 100  | 47   | Peak | Horizontal |           |      |
| 2 * | 6145.00 | 105.10 | 95.22 | 9.88  | 88.20  | 16.90  | 100  | 47   | Peak | Horizontal |           |      |
| 3   | 7244.34 | 64.44  | 54.98 | 9.46  | 88.20  | -23.76 | 100  | 47   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5909.28 | 65.28  | 56.07 | 9.21  | 88.20  | -22.92 | 107  | 353  | Peak | Vertical |           |      |
| 2 * | 6145.00 | 107.41 | 97.53 | 9.88  | 88.20  | 19.21  | 107  | 353  | Peak | Vertical |           |      |
| 3   | 7204.02 | 65.13  | 55.73 | 9.40  | 88.20  | -23.07 | 107  | 353  | Peak | Vertical |           |      |


**802.11be EHT80**

**CH39 (Horizontal) RMS**

**CH39 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5923.32 | 53.68  | 44.47 | 9.21  | 68.20  | -14.52 | 100  | 47   | RMS  | Horizontal |           |      |
| 2 * | 6145.00 | 93.99  | 84.11 | 9.88  | 68.20  | 25.79  | 100  | 47   | RMS  | Horizontal |           |      |
| 3   | 7126.62 | 52.95  | 43.59 | 9.36  | 68.20  | -15.25 | 100  | 47   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5916.84 | 53.88  | 44.67 | 9.21  | 68.20  | -14.32 | 107  | 353  | RMS  | Vertical |           |      |
| 2 * | 6145.00 | 96.09  | 86.21 | 9.88  | 68.20  | 27.89  | 107  | 353  | RMS  | Vertical |           |      |
| 3   | 7151.64 | 52.90  | 43.49 | 9.41  | 68.20  | -15.30 | 107  | 353  | RMS  | Vertical |           |      |


**802.11be EHT80**

**CH87 (Horizontal) Peak**

**CH87 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5885.42 | 63.75  | 54.64 | 9.11  | 88.20  | -24.45 | 108  | 24   | Peak | Horizontal |           |      |
| 2 * | 6385.00 | 104.34 | 94.82 | 9.52  | 88.20  | 16.14  | 108  | 24   | Peak | Horizontal |           |      |
| 3   | 7177.02 | 64.14  | 54.75 | 9.39  | 88.20  | -24.06 | 108  | 24   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5818.02 | 63.95  | 54.84 | 9.11  | 88.20  | -24.25 | 238  | 354  | Peak | Vertical |           |      |
| 2 * | 6385.00 | 108.42 | 98.90 | 9.52  | 88.20  | 20.22  | 238  | 354  | Peak | Vertical |           |      |
| 3   | 7198.80 | 63.58  | 54.20 | 9.38  | 88.20  | -24.62 | 238  | 354  | Peak | Vertical |           |      |


**802.11be EHT80**

**CH87 (Horizontal) RMS**

**CH87 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5775.36 | 52.33  | 43.17 | 9.16  | 68.20  | -15.87 | 108  | 24   | RMS  | Horizontal |           |      |
| 2 * | 6385.00 | 93.88  | 84.36 | 9.52  | 68.20  | 25.68  | 108  | 24   | RMS  | Horizontal |           |      |
| 3   | 7242.98 | 52.93  | 43.47 | 9.46  | 68.20  | -15.27 | 108  | 24   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5727.84 | 52.42  | 43.39 | 9.03  | 68.20  | -15.78 | 238  | 354  | RMS  | Vertical |           |      |
| 2 * | 6385.00 | 97.36  | 87.84 | 9.52  | 68.20  | 29.16  | 238  | 354  | RMS  | Vertical |           |      |
| 3   | 7227.42 | 53.00  | 43.57 | 9.43  | 68.20  | -15.20 | 238  | 354  | RMS  | Vertical |           |      |

**U-NII 6**


**802.11a**

**CH97 (Horizontal) Peak**

**CH97 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5826.84 | 64.42  | 55.70  | 8.72  | 88.20  | -23.78 | 100  | 302  | Peak | Horizontal |           |      |
| 2 * | 6435.00 | 109.09 | 100.14 | 8.95  | 88.20  | 20.89  | 100  | 302  | Peak | Horizontal |           |      |
| 3   | 7211.40 | 63.51  | 54.55  | 8.96  | 88.20  | -24.69 | 100  | 302  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5463.42 | 65.04  | 56.42  | 8.62  | 88.20  | -23.16 | 100  | 352  | Peak | Vertical |           |      |
| 2 * | 6435.00 | 114.03 | 105.08 | 8.95  | 88.20  | 25.83  | 100  | 352  | Peak | Vertical |           |      |
| 3   | 7173.24 | 63.56  | 54.61  | 8.95  | 88.20  | -24.64 | 100  | 352  | Peak | Vertical |           |      |


**802.11a**

**CH97 (Horizontal) RMS**

**CH97 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5460.36 | 52.75  | 44.12 | 8.63  | 68.20  | -15.45 | 100  | 302  | RMS  | Horizontal |           |      |
| 2 * | 6435.00 | 100.28 | 91.34 | 8.94  | 68.20  | 32.08  | 100  | 302  | RMS  | Horizontal |           |      |
| 3   | 7220.58 | 52.13  | 43.19 | 8.94  | 68.20  | -16.07 | 100  | 302  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5461.08 | 52.54  | 43.91 | 8.63  | 68.20  | -15.66 | 100  | 352  | RMS  | Vertical |           |      |
| 2 * | 6435.00 | 105.15 | 96.20 | 8.95  | 68.20  | 36.95  | 100  | 352  | RMS  | Vertical |           |      |
| 3   | 7242.18 | 52.07  | 43.18 | 8.89  | 68.20  | -16.13 | 100  | 352  | RMS  | Vertical |           |      |


**802.11a**

**CH105 (Horizontal) Peak**

**CH105 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5768.88 | 64.91  | 56.26  | 8.65  | 88.20  | -23.29 | 100  | 303  | Peak | Horizontal |           |      |
| 2 * | 6475.00 | 109.01 | 100.00 | 9.01  | 88.20  | 20.81  | 100  | 303  | Peak | Horizontal |           |      |
| 3   | 7193.22 | 64.20  | 55.22  | 8.98  | 88.20  | -24.00 | 100  | 303  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5757.72 | 64.75  | 56.12  | 8.63  | 88.20  | -23.45 | 100  | 352  | Peak | Vertical |           |      |
| 2 * | 6475.00 | 113.36 | 104.36 | 9.00  | 88.20  | 25.16  | 100  | 352  | Peak | Vertical |           |      |
| 3   | 7214.82 | 64.27  | 55.32  | 8.95  | 88.20  | -23.93 | 100  | 352  | Peak | Vertical |           |      |

**802.11a**

**CH105 (Horizontal) RMS**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5472.68 | 52.73  | 44.14 | 8.59  | 68.20  | -15.47 | 100  | 303  | RMS  | Horizontal |           |      |
| 2 * | 6475.00 | 100.40 | 91.39 | 9.01  | 68.20  | 32.20  | 100  | 303  | RMS  | Horizontal |           |      |
| 3   | 7192.32 | 52.28  | 43.31 | 8.97  | 68.20  | -15.92 | 100  | 303  | RMS  | Horizontal |           |      |

**CH105 (Vertical) RMS**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5788.86 | 52.41  | 43.72 | 8.69  | 68.20  | -15.79 | 100  | 352  | RMS  | Vertical |           |      |
| 2 * | 6475.00 | 105.63 | 96.63 | 9.00  | 68.20  | 37.43  | 100  | 352  | RMS  | Vertical |           |      |
| 3   | 7244.34 | 52.23  | 43.35 | 8.88  | 68.20  | -15.97 | 100  | 352  | RMS  | Vertical |           |      |


**802.11a**

**CH113 (Horizontal) Peak**

**CH113 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5870.04 | 64.37  | 55.62  | 8.75  | 88.20  | -23.83 | 100  | 302  | Peak | Horizontal |           |      |
| 2 * | 6515.00 | 109.96 | 100.92 | 9.04  | 88.20  | 21.76  | 100  | 302  | Peak | Horizontal |           |      |
| 3   | 7216.26 | 64.05  | 55.10  | 8.95  | 88.20  | -24.15 | 100  | 302  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5506.44 | 64.35  | 55.85  | 8.50  | 88.20  | -23.85 | 100  | 352  | Peak | Vertical |           |      |
| 2 * | 6515.00 | 114.70 | 105.65 | 9.05  | 88.20  | 26.50  | 100  | 352  | Peak | Vertical |           |      |
| 3   | 7236.24 | 63.03  | 54.13  | 8.90  | 88.20  | -25.17 | 100  | 352  | Peak | Vertical |           |      |

**802.11a**

**CH113 (Horizontal) RMS**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5461.62 | 52.69  | 44.06 | 8.63  | 68.20  | -15.51 | 100  | 302  | RMS  | Horizontal |           |      |
| 2 * | 6515.00 | 100.86 | 91.80 | 9.06  | 68.20  | 32.66  | 100  | 302  | RMS  | Horizontal |           |      |
| 3   | 7229.48 | 52.44  | 43.53 | 8.91  | 68.20  | -15.76 | 100  | 302  | RMS  | Horizontal |           |      |

**CH113 (Vertical) RMS**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5464.14 | 52.69  | 44.06 | 8.63  | 68.20  | -15.51 | 100  | 352  | RMS  | Vertical |           |      |
| 2 * | 6515.00 | 105.90 | 96.85 | 9.05  | 68.20  | 37.70  | 100  | 352  | RMS  | Vertical |           |      |
| 3   | 7239.48 | 52.01  | 43.12 | 8.89  | 68.20  | -16.19 | 100  | 352  | RMS  | Vertical |           |      |

**802.11be EHT20**

**CH97 (Horizontal) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1   | 5864.99 | 63.52  | 54.39  | 9.13  | 88.20  | -24.68 |      | 304  | 180  | Peak   | Horizontal |      |
| 2 * | 6435.00 | 111.67 | 102.19 | 9.48  | 88.20  | 23.47  |      | 304  | 180  | Peak   | Horizontal |      |
| 3   | 7212.93 | 63.28  | 53.89  | 9.39  | 88.20  | -24.92 |      | 304  | 180  | Peak   | Horizontal |      |

**CH97 (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|--------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1   | 5845.23 | 64.13  | 55.03  | 9.10  | 88.20  | -24.07 |      | 219  | 360  | Peak   | Vertical  |      |
| 2 * | 6435.00 | 114.67 | 105.19 | 9.48  | 88.20  | 26.47  |      | 219  | 360  | Peak   | Vertical  |      |
| 3   | 7207.18 | 64.65  | 55.27  | 9.38  | 88.20  | -23.55 |      | 219  | 360  | Peak   | Vertical  |      |


**802.11be EHT20**

**CH97 (Horizontal) RMS**

**CH97 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5913.86 | 51.25  | 42.06 | 9.19  | 68.20  | -16.95 | 304  | 180  | RMS  | Horizontal |           |      |
| 2 * | 6435.00 | 100.36 | 90.88 | 9.48  | 68.20  | 32.16  | 304  | 180  | RMS  | Horizontal |           |      |
| 3   | 7171.96 | 51.89  | 42.51 | 9.38  | 68.20  | -16.31 | 304  | 180  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5888.35 | 51.46  | 42.29 | 9.17  | 68.20  | -16.74 | 219  | 360  | RMS  | Vertical |           |      |
| 2 * | 6435.00 | 103.65 | 94.17 | 9.48  | 68.20  | 35.45  | 219  | 360  | RMS  | Vertical |           |      |
| 3   | 7163.69 | 51.93  | 42.55 | 9.38  | 68.20  | -16.27 | 219  | 360  | RMS  | Vertical |           |      |


**802.11be EHT20**

**CH105 (Horizontal) Peak**

**CH105 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1   | 5821.62 | 63.81  | 54.71  | 9.10  | 88.20  | -24.39 |      | 314  | 162  | Peak   | Horizontal |      |
| 2 * | 6475.00 | 112.79 | 103.27 | 9.52  | 88.20  | 24.59  |      | 314  | 162  | Peak   | Horizontal |      |
| 3   | 7229.40 | 64.30  | 54.89  | 9.41  | 88.20  | -23.90 |      | 314  | 162  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|--------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1   | 5754.48 | 63.39  | 54.19  | 9.20  | 88.20  | -24.81 |      | 243  | 360  | Peak   | Vertical  |      |
| 2 * | 6475.00 | 116.61 | 107.09 | 9.52  | 88.20  | 28.41  |      | 243  | 360  | Peak   | Vertical  |      |
| 3   | 7134.90 | 64.59  | 55.24  | 9.35  | 88.20  | -23.61 |      | 243  | 360  | Peak   | Vertical  |      |

**802.11be EHT20**

**CH105 (Horizontal) RMS**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1   | 5987.66 | 51.45  | 42.25 | 9.20  | 68.20  | -16.75 |      | 314  | 162  | RMS    | Horizontal |      |
| 2 * | 6475.00 | 101.68 | 92.16 | 9.52  | 68.20  | 33.48  |      | 314  | 162  | RMS    | Horizontal |      |
| 3   | 7247.76 | 51.83  | 42.37 | 9.46  | 68.20  | -16.37 |      | 314  | 162  | RMS    | Horizontal |      |

**CH105 (Vertical) RMS**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1   | 5758.70 | 53.27  | 44.06 | 9.21  | 68.20  | -14.93 |      | 243  | 360  | RMS    | Vertical  |      |
| 2 * | 6475.00 | 103.20 | 93.68 | 9.52  | 68.20  | 35.00  |      | 243  | 360  | RMS    | Vertical  |      |
| 3   | 7136.34 | 52.04  | 42.68 | 9.36  | 68.20  | -16.16 |      | 243  | 360  | RMS    | Vertical  |      |


**802.11be EHT20**

**CH113 (Horizontal) Peak**

**CH113 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5752.14 | 65.26  | 56.05  | 9.21  | 88.20  | -22.94 | 354  | 194  | Peak | Horizontal |           |      |
| 2 * | 6515.00 | 114.26 | 104.66 | 9.60  | 88.20  | 26.06  | 354  | 194  | Peak | Horizontal |           |      |
| 3   | 7238.22 | 64.09  | 54.65  | 9.44  | 88.20  | -24.11 | 354  | 194  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5748.18 | 64.53  | 55.33  | 9.20  | 88.20  | -23.67 | 241  | 360  | Peak | Vertical |           |      |
| 2 * | 6515.00 | 114.59 | 104.99 | 9.60  | 88.20  | 26.39  | 241  | 360  | Peak | Vertical |           |      |
| 3   | 7161.72 | 65.04  | 55.66  | 9.38  | 88.20  | -23.16 | 241  | 360  | Peak | Vertical |           |      |


**802.11be EHT20**

**CH113 (Horizontal) RMS**

**CH113 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5737.56 | 53.61  | 44.50 | 9.11  | 68.20  | -14.59 | 354  | 194  | RMS  | Horizontal |           |      |
| 2 * | 6515.00 | 102.73 | 93.13 | 9.60  | 68.20  | 34.53  | 354  | 194  | RMS  | Horizontal |           |      |
| 3   | 7156.32 | 51.89  | 42.51 | 9.38  | 68.20  | -16.31 | 354  | 194  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5917.92 | 51.13  | 41.93 | 9.20  | 68.20  | -17.07 | 241  | 360  | RMS  | Vertical |           |      |
| 2 * | 6515.00 | 103.54 | 93.94 | 9.60  | 68.20  | 35.34  | 241  | 360  | RMS  | Vertical |           |      |
| 3   | 7136.34 | 51.83  | 42.47 | 9.36  | 68.20  | -16.37 | 241  | 360  | RMS  | Vertical |           |      |


**802.11be EHT40**

**CH99 (Horizontal) Peak**

**CH99 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1   | 5731.67 | 63.34  | 54.28  | 9.06  | 88.20  | -24.86 |      | 347  | 194  | Peak   | Horizontal |      |
| 2 * | 6445.00 | 110.69 | 101.21 | 9.48  | 88.20  | 22.49  |      | 347  | 194  | Peak   | Horizontal |      |
| 3   | 7281.07 | 63.76  | 54.39  | 9.37  | 88.20  | -24.44 |      | 347  | 194  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|--------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1   | 5798.51 | 64.32  | 55.22  | 9.10  | 88.20  | -23.88 |      | 227  | 360  | Peak   | Vertical  |      |
| 2 * | 6445.00 | 110.97 | 101.49 | 9.48  | 88.20  | 22.77  |      | 227  | 360  | Peak   | Vertical  |      |
| 3   | 7179.51 | 63.70  | 54.33  | 9.37  | 88.20  | -24.50 |      | 227  | 360  | Peak   | Vertical  |      |


**802.11be EHT40**

**CH99 (Horizontal) RMS**

**CH99 (Vertical) RMS**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|--------|------------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1   | 5882.60 | 52.04  | 42.87 | 9.17  | 68.20  | -16.16 |      | 347  | 194  | RMS    | Horizontal |      |
| 2 * | 6445.00 | 99.56  | 90.08 | 9.48  | 68.20  | 31.36  |      | 347  | 194  | RMS    | Horizontal |      |
| 3   | 7179.51 | 52.66  | 43.29 | 9.37  | 68.20  | -15.54 |      | 347  | 194  | RMS    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1   | 5882.82 | 51.80  | 42.69 | 9.11  | 68.20  | -16.40 |      | 227  | 360  | RMS    | Vertical  |      |
| 2 * | 6445.00 | 100.72 | 91.24 | 9.48  | 68.20  | 32.52  |      | 227  | 360  | RMS    | Vertical  |      |
| 3   | 7147.16 | 52.50  | 43.13 | 9.37  | 68.20  | -15.70 |      | 227  | 360  | RMS    | Vertical  |      |


**802.11be EHT40**

**CH107 (Horizontal) Peak**

**CH107 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 5916.74 | 64.81  | 55.61  | 9.20  | 88.20  | -23.39 | 353  | 166  | Peak | Horizontal |           |      |
| 2 * | 6485.00 | 109.73 | 100.19 | 9.54  | 88.20  | 21.53  | 353  | 166  | Peak | Horizontal |           |      |
| 3   | 7188.85 | 64.78  | 55.41  | 9.37  | 88.20  | -23.42 | 353  | 166  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read   | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|--------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 5758.62 | 64.27  | 55.09  | 9.18  | 88.20  | -23.93 | 224  | 360  | Peak | Vertical |           |      |
| 2 * | 6485.00 | 111.04 | 101.50 | 9.54  | 88.20  | 22.84  | 224  | 360  | Peak | Vertical |           |      |
| 3   | 7207.18 | 64.00  | 54.62  | 9.38  | 88.20  | -24.20 | 224  | 360  | Peak | Vertical |           |      |