


802.11be EHT40

CH107 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5988.83	51.97	42.77	9.20	68.20	-16.23		353	166	RMS	Horizontal	
2 *	6485.00	98.35	88.81	9.54	68.20	30.15		353	166	RMS	Horizontal	
3	7159.74	52.60	43.22	9.38	68.20	-15.60		353	166	RMS	Horizontal	

CH107 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5919.97	51.77	42.57	9.20	68.20	-16.43		224	360	RMS	Vertical	
2 *	6485.00	101.08	91.54	9.54	68.20	32.88		224	360	RMS	Vertical	
3	7146.09	52.33	42.96	9.37	68.20	-15.87		224	360	RMS	Vertical	

802.11be EHT40

CH115 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5887.63	63.93	54.76	9.17	88.20	-24.27		310	181	Peak	Horizontal	
2 *	6525.00	109.12	99.51	9.61	88.20	20.92		310	181	Peak	Horizontal	
3	7237.00	65.17	55.74	9.43	88.20	-23.03		310	181	Peak	Horizontal	

CH115 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5721.61	64.87	55.89	8.98	88.20	-23.33		230	360	Peak	Vertical	
2 *	6525.00	113.32	103.71	9.61	88.20	25.12		230	360	Peak	Vertical	
3	7151.12	65.51	56.12	9.39	88.20	-22.69		230	360	Peak	Vertical	

802.11be EHT40

CH115 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5776.59	52.14	42.98	9.16	68.20	-16.06		310	181	RMS	Horizontal	
2 *	6525.00	99.51	89.90	9.61	68.20	31.31		310	181	RMS	Horizontal	
3	7141.05	52.82	43.45	9.37	68.20	-15.38		310	181	RMS	Horizontal	

CH115 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5778.84	52.11	42.95	9.16	68.20	-16.09		230	360	RMS	Vertical	
2 *	6525.00	100.92	91.31	9.61	68.20	32.72		230	360	RMS	Vertical	
3	7226.22	52.62	43.21	9.41	68.20	-15.58		230	360	RMS	Vertical	


802.11be EHT80

CH103 (Horizontal) Peak

CH103 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5779.14	64.15	54.99	9.16	88.20	-24.05		225	21	Peak	Horizontal	
2 *	6465.00	106.73	97.20	9.53	88.20	18.53		225	21	Peak	Horizontal	
3	7240.20	65.45	56.00	9.45	88.20	-22.75		225	21	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5861.40	63.97	54.84	9.13	88.20	-24.23		100	347	Peak	Vertical	
2 *	6465.00	108.00	98.47	9.53	88.20	19.80		100	347	Peak	Vertical	
3	7163.52	63.82	54.42	9.40	88.20	-24.38		100	347	Peak	Vertical	


802.11be EHT80

CH103 (Horizontal) RMS

CH103 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5769.06	52.32	43.15	9.17	68.20	-15.88		225	21	RMS	Horizontal	
2 *	6465.00	95.06	85.53	9.53	68.20	26.86		225	21	RMS	Horizontal	
3	7150.38	52.75	43.34	9.41	68.20	-15.45		225	21	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5908.38	52.18	42.97	9.21	68.20	-16.02		100	347	RMS	Vertical	
2 *	6465.00	97.42	87.89	9.53	68.20	29.22		100	347	RMS	Vertical	
3	7235.88	53.14	43.70	9.44	68.20	-15.06		100	347	RMS	Vertical	


802.11be EHT80

CH119 (Horizontal) Peak

CH119 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5913.60	64.62	55.41	9.21	88.20	-23.58	234	16	Peak	Horizontal		
2 *	6545.00	106.37	96.69	9.68	88.20	18.17	234	16	Peak	Horizontal		
3	7176.12	65.59	56.20	9.39	88.20	-22.61	234	16	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5787.06	64.57	55.43	9.14	88.20	-23.63	100	346	Peak	Vertical		
2 *	6545.00	108.96	99.28	9.68	88.20	20.76	100	346	Peak	Vertical		
3	7190.88	64.76	55.37	9.39	88.20	-23.44	100	346	Peak	Vertical		


802.11be EHT80

CH119 (Horizontal) RMS

CH119 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5924.94	52.40	43.19	9.21	68.20	-15.80		234	16	RMS	Horizontal	
2 *	6545.00	94.09	84.42	9.67	68.20	25.89		234	16	RMS	Horizontal	
3	7175.40	52.71	43.31	9.40	68.20	-15.49		234	16	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5792.64	52.44	43.32	9.12	68.20	-15.76		100	346	RMS	Vertical	
2 *	6545.00	97.81	88.14	9.67	68.20	29.61		100	346	RMS	Vertical	
3	7142.64	52.96	43.56	9.40	68.20	-15.24		100	346	RMS	Vertical	

U-NII 7


802.11a

CH117 (Horizontal) Peak

CH117 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5560.44	64.58	56.16	8.42	88.20	-23.62	100	302	Peak	Horizontal		
2 *	6535.00	109.98	100.85	9.13	88.20	21.78	100	302	Peak	Horizontal		
3	7241.64	63.77	54.88	8.89	88.20	-24.43	100	302	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5731.80	64.27	55.80	8.47	88.20	-23.93	100	352	Peak	Vertical		
2 *	6535.00	114.45	105.33	9.12	88.20	26.25	100	352	Peak	Vertical		
3	7169.28	64.06	55.12	8.94	88.20	-24.14	100	352	Peak	Vertical		

802.11a

CH117 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5791.02	52.77	44.07	8.70	68.20	-15.43	100	302	RMS	Horizontal		
2 *	6535.00	101.84	92.71	9.13	68.20	33.64	100	302	RMS	Horizontal		
3	7233.72	52.24	43.34	8.90	68.20	-15.96	100	302	RMS	Horizontal		

CH117 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5478.36	52.58	44.00	8.58	68.20	-15.62	100	352	RMS	Vertical		
2 *	6535.00	105.66	96.53	9.13	68.20	37.46	100	352	RMS	Vertical		
3	7243.98	52.08	43.20	8.88	68.20	-16.12	100	352	RMS	Vertical		


802.11a

CH149 (Horizontal) Peak

CH149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5881.10	64.01	55.30	8.71	88.20	-24.19	100	299	Peak	Horizontal		
2 *	6695.00	107.74	98.97	8.77	88.20	19.54	100	299	Peak	Horizontal		
3	7193.76	63.88	54.90	8.98	88.20	-24.32	100	299	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5519.94	64.66	56.19	8.47	88.20	-23.54	100	359	Peak	Vertical		
2 *	6695.00	111.14	102.36	8.78	88.20	22.94	100	359	Peak	Vertical		
3	7148.22	63.65	54.75	8.90	88.20	-24.55	100	359	Peak	Vertical		

802.11a

CH149 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5881.28	52.56	43.84	8.72	68.20	-15.64	100	299	RMS	Horizontal		
2 *	6695.00	99.53	90.76	8.77	68.20	31.33	100	299	RMS	Horizontal		
3	7238.58	52.12	43.22	8.90	68.20	-16.08	100	299	RMS	Horizontal		

CH149 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5474.04	52.76	44.17	8.59	68.20	-15.44	100	359	RMS	Vertical		
2 *	6695.00	102.46	93.68	8.78	68.20	34.26	100	359	RMS	Vertical		
3	7188.62	52.13	43.18	8.95	68.20	-16.07	100	359	RMS	Vertical		


802.11a

CH181 (Horizontal) Peak

CH181 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5832.78	65.08	56.37	8.71	88.20	-23.12	100	342	Peak	Horizontal		
2 *	6855.00	105.44	96.35	9.09	88.20	17.24	100	342	Peak	Horizontal		
3	7187.64	65.28	56.31	8.97	88.20	-22.92	100	342	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5564.58	64.81	56.39	8.42	88.20	-23.39	100	360	Peak	Vertical		
2 *	6855.00	109.68	100.59	9.09	88.20	21.48	100	360	Peak	Vertical		
3	7221.48	64.41	55.47	8.94	88.20	-23.79	100	360	Peak	Vertical		

802.11a

CH181 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5467.92	52.71	44.10	8.61	68.20	-15.49	100	342	RMS	Horizontal		
2 *	6855.00	97.24	88.15	9.09	68.20	29.04	100	342	RMS	Horizontal		
3	7229.94	52.20	43.29	8.91	68.20	-16.00	100	342	RMS	Horizontal		

CH181 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5464.86	52.72	44.10	8.62	68.20	-15.48	100	360	RMS	Vertical		
2 *	6855.00	101.11	92.02	9.09	68.20	32.91	100	360	RMS	Vertical		
3	7205.64	52.12	43.14	8.98	68.20	-16.08	100	360	RMS	Vertical		

802.11a

CH185 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5761.86	63.99	55.36	8.63	88.20	-24.21	100	297	Peak	Horizontal		
2 *	6875.00	104.21	95.16	9.05	88.20	16.01	100	297	Peak	Horizontal		
3	7190.70	62.88	53.91	8.97	88.20	-25.32	100	297	Peak	Horizontal		

CH185 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5489.70	64.71	56.16	8.55	88.20	-23.49	100	360	Peak	Vertical		
2 *	6875.00	109.70	100.65	9.05	88.20	21.50	100	360	Peak	Vertical		
3	7177.02	63.79	54.85	8.94	88.20	-24.41	100	360	Peak	Vertical		

802.11a

CH185 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5463.06	52.43	43.81	8.62	68.20	-15.77		100	297	RMS	Horizontal	
2 *	6875.00	96.40	87.35	9.05	68.20	28.20		100	297	RMS	Horizontal	
3	7226.16	51.80	42.87	8.93	68.20	-16.40		100	297	RMS	Horizontal	

CH185 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5471.70	52.12	43.52	8.60	68.20	-16.08		100	360	RMS	Vertical	
2 *	6875.00	100.41	91.36	9.05	68.20	32.21		100	360	RMS	Vertical	
3	7248.84	51.75	42.88	8.87	68.20	-16.45		100	360	RMS	Vertical	


802.11be EHT20

CH117 (Horizontal) Peak

CH117 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5523.36	63.73	54.70	9.03	88.20	-24.47		351	194	Peak	Horizontal	
2 *	6535.00	112.02	102.38	9.64	88.20	23.82		351	194	Peak	Horizontal	
3	7181.88	64.58	55.21	9.37	88.20	-23.62		351	194	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5487.72	63.84	54.75	9.09	88.20	-24.36		222	360	Peak	Vertical	
2 *	6535.00	114.04	104.40	9.64	88.20	25.84		222	360	Peak	Vertical	
3	7144.62	63.53	54.16	9.37	88.20	-24.67		222	360	Peak	Vertical	


802.11be EHT20

CH117 (Horizontal) RMS

CH117 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5737.92	53.67	44.56	9.11	68.20	-14.53	351	194	RMS	Horizontal		
2 *	6535.00	102.62	92.98	9.64	68.20	34.42	351	194	RMS	Horizontal		
3	7243.26	51.89	42.45	9.44	68.20	-16.31	351	194	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5901.90	51.13	41.94	9.19	68.20	-17.07	222	360	RMS	Vertical		
2 *	6535.00	104.42	94.78	9.64	68.20	36.22	222	360	RMS	Vertical		
3	7236.42	51.64	42.21	9.43	68.20	-16.56	222	360	RMS	Vertical		

802.11be EHT20

CH149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5872.74	63.35	54.20	9.15	88.20	-24.85		351	197	Peak	Horizontal	
2 *	6695.00	111.79	102.65	9.14	88.20	23.59		351	197	Peak	Horizontal	
3	7189.26	63.72	54.35	9.37	88.20	-24.48		351	197	Peak	Horizontal	

CH149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5862.48	64.37	55.25	9.12	88.20	-23.83		269	360	Peak	Vertical	
2 *	6695.00	112.22	103.08	9.14	88.20	24.02		269	360	Peak	Vertical	
3	7165.14	64.49	55.12	9.37	88.20	-23.71		269	360	Peak	Vertical	


802.11be EHT20

CH149 (Horizontal) RMS

CH149 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5901.72	51.19	42.00	9.19	68.20	-17.01		351	197	RMS	Horizontal	
2 *	6695.00	100.70	91.56	9.14	68.20	32.50		351	197	RMS	Horizontal	
3	7170.90	51.99	42.61	9.38	68.20	-16.21		351	197	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5921.16	51.23	42.03	9.20	68.20	-16.97		269	360	RMS	Vertical	
2 *	6695.00	101.86	92.72	9.14	68.20	33.66		269	360	RMS	Vertical	
3	7145.16	51.83	42.46	9.37	68.20	-16.37		269	360	RMS	Vertical	


802.11be EHT20

CH181 (Horizontal) Peak

CH181 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5817.48	63.95	54.85	9.10	88.20	-24.25	344	191	Peak	Horizontal		
2 *	6855.00	106.20	96.81	9.39	88.20	18.00	344	191	Peak	Horizontal		
3	7131.48	63.76	54.41	9.35	88.20	-24.44	344	191	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5793.72	64.48	55.37	9.11	88.20	-23.72	300	360	Peak	Vertical		
2 *	6855.00	112.04	102.65	9.39	88.20	23.84	300	360	Peak	Vertical		
3	7236.24	64.39	54.96	9.43	88.20	-23.81	300	360	Peak	Vertical		


802.11be EHT20

CH181 (Horizontal) RMS

CH181 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5920.98	51.20	42.00	9.20	68.20	-17.00		344	191	RMS	Horizontal	
2 *	6855.00	97.43	88.04	9.39	68.20	29.23		344	191	RMS	Horizontal	
3	7150.20	51.95	42.57	9.38	68.20	-16.25		344	191	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5905.32	51.55	42.35	9.20	68.20	-16.65		300	360	RMS	Vertical	
2 *	6855.00	100.20	90.81	9.39	68.20	32.00		300	360	RMS	Vertical	
3	7133.28	52.10	42.75	9.35	68.20	-16.10		300	360	RMS	Vertical	


802.11be EHT20

CH185 (Horizontal) Peak

CH185 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5716.32	64.02	55.08	8.94	88.20	-24.18	230	30	Peak	Horizontal		
2 *	6875.00	107.81	98.39	9.42	88.20	19.61	230	30	Peak	Horizontal		
3	7186.38	64.17	54.80	9.37	88.20	-24.03	230	30	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5928.80	63.95	54.75	9.20	88.20	-24.25	299	360	Peak	Vertical		
2 *	6875.00	110.08	100.66	9.42	88.20	21.88	299	360	Peak	Vertical		
3	7238.48	64.26	54.84	9.42	88.20	-23.94	299	360	Peak	Vertical		


802.11be EHT20

CH185 (Horizontal) RMS

CH185 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5908.56	51.34	42.14	9.20	68.20	-16.86	230	30	RMS	Horizontal		
2 *	6875.00	96.39	86.97	9.42	68.20	28.19	230	30	RMS	Horizontal		
3	7180.26	51.95	42.58	9.37	68.20	-16.25	230	30	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5912.34	51.25	42.06	9.19	68.20	-16.95	299	360	RMS	Vertical		
2 *	6875.00	99.21	89.79	9.42	68.20	31.01	299	360	RMS	Vertical		
3	7157.94	51.97	42.59	9.38	68.20	-16.23	299	360	RMS	Vertical		

802.11be EHT40

CH123 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5923.32	64.16	54.95	9.21	88.20	-24.04		320	192	Peak	Horizontal	
2 *	6565.00	112.41	102.85	9.56	88.20	24.21		320	192	Peak	Horizontal	
3	7146.60	63.97	54.58	9.39	88.20	-24.23		320	192	Peak	Horizontal	

CH123 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5688.60	63.75	54.94	8.81	88.20	-24.45		230	360	Peak	Vertical	
2 *	6565.00	111.22	101.66	9.56	88.20	23.02		230	360	Peak	Vertical	
3	7186.56	63.67	54.28	9.39	88.20	-24.53		230	360	Peak	Vertical	


802.11be EHT40

CH123 (Horizontal) RMS

CH123 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5883.88	51.98	42.87	9.11	68.20	-16.22		320	192	RMS	Horizontal	
2 *	6565.00	99.86	90.30	9.56	68.20	31.66		320	192	RMS	Horizontal	
3	7163.70	52.54	43.14	9.40	68.20	-15.66		320	192	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5911.62	51.91	42.70	9.21	68.20	-16.29		230	360	RMS	Vertical	
2 *	6565.00	101.07	91.51	9.56	68.20	32.87		230	360	RMS	Vertical	
3	7237.68	52.56	43.10	9.46	68.20	-15.64		230	360	RMS	Vertical	


802.11be EHT40

CH155 (Horizontal) Peak

CH155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5733.06	63.99	54.92	9.07	88.20	-24.21	347	193	Peak	Horizontal		
2 *	6725.00	108.58	99.29	9.29	88.20	20.38	347	193	Peak	Horizontal		
3	7128.06	64.24	54.87	9.37	88.20	-23.96	347	193	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5563.86	64.01	55.12	8.89	88.20	-24.19	238	360	Peak	Vertical		
2 *	6725.00	108.65	99.36	9.29	88.20	20.45	238	360	Peak	Vertical		
3	7138.86	64.09	54.70	9.39	88.20	-24.11	238	360	Peak	Vertical		


802.11be EHT40

CH155 (Horizontal) RMS

CH155 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5921.70	51.92	42.70	9.22	68.20	-16.28		347	193	RMS	Horizontal	
2 *	6725.00	97.46	88.17	9.29	68.20	29.26		347	193	RMS	Horizontal	
3	7231.20	52.42	42.99	9.43	68.20	-15.78		347	193	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5841.60	51.87	42.76	9.11	68.20	-16.33		238	360	RMS	Vertical	
2 *	6725.00	98.06	88.77	9.29	68.20	29.86		238	360	RMS	Vertical	
3	7178.90	52.45	43.05	9.40	68.20	-15.75		238	360	RMS	Vertical	


802.11be EHT40

CH179 (Horizontal) Peak

CH179 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5854.38	64.08	54.96	9.12	88.20	-24.12	334	191	Peak	Horizontal		
2 *	6845.00	107.07	97.66	9.41	88.20	18.87	334	191	Peak	Horizontal		
3	7125.90	65.36	56.00	9.36	88.20	-22.84	334	191	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5772.30	63.82	54.65	9.17	88.20	-24.38	302	357	Peak	Vertical		
2 *	6845.00	108.56	99.15	9.41	88.20	20.36	302	357	Peak	Vertical		
3	7151.82	64.59	55.18	9.41	88.20	-23.61	302	357	Peak	Vertical		

802.11be EHT40

CH179 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5883.00	52.01	42.83	9.18	68.20	-16.19		334	191	RMS	Horizontal	
2 *	6845.00	95.97	86.56	9.41	68.20	27.77		334	191	RMS	Horizontal	
3	7132.02	52.51	43.13	9.38	68.20	-15.69		334	191	RMS	Horizontal	

CH179 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5909.82	51.94	42.72	9.22	68.20	-16.26		302	357	RMS	Vertical	
2 *	6845.00	97.55	88.14	9.41	68.20	29.35		302	357	RMS	Vertical	
3	7144.44	52.56	43.17	9.39	68.20	-15.64		302	357	RMS	Vertical	


802.11be EHT40

CH187 (Horizontal) Peak

CH187 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5766.54	64.31	55.12	9.19	88.20	-23.89	100	360	Peak	Horizontal		
2 *	6885.00	103.96	94.49	9.47	88.20	15.76	100	360	Peak	Horizontal		
3	7211.40	63.83	54.43	9.40	88.20	-24.37	100	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5765.10	64.22	55.03	9.19	88.20	-23.98	100	20	Peak	Vertical		
2 *	6885.00	109.09	99.62	9.47	88.20	20.89	100	20	Peak	Vertical		
3	7166.94	64.85	55.45	9.40	88.20	-23.35	100	20	Peak	Vertical		


802.11be EHT40

CH187 (Horizontal) RMS

CH187 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5772.48	52.10	42.93	9.17	68.20	-16.10	100	360	RMS	Horizontal		
2 *	6885.00	93.50	84.04	9.46	68.20	25.30	100	360	RMS	Horizontal		
3	7228.32	52.77	43.33	9.44	68.20	-15.43	100	360	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5899.38	51.88	42.67	9.21	68.20	-16.32	100	20	RMS	Vertical		
2 *	6885.00	97.60	88.14	9.46	68.20	29.40	100	20	RMS	Vertical		
3	7149.48	52.56	43.15	9.41	68.20	-15.64	100	20	RMS	Vertical		

802.11be EHT80

CH135 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5921.16	63.64	54.43	9.21	88.20	-24.56	353	187	Peak	Horizontal		
2 *	6625.00	105.27	95.95	9.32	88.20	17.07	353	187	Peak	Horizontal		
3	7153.62	65.05	55.64	9.41	88.20	-23.15	353	187	Peak	Horizontal		

CH135 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5778.60	64.72	55.56	9.16	88.20	-23.48	100	360	Peak	Vertical		
2 *	6625.00	108.76	99.44	9.32	88.20	20.56	100	360	Peak	Vertical		
3	7188.54	65.22	55.83	9.39	88.20	-22.98	100	360	Peak	Vertical		


802.11be EHT80

CH135 (Horizontal) RMS

CH135 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5884.52	52.05	42.94	9.11	68.20	-16.15		353	187	RMS	Horizontal	
2 *	6625.00	95.29	85.97	9.32	68.20	27.09		353	187	RMS	Horizontal	
3	7224.18	52.46	43.03	9.43	68.20	-15.74		353	187	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5849.70	52.37	43.25	9.12	68.20	-15.83		100	360	RMS	Vertical	
2 *	6625.00	97.54	88.22	9.32	68.20	29.34		100	360	RMS	Vertical	
3	7141.92	52.78	43.39	9.39	68.20	-15.42		100	360	RMS	Vertical	

802.11be EHT80

CH151 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5910.18	64.17	54.95	9.22	88.20	-24.03		352	191	Peak	Horizontal	
2 *	6785.00	104.95	95.79	9.16	88.20	16.75		352	191	Peak	Horizontal	
3	7286.00	64.26	54.86	9.40	88.20	-23.94		352	191	Peak	Horizontal	

CH151 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5887.50	64.14	54.96	9.18	88.20	-24.06		279	360	Peak	Vertical	
2 *	6785.00	107.11	97.95	9.16	88.20	18.91		279	360	Peak	Vertical	
3	7163.52	65.09	55.69	9.40	88.20	-23.11		279	360	Peak	Vertical	


802.11be EHT80

CH151 (Horizontal) RMS

CH151 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5768.88	52.12	42.95	9.17	68.20	-16.08		352	191	RMS	Horizontal	
2 *	6705.00	94.96	85.80	9.16	68.20	26.76		352	191	RMS	Horizontal	
3	7220.76	52.66	43.24	9.42	68.20	-15.54		352	191	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5793.18	52.65	43.53	9.12	68.20	-15.55		279	360	RMS	Vertical	
2 *	6705.00	95.72	86.56	9.16	68.20	27.52		279	360	RMS	Vertical	
3	7174.50	52.66	43.26	9.40	68.20	-15.54		279	360	RMS	Vertical	


802.11be EHT80

CH167 (Horizontal) Peak

CH167 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5782.20	64.13	54.98	9.15	88.20	-24.07		355	192	Peak	Horizontal	
2 *	6785.00	102.69	93.20	9.49	88.20	14.49		355	192	Peak	Horizontal	
3	7243.44	64.24	54.78	9.46	88.20	-23.96		355	192	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5798.30	63.08	53.94	9.14	88.20	-25.12		296	357	Peak	Vertical	
2 *	6785.00	106.20	96.71	9.49	88.20	18.00		296	357	Peak	Vertical	
3	7130.04	63.43	54.06	9.37	88.20	-24.77		296	357	Peak	Vertical	

802.11be EHT80

CH167 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5819.28	52.21	43.10	9.11	68.20	-15.99		355	192	RMS	Horizontal	
2 *	6785.00	93.36	83.87	9.49	68.20	25.16		355	192	RMS	Horizontal	
3	7155.78	52.37	42.97	9.40	68.20	-15.83		355	192	RMS	Horizontal	

CH167 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5766.90	51.90	42.71	9.19	68.20	-16.30		296	357	RMS	Vertical	
2 *	6785.00	95.28	85.79	9.49	68.20	27.08		296	357	RMS	Vertical	
3	7211.94	52.42	43.02	9.40	68.20	-15.78		296	357	RMS	Vertical	


802.11be EHT80

CH183 (Horizontal) Peak

CH183 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5900.46	63.19	53.98	9.21	88.20	-25.01	335	193	Peak	Horizontal		
2 *	6865.00	101.97	92.55	9.42	88.20	13.77	335	193	Peak	Horizontal		
3	7191.06	63.53	54.14	9.39	88.20	-24.67	335	193	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5915.22	63.35	54.14	9.21	88.20	-24.85	100	360	Peak	Vertical		
2 *	6865.00	104.01	94.59	9.42	88.20	15.81	100	360	Peak	Vertical		
3	7197.36	63.80	54.42	9.38	88.20	-24.40	100	360	Peak	Vertical		

802.11be EHT80

CH183 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5843.76	52.12	43.01	9.11	68.20	-16.08		335	193	RMS	Horizontal	
2 *	6865.00	92.67	83.25	9.42	68.20	24.47		335	193	RMS	Horizontal	
3	7239.48	52.64	43.19	9.45	68.20	-15.56		335	193	RMS	Horizontal	

CH183 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5766.90	52.08	42.89	9.19	68.20	-16.12		100	360	RMS	Vertical	
2 *	6865.00	93.13	83.71	9.42	68.20	24.93		100	360	RMS	Vertical	
3	7161.00	52.72	43.32	9.40	68.20	-15.48		100	360	RMS	Vertical	