

U-NII 8


802.11a

CH189 (Horizontal) Peak

CH189 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5794.26	65.05	56.35	8.70	88.20	-23.15	102	340	Peak	Horizontal		
2 *	6895.00	105.33	96.33	9.00	88.20	17.13	102	340	Peak	Horizontal		
3	7245.24	64.50	55.62	8.88	88.20	-23.70	102	340	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5870.22	63.78	55.03	8.75	88.20	-24.42	100	353	Peak	Vertical		
2 *	6895.00	108.90	99.89	9.01	88.20	20.70	100	353	Peak	Vertical		
3	7138.14	63.56	54.63	8.93	88.20	-24.64	100	353	Peak	Vertical		

802.11a

CH189 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5463.68	52.48	43.86	8.62	68.20	-15.72	102	340	RMS	Horizontal		
2 *	6895.00	96.42	87.43	8.99	68.20	28.22	102	340	RMS	Horizontal		
3	7232.82	51.89	42.99	8.90	68.20	-16.31	102	340	RMS	Horizontal		

CH189 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5793.72	52.15	43.45	8.70	68.20	-16.05	100	353	RMS	Vertical		
2 *	6895.00	100.68	91.69	8.99	68.20	32.48	100	353	RMS	Vertical		
3	7208.52	51.89	42.93	8.96	68.20	-16.31	100	353	RMS	Vertical		


802.11a

CH209 (Horizontal) Peak

CH209 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5780.40	65.02	56.35	8.67	88.20	-23.18	100	336	Peak	Horizontal		
2 *	6995.00	104.10	95.13	8.97	88.20	15.90	100	336	Peak	Horizontal		
3	7225.98	63.13	54.20	8.93	88.20	-25.07	100	336	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5876.16	64.21	55.45	8.76	88.20	-23.99	100	349	Peak	Vertical		
2 *	6995.00	109.07	100.10	8.97	88.20	20.87	100	349	Peak	Vertical		
3	7225.08	63.54	54.61	8.93	88.20	-24.66	100	349	Peak	Vertical		

802.11a

CH209 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5476.92	52.49	43.90	8.59	68.20	-15.71	100	336	RMS	Horizontal		
2 *	6995.00	95.56	86.59	8.97	68.20	27.36	100	336	RMS	Horizontal		
3	7284.56	51.89	42.91	8.98	68.20	-16.31	100	336	RMS	Horizontal		

CH209 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5757.00	51.95	43.33	8.62	68.20	-16.25	100	349	RMS	Vertical		
2 *	6995.00	100.00	91.03	8.97	68.20	31.80	100	349	RMS	Vertical		
3	7239.66	51.77	42.88	8.89	68.20	-16.43	100	349	RMS	Vertical		


802.11a

CH233 (Horizontal) Peak

CH233 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5484.66	63.98	55.42	8.56	88.20	-24.22	100	327	Peak	Horizontal		
2 *	7115.00	99.74	90.76	8.98	88.20	11.54	100	327	Peak	Horizontal		
3	7125.00	78.46	69.50	8.96	88.20	-9.74	100	327	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5917.38	63.84	55.10	8.74	88.20	-24.36	100	342	Peak	Vertical		
2 *	7115.00	103.50	94.50	9.00	88.20	15.30	100	342	Peak	Vertical		
3 !	7125.00	83.22	74.26	8.96	88.20	-4.98	100	342	Peak	Vertical		


802.11a

CH233 (Horizontal) RMS

CH233 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5476.56	52.65	44.06	8.59	68.20	-15.55	100	327	RMS	Horizontal		
2 *	7115.00	90.68	81.70	8.98	68.20	22.48	100	327	RMS	Horizontal		
3	7125.00	60.13	51.17	8.96	68.20	-8.07	100	327	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5461.80	51.98	43.35	8.63	68.20	-16.22	100	342	RMS	Vertical		
2 *	7115.00	95.76	86.77	8.99	68.20	27.56	100	342	RMS	Vertical		
3	7125.00	62.07	53.11	8.96	68.20	-6.13	100	342	RMS	Vertical		


802.11be EHT20

CH189 (Horizontal) Peak

CH189 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5858.70	63.90	54.78	9.12	88.20	-24.30	110	57	Peak	Horizontal		
2 *	6895.00	106.80	97.36	9.44	88.20	18.60	110	57	Peak	Horizontal		
3	7164.96	64.53	55.16	9.37	88.20	-23.07	110	57	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5756.28	64.05	54.86	9.19	88.20	-24.15	100	4	Peak	Vertical		
2 *	6895.00	110.46	101.02	9.44	88.20	22.26	100	4	Peak	Vertical		
3	7178.00	63.65	54.27	9.38	88.20	-24.55	100	4	Peak	Vertical		

802.11be EHT20

CH189 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5922.78	51.16	41.97	9.19	68.20	-17.04		110	57	RMS	Horizontal	
2 *	6895.00	96.30	86.86	9.44	68.20	28.10		110	57	RMS	Horizontal	
3	7213.92	51.93	42.54	9.39	68.20	-16.27		110	57	RMS	Horizontal	

CH189 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5924.58	51.31	42.12	9.19	68.20	-16.89		100	4	RMS	Vertical	
2 *	6895.00	100.37	90.93	9.44	68.20	32.17		100	4	RMS	Vertical	
3	7146.24	52.00	42.63	9.37	68.20	-16.20		100	4	RMS	Vertical	


802.11be EHT20

CH209 (Horizontal) Peak

CH209 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5775.72	63.74	54.58	9.16	88.20	-24.46	100	34	Peak	Horizontal		
2 *	6995.00	105.85	96.32	9.53	88.20	17.65	100	34	Peak	Horizontal		
3	7154.70	64.68	55.30	9.38	88.20	-23.52	100	34	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5690.40	63.54	54.73	8.81	88.20	-24.66	100	352	Peak	Horizontal		
2 *	6995.00	109.03	99.50	9.53	88.20	20.83	100	352	Peak	Horizontal		
3	7191.24	63.89	54.52	9.37	88.20	-24.31	100	352	Peak	Horizontal		


802.11be EHT20

CH209 (Horizontal) RMS

CH209 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5987.84	51.31	42.11	9.20	68.20	-16.89	100	34	RMS	Horizontal		
2 *	6995.00	94.64	85.11	9.53	68.20	26.44	100	34	RMS	Horizontal		
3	7222.92	51.94	42.53	9.41	68.20	-16.26	100	34	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5921.52	51.46	42.26	9.20	68.20	-16.74	100	352	RMS	Horizontal		
2 *	6995.00	98.66	89.13	9.53	68.20	30.46	100	352	RMS	Horizontal		
3	7182.60	52.05	42.67	9.38	68.20	-16.15	100	352	RMS	Horizontal		


802.11be EHT20

CH233 (Horizontal) Peak

CH233 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5846.10	63.80	54.70	9.10	88.20	-24.40	100	64	Peak	Horizontal		
2 *	7115.00	103.88	94.56	9.32	88.20	15.68	100	64	Peak	Horizontal		
3	7125.00	76.05	66.71	9.34	88.20	-12.15	100	64	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5889.12	51.26	42.09	9.17	68.20	-16.94	100	9	RMS	Vertical		
2 *	7115.00	96.10	86.78	9.32	88.20	7.90	100	9	RMS	Vertical		
3 !	7125.00	67.27	57.93	9.34	68.20	-0.93	100	9	RMS	Vertical		

802.11be EHT20

CH233 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5924.76	51.37	42.18	9.19	68.20	-16.83	100	64	RMS	Horizontal		
2 *	7115.00	91.27	81.95	9.32	68.20	23.07	100	64	RMS	Horizontal		
3 !	7125.00	64.52	55.18	9.34	68.20	-3.68	100	64	RMS	Horizontal		

CH233 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5889.12	51.26	42.09	9.17	68.20	-16.94	100	9	RMS	Vertical		
2 *	7115.00	96.10	86.78	9.32	68.20	27.90	100	9	RMS	Vertical		
3 !	7125.00	67.27	57.93	9.34	68.20	-0.93	100	9	RMS	Vertical		


802.11be EHT40

CH195 (Horizontal) Peak

CH195 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5713.44	64.05	55.13	8.92	88.20	-24.15	340	360	Peak	Horizontal		
2 *	6925.00	103.37	93.91	9.46	88.20	15.17	340	360	Peak	Horizontal		
3	7197.72	64.15	54.79	9.36	88.20	-24.05	340	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5764.92	64.03	54.85	9.18	88.20	-24.17	100	342	Peak	Vertical		
2 *	6925.00	107.76	98.30	9.46	88.20	19.56	100	342	Peak	Vertical		
3	7129.68	64.61	55.26	9.35	88.20	-23.59	100	342	Peak	Vertical		

802.11be EHT40

CH195 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH195 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT40

CH211 (Horizontal) Peak

CH211 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5792.28	64.05	54.93	9.12	88.20	-24.15	111	59	Peak	Horizontal		
2 *	7005.00	105.03	95.53	9.50	88.20	16.83	111	59	Peak	Horizontal		
3	7125.00	64.01	54.67	9.34	88.20	-24.19	111	59	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5695.98	63.66	54.84	8.82	88.20	-24.54	100	352	Peak	Vertical		
2 *	7005.00	107.59	98.09	9.50	88.20	19.39	100	352	Peak	Vertical		
3	7232.46	63.99	54.57	9.42	88.20	-24.21	100	352	Peak	Vertical		


802.11be EHT40

CH211 (Horizontal) RMS

CH211 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5793.36	51.89	42.78	9.11	68.20	-16.31	111	59	RMS	Horizontal		
2 *	7085.00	93.21	83.71	9.50	68.20	25.01	111	59	RMS	Horizontal		
3	7148.58	52.80	43.42	9.38	68.20	-15.40	111	59	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5907.84	51.98	42.78	9.20	68.20	-16.22	100	352	RMS	Vertical		
2 *	7085.00	97.24	87.74	9.50	68.20	29.04	100	352	RMS	Vertical		
3	7125.00	52.95	43.61	9.34	68.20	-15.25	100	352	RMS	Vertical		


802.11be EHT40

CH227 (Horizontal) Peak

CH227 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5704.44	63.89	55.04	8.85	88.20	-24.31	101	64	Peak	Horizontal		
2 *	7085.00	102.82	93.52	9.30	88.20	14.62	101	64	Peak	Horizontal		
3	7125.36	72.20	62.84	9.36	88.20	-16.00	101	64	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5728.92	63.81	54.76	9.05	88.20	-24.39	100	11	Peak	Vertical		
2 *	7085.00	107.37	98.07	9.30	88.20	19.17	100	11	Peak	Vertical		
3	7128.42	78.73	69.36	9.37	88.20	-9.47	100	11	Peak	Vertical		

802.11be EHT40

CH227 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5837.28	51.96	42.85	9.11	68.20	-16.24	101	64	RMS	Horizontal		
2 *	7085.00	91.36	82.06	9.30	68.20	23.16	101	64	RMS	Horizontal		
3	7126.44	61.48	52.12	9.36	68.20	-6.72	101	64	RMS	Horizontal		

CH227 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5763.12	51.98	42.80	9.18	68.20	-16.22	100	11	RMS	Vertical		
2 *	7085.00	96.03	86.73	9.30	68.20	27.83	100	11	RMS	Vertical		
3 !	7128.06	65.15	55.78	9.37	68.20	-3.05	100	11	RMS	Vertical		


802.11be EHT80

CH199 (Horizontal) Peak

CH199 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5887.40	62.88	53.77	9.11	88.20	-25.32	366	195	Peak	Horizontal		
2 *	6945.00	100.02	90.54	9.48	88.20	11.82	366	195	Peak	Horizontal		
3	7139.58	63.75	54.36	9.39	88.20	-24.45	366	195	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5841.42	65.04	55.93	9.11	88.20	-23.16	226	360	Peak	Vertical		
2 *	6945.00	104.15	94.67	9.48	88.20	15.95	226	360	Peak	Vertical		
3	7135.62	66.24	56.86	9.38	88.20	-21.96	226	360	Peak	Vertical		


802.11be EHT80

CH199 (Horizontal) RMS

CH199 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5889.92	52.12	43.01	9.11	68.20	-16.08	366	195	RMS	Horizontal		
2 *	6945.00	90.20	80.72	9.48	68.20	22.00	366	195	RMS	Horizontal		
3	7125.98	52.97	43.61	9.36	68.20	-15.23	366	195	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5885.52	52.32	43.14	9.18	68.20	-15.88	226	360	RMS	Vertical		
2 *	6945.00	93.25	83.77	9.48	68.20	25.05	226	360	RMS	Vertical		
3	7127.70	54.73	45.36	9.37	68.20	-13.47	226	360	RMS	Vertical		


802.11be EHT80

CH215 (Horizontal) Peak

CH215 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5906.22	64.22	55.01	9.21	88.20	-23.98	318	195	Peak	Horizontal		
2 *	7025.00	100.05	90.65	9.40	88.20	11.85	318	195	Peak	Horizontal		
3	7126.98	71.28	61.92	9.36	88.20	-16.92	318	195	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5909.82	64.38	55.16	9.22	88.20	-23.82	233	360	Peak	Vertical		
2 *	7025.00	104.46	95.06	9.40	88.20	16.26	233	360	Peak	Vertical		
3	7125.54	72.90	63.54	9.36	88.20	-15.30	233	360	Peak	Vertical		

802.11be EHT80

CH215 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5884.62	52.18	43.00	9.18	68.20	-16.02		318	195	RMS	Horizontal	
2 *	7025.00	89.86	80.46	9.40	68.20	21.66		318	195	RMS	Horizontal	
3	7125.00	59.59	50.23	9.36	68.20	-8.61		318	195	RMS	Horizontal	

CH215 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5766.72	52.14	42.95	9.19	68.20	-16.06		233	360	RMS	Vertical	
2 *	7025.00	93.03	83.63	9.40	68.20	24.83		233	360	RMS	Vertical	
3	7125.54	61.95	52.59	9.36	68.20	-6.25		233	360	RMS	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11be EHT80

CH215 Channel 9kHz~150kHz(Open)

CH215 Channel 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.03	69.60	49.77	19.83	119.13	-49.53	100	280	Peak	Open		
2	0.05	57.18	38.16	19.02	113.76	-56.58	100	271	Peak	Open		
3	0.07	49.11	30.70	18.41	110.24	-61.13	100	271	Peak	Open		
4	0.10	40.95	22.93	18.02	107.75	-66.80	100	260	Peak	Open		
5	0.13	38.65	20.47	18.18	105.66	-67.01	100	294	Peak	Open		
6	0.14	34.80	16.53	18.27	104.63	-69.83	100	200	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.81	34.59	15.63	18.96	69.47	-34.88	100	5	Peak	Open		
2	6.12	33.97	13.23	20.74	69.50	-35.53	100	179	Peak	Open		
3	12.09	34.81	13.10	21.71	69.50	-34.69	100	69	Peak	Open		
4	16.87	36.12	13.88	22.24	69.50	-33.38	100	127	Peak	Open		
5	21.76	35.92	13.50	22.42	69.50	-33.58	100	27	Peak	Open		
6	26.81	35.61	12.65	22.96	69.50	-33.89	100	72	Peak	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11be EHT80

CH215 Channel (Horizontal)

CH215 Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	71.71	31.47	41.35	-9.88	40.00	-8.53	200	146	Peak	Horizontal		
2	167.74	36.53	42.96	-6.43	43.50	-6.97	200	292	Peak	Horizontal		
3	231.76	40.95	48.91	-7.96	46.00	-5.05	100	35	Peak	Horizontal		
4	284.14	39.64	45.97	-6.33	46.00	-6.36	100	54	Peak	Horizontal		
5	890.18	41.93	38.44	3.49	46.00	-4.07	100	43	Peak	Horizontal		
6	901.06	38.34	33.37	4.97	46.00	-7.66	200	12	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	80.44	31.67	43.47	-11.80	40.00	-8.33	100	247	Peak	Vertical		
2	165.80	30.06	36.48	-6.42	43.50	-13.44	105	360	Peak	Vertical		
3	232.73	35.20	43.09	-7.89	46.00	-10.80	100	123	Peak	Vertical		
4	484.93	34.59	36.75	-2.16	46.00	-11.41	100	191	Peak	Vertical		
5	799.21	38.05	34.58	3.47	46.00	-7.95	100	128	Peak	Vertical		
6	894.27	38.26	33.43	4.83	46.00	-7.74	100	247	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII 5


802.11a

CH01 (Horizontal)

CH01 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11910.00	36.64	27.64	9.00	54.00	-17.36	112	360 Average	Horizontal	
2	11910.00	50.70	41.70	9.00	74.00	-23.30	112	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11910.00	37.31	28.31	9.00	54.00	-16.69	200	239 Average	Vertical	
2	11910.00	51.20	42.20	9.00	74.00	-22.80	200	239 Peak	Vertical	


802.11a

CH45 (Horizontal)

CH45 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12350.00	36.85	26.99	9.86	54.00	-17.15	300	9	Average	Horizontal		
2	12350.00	50.14	40.28	9.86	74.00	-23.86	300	9	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12350.00	39.10	29.24	9.86	54.00	-14.90	200	330	Average	Vertical		
2	12350.00	53.17	43.31	9.86	74.00	-20.83	200	330	Peak	Vertical		


802.11a

CH93 (Horizontal)

CH93 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12830.00	49.90	39.76	10.14	88.20	-38.30	300	149	Peak	Horizontal		
2	12830.00	36.43	26.29	10.14	68.20	-31.77	300	149	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12830.00	51.06	40.92	10.14	88.20	-37.14	200	315	Peak	Vertical		
2	12830.00	37.77	27.63	10.14	68.20	-30.43	200	315	RMS	Vertical		

802.11be EHT20

CH01 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11910.00	37.33	27.83	9.50	54.00	-16.67	300	150	Average	Horizontal		
2	11910.00	51.42	41.92	9.50	74.00	-22.58	300	150	Peak	Horizontal		

CH01 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11910.00	37.70	28.20	9.50	54.00	-16.30	200	174	Average	Vertical		
2	11910.00	51.30	41.80	9.50	74.00	-22.70	200	174	Peak	Vertical		

802.11be EHT20

CH45 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12350.00	37.99	27.39	10.60	54.00	-16.01	100	352	Average	Horizontal		
2	12350.00	51.61	41.01	10.60	74.00	-22.39	100	352	Peak	Horizontal		

CH45 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12350.00	38.49	27.89	10.60	54.00	-15.51	100	314	Average	Vertical		
2	12350.00	52.56	41.96	10.60	74.00	-21.44	100	314	Peak	Vertical		

802.11be EHT20

CH93 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12830.00	51.57	40.67	10.90	88.20	-36.63	300	90	Peak	Horizontal		
2	12830.00	37.39	26.49	10.90	68.20	-30.81	300	90	RMS	Horizontal		

CH93 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12830.00	52.12	41.22	10.90	88.20	-36.08	100	57	Peak	Vertical		
2	12830.00	38.15	27.25	10.90	68.20	-30.05	100	57	RMS	Vertical		


802.11be EHT40

CH03 (Horizontal)

CH03 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11930.00	37.19	27.79	9.40	54.00	-16.81	200	107	Average	Horizontal		
2	11930.00	51.66	42.26	9.40	74.00	-22.34	200	107	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11930.00	37.30	27.90	9.40	54.00	-16.70	100	152	Average	Vertical		
2	11930.00	50.83	41.43	9.40	74.00	-23.17	100	152	Peak	Vertical		

802.11be EHT40

CH43 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12330.00	37.72	27.32	10.40	54.00	-16.28	300	13	Average	Horizontal		
2	12330.00	51.19	40.79	10.40	74.00	-22.81	300	13	Peak	Horizontal		

CH43 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12330.00	37.36	26.96	10.40	54.00	-16.64	200	32	Average	Vertical		
2	12330.00	51.27	40.87	10.40	74.00	-22.73	200	32	Peak	Vertical		

802.11be EHT40

CH91 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12810.00	51.11	40.19	10.92	88.20	-37.09	200	193	Peak	Horizontal		
2	12810.00	37.78	26.86	10.92	68.20	-30.42	200	193	RMS	Horizontal		

CH91 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12810.00	51.27	40.35	10.92	88.20	-36.93	270	360	Peak	Vertical		
2	12810.00	38.18	27.26	10.92	68.20	-30.02	270	360	RMS	Vertical		


802.11be EHT80

CH07 (Horizontal)

CH07 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11970.00	37.76	28.34	9.42	54.00	-16.24	300	266	Average	Horizontal		
2	11970.00	51.01	41.59	9.42	74.00	-22.99	300	266	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11970.00	37.91	28.49	9.42	54.00	-16.09	200	124	Average	Vertical		
2	11970.00	51.15	41.73	9.42	74.00	-22.85	200	124	Peak	Vertical		

802.11be EHT80

CH39 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12290.00	38.58	28.28	10.30	54.00	-15.42	124	288	Average	Horizontal		
2	12290.00	51.59	41.29	10.30	74.00	-22.41	124	288	Peak	Horizontal		

CH39 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12290.00	38.73	28.43	10.30	54.00	-15.27	100	104	Average	Vertical		
2	12290.00	51.81	41.51	10.30	74.00	-22.19	100	104	Peak	Vertical		

802.11be EHT80

CH87 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12770.00	51.39	40.65	10.74	88.20	-36.81	220	360	Peak	Horizontal		
2	12770.00	38.40	27.66	10.74	68.20	-29.80	220	360	RMS	Horizontal		

CH87 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12770.00	51.59	40.85	10.74	88.20	-36.61	100	231	Peak	Vertical		
2	12770.00	38.48	27.74	10.74	68.20	-29.72	100	231	RMS	Vertical		

U-NII 6


802.11a

CH97 (Horizontal)

CH97 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12870.00	49.83	39.73	10.10	88.20	-38.37	100	116	Peak	Horizontal		
2	12870.00	36.62	26.52	10.10	68.20	-31.58	100	116	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12870.00	51.05	40.95	10.10	88.20	-37.15	200	195	Peak	Vertical		
2	12870.00	36.81	26.71	10.10	68.20	-31.39	200	195	RMS	Vertical		


802.11a

CH105 (Horizontal)

CH105 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12950.00	49.81	39.74	10.07	88.20	-38.39	200	311	Peak	Horizontal		
2	12950.00	36.40	26.33	10.07	68.20	-31.80	200	311	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12950.00	50.30	40.23	10.07	88.20	-37.90	300	107	Peak	Vertical		
2	12950.00	36.41	26.34	10.07	68.20	-31.79	300	107	RMS	Vertical		


802.11a

CH113 (Horizontal)

CH113 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13030.00	50.66	40.66	10.00	88.20	-37.54	206	360	Peak	Horizontal		
2	13030.00	36.72	26.73	9.99	68.20	-31.48	206	360	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13030.00	49.95	39.95	10.00	88.20	-38.25	100	360	Peak	Vertical		
2	13030.00	36.26	26.27	9.99	68.20	-31.94	100	360	RMS	Vertical		