


**802.11be EHT20**

**CH97 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 12870.00 | 51.75  | 40.89 | 10.86 | 88.20  | -36.45 | 100  | 11   | Peak | Horizontal |           |      |
| 2 | 12870.00 | 37.62  | 26.76 | 10.86 | 68.20  | -30.58 | 100  | 11   | RMS  | Horizontal |           |      |

**CH97 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 12870.00 | 52.01  | 41.15 | 10.86 | 88.20  | -36.19 | 100  | 314  | Peak | Vertical |           |      |
| 2 | 12870.00 | 38.05  | 27.19 | 10.86 | 68.20  | -30.15 | 100  | 314  | RMS  | Vertical |           |      |


**802.11be EHT20**

**CH105 (Horizontal)**


**CH105 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**802.11be EHT20**

**CH113 (Horizontal)**

**CH113 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13030.00 | 51.33  | 40.77 | 10.56 | 88.20  | -36.87 | 206  | 360  | Peak | Horizontal |           |      |
| 2 | 13030.00 | 37.32  | 26.76 | 10.56 | 68.20  | -30.88 | 206  | 360  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13030.00 | 51.66  | 41.10 | 10.56 | 88.20  | -36.54 | 300  | 33   | Peak | Vertical |           |      |
| 2 | 13030.00 | 37.69  | 27.13 | 10.56 | 68.20  | -30.51 | 300  | 33   | RMS  | Vertical |           |      |


**802.11be EHT40**

**CH99 (Horizontal)**

**CH99 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 12890.00 | 51.15  | 40.47 | 10.68 | 88.20  | -37.05 | 100  | 153  | Peak | Horizontal |           |      |
| 2 | 12890.00 | 38.30  | 27.62 | 10.68 | 68.20  | -29.90 | 100  | 153  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 12890.00 | 51.56  | 40.88 | 10.68 | 88.20  | -36.64 | 100  | 331  | Peak | Vertical |           |      |
| 2 | 12890.00 | 38.37  | 27.69 | 10.68 | 68.20  | -29.83 | 100  | 331  | RMS  | Vertical |           |      |


**802.11be EHT40**

**CH107 (Horizontal)**

**CH107 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 12970.00 | 50.63  | 40.10 | 10.53 | 88.20  | -37.57 | 300  | 303  | Peak | Horizontal |           |      |
| 2 | 12970.00 | 37.38  | 26.85 | 10.53 | 68.20  | -30.82 | 300  | 303  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 12970.00 | 51.00  | 40.47 | 10.53 | 88.20  | -37.20 | 102  | 360  | Peak | Vertical |           |      |
| 2 | 12970.00 | 37.60  | 27.07 | 10.53 | 68.20  | -30.60 | 102  | 360  | RMS  | Vertical |           |      |


**802.11be EHT40**

**CH115 (Horizontal)**

**CH115 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13050.00 | 51.00  | 40.66 | 10.34 | 88.20  | -37.20 | 300  | 239  | Peak | Horizontal |           |      |
| 2 | 13050.00 | 37.45  | 27.11 | 10.34 | 68.20  | -30.75 | 300  | 239  | RMS  | Horizontal |           |      |




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13050.00 | 51.02  | 40.68 | 10.34 | 88.20  | -37.18 | 100  | 284  | Peak | Vertical |           |      |
| 2 | 13050.00 | 37.38  | 27.04 | 10.34 | 68.20  | -30.82 | 100  | 284  | RMS  | Vertical |           |      |





**U-NII 7**


**802.11a**

**CH117 (Horizontal)**

**CH117 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Level  | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase  | Note |
|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| dBuV/m | dBuV       | dB/m   | dBuV/m     | dB         | cm   | deg  |        |            |      |
| 50.33  | 40.44      | 9.89   | 88.20      | -37.87     | 200  | 235  | Peak   | Horizontal |      |
| 36.34  | 26.45      | 9.89   | 68.20      | -31.86     | 200  | 235  | RMS    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Level  | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| dBuV/m | dBuV       | dB/m   | dBuV/m     | dB         | cm   | deg  |        |           |      |
| 50.49  | 40.60      | 9.89   | 88.20      | -37.71     | 200  | 181  | Peak   | Vertical  |      |
| 36.52  | 26.63      | 9.89   | 68.20      | -31.68     | 200  | 181  | RMS    | Vertical  |      |


**802.11a**

**CH149 (Horizontal)**

**CH149 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 | 13390.00 | 36.15  | 26.94 | 9.21  | 54.00  | -17.85 | 200  | 157  | Average | Horizontal |           |      |
| 2 | 13390.00 | 50.07  | 40.86 | 9.21  | 74.00  | -23.93 | 200  | 157  | Peak    | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 | 13390.00 | 36.24  | 27.03 | 9.21  | 54.00  | -17.76 | 144  | 360  | Average | Vertical |           |      |
| 2 | 13390.00 | 49.68  | 40.47 | 9.21  | 74.00  | -24.32 | 144  | 360  | Peak    | Vertical |           |      |


**802.11a**

**CH181 (Horizontal)**

**CH181 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13710.00 | 49.99  | 41.44 | 8.55  | 88.20  | -38.21 | 100  | 283  | Peak | Horizontal |           |      |
| 2 | 13710.00 | 36.24  | 27.69 | 8.55  | 68.20  | -31.96 | 100  | 283  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13710.00 | 50.13  | 41.58 | 8.55  | 88.20  | -38.07 | 200  | 33   | Peak | Vertical |           |      |
| 2 | 13710.00 | 36.17  | 27.62 | 8.55  | 68.20  | -32.03 | 200  | 33   | RMS  | Vertical |           |      |


**802.11a**

**CH185 (Horizontal)**

**CH185 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13750.00 | 50.03  | 41.48 | 8.55  | 88.20  | -38.17 | 200  | 177  | Peak | Horizontal |           |      |
| 2 | 13750.00 | 36.18  | 27.63 | 8.55  | 68.20  | -32.02 | 200  | 177  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13750.00 | 49.98  | 41.43 | 8.55  | 88.20  | -38.22 | 200  | 172  | Peak | Vertical |           |      |
| 2 | 13750.00 | 36.42  | 27.87 | 8.55  | 68.20  | -31.78 | 200  | 172  | RMS  | Vertical |           |      |




**802.11be EHT20**

**CH149 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 | 13390.00 | 37.56  | 27.48 | 10.08 | 54.00  | -16.44 | 300  | 354  | Average | Horizontal |           |      |
| 2 | 13390.00 | 51.57  | 41.49 | 10.08 | 74.00  | -22.43 | 300  | 354  | Peak    | Horizontal |           |      |

**CH149 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 | 13390.00 | 37.47  | 27.39 | 10.08 | 54.00  | -16.53 | 300  | 60   | Average | Vertical |           |      |
| 2 | 13390.00 | 51.30  | 41.22 | 10.08 | 74.00  | -22.70 | 300  | 60   | Peak    | Vertical |           |      |


**802.11be EHT20**

**CH181 (Horizontal)**

**CH181 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13710.00 | 51.38  | 41.97 | 9.41  | 88.20  | -36.82 | 200  | 317  | Peak | Horizontal |           |      |
| 2 | 13710.00 | 37.28  | 27.87 | 9.41  | 68.20  | -30.92 | 200  | 317  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13710.00 | 51.63  | 42.22 | 9.41  | 88.20  | -36.57 | 100  | 215  | Peak | Vertical |           |      |
| 2 | 13710.00 | 37.66  | 28.25 | 9.41  | 68.20  | -30.54 | 100  | 215  | RMS  | Vertical |           |      |

**802.11be EHT20**

**CH185 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13750.00 | 51.32  | 42.12 | 9.20  | 88.20  | -36.88 | 300  | 76   | Peak | Horizontal |           |      |
| 2 | 13750.00 | 37.14  | 27.94 | 9.20  | 68.20  | -31.06 | 300  | 76   | RMS  | Horizontal |           |      |


**CH185 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13750.00 | 51.44  | 42.24 | 9.20  | 88.20  | -36.76 | 300  | 43   | Peak | Vertical |           |      |
| 2 | 13750.00 | 37.33  | 28.13 | 9.20  | 68.20  | -30.87 | 300  | 43   | RMS  | Vertical |           |      |




**802.11be EHT40**

**CH155 (Horizontal)**

**CH155 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13450.00 | 51.06  | 41.28 | 9.78  | 88.20  | -37.14 | 200  | 79   | Peak | Horizontal |           |      |
| 2 | 13450.00 | 37.41  | 27.64 | 9.77  | 68.20  | -30.79 | 200  | 79   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13450.00 | 51.45  | 41.67 | 9.78  | 88.20  | -36.75 | 100  | 195  | Peak | Vertical |           |      |
| 2 | 13450.00 | 37.51  | 27.74 | 9.77  | 68.20  | -30.69 | 100  | 195  | RMS  | Vertical |           |      |


**802.11be EHT40**

**CH179 (Horizontal)**

**CH179 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13690.00 | 51.55  | 42.26 | 9.29  | 88.20  | -36.65 | 200  | 330  | Peak | Horizontal |           |      |
| 2 | 13690.00 | 37.62  | 28.33 | 9.29  | 68.20  | -30.58 | 200  | 330  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13690.00 | 51.66  | 42.37 | 9.29  | 88.20  | -36.54 | 100  | 189  | Peak | Vertical |           |      |
| 2 | 13690.00 | 37.84  | 28.55 | 9.29  | 68.20  | -30.36 | 100  | 189  | RMS  | Vertical |           |      |


**802.11be EHT40**

**CH187 (Horizontal)**

**CH187 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13770.00 | 50.94  | 41.77 | 9.17  | 88.20  | -37.26 | 200  | 356  | Peak | Horizontal |           |      |
| 2 | 13770.00 | 37.77  | 28.60 | 9.17  | 68.20  | -30.43 | 200  | 356  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13770.00 | 51.07  | 41.90 | 9.17  | 88.20  | -37.13 | 200  | 118  | Peak | Vertical |           |      |
| 2 | 13770.00 | 37.87  | 28.70 | 9.17  | 68.20  | -30.33 | 200  | 118  | RMS  | Vertical |           |      |


**802.11be EHT80**

**CH135 (Horizontal)**

**CH135 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 | 13250.00 | 38.24  | 28.08 | 10.16 | 54.00  | -15.76 | 200  | 173  | Average | Horizontal |           |      |
| 2 | 13250.00 | 50.76  | 40.60 | 10.16 | 74.00  | -23.24 | 200  | 173  | Peak    | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 | 13250.00 | 38.25  | 28.09 | 10.16 | 54.00  | -15.75 | 300  | 320  | Average | Vertical |           |      |
| 2 | 13250.00 | 51.31  | 41.15 | 10.16 | 74.00  | -22.69 | 300  | 320  | Peak    | Vertical |           |      |


**802.11be EHT80**

**CH151 (Horizontal)**

**CH151 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13410.00 | 51.46  | 41.59 | 9.87  | 88.20  | -36.74 | 156  | 360  | Peak | Horizontal |           |      |
| 2 | 13410.00 | 37.97  | 28.10 | 9.87  | 68.20  | -30.23 | 156  | 360  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13410.00 | 51.72  | 41.85 | 9.87  | 88.20  | -36.48 | 100  | 62   | Peak | Vertical |           |      |
| 2 | 13410.00 | 38.30  | 28.43 | 9.87  | 68.20  | -29.90 | 100  | 62   | RMS  | Vertical |           |      |

**802.11be EHT80**

**CH167 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13570.00 | 51.62  | 42.07 | 9.55  | 88.20  | -36.58 | 200  | 76   | Peak | Horizontal |           |      |
| 2 | 13570.00 | 37.74  | 28.19 | 9.55  | 68.20  | -30.46 | 200  | 76   | RMS  | Horizontal |           |      |

**CH167 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13570.00 | 51.92  | 42.37 | 9.55  | 88.20  | -36.28 | 300  | 268  | Peak | Vertical |           |      |
| 2 | 13570.00 | 38.19  | 28.64 | 9.55  | 68.20  | -30.01 | 300  | 268  | RMS  | Vertical |           |      |


**802.11be EHT80**

**CH183 (Horizontal)**

**CH183 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13730.00 | 51.43  | 42.22 | 9.21  | 88.20  | -36.77 | 200  | 224  | Peak | Horizontal |           |      |
| 2 | 13730.00 | 38.07  | 28.86 | 9.21  | 68.20  | -30.13 | 200  | 224  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13730.00 | 50.64  | 41.43 | 9.21  | 88.20  | -37.56 | 200  | 213  | Peak | Vertical |           |      |
| 2 | 13730.00 | 38.20  | 28.99 | 9.21  | 68.20  | -30.00 | 200  | 213  | RMS  | Vertical |           |      |

**U-NII 8**


**802.11a**

**CH189 (Horizontal)**

**CH189 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13790.00 | 50.47  | 41.94 | 8.53  | 88.20  | -37.73 | 100  | 219  | Peak | Horizontal |           |      |
| 2 | 13790.00 | 36.59  | 28.07 | 8.52  | 68.20  | -31.61 | 100  | 219  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13790.00 | 50.85  | 42.32 | 8.53  | 88.20  | -37.35 | 200  | 138  | Peak | Vertical |           |      |
| 2 | 13790.00 | 36.64  | 28.12 | 8.52  | 68.20  | -31.56 | 200  | 138  | RMS  | Vertical |           |      |


**802.11a**

**CH209 (Horizontal)**

**CH209 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13990.00 | 50.64  | 42.22 | 8.42  | 88.20  | -37.56 | 100  | 316  | Peak | Horizontal |           |      |
| 2 | 13990.00 | 36.21  | 27.79 | 8.42  | 68.20  | -31.99 | 100  | 316  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13990.00 | 49.85  | 41.43 | 8.42  | 88.20  | -38.35 | 100  | 357  | Peak | Vertical |           |      |
| 2 | 13990.00 | 36.18  | 27.76 | 8.42  | 68.20  | -32.02 | 100  | 357  | RMS  | Vertical |           |      |


**802.11a**

**CH233 (Horizontal)**

**CH233 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 14230.00 | 49.82  | 41.54 | 8.28  | 88.20  | -38.38 | 266  | 360  | Peak | Horizontal |           |      |
| 2 | 14230.00 | 36.21  | 27.93 | 8.28  | 68.20  | -31.99 | 266  | 360  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 14230.00 | 49.39  | 41.11 | 8.28  | 88.20  | -38.81 | 300  | 256  | Peak | Vertical |           |      |
| 2 | 14230.00 | 36.24  | 27.96 | 8.28  | 68.20  | -31.96 | 300  | 256  | RMS  | Vertical |           |      |

**802.11be EHT20**

**CH189 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13790.00 | 51.16  | 42.02 | 9.14  | 88.20  | -37.04 | 100  | 221  | Peak | Horizontal |           |      |
| 2 | 13790.00 | 36.96  | 27.83 | 9.13  | 68.20  | -31.24 | 100  | 221  | RMS  | Horizontal |           |      |

**CH189 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13790.00 | 51.34  | 42.20 | 9.14  | 88.20  | -36.86 | 300  | 167  | Peak | Vertical |           |      |
| 2 | 13790.00 | 37.17  | 28.04 | 9.13  | 68.20  | -31.03 | 300  | 167  | RMS  | Vertical |           |      |

**802.11be EHT20**

**CH209 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13990.00 | 50.66  | 41.52 | 9.14  | 88.20  | -37.54 | 200  | 200  | Peak | Horizontal |           |      |
| 2 | 13990.00 | 37.23  | 28.09 | 9.14  | 68.20  | -30.97 | 200  | 200  | RMS  | Horizontal |           |      |

**CH209 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13990.00 | 51.10  | 41.96 | 9.14  | 88.20  | -37.10 | 200  | 334  | Peak | Vertical |           |      |
| 2 | 13990.00 | 37.33  | 28.19 | 9.14  | 68.20  | -30.87 | 200  | 334  | RMS  | Vertical |           |      |


**802.11be EHT20**

**CH233 (Horizontal)**

**CH233 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 14230.00 | 51.65  | 42.58 | 9.07  | 88.20  | -36.55 | 100  | 89   | Peak | Horizontal |           |      |
| 2 | 14230.00 | 37.80  | 28.73 | 9.07  | 68.20  | -30.40 | 100  | 89   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 14230.00 | 51.98  | 42.91 | 9.07  | 88.20  | -36.22 | 100  | 217  | Peak | Vertical |           |      |
| 2 | 14230.00 | 37.83  | 28.76 | 9.07  | 68.20  | -30.37 | 100  | 217  | RMS  | Vertical |           |      |

**802.11be EHT40**

**CH195 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13850.00 | 51.49  | 42.34 | 9.15  | 88.20  | -36.71 | 100  | 344  | Peak | Horizontal |           |      |
| 2 | 13850.00 | 37.34  | 28.19 | 9.15  | 68.20  | -30.86 | 100  | 344  | RMS  | Horizontal |           |      |

**CH195 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13850.00 | 51.00  | 41.85 | 9.15  | 88.20  | -37.20 | 200  | 277  | Peak | Vertical |           |      |
| 2 | 13850.00 | 37.79  | 28.64 | 9.15  | 68.20  | -30.41 | 200  | 277  | RMS  | Vertical |           |      |


**802.11be EHT40**

**CH211 (Horizontal)**

**CH211 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 14018.00 | 51.42  | 42.27 | 9.15  | 88.20  | -36.78 | 240  | 82   | Peak | Horizontal |           |      |
| 2 | 14018.00 | 37.48  | 28.33 | 9.15  | 68.20  | -30.72 | 240  | 82   | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 14018.00 | 51.76  | 42.61 | 9.15  | 88.20  | -36.44 | 261  | 69   | Peak | Vertical |           |      |
| 2 | 14018.00 | 37.91  | 28.76 | 9.15  | 68.20  | -30.29 | 261  | 69   | RMS  | Vertical |           |      |


**802.11be EHT40**

**CH227 (Horizontal)**

**CH227 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 14170.00 | 51.71  | 42.56 | 9.15  | 88.20  | -36.49 | 100  | 217  | Peak | Horizontal |           |      |
| 2 | 14170.00 | 37.88  | 28.73 | 9.15  | 68.20  | -30.32 | 100  | 217  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 14170.00 | 52.03  | 42.88 | 9.15  | 88.20  | -36.17 | 200  | 21   | Peak | Vertical |           |      |
| 2 | 14170.00 | 38.22  | 29.07 | 9.15  | 68.20  | -29.98 | 200  | 21   | RMS  | Vertical |           |      |


**802.11be EHT80**

**CH199 (Horizontal)**

**CH199 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 13890.00 | 50.82  | 41.66 | 9.16  | 88.20  | -37.38 | 136  | 360  | Peak | Horizontal |           |      |
| 2 | 13890.00 | 37.80  | 28.64 | 9.16  | 68.20  | -30.40 | 136  | 360  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 13890.00 | 50.54  | 41.38 | 9.16  | 88.20  | -37.66 | 200  | 305  | Peak | Vertical |           |      |
| 2 | 13890.00 | 37.98  | 28.82 | 9.16  | 68.20  | -30.22 | 200  | 305  | RMS  | Vertical |           |      |


**802.11be EHT80**

**CH215 (Horizontal)**

**CH215 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1 | 14050.00 | 51.30  | 42.07 | 9.23  | 88.20  | -36.90 | 188  | 360  | Peak | Horizontal |           |      |
| 2 | 14050.00 | 38.80  | 29.57 | 9.23  | 68.20  | -29.40 | 188  | 360  | RMS  | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1 | 14050.00 | 51.36  | 42.13 | 9.23  | 88.20  | -36.84 | 200  | 226  | Peak | Vertical |           |      |
| 2 | 14050.00 | 38.77  | 29.54 | 9.23  | 68.20  | -29.43 | 200  | 226  | RMS  | Vertical |           |      |


## Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz

### Worst Band

#### (Line)



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



#### (Neutral)



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322

