


Test Mode	UNII-3_TX BE(EHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11559.3000	38.64	10.50	49.14	74.00	-24.86	Peak	
2 *	11591.0000	28.42	10.51	38.93	54.00	-15.07	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	42.69	15.42	58.11	109.40	-51.29	Peak	
2	5725.0000	42.23	15.45	57.68	122.20	-64.52	Peak	
3 *	5795.0000	85.46	15.68	101.14	122.20	-21.06	Peak	No Limit
4	5850.0000	41.22	15.86	57.08	122.20	-65.12	Peak	
5	5860.0000	42.14	15.89	58.03	109.40	-51.37	Peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX BE(EHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11550.3200	39.00	10.50	49.50	74.00	-24.50	Peak	
2 *	11571.3600	28.27	10.51	38.78	54.00	-15.22	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Straddle Channel:

Test Mode	UNII-2C_TX A Mode 5720 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	35.71	14.62	50.33	74.00	-23.67	peak	
2		5460.000	30.67	14.62	45.29	54.00	-8.71	AVG	
3		5470.000	37.44	14.64	52.08	68.20	-16.12	peak	
4	X	5721.800	86.29	15.44	101.73	68.20	33.53	AVG	No Limit
5	*	5722.400	91.65	15.44	107.09	68.20	38.89	peak	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX A Mode 5720 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11438.900	37.55	10.38	47.93	74.00	-26.07	peak	
2	*	11439.700	27.42	10.40	37.82	54.00	-16.18	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5720 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	36.78	14.62	51.40	74.00	-22.60	peak	
2		5460.000	28.20	14.62	42.82	54.00	-11.18	AVG	
3		5470.000	36.48	14.64	51.12	68.20	-17.08	peak	
4	*	5718.800	91.46	15.43	106.89	68.20	38.69	peak	No Limit
5	X	5721.200	84.44	15.44	99.88	68.20	31.68	AVG	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5720 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11436.150	37.53	10.38	47.91	74.00	-26.09	peak	
2	*	11440.400	27.60	10.40	38.00	54.00	-16.00	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5710 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	36.45	14.62	51.07	74.00	-22.93	peak	
2		5460.000	30.90	14.62	45.52	54.00	-8.48	AVG	
3		5470.000	37.74	14.64	52.38	68.20	-15.82	peak	
4	X	5702.200	85.55	15.38	100.93	68.20	32.73	AVG	No Limit
5	*	5702.800	91.80	15.39	107.19	68.20	38.99	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5710 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11405.450	26.68	10.33	37.01	54.00	-16.99	AVG	
2		11440.100	36.53	10.40	46.93	74.00	-27.07	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	39.79	14.62	54.41	74.00	-19.59	peak	
2		5460.000	31.72	14.62	46.34	54.00	-7.66	AVG	
3		5470.000	40.15	14.64	54.79	68.20	-13.41	peak	
4	*	5698.400	87.36	15.36	102.72	68.20	34.52	peak	No Limit
5	X	5700.800	80.22	15.38	95.60	68.20	27.40	AVG	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11380.300	26.70	10.29	36.99	54.00	-17.01	AVG	
2		11383.500	36.41	10.30	46.71	74.00	-27.29	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT20) Mode 5720 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	36.17	14.62	50.79	74.00	-23.21	peak	
2		5460.000	30.50	14.62	45.12	54.00	-8.88	AVG	
3		5470.000	36.24	14.64	50.88	68.20	-17.32	peak	
4	*	5715.200	93.33	15.42	108.75	68.20	40.55	peak	No Limit
5	X	5723.000	87.94	15.45	103.39	68.20	35.19	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT20) Mode 5720 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11438.660	36.96	10.38	47.34	74.00	-26.66	peak	
2		11444.570	26.50	10.39	36.89	74.00	-37.11	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT40) Mode 5710 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	37.02	14.62	51.64	74.00	-22.36	peak	
2		5460.000	28.88	14.62	43.50	54.00	-10.50	AVG	
3		5470.000	36.48	14.64	51.12	68.20	-17.08	peak	
4	*	5700.400	91.59	15.38	106.97	68.20	38.77	peak	No Limit
5	X	5713.000	83.17	15.41	98.58	68.20	30.38	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT40) Mode 5710 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11417.310	37.92	10.35	48.27	74.00	-25.73	peak	
2	*	11417.900	26.52	10.35	36.87	54.00	-17.13	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT80) Mode 5690 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	42.49	14.62	57.11	74.00	-16.89	peak	
2		5460.000	34.32	14.62	48.94	54.00	-5.06	AVG	
3		5470.000	42.91	14.64	57.55	68.20	-10.65	peak	
4	*	5684.000	87.86	15.32	103.18	68.20	34.98	peak	No Limit
5	X	5700.800	80.85	15.38	96.23	68.20	28.03	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX BE(EHT80) Mode 5690 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11376.180	26.55	10.29	36.84	54.00	-17.16	AVG	
2		11384.200	36.98	10.30	47.28	74.00	-26.72	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-1_TX BE(EHT20) Mode 5240 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	26624.0000	46.55	5.40	51.95	77.70	-25.75	Peak	
2	39824.0000	48.53	13.34	61.87	83.50	-21.63	Peak	
3 *	39824.0000	39.50	13.34	52.84	63.50	-10.66	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-1_TX BE(EHT20) Mode 5240 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	25898.0000	45.80	5.81	51.61	77.70	-26.09	Peak	
2	39736.0000	47.58	13.34	60.92	83.50	-22.58	Peak	
3 *	39736.0000	38.71	13.34	52.05	63.50	-11.45	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

The Worst Case:

Test Mode	UNII-2A_TX AC(VHT20) Mode 5300 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5422.000	43.64	14.52	58.16	74.00	-15.84	peak	
2 *	5422.000	32.56	14.52	47.08	54.00	-6.92	AVG	
3	6730.000	42.51	18.20	60.71	68.20	-7.49	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2A_TX AC(VHT20) Mode 5300 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10600.200	47.00	9.72	56.72	74.00	-17.28	peak	
2	*	10600.650	36.18	9.72	45.90	54.00	-8.10	AVG	
3		17978.000	43.51	11.67	55.18	74.00	-18.82	peak	
4		17978.000	32.56	11.67	44.23	54.00	-9.77	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.240	17.040
40	5200	21.720	17.160
48	5240	21.480	17.160

CH36




Date: 26 JUN 2026 02:01:39

CH40
26 dB Bandwidth




Date: 26 JUN 2026 02:09:22

CH48




Date: 26 JUN 2026 02:11:10


99 % Occupied Bandwidth



Date: 26 JUN 2026 02:01:52



Date: 26 JUN 2026 02:09:35




Date: 26 JUN 2026 02:11:30

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.360	17.880
40	5200	21.240	17.880
48	5240	21.360	18.000

CH36




Date: 26.JUN.2026 02:34:41

CH40
26 dB Bandwidth




Date: 26.JUN.2026 02:36:51

CH48




Date: 26.JUN.2026 02:39:02


99 % Occupied Bandwidth



Date: 26.JUN.2026 02:34:54



Date: 26.JUN.2026 02:37:03




Date: 26.JUN.2026 02:39:14

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.000	36.800
46	5230	39.600	36.600

CH38




Date: 26.JUN.2026 04:14:14

CH46
26 dB Bandwidth




Date: 26.JUN.2026 04:17:39

99 % Occupied Bandwidth



Date: 26.JUN.2026 04:14:26




Date: 26.JUN.2026 04:17:51

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	104.800	75.600

CH42 26 dB Bandwidth



Date: 26 JUN 2026 05:14:50

99 % Occupied Bandwidth




Date: 26 JUN 2026 05:15:02

Test Mode	UNII-1_TX BE(EHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	22.320	19.080
40	5200	35.520	19.440
48	5240	24.600	19.080

CH36




Date: 26.JUN.2026 03:08:40

CH40
26 dB Bandwidth




Date: 26.JUN.2026 03:12:06

CH48




Date: 26.JUN.2026 03:17:50


99 % Occupied Bandwidth



Date: 26.JUN.2026 03:08:53



Date: 26.JUN.2026 03:12:19




Date: 26.JUN.2026 03:18:03

Test Mode	UNII-1_TX BE(EHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	39.800	37.800
46	5230	40.000	37.600

CH38




Date: 26.JUN.2026 04:43:55

CH46
26 dB Bandwidth




Date: 26.JUN.2026 04:45:36

99 % Occupied Bandwidth



Date: 26.JUN.2026 04:44:07




Date: 26.JUN.2026 04:45:49

Test Mode	UNII-1_TX BE(EHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	82.400	77.200

CH42 26 dB Bandwidth



Date: 26 JUN 2026 05:26:42

99 % Occupied Bandwidth




Date: 26 JUN 2026 05:26:55

Test Mode UNII-2A_TX A Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.000	16.920
60	5300	25.080	17.400
64	5320	20.760	16.920

CH52




Date: 26 JUN 2026 02:13:03

CH60
26 dB Bandwidth




Date: 26 JUN 2026 02:15:19

CH64




Date: 26 JUN 2026 02:16:36


99 % Occupied Bandwidth



Date: 26 JUN 2026 02:13:15



Date: 26 JUN 2026 02:15:31




Date: 26 JUN 2026 02:16:48

Test Mode UNII-2A_TX AC(VHT20) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.240	17.880
60	5300	21.240	17.880
64	5320	21.120	17.880

CH52




Date: 26 JUN 2026 02:40:10

CH60
26 dB Bandwidth




Date: 26 JUN 2026 02:41:53

CH64




Date: 26 JUN 2026 02:48:20


99 % Occupied Bandwidth



Date: 26 JUN 2026 02:40:22



Date: 26 JUN 2026 02:42:05




Date: 26 JUN 2026 02:48:40

Test Mode UNII-2A_TX AC(VHT40) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.000	36.600
62	5310	40.000	36.800

CH54




Date: 26.JUN.2026 04:18:45

CH62
26 dB Bandwidth




Date: 26.JUN.2026 04:24:29

99 % Occupied Bandwidth



Date: 26.JUN.2026 04:18:57




Date: 26.JUN.2026 04:24:41

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	82.800	75.600

CH58 26 dB Bandwidth



Date: 26 JUN 2026 05:17:09

99 % Occupied Bandwidth




Date: 26 JUN 2026 05:17:21

Test Mode	UNII-2A_TX BE(EHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	31.200	19.320
60	5300	21.360	18.960
64	5320	21.000	19.080

CH52




Date: 26.JUN.2026 03:23:41

CH60
26 dB Bandwidth




Date: 26.JUN.2026 03:31:12

CH64




Date: 26.JUN.2026 03:37:31


99 % Occupied Bandwidth



Date: 26.JUN.2026 03:23:54



Date: 26.JUN.2026 03:31:24




Date: 26.JUN.2026 03:37:43

Test Mode UNII-2A_TX BE(EHT40) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.200	37.800
62	5310	39.800	37.600

CH54




Date: 26.JUN.2026 04:52:32

CH62
26 dB Bandwidth




Date: 26.JUN.2026 05:00:26

99 % Occupied Bandwidth



Date: 26.JUN.2026 04:52:44




Date: 26.JUN.2026 05:00:39

Test Mode	UNII-2A_TX BE(EHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	82.800	77.200

CH58 26 dB Bandwidth



Date: 26 JUN 2026 05:28:50

99 % Occupied Bandwidth




Date: 26 JUN 2026 05:29:03

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.000	16.920
116	5580	21.360	16.920
140	5700	24.960	17.160
144	5720	15.560	16.920

CH100




Date: 26 JUN 2026 02:20:17

CH116
26 dB Bandwidth




Date: 26 JUN 2026 02:22:10

CH140




Date: 26 JUN 2026 02:24:54


99 % Occupied Bandwidth



Date: 26 JUN 2026 02:20:30




Date: 26 JUN 2026 02:22:22




Date: 26 JUN 2026 02:25:06

CH144 26 dB Bandwidth



Date: 5.AUG.2026 16:10:56

99 % Occupied Bandwidth




Date: 5.AUG.2026 16:11:21

Test Mode UNII-2C_TX AC(VHT20) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.600	18.120
116	5580	21.120	17.880
140	5700	21.000	17.880
144	5720	16.880	18.360

CH100




Date: 26 JUN 2026 02:52:10

CH116
26 dB Bandwidth




Date: 26 JUN 2026 02:54:30

CH140




Date: 26 JUN 2026 02:56:23


99 % Occupied Bandwidth



Date: 26 JUN 2026 02:52:22



Date: 26 JUN 2026 02:54:42



Date: 26 JUN 2026 02:56:35


Date: 5.AUG.2026 16:08:40

Date: 5.AUG.2026 16:09:04

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.000	36.800
110	5550	40.600	36.800
134	5670	39.600	36.600
142	5710	67.480	74.160

CH102




Date: 26 JUN 2026 04:26:56

CH110
26 dB Bandwidth




Date: 26 JUN 2026 04:28:25

CH134




Date: 26 JUN 2026 04:30:08


99 % Occupied Bandwidth



Date: 26 JUN 2026 04:27:09




Date: 26 JUN 2026 04:28:37




Date: 26 JUN 2026 04:30:21

CH142 26 dB Bandwidth



Date: 5.AUG.2026 16:23:59

99 % Occupied Bandwidth




Date: 5.AUG.2026 16:26:07

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	85.200	76.000
122	5610	93.200	75.600
138	5690	133.280	138.600

CH106




Date: 26.JUN.2026 05:21:21

CH122
26 dB Bandwidth




Date: 26.JUN.2026 05:22:56

CH138
26 dB Bandwidth




Date: 5.AUG.2026 16:30:53

99 % Occupied Bandwidth




Date: 26.JUN.2026 05:21:34

99 % Occupied Bandwidth



Date: 26.JUN.2026 05:23:09




Date: 5.AUG.2026 16:33:14

Test Mode UNII-2C_TX BE(EHT20) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.240	19.080
116	5580	21.120	18.960
140	5700	21.480	19.080
144	5720	22.640	19.320

CH100




Date: 26 JUN 2026 03:41:38

CH116
26 dB Bandwidth




Date: 26 JUN 2026 03:43:37

CH140




Date: 26 JUN 2026 03:55:08


99 % Occupied Bandwidth



Date: 26 JUN 2026 03:41:50




Date: 26 JUN 2026 03:43:50



Date: 26 JUN 2026 03:55:20

[illegible]

99 % Occupied Bandwidth




Page 213 of 291

Test Mode	UNII-2C_TX BE(EHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.800	37.800
110	5550	40.000	37.600
134	5670	39.800	37.800
142	5710	66.200	72.960

CH102




Date: 26 JUN 2026 05:01:43

CH110
26 dB Bandwidth




Date: 26 JUN 2026 05:04:03

CH134




Date: 26 JUN 2026 05:05:36


99 % Occupied Bandwidth



Date: 26 JUN 2026 05:01:55



Date: 26 JUN 2026 05:04:15



Date: 26 JUN 2026 05:05:49

Date: 5.AUG.2026 16:43:22

Date: 5.AUG.2026 16:43:47