


Test Mode	UNII-2C_TX BE(EHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.600	76.800
122	5610	82.800	76.800
138	5690	132.240	142.120

CH106




Date: 26.JUN.2026 05:30:15

CH122
26 dB Bandwidth




Date: 26.JUN.2026 05:35:18

CH138
26 dB Bandwidth




Date: 5.AUG.2026 16:47:56

99 % Occupied Bandwidth




Date: 26.JUN.2026 05:30:28

99 % Occupied Bandwidth



Date: 26.JUN.2026 05:35:30




Date: 5.AUG.2026 16:48:21

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.120	17.040	0.5	Pass
157	5785	15.240	17.160	0.5	Pass
165	5825	15.480	16.800	0.5	Pass

CH149




Date: 26.JUN.2026 02:12:20

CH157
6 dB Bandwidth




Date: 26.JUN.2026 02:12:49

CH165




Date: 26.JUN.2026 02:13:55


99 % Occupied Bandwidth



Date: 26.JUN.2026 02:12:32



Date: 26.JUN.2026 02:12:01




Date: 26.JUN.2026 02:13:07

Test Mode UNII-3_TX AC(VHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.800	17.880	0.5	Pass
157	5785	16.920	18.000	0.5	Pass
165	5825	16.320	17.880	0.5	Pass

CH149




Date: 26.JUN.2026 03:01:23

CH157
6 dB Bandwidth




Date: 26.JUN.2026 03:02:27

CH165




Date: 26.JUN.2026 03:05:40


99 % Occupied Bandwidth



Date: 26.JUN.2026 03:01:35



Date: 26.JUN.2026 03:02:39




Date: 26.JUN.2026 03:06:00

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.200	36.800	0.5	Pass
159	5795	35.200	36.800	0.5	Pass

CH151




Date: 26.JUN.2026 04:37:52

CH159
6 dB Bandwidth




Date: 26.JUN.2026 04:40:14

99 % Occupied Bandwidth



Date: 26.JUN.2026 04:38:04




Date: 26.JUN.2026 04:40:27

Test Mode	UNII-3_TX BE(EHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.400	18.960	0.5	Pass
157	5785	16.680	18.960	0.5	Pass
165	5825	16.800	18.960	0.5	Pass

CH149




Date: 26.JUN.2026 03:57:39

CH157
6 dB Bandwidth




Date: 26.JUN.2026 04:00:14

CH165




Date: 26.JUN.2026 04:01:11


99 % Occupied Bandwidth



Date: 26.JUN.2026 03:57:51



Date: 26.JUN.2026 04:00:27




Date: 26.JUN.2026 04:01:23

Test Mode UNII-3_TX BE(EHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.200	37.600	0.5	Pass
159	5795	35.200	37.800	0.5	Pass


CH151



Date: 26.JUN.2026 05:12:20


CH159

6 dB Bandwidth




Date: 26.JUN.2026 05:13:26

99 % Occupied Bandwidth



Date: 26.JUN.2026 05:12:32



Date: 26.JUN.2026 05:13:38

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.65	0.00	14.65	23.98	0.2500	Pass
40	5200	15.46	0.00	15.46	23.98	0.2500	Pass
48	5240	15.03	0.00	15.03	23.98	0.2500	Pass

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.34	0.00	13.34	23.98	0.2500	Pass
40	5200	14.24	0.00	14.24	23.98	0.2500	Pass
48	5240	14.08	0.00	14.08	23.98	0.2500	Pass

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.05	23.98	0.2500	Pass
40	5200	17.90	23.98	0.2500	Pass
48	5240	17.59	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.36	0.00	15.36	23.98	0.2500	Pass
40	5200	15.11	0.00	15.11	23.98	0.2500	Pass
48	5240	15.92	0.00	15.92	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.07	0.00	14.07	23.98	0.2500	Pass
40	5200	14.06	0.00	14.06	23.98	0.2500	Pass
48	5240	14.74	0.00	14.74	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.77	23.98	0.2500	Pass
40	5200	17.63	23.98	0.2500	Pass
48	5240	18.38	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.42	0.00	13.42	23.98	0.2500	Pass
46	5230	15.56	0.00	15.56	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.39	0.00	14.39	23.98	0.2500	Pass
46	5230	14.39	0.00	14.39	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.94	23.98	0.2500	Pass
46	5230	18.02	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.91	0.00	10.91	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	9.67	0.00	9.67	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.34	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.32	0.00	15.32	23.98	0.2500	Pass
40	5200	15.16	0.00	15.16	23.98	0.2500	Pass
48	5240	15.97	0.00	15.97	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.23	0.00	14.23	23.98	0.2500	Pass
40	5200	14.23	0.00	14.23	23.98	0.2500	Pass
48	5240	14.87	0.00	14.87	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.82	23.98	0.2500	Pass
40	5200	17.73	23.98	0.2500	Pass
48	5240	18.47	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.24	0.00	13.24	23.98	0.2500	Pass
46	5230	15.45	0.00	15.45	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.95	0.00	11.95	23.98	0.2500	Pass
46	5230	14.60	0.00	14.60	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.65	23.98	0.2500	Pass
46	5230	18.06	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.71	0.15	11.86	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.80	0.15	10.95	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.44	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.92	0.00	15.92	23.98	0.2500	Pass
60	5300	15.87	0.00	15.87	23.98	0.2500	Pass
64	5320	14.86	0.00	14.86	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.85	0.00	14.85	23.98	0.2500	Pass
60	5300	14.38	0.00	14.38	23.98	0.2500	Pass
64	5320	13.24	0.00	13.24	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.43	23.98	0.2500	Pass
60	5300	18.20	23.98	0.2500	Pass
64	5320	17.14	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.80	0.00	15.80	23.98	0.2500	Pass
60	5300	15.73	0.00	15.73	23.98	0.2500	Pass
64	5320	14.77	0.00	14.77	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.70	0.00	14.70	23.98	0.2500	Pass
60	5300	14.62	0.00	14.62	23.98	0.2500	Pass
64	5320	13.26	0.00	13.26	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.30	23.98	0.2500	Pass
60	5300	18.22	23.98	0.2500	Pass
64	5320	17.09	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.44	0.00	15.44	23.98	0.2500	Pass
62	5310	14.44	0.00	14.44	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.65	0.00	14.65	23.98	0.2500	Pass
62	5310	13.32	0.00	13.32	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.07	23.98	0.2500	Pass
62	5310	16.93	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.62	0.00	10.62	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.37	0.00	9.37	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.05	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.87	0.00	15.87	23.98	0.2500	Pass
60	5300	15.59	0.00	15.59	23.98	0.2500	Pass
64	5320	12.02	0.00	12.02	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.62	0.00	14.62	23.98	0.2500	Pass
60	5300	14.63	0.00	14.63	23.98	0.2500	Pass
64	5320	11.04	0.00	11.04	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.30	23.98	0.2500	Pass
60	5300	18.15	23.98	0.2500	Pass
64	5320	14.57	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.53	0.00	15.53	23.98	0.2500	Pass
62	5310	13.22	0.00	13.22	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.47	0.00	14.47	23.98	0.2500	Pass
62	5310	12.22	0.00	12.22	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.04	23.98	0.2500	Pass
62	5310	15.76	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.20	0.15	13.35	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.11	0.15	12.26	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.85	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.43	0.00	15.43	23.98	0.2500	Pass
116	5580	15.67	0.00	15.67	23.98	0.2500	Pass
140	5700	15.84	0.00	15.84	23.98	0.2500	Pass
144	5720	16.64	0.00	16.64	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.13	0.00	14.13	23.98	0.2500	Pass
116	5580	14.38	0.00	14.38	23.98	0.2500	Pass
140	5700	14.28	0.00	14.28	23.98	0.2500	Pass
144	5720	15.58	0.00	15.58	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.84	23.98	0.2500	Pass
116	5580	18.08	23.98	0.2500	Pass
140	5700	18.14	23.98	0.2500	Pass
		19.15	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.27	0.00	15.27	23.98	0.2500	Pass
116	5580	15.65	0.00	15.65	23.98	0.2500	Pass
140	5700	15.61	0.00	15.61	23.98	0.2500	Pass
144	5720	16.63	0.00	16.63	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.01	0.00	14.01	23.98	0.2500	Pass
116	5580	14.18	0.00	14.18	23.98	0.2500	Pass
140	5700	14.39	0.00	14.39	23.98	0.2500	Pass
144	5720	15.69	0.00	15.69	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.70	23.98	0.2500	Pass
116	5580	17.99	23.98	0.2500	Pass
140	5700	18.05	23.98	0.2500	Pass
144	5720	19.20	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.32	0.00	15.32	23.98	0.2500	Pass
110	5550	15.46	0.00	15.46	23.98	0.2500	Pass
134	5670	15.34	0.00	15.34	23.98	0.2500	Pass
142	5710	19.78	0.00	19.78	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.52	0.00	14.52	23.98	0.2500	Pass
110	5550	14.41	0.00	14.41	23.98	0.2500	Pass
134	5670	14.47	0.00	14.47	23.98	0.2500	Pass
142	5710	18.91	0.00	18.91	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.95	23.98	0.2500	Pass
110	5550	17.98	23.98	0.2500	Pass
134	5670	17.94	23.98	0.2500	Pass
142	5710	22.39	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.47	0.00	15.47	23.98	0.2500	Pass
122	5610	15.46	0.00	15.46	23.98	0.2500	Pass
138	5690	19.33	0.00	19.33	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.25	0.00	14.25	23.98	0.2500	Pass
122	5610	14.23	0.00	14.23	23.98	0.2500	Pass
138	5690	18.38	0.00	18.38	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.91	23.98	0.2500	Pass
122	5610	17.90	23.98	0.2500	Pass
138	5690	21.89	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.14	0.00	15.14	23.98	0.2500	Pass
116	5580	15.56	0.00	15.56	23.98	0.2500	Pass
140	5700	15.68	0.00	15.68	23.98	0.2500	Pass
144	5720	17.35	0.00	17.35	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.88	0.00	13.88	23.98	0.2500	Pass
116	5580	14.45	0.00	14.45	23.98	0.2500	Pass
140	5700	14.14	0.00	14.14	23.98	0.2500	Pass
144	5720	16.28	0.00	16.28	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.57	23.98	0.2500	Pass
116	5580	18.05	23.98	0.2500	Pass
140	5700	17.99	23.98	0.2500	Pass
144	5720	19.86	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.63	0.00	15.63	23.98	0.2500	Pass
110	5550	15.47	0.00	15.47	23.98	0.2500	Pass
134	5670	15.68	0.00	15.68	23.98	0.2500	Pass
142	5710	20.08	0.00	20.08	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.42	0.00	14.42	23.98	0.2500	Pass
110	5550	14.55	0.00	14.55	23.98	0.2500	Pass
134	5670	14.37	0.00	14.37	23.98	0.2500	Pass
142	5710	19.13	0.00	19.13	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.08	23.98	0.2500	Pass
110	5550	18.04	23.98	0.2500	Pass
134	5670	18.08	23.98	0.2500	Pass
142	5710	22.64	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.49	0.15	15.64	23.98	0.2500	Pass
122	5610	15.45	0.15	15.60	23.98	0.2500	Pass
138	5690	19.00	0.15	19.15	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.58	0.15	14.73	23.98	0.2500	Pass
122	5610	14.49	0.15	14.64	23.98	0.2500	Pass
138	5690	18.02	0.15	18.17	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.22	23.98	0.2500	Pass
122	5610	18.16	23.98	0.2500	Pass
138	5690	21.55	23.98	0.2500	Pass

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.55	0.00	15.55	30.00	1.0000	Pass
157	5785	15.65	0.00	15.65	30.00	1.0000	Pass
165	5825	15.50	0.00	15.50	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.74	0.00	14.74	30.00	1.0000	Pass
157	5785	14.58	0.00	14.58	30.00	1.0000	Pass
165	5825	14.78	0.00	14.78	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.17	30.00	1.0000	Pass
157	5785	18.16	30.00	1.0000	Pass
165	5825	18.17	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.52	0.00	15.52	30.00	1.0000	Pass
157	5785	15.42	0.00	15.42	30.00	1.0000	Pass
165	5825	15.58	0.00	15.58	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.35	0.00	14.35	30.00	1.0000	Pass
157	5785	14.69	0.00	14.69	30.00	1.0000	Pass
165	5825	14.40	0.00	14.40	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.98	30.00	1.0000	Pass
157	5785	18.08	30.00	1.0000	Pass
165	5825	18.04	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.59	0.00	15.59	30.00	1.0000	Pass
159	5795	15.48	0.00	15.48	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.34	0.00	14.34	30.00	1.0000	Pass
159	5795	14.38	0.00	14.38	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.02	30.00	1.0000	Pass
159	5795	17.98	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.49	0.00	15.49	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.19	0.00	14.19	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.90	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.41	0.00	15.41	30.00	1.0000	Pass
157	5785	15.53	0.00	15.53	30.00	1.0000	Pass
165	5825	15.46	0.00	15.46	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.63	0.00	14.63	30.00	1.0000	Pass
157	5785	14.40	0.00	14.40	30.00	1.0000	Pass
165	5825	14.60	0.00	14.60	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.05	30.00	1.0000	Pass
157	5785	18.01	30.00	1.0000	Pass
165	5825	18.06	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.44	0.00	15.44	30.00	1.0000	Pass
159	5795	15.55	0.00	15.55	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.45	0.00	14.45	30.00	1.0000	Pass
159	5795	14.48	0.00	14.48	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.98	30.00	1.0000	Pass
159	5795	18.06	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.44	0.15	15.59	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.58	0.15	14.73	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.19	30.00	1.0000	Pass

Note: Output power = Measure result + Cable loss


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.77	0.00	4.77	9.99	Pass
40	5200	3.48	0.00	3.48	9.99	Pass
48	5240	4.54	0.00	4.54	9.99	Pass



Date: 26 JUN 2026 02:04:36




Date: 26 JUN 2026 02:09:47



Date: 26 JUN 2026 02:11:42

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.93	0.00	2.93	9.99	Pass
40	5200	4.85	0.00	4.85	9.99	Pass
48	5240	3.37	0.00	3.37	9.99	Pass



Date: 26 JUN 2026 02:05:27



Date: 26 JUN 2026 02:10:45



Date: 26 JUN 2026 02:12:27

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.96	9.99	Pass
40	5200	7.23	9.99	Pass
48	5240	7.00	9.99	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.16	0.00	3.16	9.99	Pass
40	5200	3.24	0.00	3.24	9.99	Pass
48	5240	3.99	0.00	3.99	9.99	Pass



Date: 26 JUN 2026 02:35:06




Date: 26 JUN 2026 02:37:15




Date: 26 JUN 2026 02:39:26

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.85	0.00	4.85	9.99	Pass
40	5200	4.32	0.00	4.32	9.99	Pass
48	5240	5.03	0.00	5.03	9.99	Pass



Date: 26 JUN 2026 02:36:21



Date: 26 JUN 2026 02:38:22





Date: 26 JUN 2026 02:39:42

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.10	9.99	Pass
40	5200	6.83	9.99	Pass
48	5240	7.55	9.99	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.59	0.00	-1.59	9.99	Pass
46	5230	-1.91	0.00	-1.91	9.99	Pass





Date: 26.JUN.2026 04:14:39

Date: 26.JUN.2026 04:18:03

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.59	0.00	0.59	9.99	Pass
46	5230	0.40	0.00	0.40	9.99	Pass



Date: 26.JUN.2026 04:15:16


Date: 26.JUN.2026 04:18:19

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.65	9.99	Pass
46	5230	2.41	9.99	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.79	0.00	-3.79	9.99	Pass



Date: 26.JUN.2026 05:16:15

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.88	0.00	-1.88	9.99	Pass




Date: 26.JUN.2026 05:16:40

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.28	9.99	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.39	0.00	3.39	9.99	Pass
40	5200	3.06	0.00	3.06	9.99	Pass
48	5240	3.92	0.00	3.92	9.99	Pass



Date: 26.JUN.2026 03:09:05




Date: 26.JUN.2026 03:12:31




Date: 26.JUN.2026 03:18:15

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.25	0.00	5.25	9.99	Pass
40	5200	4.89	0.00	4.89	9.99	Pass
48	5240	5.15	0.00	5.15	9.99	Pass



Date: 26.JUN.2026 03:11:28



Date: 26.JUN.2026 03:17:10





Date: 26.JUN.2026 03:22:56

Test Mode	UNII-1 TX BE(EHT20) Mode Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.43	9.99	Pass
40	5200	7.08	9.99	Pass
48	5240	7.59	9.99	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.73	0.00	-1.73	9.99	Pass
46	5230	-1.90	0.00	-1.90	9.99	Pass





Date: 26.JUN.2026 04:44:20

Date: 26.JUN.2026 04:46:01

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.50	0.00	0.50	9.99	Pass
46	5230	0.29	0.00	0.29	9.99	Pass



Date: 26.JUN.2026 04:45:12


Date: 26.JUN.2026 04:47:41

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.54	9.99	Pass
46	5230	2.34	9.99	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.68	0.15	-4.53	9.99	Pass



Date: 26.JUN.2026 05:27:11

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.90	0.15	-2.75	9.99	Pass




Date: 26.JUN.2026 05:27:37

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.54	9.99	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.18	0.00	4.18	9.99	Pass
60	5300	5.61	0.00	5.61	9.99	Pass
64	5320	4.11	0.00	4.11	9.99	Pass



Date: 26.JUN.2026 02:13:27




Date: 26.JUN.2026 02:15:43




Date: 26.JUN.2026 02:17:00

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.59	0.00	5.59	9.99	Pass
60	5300	4.08	0.00	4.08	9.99	Pass
64	5320	5.18	0.00	5.18	9.99	Pass



Date: 26.JUN.2026 02:13:55



Date: 26.JUN.2026 02:16:10




Date: 26.JUN.2026 02:17:21

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.95	9.99	Pass
60	5300	7.92	9.99	Pass
64	5320	7.69	9.99	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.00	0.00	4.00	9.99	Pass
60	5300	3.73	0.00	3.73	9.99	Pass
64	5320	3.64	0.00	3.64	9.99	Pass



Date: 26.JUN.2026 02:40:34




Date: 26.JUN.2026 02:42:18




Date: 26.JUN.2026 02:40:52

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.32	0.00	5.32	9.99	Pass
60	5300	4.75	0.00	4.75	9.99	Pass
64	5320	4.88	0.00	4.88	9.99	Pass



Date: 26.JUN.2026 02:41:08



Date: 26.JUN.2026 02:47:25




Date: 26.JUN.2026 02:51:30

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.72	9.99	Pass
60	5300	7.28	9.99	Pass
64	5320	7.32	9.99	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.84	0.00	-1.84	9.99	Pass
62	5310	-2.06	0.00	-2.06	9.99	Pass




Date: 26.JUN.2026 04:19:09




Date: 26.JUN.2026 04:24:53

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.18	0.00	-0.18	9.99	Pass
62	5310	-0.08	0.00	-0.08	9.99	Pass



Date: 26.JUN.2026 04:24:01




Date: 26.JUN.2026 04:26:31

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.08	9.99	Pass
62	5310	2.05	9.99	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.87	0.00	-3.87	9.99	Pass



Date: 26.JUN.2026 05:17:36

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-10.93	0.00	-10.93	9.99	Pass




Date: 26.JUN.2026 05:20:05

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.09	9.99	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.82	0.00	3.82	9.99	Pass
60	5300	3.44	0.00	3.44	9.99	Pass
64	5320	3.81	0.00	3.81	9.99	Pass



Date: 26 JUN 2026 03:24:06




Date: 26 JUN 2026 03:31:37




Date: 26 JUN 2026 03:37:56

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.84	0.00	4.84	9.99	Pass
60	5300	4.37	0.00	4.37	9.99	Pass
64	5320	4.71	0.00	4.71	9.99	Pass



Date: 26 JUN 2026 03:30:45



Date: 26 JUN 2026 03:32:09




Date: 26 JUN 2026 03:40:04

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.37	9.99	Pass
60	5300	6.94	9.99	Pass
64	5320	7.30	9.99	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.00	0.00	-2.00	9.99	Pass
62	5310	-2.09	0.00	-2.09	9.99	Pass




Date: 26.JUN.2026 04:52:56




Date: 26.JUN.2026 05:00:51

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.09	0.00	-0.09	9.99	Pass
62	5310	0.12	0.00	0.12	9.99	Pass



Date: 26.JUN.2026 04:59:45




Date: 26.JUN.2026 05:01:11

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.07	9.99	Pass
62	5310	2.17	9.99	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.42	0.15	-3.27	9.99	Pass



Date: 26.JUN.2026 05:29:18

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.04	0.15	-4.89	9.99	Pass



Date: 26.JUN.2026 05:29:42


Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.99	9.99	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.74	0.00	2.74	9.99	Pass
116	5580	2.81	0.00	2.81	9.99	Pass
140	5700	3.08	0.00	3.08	9.99	Pass
144	5720	5.72	0.00	5.72	9.99	Pass

CH100




Date: 26 JUN 2026 02:20:42

CH116




Date: 26 JUN 2026 02:22:34

CH140



Date: 26 JUN 2026 02:25:18

CH144




Date: 5 AUG 2026 16:00:42

Test Mode UNII-2C_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.61	0.00	3.61	9.99	Pass
116	5580	3.70	0.00	3.70	9.99	Pass
140	5700	4.05	0.00	4.05	9.99	Pass
144	5720	6.80	0.00	6.80	9.99	Pass

CH100




Date: 26 JUN 2026 02:21:32

CH116




Date: 26 JUN 2026 02:24:26

CH140



Date: 26 JUN 2026 02:26:58

CH144



Date: 5 AUG 2026 16:02:53


Test Mode UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.21	9.99	Pass
116	5580	6.29	9.99	Pass
140	5700	6.60	9.99	Pass
144	5720	9.30	9.99	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.99	0.00	3.99	9.99	Pass
116	5580	3.93	0.00	3.93	9.99	Pass
140	5700	4.13	0.00	4.13	9.99	Pass
144	5720	6.26	0.00	6.26	9.99	Pass

CH100




Date: 26 JUN 2026 02:52:34

CH116




Date: 26 JUN 2026 02:54:54

CH140



Date: 26 JUN 2026 02:56:47

CH144




Date: 5 AUG 2026 16:07:00

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.93	0.00	4.93	9.99	Pass
116	5580	4.89	0.00	4.89	9.99	Pass
140	5700	5.31	0.00	5.31	9.99	Pass
144	5720	7.20	0.00	7.20	9.99	Pass

CH100




Date: 26 JUN 2026 02:53:25

CH116




Date: 26 JUN 2026 02:55:12

CH140



Date: 26 JUN 2026 02:57:13

CH144



Date: 5 AUG 2026 16:06:32


Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.49	9.99	Pass
116	5580	7.45	9.99	Pass
140	5700	7.77	9.99	Pass
144	5720	9.77	9.99	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.61	0.00	-1.61	9.99	Pass
110	5550	-1.47	0.00	-1.47	9.99	Pass
134	5670	-1.65	0.00	-1.65	9.99	Pass
142	5710	4.93	0.00	4.93	9.99	Pass

CH102




Date: 26 JUN 2026 04:27:21

CH110




Date: 26 JUN 2026 04:28:50

CH134



Date: 26 JUN 2026 04:30:33

CH142




Date: 5 AUG 2026 16:20:53

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.17	0.00	-0.17	9.99	Pass
110	5550	-0.08	0.00	-0.08	9.99	Pass
134	5670	0.18	0.00	0.18	9.99	Pass
142	5710	5.86	0.00	5.86	9.99	Pass

CH102




Date: 26 JUN 2026 04:27:59

CH110




Date: 26 JUN 2026 04:29:42

CH134



Date: 26 JUN 2026 04:36:36

CH142




Date: 5 AUG 2026 16:21:17

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.18	9.99	Pass
110	5550	2.29	9.99	Pass
134	5670	2.37	9.99	Pass
142	5710	8.43	9.99	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.83	0.00	-3.83	9.99	Pass
122	5610	-4.05	0.00	-4.05	9.99	Pass
138	5690	1.96	0.00	1.96	9.99	Pass



Date: 26.JUN.2026 05:21:50




Date: 26.JUN.2026 05:23:24




Date: 5.AUG.2026 16:28:58

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.94	0.00	-2.94	9.99	Pass
122	5610	-3.04	0.00	-3.04	9.99	Pass
138	5690	3.06	0.00	3.06	9.99	Pass



Date: 26.JUN.2026 05:22:14



Date: 26.JUN.2026 05:24:26



Date: 5.AUG.2026 16:29:27


Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.35	9.99	Pass
122	5610	-0.50	9.99	Pass
138	5690	5.55	9.99	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.46	0.00	2.46	9.99	Pass
116	5580	2.30	0.00	2.30	9.99	Pass
140	5700	2.85	0.00	2.85	9.99	Pass
144	5720	5.90	0.00	5.90	9.99	Pass

CH100




Date: 26 JUN 2026 03:42:02

CH116




Date: 26 JUN 2026 03:44:02

CH140



Date: 26 JUN 2026 03:55:32





CH144



Date: 5 AUG 2026 16:35:54

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.44	0.00	3.44	9.99	Pass
116	5580	3.43	0.00	3.43	9.99	Pass
140	5700	4.03	0.00	4.03	9.99	Pass
144	5720	6.79	0.00	6.79	9.99	Pass




Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.99	9.99	Pass
116	5580	5.91	9.99	Pass
140	5700	6.49	9.99	Pass
144	5720	9.38	9.99	Pass

Test Mode UNII-2C_TX BE(EHT40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.40	0.00	-1.40	9.99	Pass
110	5550	-1.31	0.00	-1.31	9.99	Pass
134	5670	-1.45	0.00	-1.45	9.99	Pass
142	5710	4.96	0.00	4.96	9.99	Pass

CH102




Date: 26.JUN.2026 05:02:08

CH110




Date: 26.JUN.2026 05:04:27

CH134



Date: 26.JUN.2026 05:06:01

CH142




Date: 5.AUG.2026 16:40:27

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.02	0.00	-0.02	9.99	Pass
110	5550	0.16	0.00	0.16	9.99	Pass
134	5670	0.28	0.00	0.28	9.99	Pass
142	5710	6.12	0.00	6.12	9.99	Pass

CH102




Date: 26 JUN 2026 05:03:18

CH110




Date: 26 JUN 2026 05:04:47

CH134



Date: 26 JUN 2026 05:09:34

CH142



Date: 5 AUG 2026 16:41:18

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.36	9.99	Pass
110	5550	2.49	9.99	Pass
134	5670	2.51	9.99	Pass
142	5710	8.59	9.99	Pass