



Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.04	0.15	-4.89	9.99	Pass
122	5610	-4.86	0.15	-4.71	9.99	Pass
138	5690	1.70	0.15	1.85	9.99	Pass



Date: 26.JUN.2026 05:30:43




Date: 26.JUN.2026 05:35:46




Date: 5.AUG.2026 16:46:02

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.69	0.15	-3.54	9.99	Pass
122	5610	-3.77	0.15	-3.62	9.99	Pass
138	5690	2.70	0.15	2.85	9.99	Pass



Date: 26.JUN.2026 05:34:43



Date: 26.JUN.2026 05:36:38



Date: 5.AUG.2026 16:46:30


Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.15	9.99	Pass
122	5610	-1.12	9.99	Pass
138	5690	5.38	9.99	Pass


Test Mode UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-5.66	1.33	0.00	1.33	28.99	Pass
157	5785	-5.38	1.61	0.00	1.61	28.99	Pass
165	5825	-6.18	0.81	0.00	0.81	28.99	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 26 JUN 2026 02:27:44



Date: 26 JUN 2026 02:29:13




Date: 26 JUN 2026 02:31:20


Test Mode UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-5.07	1.92	0.00	1.92	28.99	Pass
157	5785	-6.09	0.90	0.00	0.90	28.99	Pass
165	5825	-5.13	1.86	0.00	1.86	28.99	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 26 JUN 2026 02:28:25



Date: 26 JUN 2026 02:30:34



Date: 26 JUN 2026 02:33:20


Test Mode UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.65	28.99	Pass
157	5785	4.28	28.99	Pass
165	5825	4.37	28.99	Pass


Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-4.39	2.60	0.00	2.60	28.99	Pass
157	5785	-4.39	2.60	0.00	2.60	28.99	Pass
165	5825	-4.61	2.38	0.00	2.38	28.99	Pass


NOTE: $\text{PSD}_{\text{dBm}/500 \text{ kHz}} = \text{PSD}_{\text{dBm}/100 \text{ kHz}} + 10 \times \log(500 \text{ kHz} / 100 \text{ kHz}) = \text{PSD}_{\text{dBm}/100 \text{ kHz}} + 6.99 \text{ dB}$



Date: 26.JUN.2026 03:01:47



Date: 26.JUN.2026 03:02:52




Date: 26.JUN.2026 03:06:13


Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-3.48	3.51	0.00	3.51	28.99	Pass
157	5785	-3.74	3.25	0.00	3.25	28.99	Pass
165	5825	-3.67	3.32	0.00	3.32	28.99	Pass


NOTE: $\text{PSD}_{\text{dBm}/500 \text{ kHz}} = \text{PSD}_{\text{dBm}/100 \text{ kHz}} + 10 \times \log(500 \text{ kHz} / 100 \text{ kHz}) = \text{PSD}_{\text{dBm}/100 \text{ kHz}} + 6.99 \text{ dB}$



Date: 26.JUN.2026 03:02:06



Date: 26.JUN.2026 03:04:42



Date: 26 JUN 2026 03:07:18



Test Mode	UNII-3 TX AC(VHT20) Mode Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.09	28.99	Pass
157	5785	5.95	28.99	Pass
165	5825	5.89	28.99	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-9.73	-2.74	0.00	-2.74	28.99	Pass
159	5795	-10.04	-3.05	0.00	-3.05	28.99	Pass



NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-8.80	-1.81	0.00	-1.81	28.99	Pass
159	5795	-9.41	-2.42	0.00	-2.42	28.99	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$




Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.76	28.99	Pass
159	5795	0.29	28.99	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-12.57	-5.58	0.00	-5.58	28.99	Pass

NOTE: $\text{PSD}_{\text{dBm/500 kHz}} = \text{PSD}_{\text{dBm/100 kHz}} + 10 \times \log(500 \text{ kHz} / 100 \text{ kHz}) = \text{PSD}_{\text{dBm/100 kHz}} + 6.99 \text{ dB}$




Date: 26 JUN 2026 05:25:18

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-11.47	-4.48	0.00	-4.48	28.99	Pass

NOTE: $\text{PSD}_{\text{dBm/500 kHz}} = \text{PSD}_{\text{dBm/100 kHz}} + 10 \times \log(500 \text{ kHz} / 100 \text{ kHz}) = \text{PSD}_{\text{dBm/100 kHz}} + 6.99 \text{ dB}$



Date: 26 JUN 2026 05:25:43


Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.99	28.99	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-7.17	-0.18	0.00	-0.18	28.99	Pass
157	5785	-7.50	-0.51	0.00	-0.51	28.99	Pass
165	5825	-7.36	-0.37	0.00	-0.37	28.99	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 26 JUN 2026 03:58:03



Date: 26 JUN 2026 04:00:39



Date: 26 JUN 2026 04:01:35

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-5.85	1.14	0.00	1.14	28.99	Pass
157	5785	-5.95	1.04	0.00	1.04	28.99	Pass
165	5825	-5.97	1.02	0.00	1.02	28.99	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 26 JUN 2026 03:58:35



Date: 26 JUN 2026 04:00:54



Date: 26 JUN 2026 04:01:19


Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.54	28.99	Pass
157	5785	3.34	28.99	Pass
165	5825	3.39	28.99	Pass


Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-10.56	-3.57	0.00	-3.57	28.99	Pass
159	5795	-10.84	-3.85	0.00	-3.85	28.99	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 26.JUN.2026 05:12:45



Date: 26.JUN.2026 05:13:51


Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-9.35	-2.36	0.00	-2.36	28.99	Pass
159	5795	-10.00	-3.01	0.00	-3.01	28.99	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 26.JUN.2026 05:13:08



Date: 26.JUN.2026 05:14:11


Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.09	28.99	Pass
159	5795	-0.40	28.99	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-13.93	-6.94	0.15	-6.80	28.99	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-12.84	-5.85	0.15	-5.71	28.99	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.21	28.99	Pass

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
4.14	5180.0188
3.60	5180.0196
3.06	5180.0192
Maximum Deviation (MHz)	0.0196
Maximum Deviation (ppm)	3.7838

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
-30.00	5180.0204
-25.00	5180.0196
-15.00	5180.0220
-5.00	5180.0188
5.00	5180.0200
15.00	5180.0188
25.00	5180.0196
35.00	5180.0200
45.00	5180.0196
55.00	5180.0188
65.00	5180.0192
70.00	5180.0168
Maximum Deviation (MHz)	0.0220
Maximum Deviation (ppm)	4.2471

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
4.14	5260.0192
3.60	5260.0200
3.06	5260.0196
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.8023

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
-30.00	5260.0208
-25.00	5260.0192
-15.00	5260.0212
-5.00	5260.0192
5.00	5260.0208
15.00	5260.0188
25.00	5260.0200
35.00	5260.0204
45.00	5260.0204
55.00	5260.0204
65.00	5260.0188
70.00	5260.0172
Maximum Deviation (MHz)	0.0212
Maximum Deviation (ppm)	4.03

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
4.14	5500.0200
3.60	5500.0212
3.06	5500.0204
Maximum Deviation (MHz)	0.0212
Maximum Deviation (ppm)	3.8545

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
-30.00	5500.0216
-25.00	5500.0200
-15.00	5500.0220
-5.00	5500.0200
5.00	5500.0220
15.00	5500.0200
25.00	5500.0212
35.00	5500.0216
45.00	5500.0212
55.00	5500.0204
65.00	5500.0200
70.00	5500.0184
Maximum Deviation (MHz)	0.0220
Maximum Deviation (ppm)	4.00

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
4.14	5745.0208
3.60	5745.0224
3.06	5745.0212
Maximum Deviation (MHz)	0.0224
Maximum Deviation (ppm)	3.8990

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
-30.00	5745.0224
-25.00	5745.0212
-15.00	5745.0220
-5.00	5745.0228
5.00	5745.0228
15.00	5745.0208
25.00	5745.0224
35.00	5745.0228
45.00	5745.0220
55.00	5745.0212
65.00	5745.0208
70.00	5745.0204
Maximum Deviation (MHz)	0.0228
Maximum Deviation (ppm)	3.97

End of Test Report