



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6535                 | -15.29                                     | 0.00             | -6.78                               | -5.00                   | Pass   |
| 6695                 | -17.15                                     | 0.00             | -8.64                               | -5.00                   | Pass   |
| 6855                 | -17.81                                     | 0.00             | -9.30                               | -5.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6875                 | -16.86                                     | 0.00             | -8.35                               | -5.00                   | Pass   |
| 6995                 | -16.13                                     | 0.00             | -7.62                               | -5.00                   | Pass   |
| 7115                 | -17.50                                     | 0.00             | -8.99                               | -5.00                   | Pass   |




|           |                    |
|-----------|--------------------|
| Test Mode | IEEE 802.11a_Total |
|-----------|--------------------|


| Test Frequency (MHz) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -5.56                               | -5.00                   | Pass   |
| 6175                 | -5.31                               | -5.00                   | Pass   |
| 6415                 | -6.30                               | -5.00                   | Pass   |
| 6435                 | -6.03                               | -5.00                   | Pass   |
| 6475                 | -5.46                               | -5.00                   | Pass   |
| 6515                 | -5.03                               | -5.00                   | Pass   |
| 6535                 | -5.07                               | -5.00                   | Pass   |
| 6695                 | -5.43                               | -5.00                   | Pass   |
| 6855                 | -5.69                               | -5.00                   | Pass   |
| 6875                 | -5.73                               | -5.00                   | Pass   |
| 6995                 | -5.30                               | -5.00                   | Pass   |
| 7115                 | -5.93                               | -5.00                   | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT20)_Ant.1 |
|-----------|----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -15.59                                     | 0.00             | -7.08                               | -5.00                   | Pass   |
| 6175                 | -18.00                                     | 0.00             | -9.49                               | -5.00                   | Pass   |
| 6415                 | -17.09                                     | 0.00             | -8.58                               | -5.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6435                 | -15.56                                     | 0.00             | -7.05                               | -5.00                   | Pass   |
| 6475                 | -16.45                                     | 0.00             | -7.94                               | -5.00                   | Pass   |
| 6515                 | -17.68                                     | 0.00             | -9.17                               | -5.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6535                 | -19.08                                     | 0.00             | -10.57                              | -5.00                   | Pass   |
| 6695                 | -15.79                                     | 0.00             | -7.28                               | -5.00                   | Pass   |
| 6855                 | -17.28                                     | 0.00             | -8.77                               | -5.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6875                 | -17.36                                     | 0.00             | -8.85                               | -5.00                   | Pass   |
| 6995                 | -17.70                                     | 0.00             | -9.19                               | -5.00                   | Pass   |
| 7115                 | -17.36                                     | 0.00             | -8.85                               | -5.00                   | Pass   |




|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT20)_Ant.2 |
|-----------|----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -18.32                                     | 0.00             | -9.81                               | -5.00                   | Pass   |
| 6175                 | -15.81                                     | 0.00             | -7.30                               | -5.00                   | Pass   |
| 6415                 | -18.07                                     | 0.00             | -9.56                               | -5.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6435                 | -18.94                                     | 0.00             | -10.43                              | -5.00                   | Pass   |
| 6475                 | -18.35                                     | 0.00             | -9.84                               | -5.00                   | Pass   |
| 6515                 | -17.27                                     | 0.00             | -8.76                               | -5.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6535                 | -16.63                                     | 0.00             | -8.12                               | -5.00                   | Pass   |
| 6695                 | -18.63                                     | 0.00             | -10.12                              | -5.00                   | Pass   |
| 6855                 | -17.91                                     | 0.00             | -9.40                               | -5.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6875                 | -17.10                                     | 0.00             | -8.59                               | -5.00                   | Pass   |
| 6995                 | -16.79                                     | 0.00             | -8.28                               | -5.00                   | Pass   |
| 7115                 | -16.35                                     | 0.00             | -7.84                               | -5.00                   | Pass   |




|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT20)_Total |
|-----------|----------------------------|


| Test Frequency (MHz) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -5.22                               | -5.00                   | Pass   |
| 6175                 | -5.25                               | -5.00                   | Pass   |
| 6415                 | -6.03                               | -5.00                   | Pass   |
| 6435                 | -5.41                               | -5.00                   | Pass   |
| 6475                 | -5.78                               | -5.00                   | Pass   |
| 6515                 | -5.95                               | -5.00                   | Pass   |
| 6535                 | -6.16                               | -5.00                   | Pass   |
| 6695                 | -5.46                               | -5.00                   | Pass   |
| 6855                 | -6.06                               | -5.00                   | Pass   |
| 6875                 | -5.71                               | -5.00                   | Pass   |
| 6995                 | -5.70                               | -5.00                   | Pass   |
| 7115                 | -5.31                               | -5.00                   | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT40)_Ant.1 |
|-----------|----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5965                 | -16.04                                     | 0.00             | -7.53                               | -5.00                   | Pass   |
| 6165                 | -18.11                                     | 0.00             | -9.60                               | -5.00                   | Pass   |
| 6405                 | -15.36                                     | 0.00             | -6.85                               | -5.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6445                 | -15.90                                     | 0.00             | -7.39                               | -5.00                   | Pass   |
| 6485                 | -17.17                                     | 0.00             | -8.66                               | -5.00                   | Pass   |
| 6525                 | -17.59                                     | 0.00             | -9.08                               | -5.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6565                 | -18.35                                     | 0.00             | -9.84                               | -5.00                   | Pass   |
| 6725                 | -16.41                                     | 0.00             | -7.90                               | -5.00                   | Pass   |
| 6845                 | -16.69                                     | 0.00             | -8.18                               | -5.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6885                 | -17.44                                     | 0.00             | -8.93                               | -5.00                   | Pass   |
| 7005                 | -17.34                                     | 0.00             | -8.83                               | -5.00                   | Pass   |
| 7085                 | -17.06                                     | 0.00             | -8.55                               | -5.00                   | Pass   |




|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT40)_Ant.2 |
|-----------|----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5965                 | -18.51                                     | 0.00             | -10.00                              | -5.00                   | Pass   |
| 6165                 | -17.46                                     | 0.00             | -8.95                               | -5.00                   | Pass   |
| 6405                 | -18.58                                     | 0.00             | -10.07                              | -5.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6445                 | -17.97                                     | 0.00             | -9.46                               | -5.00                   | Pass   |
| 6485                 | -17.25                                     | 0.00             | -8.74                               | -5.00                   | Pass   |
| 6525                 | -16.45                                     | 0.00             | -7.94                               | -5.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6565                 | -15.91                                     | 0.00             | -7.40                               | -5.00                   | Pass   |
| 6725                 | -19.36                                     | 0.00             | -10.85                              | -5.00                   | Pass   |
| 6845                 | -17.43                                     | 0.00             | -8.92                               | -5.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6885                 | -17.72                                     | 0.00             | -9.21                               | -5.00                   | Pass   |
| 7005                 | -16.76                                     | 0.00             | -8.25                               | -5.00                   | Pass   |
| 7085                 | -16.87                                     | 0.00             | -8.36                               | -5.00                   | Pass   |




|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT40)_Total |
|-----------|----------------------------|

| Test Frequency (MHz) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------------------|-------------------------|--------|
| 5965                 | -5.58                               | -5.00                   | Pass   |
| 6165                 | -6.25                               | -5.00                   | Pass   |
| 6405                 | -5.16                               | -5.00                   | Pass   |
| 6445                 | -5.29                               | -5.00                   | Pass   |
| 6485                 | -5.69                               | -5.00                   | Pass   |
| 6525                 | -5.46                               | -5.00                   | Pass   |
| 6565                 | -5.44                               | -5.00                   | Pass   |
| 6725                 | -6.12                               | -5.00                   | Pass   |
| 6845                 | -5.52                               | -5.00                   | Pass   |
| 6885                 | -6.06                               | -5.00                   | Pass   |
| 7005                 | -5.52                               | -5.00                   | Pass   |
| 7085                 | -5.44                               | -5.00                   | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Ant.1 |
|-----------|----------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5985                 | -16.29                                     | 0.00             | -7.78                               | -5.00                   | Pass   |
| 6145                 | -18.58                                     | 0.00             | -10.07                              | -5.00                   | Pass   |
| 6385                 | -15.18                                     | 0.00             | -6.67                               | -5.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6465                 | -15.66                                     | 0.00             | -7.15                               | -5.00                   | Pass   |

