



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-18.00	0.00	-9.49	-5.00	Pass
6705	-16.06	0.00	-7.55	-5.00	Pass
6865	-16.81	0.00	-8.30	-5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-17.57	0.00	-9.06	-5.00	Pass
7025	-17.40	0.00	-8.89	-5.00	Pass




Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-18.11	0.00	-9.60	-5.00	Pass
6145	-16.62	0.00	-8.11	-5.00	Pass
6385	-18.65	0.00	-10.14	-5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-15.81	0.00	-7.30	-5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-15.79	0.00	-7.28	-5.00	Pass
6705	-17.76	0.00	-9.25	-5.00	Pass
6865	-16.86	0.00	-8.35	-5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-16.64	0.00	-8.13	-5.00	Pass
7025	-16.64	0.00	-8.13	-5.00	Pass




Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-5.59	-5.00	Pass
6145	-5.97	-5.00	Pass
6385	-5.06	-5.00	Pass
6465	-4.21	-5.00	Pass
6545	-5.24	-5.00	Pass
6705	-5.31	-5.00	Pass
6865	-5.31	-5.00	Pass
6945	-5.56	-5.00	Pass
7025	-5.48	-5.00	Pass


For Transmitter Power Control

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-22.80	0.00	-22.80	-11.00	Pass
6175	-25.01	0.00	-25.01	-11.00	Pass
6415	-23.25	0.00	-23.25	-11.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-23.23	0.00	-23.23	-11.00	Pass
6475	-22.38	0.00	-22.38	-11.00	Pass
6515	-24.91	0.00	-24.91	-11.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-26.22	0.00	-26.22	-11.00	Pass
6695	-28.28	0.00	-28.28	-11.00	Pass
6855	-28.20	0.00	-28.20	-11.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-23.27	0.00	-23.27	-11.00	Pass
6995	-22.55	0.00	-22.55	-11.00	Pass
7115	-24.75	0.00	-24.75	-11.00	Pass




Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-22.89	0.00	-22.89	-11.00	Pass
6175	-22.66	0.00	-22.66	-11.00	Pass
6415	-23.95	0.00	-23.95	-11.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-24.41	0.00	-24.41	-11.00	Pass
6475	-23.22	0.00	-23.22	-11.00	Pass
6515	-23.51	0.00	-23.51	-11.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-25.71	0.00	-25.71	-11.00	Pass
6695	-25.86	0.00	-25.86	-11.00	Pass
6855	-27.58	0.00	-27.58	-11.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-26.56	0.00	-26.56	-11.00	Pass
6995	-24.21	0.00	-24.21	-11.00	Pass
7115	-23.96	0.00	-23.96	-11.00	Pass




Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-11.32	-11.00	Pass
6175	-12.16	-11.00	Pass
6415	-12.06	-11.00	Pass
6435	-12.26	-11.00	Pass
6475	-11.26	-11.00	Pass
6515	-12.63	-11.00	Pass
6535	-14.44	-11.00	Pass
6695	-15.38	-11.00	Pass
6855	-16.36	-11.00	Pass
6875	-13.09	-11.00	Pass
6995	-11.78	-11.00	Pass
7115	-12.82	-11.00	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-23.85	0.00	-23.85	-11.00	Pass
6165	-23.79	0.00	-23.79	-11.00	Pass
6405	-24.35	0.00	-24.35	-11.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-23.70	0.00	-23.70	-11.00	Pass
6485	-23.86	0.00	-23.86	-11.00	Pass
6525	-23.86	0.00	-23.86	-11.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-26.21	0.00	-26.21	-11.00	Pass
6725	-28.95	0.00	-28.95	-11.00	Pass
6845	-29.10	0.00	-29.10	-11.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-26.16	0.00	-26.16	-11.00	Pass
7005	-24.91	0.00	-24.91	-11.00	Pass
7085	-24.52	0.00	-24.52	-11.00	Pass




Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-27.25	0.00	-27.25	-11.00	Pass
6165	-26.16	0.00	-26.16	-11.00	Pass
6405	-22.11	0.00	-22.11	-11.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-22.30	0.00	-22.30	-11.00	Pass
6485	-21.72	0.00	-21.72	-11.00	Pass
6525	-24.21	0.00	-24.21	-11.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-25.44	0.00	-25.44	-11.00	Pass
6725	-26.96	0.00	-26.96	-11.00	Pass
6845	-27.57	0.00	-27.57	-11.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-26.71	0.00	-26.71	-11.00	Pass
7005	-23.33	0.00	-23.33	-11.00	Pass
7085	-25.83	0.00	-25.83	-11.00	Pass




Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-13.71	-11.00	Pass
6165	-13.29	-11.00	Pass
6405	-11.57	-11.00	Pass
6445	-11.42	-11.00	Pass
6485	-11.14	-11.00	Pass
6525	-12.51	-11.00	Pass
6565	-14.29	-11.00	Pass
6725	-16.32	-11.00	Pass
6845	-16.75	-11.00	Pass
6885	-14.91	-11.00	Pass
7005	-12.53	-11.00	Pass
7085	-13.61	-11.00	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-25.46	0.00	-25.46	-11.00	Pass
6145	-25.72	0.00	-25.72	-11.00	Pass
6385	-24.54	0.00	-24.54	-11.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-22.51	0.00	-22.51	-11.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-24.39	0.00	-24.39	-11.00	Pass
6705	-24.52	0.00	-24.52	-11.00	Pass
6865	-23.29	0.00	-23.29	-11.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-25.23	0.00	-25.23	-11.00	Pass
7025	-23.56	0.00	-23.56	-11.00	Pass



Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-25.46	0.00	-25.46	-11.00	Pass
6145	-25.72	0.00	-25.72	-11.00	Pass
6385	-24.54	0.00	-24.54	-11.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-22.87	0.00	-22.87	-11.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-24.43	0.00	-24.43	-11.00	Pass
6705	-23.46	0.00	-23.46	-11.00	Pass
6865	-23.30	0.00	-23.30	-11.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-23.59	0.00	-23.59	-11.00	Pass
7025	-24.57	0.00	-24.57	-11.00	Pass



Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-13.94	-11.00	Pass
6145	-14.20	-11.00	Pass
6385	-13.02	-11.00	Pass
6465	-11.17	-11.00	Pass
6545	-12.89	-11.00	Pass
6705	-12.44	-11.00	Pass
6865	-11.77	-11.00	Pass
6945	-12.81	-11.00	Pass
7025	-12.51	-11.00	Pass

APPENDIX H - IN-BAND EMISSION (MASK)