



## For 6XD

|           |                    |
|-----------|--------------------|
| Test Mode | IEEE 802.11a_Ant.1 |
|-----------|--------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -13.79                                     | 0.00             | -5.28                               | -1.00                   | Pass   |
| 6175                 | -14.81                                     | 0.00             | -6.30                               | -1.00                   | Pass   |
| 6415                 | -14.41                                     | 0.00             | -5.90                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6435                 | -12.27                                     | 0.00             | -3.76                               | -1.00                   | Pass   |
| 6475                 | -12.95                                     | 0.00             | -4.44                               | -1.00                   | Pass   |
| 6515                 | -12.41                                     | 0.00             | -3.90                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6535                 | -14.36                                     | 0.00             | -5.85                               | -1.00                   | Pass   |
| 6695                 | -12.27                                     | 0.00             | -3.76                               | -1.00                   | Pass   |
| 6855                 | -13.08                                     | 0.00             | -4.57                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6875                 | -13.38                                     | 0.00             | -4.87                               | -1.00                   | Pass   |
| 6995                 | -13.54                                     | 0.00             | -5.03                               | -1.00                   | Pass   |
| 7115                 | -12.82                                     | 0.00             | -4.31                               | -1.00                   | Pass   |




|           |                    |
|-----------|--------------------|
| Test Mode | IEEE 802.11a_Ant.2 |
|-----------|--------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -11.75                                     | 0.00             | -3.24                               | -1.00                   | Pass   |
| 6175                 | -12.52                                     | 0.00             | -4.01                               | -1.00                   | Pass   |
| 6415                 | -13.27                                     | 0.00             | -4.76                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6435                 | -14.59                                     | 0.00             | -6.08                               | -1.00                   | Pass   |
| 6475                 | -12.25                                     | 0.00             | -3.74                               | -1.00                   | Pass   |
| 6515                 | -13.17                                     | 0.00             | -4.66                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6535                 | -11.97                                     | 0.00             | -3.46                               | -1.00                   | Pass   |
| 6695                 | -14.43                                     | 0.00             | -5.92                               | -1.00                   | Pass   |
| 6855                 | -13.42                                     | 0.00             | -4.91                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6875                 | -13.56                                     | 0.00             | -5.05                               | -1.00                   | Pass   |
| 6995                 | -13.21                                     | 0.00             | -4.70                               | -1.00                   | Pass   |
| 7115                 | -12.78                                     | 0.00             | -4.27                               | -1.00                   | Pass   |




|           |                    |
|-----------|--------------------|
| Test Mode | IEEE 802.11a_Total |
|-----------|--------------------|


| Test Frequency (MHz) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -1.13                               | -1.00                   | Pass   |
| 6175                 | -2.00                               | -1.00                   | Pass   |
| 6415                 | -2.28                               | -1.00                   | Pass   |
| 6435                 | -1.76                               | -1.00                   | Pass   |
| 6475                 | -1.07                               | -1.00                   | Pass   |
| 6515                 | -1.25                               | -1.00                   | Pass   |
| 6535                 | -1.48                               | -1.00                   | Pass   |
| 6695                 | -1.70                               | -1.00                   | Pass   |
| 6855                 | -1.73                               | -1.00                   | Pass   |
| 6875                 | -1.95                               | -1.00                   | Pass   |
| 6995                 | -1.85                               | -1.00                   | Pass   |
| 7115                 | -1.28                               | -1.00                   | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT20)_Ant.1 |
|-----------|----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -11.29                                     | 0.00             | -2.78                               | -1.00                   | Pass   |
| 6175                 | -14.97                                     | 0.00             | -6.46                               | -1.00                   | Pass   |
| 6415                 | -12.69                                     | 0.00             | -4.18                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6435                 | -12.26                                     | 0.00             | -3.75                               | -1.00                   | Pass   |
| 6475                 | -12.32                                     | 0.00             | -3.81                               | -1.00                   | Pass   |
| 6515                 | -11.83                                     | 0.00             | -3.32                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6535                 | -15.38                                     | 0.00             | -6.87                               | -1.00                   | Pass   |
| 6695                 | -12.42                                     | 0.00             | -3.91                               | -1.00                   | Pass   |
| 6855                 | -14.01                                     | 0.00             | -5.50                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6875                 | -13.25                                     | 0.00             | -4.74                               | -1.00                   | Pass   |
| 6995                 | -13.25                                     | 0.00             | -4.74                               | -1.00                   | Pass   |
| 7115                 | -13.41                                     | 0.00             | -4.90                               | -1.00                   | Pass   |




|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT20)_Ant.2 |
|-----------|----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -15.83                                     | 0.00             | -7.32                               | -1.00                   | Pass   |
| 6175                 | -12.05                                     | 0.00             | -3.54                               | -1.00                   | Pass   |
| 6415                 | -14.43                                     | 0.00             | -5.92                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6435                 | -13.56                                     | 0.00             | -5.05                               | -1.00                   | Pass   |
| 6475                 | -13.06                                     | 0.00             | -4.55                               | -1.00                   | Pass   |
| 6515                 | -14.71                                     | 0.00             | -6.20                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6535                 | -12.53                                     | 0.00             | -4.02                               | -1.00                   | Pass   |
| 6695                 | -13.43                                     | 0.00             | -4.92                               | -1.00                   | Pass   |
| 6855                 | -14.37                                     | 0.00             | -5.86                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6875                 | -12.44                                     | 0.00             | -3.93                               | -1.00                   | Pass   |
| 6995                 | -13.07                                     | 0.00             | -4.56                               | -1.00                   | Pass   |
| 7115                 | -13.22                                     | 0.00             | -4.71                               | -1.00                   | Pass   |




|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT20)_Total |
|-----------|----------------------------|

| Test Frequency (MHz) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -1.47                               | -1.00                   | Pass   |
| 6175                 | -1.75                               | -1.00                   | Pass   |
| 6415                 | -1.95                               | -1.00                   | Pass   |
| 6435                 | -1.34                               | -1.00                   | Pass   |
| 6475                 | -1.15                               | -1.00                   | Pass   |
| 6515                 | -1.52                               | -1.00                   | Pass   |
| 6535                 | -2.20                               | -1.00                   | Pass   |
| 6695                 | -1.38                               | -1.00                   | Pass   |
| 6855                 | -2.67                               | -1.00                   | Pass   |
| 6875                 | -1.31                               | -1.00                   | Pass   |
| 6995                 | -1.64                               | -1.00                   | Pass   |
| 7115                 | -1.79                               | -1.00                   | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT40)_Ant.1 |
|-----------|----------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5965                 | -12.17                                     | 0.00             | -3.66                               | -1.00                   | Pass   |
| 6165                 | -14.07                                     | 0.00             | -5.56                               | -1.00                   | Pass   |
| 6405                 | -13.11                                     | 0.00             | -4.60                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6445                 | -11.96                                     | 0.00             | -3.45                               | -1.00                   | Pass   |
| 6485                 | -12.85                                     | 0.00             | -4.34                               | -1.00                   | Pass   |
| 6525                 | -13.37                                     | 0.00             | -4.86                               | -1.00                   | Pass   |

