



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6565                 | -15.28                                     | 0.00             | -6.77                               | -1.00                   | Pass   |
| 6725                 | -12.23                                     | 0.00             | -3.72                               | -1.00                   | Pass   |
| 6845                 | -12.96                                     | 0.00             | -4.45                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6885                 | -13.12                                     | 0.00             | -4.61                               | -1.00                   | Pass   |
| 7005                 | -13.61                                     | 0.00             | -5.10                               | -1.00                   | Pass   |
| 7085                 | -13.34                                     | 0.00             | -4.83                               | -1.00                   | Pass   |




|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT40)_Ant.2 |
|-----------|----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5965                 | -15.94                                     | 0.00             | -7.43                               | -1.00                   | Pass   |
| 6165                 | -11.52                                     | 0.00             | -3.01                               | -1.00                   | Pass   |
| 6405                 | -14.46                                     | 0.00             | -5.95                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6445                 | -14.99                                     | 0.00             | -6.48                               | -1.00                   | Pass   |
| 6485                 | -13.94                                     | 0.00             | -5.43                               | -1.00                   | Pass   |
| 6525                 | -12.56                                     | 0.00             | -4.05                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6565                 | -11.96                                     | 0.00             | -3.45                               | -1.00                   | Pass   |
| 6725                 | -15.15                                     | 0.00             | -6.64                               | -1.00                   | Pass   |
| 6845                 | -12.90                                     | 0.00             | -4.39                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6885                 | -12.29                                     | 0.00             | -3.78                               | -1.00                   | Pass   |
| 7005                 | -12.78                                     | 0.00             | -4.27                               | -1.00                   | Pass   |
| 7085                 | -12.48                                     | 0.00             | -3.97                               | -1.00                   | Pass   |




|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT40)_Total |
|-----------|----------------------------|


| Test Frequency (MHz) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------------------|-------------------------|--------|
| 5965                 | -2.14                               | -1.00                   | Pass   |
| 6165                 | -1.09                               | -1.00                   | Pass   |
| 6405                 | -2.21                               | -1.00                   | Pass   |
| 6445                 | -1.70                               | -1.00                   | Pass   |
| 6485                 | -1.84                               | -1.00                   | Pass   |
| 6525                 | -1.43                               | -1.00                   | Pass   |
| 6565                 | -1.79                               | -1.00                   | Pass   |
| 6725                 | -1.93                               | -1.00                   | Pass   |
| 6845                 | -1.41                               | -1.00                   | Pass   |
| 6885                 | -1.16                               | -1.00                   | Pass   |
| 7005                 | -1.65                               | -1.00                   | Pass   |
| 7085                 | -1.37                               | -1.00                   | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Ant.1 |
|-----------|----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5985                 | -11.69                                     | 0.00             | -3.18                               | -1.00                   | Pass   |
| 6145                 | -14.07                                     | 0.00             | -5.56                               | -1.00                   | Pass   |
| 6385                 | -10.85                                     | 0.00             | -2.34                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6465                 | -16.66                                     | 0.00             | -8.15                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6545                 | -14.06                                     | 0.00             | -5.55                               | -1.00                   | Pass   |
| 6705                 | -12.60                                     | 0.00             | -4.09                               | -1.00                   | Pass   |
| 6865                 | -13.10                                     | 0.00             | -4.59                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6945                 | -13.69                                     | 0.00             | -5.18                               | -1.00                   | Pass   |
| 7025                 | -14.37                                     | 0.00             | -5.86                               | -1.00                   | Pass   |




|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Ant.2 |
|-----------|----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5985                 | -13.59                                     | 0.00             | -5.08                               | -1.00                   | Pass   |
| 6145                 | -12.37                                     | 0.00             | -3.86                               | -1.00                   | Pass   |
| 6385                 | -15.67                                     | 0.00             | -7.16                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6465                 | -16.59                                     | 0.00             | -8.08                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6545                 | -11.68                                     | 0.00             | -3.17                               | -1.00                   | Pass   |
| 6705                 | -14.84                                     | 0.00             | -6.33                               | -1.00                   | Pass   |
| 6865                 | -13.12                                     | 0.00             | -4.61                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6945                 | -14.02                                     | 0.00             | -5.51                               | -1.00                   | Pass   |
| 7025                 | -12.68                                     | 0.00             | -4.17                               | -1.00                   | Pass   |




|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Total |
|-----------|----------------------------|

| Test Frequency (MHz) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------------------|-------------------------|--------|
| 5985                 | -1.02                               | -1.00                   | Pass   |
| 6145                 | -1.62                               | -1.00                   | Pass   |
| 6385                 | -1.10                               | -1.00                   | Pass   |
| 6465                 | -1.50                               | -1.00                   | Pass   |
| 6545                 | -1.19                               | -1.00                   | Pass   |
| 6705                 | -2.06                               | -1.00                   | Pass   |
| 6865                 | -1.59                               | -1.00                   | Pass   |
| 6945                 | -2.33                               | -1.00                   | Pass   |
| 7025                 | -1.92                               | -1.00                   | Pass   |


## For VLP

|           |                    |
|-----------|--------------------|
| Test Mode | IEEE 802.11a_Ant.1 |
|-----------|--------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -15.94                                     | 0.00             | -7.43                               | -5.00                   | Pass   |
| 6175                 | -17.96                                     | 0.00             | -9.45                               | -5.00                   | Pass   |
| 6415                 | -17.31                                     | 0.00             | -8.80                               | -5.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6435                 | -16.91                                     | 0.00             | -8.40                               | -5.00                   | Pass   |
| 6475                 | -16.30                                     | 0.00             | -7.79                               | -5.00                   | Pass   |
| 6515                 | -18.43                                     | 0.00             | -9.92                               | -5.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6535                 | -18.45                                     | 0.00             | -9.94                               | -5.00                   | Pass   |
| 6695                 | -16.75                                     | 0.00             | -8.24                               | -5.00                   | Pass   |
| 6855                 | -16.69                                     | 0.00             | -8.18                               | -5.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6875                 | -17.69                                     | 0.00             | -9.18                               | -5.00                   | Pass   |
| 6995                 | -17.64                                     | 0.00             | -9.13                               | -5.00                   | Pass   |
| 7115                 | -17.41                                     | 0.00             | -8.90                               | -5.00                   | Pass   |



|           |                    |
|-----------|--------------------|
| Test Mode | IEEE 802.11a_Ant.2 |
|-----------|--------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -18.64                                     | 0.00             | -10.13                              | -5.00                   | Pass   |
| 6175                 | -15.94                                     | 0.00             | -7.43                               | -5.00                   | Pass   |
| 6415                 | -18.39                                     | 0.00             | -9.88                               | -5.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6435                 | -18.30                                     | 0.00             | -9.79                               | -5.00                   | Pass   |
| 6475                 | -17.79                                     | 0.00             | -9.28                               | -5.00                   | Pass   |
| 6515                 | -15.24                                     | 0.00             | -6.73                               | -5.00                   | Pass   |

