

# TEST REPORT

**Application No.:** KSEM2108001478CR  
**Applicant:** Hytera Mobilfunk GmbH  
**Address of Applicant:** Fritz-Hahne-Str. 7, D-31848 Bad Muender, Germany  
**Manufacturer:** Hytera Mobilfunk GmbH  
**Address of Manufacturer:** Fritz-Hahne-Str. 7, D-31848 Bad Muender, Germany  
**Factory:** Hytera Communications Corporation Limited Baolong Branch  
**Address of Factory:** Plant No.3, Hytera Hi-Tech Park, Baolong Industrial Area, Longgang District, Shenzhen, People's Republic of China.


**Equipment Under Test (EUT):**

**EUT Name:** Digital Integrated Base Station DIB-R5 outdoor  
**Model No.:** DIB-R5OUTDOOR800  
**Trade mark:** Hytera  
**FCC ID:** ZW4R5OUTDOOR800  
**Standard(s) :** FCC 47 CFR Part 2  
 FCC 47 CFR Part 22  
 FCC 47 CFR Part 90

**Date of Receipt:** 2021-08-26  
**Date of Test:** 2021-08-26 to 2021-09-29  
**Date of Issue:** 2021-09-29

|                     |              |
|---------------------|--------------|
| <b>Test Result:</b> | <b>Pass*</b> |
|---------------------|--------------|

\* In the configuration tested, the EUT complied with the standards specified above.



Eric Lin

Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

| Revision Record |             |            |        |
|-----------------|-------------|------------|--------|
| Version         | Description | Date       | Remark |
| 00              | Original    | 2021-09-29 | /      |
|                 |             |            |        |
|                 |             |            |        |

|                          |  |                               |  |
|--------------------------|--|-------------------------------|--|
| Authorized for issue by: |  |                               |  |
|                          |  | Damon Zhou                    |  |
|                          |  | Damon Zhou / Project Engineer |  |
|                          |  | Eric Lin                      |  |
|                          |  | Eric Lin / Reviewer           |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn  
t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

## 2 Test Summary

| Item                                    | Standard                                 | Requirement                                      | Result |
|-----------------------------------------|------------------------------------------|--------------------------------------------------|--------|
| RF Power Output                         | FCC 47 CFR Part 22<br>FCC 47 CFR Part 90 | §2.1046,<br>§22.913,<br>§90.205(k)<br>§90.635(b) | Pass   |
| Frequency Stability                     | FCC 47 CFR Part 22<br>FCC 47 CFR Part 90 | §2.1055,<br>§22.355,<br>§90.213                  | Pass   |
| Occupied Bandwidth/<br>Emission Mask    | FCC 47 CFR Part 22<br>FCC 47 CFR Part 90 | §2.1049(c),<br>§22.917,<br>§90.210               | Pass   |
| Adjacent Channel<br>Power               | FCC 47 CFR Part 90                       | §90.221                                          | Pass   |
| Transient Frequency<br>Behaviour        | FCC 47 CFR Part 90                       | §90.214                                          | N/A    |
| Conducted Spurious<br>Emissions         | FCC 47 CFR Part 22<br>FCC 47 CFR Part 90 | §2.1051,<br>§22.917,<br>§90.210                  | Pass   |
| Field strength of<br>spurious radiation | FCC 47 CFR Part 22<br>FCC 47 CFR Part 90 | §2.1053,<br>§22.917,<br>§90.210                  | Pass   |

1.N/A: Not Applicable.

2.The test item of Transient Frequency Behaviour is only applied to transmitters designed to operate in the 150-174 MHz and 421-512 MHz frequency bands



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

### 3 Contents

|                                                  | Page |
|--------------------------------------------------|------|
| 1 COVER PAGE .....                               | 1    |
| 2 TEST SUMMARY .....                             | 3    |
| 3 CONTENTS .....                                 | 4    |
| 4 GENERAL INFORMATION .....                      | 5    |
| 4.1 DETAILS OF E.U.T. ....                       | 5    |
| 4.2 TEST ENVIRONMENT .....                       | 5    |
| 4.3 DESCRIPTION OF SUPPORT UNITS .....           | 5    |
| 4.4 MEASUREMENT UNCERTAINTY .....                | 6    |
| 4.5 TEST LOCATION .....                          | 7    |
| 4.6 TEST FACILITY .....                          | 7    |
| 4.7 DEVIATION FROM STANDARDS .....               | 7    |
| 4.8 ABNORMALITIES FROM STANDARD CONDITIONS ..... | 7    |
| 5 EQUIPMENT LIST .....                           | 8    |
| 6 TEST RESULTS .....                             | 9    |
| 6.1 RF POWER OUTPUT .....                        | 9    |
| 6.2 FREQUENCY STABILITY .....                    | 11   |
| 6.3 OCCUPIED BANDWIDTH/EMISSION MASK .....       | 13   |
| 6.4 ADJACENT CHANNEL POWER .....                 | 15   |
| 6.5 CONDUCTED SPURIOUS EMISSIONS .....           | 16   |
| 6.6 RADIATED SPURIOUS EMISSIONS .....            | 17   |
| 6.7 TRANSIENT FREQUENCY BEHAVIOR .....           | 21   |
| 7 TEST SETUP PHOTOGRAPHS .....                   | 22   |
| 8 EUT CONSTRUCTIONAL DETAILS .....               | 22   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 4 General Information

### 4.1 Details of E.U.T.

|                     |                                                                                                  |
|---------------------|--------------------------------------------------------------------------------------------------|
| Power supply:       | DC 48V                                                                                           |
| Cable:              | DC cable: less than 300cm unshielded                                                             |
| Internal source:    | More than 108MHz                                                                                 |
| Sample Type:        | Fixed device                                                                                     |
| Frequency Range:    | 854-869MHz, 869-870MHz                                                                           |
| Modulation Type:    | $\pi/4$ -DQPSK                                                                                   |
| Channel Separation: | 25KHz                                                                                            |
| Number of Channels: | The equipment is able to operate on any designated channel within the specified frequency range. |
| Antenna Type:       | External                                                                                         |
| Antenna Gain:       | 12.1dBi                                                                                          |

### 4.2 Test Environment

| Environment Parameter | Selected Values During Tests |           |
|-----------------------|------------------------------|-----------|
| Relative Humidity     | 48%                          |           |
| Atmospheric Pressure: | 1015Pa                       |           |
| Temperature:          | TN                           | 25 °C     |
| Voltage:              | VL                           | DC 44.0 V |
|                       | VN                           | DC 48.0 V |
|                       | VH                           | DC 55.0 V |

NOTE: VL= lower extreme test voltage

VN= nominal voltage

VH= upper extreme test voltage

TN= normal temperature

### 4.3 Description of Support Units

The EUT has been tested as an independent unit.

| Description        | Manufacturer       | Model No. | Serial No. |
|--------------------|--------------------|-----------|------------|
| Coaxial Attenuator | Provided by client | TS4       | HYT168793  |
| DC power supply    | Provided by SGS    | PAN60-20A | HH000269   |
| Network cable      | Provided by client | N/A       | N/A        |
| Load               | Provided by SGS    | N/A       | N/A        |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 4.4 Measurement Uncertainty

| No. | Item                            | Measurement Uncertainty              |
|-----|---------------------------------|--------------------------------------|
| 1   | Radio Frequency                 | $\pm 7.25 \times 10^{-8}$            |
| 2   | Occupied Bandwidth              | $\pm 3\%$                            |
| 3   | Conduction emission             | $\pm 3.0\text{dB}$ (150kHz to 30MHz) |
| 4   | RF conducted power              | $\pm 0.75\text{dB}$                  |
| 5   | RF power density                | $\pm 2.84\text{dB}$                  |
| 6   | Conducted Spurious emissions    | $\pm 0.75\text{dB}$                  |
| 7   | RF Radiated power               | $\pm 4.5\text{dB}$ (Below 1GHz)      |
|     |                                 | $\pm 4.8\text{dB}$ (Above 1GHz)      |
| 8   | Radiated Spurious emission test | $\pm 4.5\text{dB}$ (Below 1GHz)      |
|     |                                 | $\pm 4.8\text{dB}$ (Above 1GHz)      |
| 9   | Temperature test                | $\pm 1^{\circ}\text{C}$              |
| 10  | Humidity test                   | $\pm 3\%$                            |
| 11  | Supply voltages                 | $\pm 1.5\%$                          |
| 12  | Time                            | $\pm 3\%$                            |

## Remark:

The  $U_{\text{lab}}$  (lab Uncertainty) is less than  $U_{\text{CISPR}}$  (CISPR Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

#### 4.5 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China.

Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

#### 4.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **CNAS (No. CNAS L4354)**

CNAS has accredited Compliance Certification Services (Kunshan) Inc. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

- **A2LA (Certificate No. 2541.01)**

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

- **FCC (Designation Number: CN1172)**

Compliance Certification Services Inc. has been recognized as an accredited testing laboratory.

Designation Number: CN1172.

- **ISED (CAB Identifier: CN0072)**

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development (ISED) Canada as an accredited testing laboratory.

CAB Identifier: CN0072.

- **VCCI (Member No.: 1938)**

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-20134, C-11707, T-11499, G-10216 respectively.

#### 4.7 Deviation from Standards

None

#### 4.8 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 5 Equipment List

| RF Conducted Test |                                      |               |            |               |            |            |
|-------------------|--------------------------------------|---------------|------------|---------------|------------|------------|
| 1                 | Spectrum Analyzer                    | Agilent       | E4446A     | MY44020154    | 04/16/2021 | 04/15/2022 |
| 2                 | Spectrum Analyzer                    | Keysight      | N9020A     | MY55370209    | 12/02/2020 | 12/01/2021 |
| 3                 | Spectrum Analyzer                    | Keysight      | N9010A     | MY56480443    | 02/01/2021 | 01/31/2022 |
| 4                 | Signal Generator                     | Agilent       | N5182A     | MY50142015    | 08/27/2021 | 08/26/2022 |
| 5                 | Radio Communication Test Station     | Anritsu       | MT8000A    | 6262012849    | N/A        | N/A        |
| 6                 | Radio Communication Analyzer         | Anritsu       | MT8821C    | 6201692222    | N/A        | N/A        |
| 7                 | Universal Radio Communication Tester | R&S           | CMW500     | 159275        | 10/19/2020 | 10/18/2021 |
| 8                 | Universal Radio Communication Tester | R&S           | CMW500     | 167239        | 04/16/2021 | 04/15/2022 |
| 9                 | Power Meter                          | Anritsu       | ML2495A    | 1445010       | 04/15/2021 | 04/14/2022 |
| 10                | Switcher                             | CCSRF         | FY562      | KUS2001M001-3 | 10/19/2020 | 10/18/2021 |
| 11                | AC Power Source                      | EXTECH        | 6605       | 1570106       | N.C.R      | N.C.R      |
| 12                | DC Power Supply                      | Agilent       | E3632A     | MY50340053    | N.C.R      | N.C.R      |
| 13                | 6dB Attenuator                       | Mini-Circuits | NAT-6-2W   | 15542-1       | N.C.R      | N.C.R      |
| 14                | Power Divider                        | AI SI         | IOWOPE2068 | PE2068        | N.C.R      | N.C.R      |
| 15                | Filter                               | MICRO-TRONICS | BRM50701   | 5             | N.C.R      | N.C.R      |
| 16                | Conducted test cable                 | /             | RF01-RF04  | /             | 04/15/2021 | 04/14/2022 |
| 17                | Software                             | BST           | TST-PASS   | N/A           | N/A        | N/A        |
| 18                | Temp. / Humidity Chamber             | TERCHY        | MHK-120AK  | X30109        | 04/15/2021 | 04/14/2022 |
| 19                | Thermometer                          | Anymetre      | TH603      | CCS007        | 10/16/2020 | 10/15/2021 |
| 20                | Spectrum Analyzer                    | R&S           | FSV40      | 101493        | 10/19/2020 | 10/18/2021 |
| RF Radiated Test  |                                      |               |            |               |            |            |
| 1                 | Spectrum Analyzer                    | R&S           | FSV40      | 101493        | 10/19/2020 | 10/18/2021 |
| 2                 | Signal Generator                     | Agilent       | E8257C     | MY43321570    | 10/19/2020 | 10/18/2021 |
| 3                 | Loop Antenna                         | Schwarzbeck   | HXYZ9170   | 9170-108      | 02/22/2021 | 02/21/2022 |
| 4                 | Bilog Antenna                        | TESEQ         | CBL 6112D  | 35403         | 06/22/2021 | 06/21/2023 |
| 5                 | Bilog Antenna                        | SCHWARZBECK   | VULB9160   | 9160-3342     | 04/13/2021 | 04/12/2023 |
| 6                 | Horn-antenna(1-18GHz)                | Schwarzbeck   | BBHA9120D  | 267           | 10/26/2020 | 10/25/2022 |
| 7                 | Horn-antenna(1-18GHz)                | ETS-LINDGREN  | 3117       | 00143290      | 02/22/2021 | 02/21/2023 |
| 8                 | Horn Antenna(18-40GHz)               | Schwarzbeck   | BBHA9170   | BBHA9170171   | 02/22/2021 | 02/21/2022 |
| 9                 | Pre-Amplifier(30MHz~18GHz)           | LNA           | /          | /             | 04/15/2021 | 04/14/2022 |
| 10                | Amplifier(18~40GHz)                  | COM-POWER     | PAM-840A   | 461332        | 10/23/2020 | 10/22/2021 |
| 11                | Low Pass Filter                      | MICRO-TRONICS | VLFX-950   | RV142900829   | N.C.R      | N.C.R      |
| 12                | High Pass Filter                     | Mini-Circuits | VHF-1200   | 15542         | N.C.R      | N.C.R      |
| 13                | RE test cable                        | /             | RE01-RE04  | /             | 04/15/2021 | 04/14/2022 |
| 14                | Software                             | Farad         | EZ-EMC     | CCS-03A1      | N/A        | N/A        |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn  
t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

## 6 Test Results

### 6.1 RF Power Output

Test Requirement FCC 47 CFR Part 2, §2.1046  
FCC 47 CFR Part 22, §22.913  
FCC 47 CFR Part 90, §90.205(k), §90.635(b)

Test Method: ANSI C63.26-2015

Limit:

FCC 47 CFR Part 22, §22.913

Licensees in the Cellular Radiotelephone Service are subject to the effective radiated power (ERP) limits and other requirements in this Section. See also §22.169.

(a) Maximum ERP. The ERP of transmitters in the Cellular Radiotelephone Service must not exceed the limits in this section.

(1) Except as described in paragraphs (a)(2), (3), and (4) of this section, the ERP of base stations and repeaters must not exceed— (i) 500 watts per emission; or (ii) 400 watts/MHz (PSD) per sector.

(d) Measurement of the ERP of Cellular base transmitters and repeaters must be made using an average power measurement technique. The peak-to-average ratio (PAR) of the transmission must not exceed 13 dB.

FCC 47 CFR Part 90, §90.205(k), §90.635(b)

(a) The effective radiated power and antenna height for base stations may not exceed 1 kilowatt (30 dBW) and 304 m. (1,000 ft.) above average terrain (AAT), respectively, or the equivalent thereof as determined from the Table. These are maximum values, and applicants will be required to justify power levels and antenna heights requested.

(b) The maximum output power of the transmitter for mobile stations is 100 watts (20 dBW).

TABLE—EQUIVALENT POWER AND ANTENNA HEIGHTS FOR BASE STATIONS IN THE 851– 869 MHZ AND 935–940 MHZ BANDS WHICH HAVE A REQUIREMENT FOR A 32 KM (20 MI) SERVICE AREA RADIUS

| Antenna height (ATT) meters (feet)   | Effective radiated power (watts) <sup>1 2 4</sup> |
|--------------------------------------|---------------------------------------------------|
| Above 1,372 (4,500)                  | 65                                                |
| Above 1,220 (4,000) to 1,372 (4,500) | 70                                                |
| Above 1,067 (3,500) to 1,220 (4,000) | 75                                                |
| Above 915 (3,000) to 1,067 (3,500)   | 100                                               |
| Above 763 (2,500) to 915 (3,000)     | 140                                               |
| Above 610 (2,000) to 763 (2,500)     | 200                                               |
| Above 458 (1,500) to 610 (2,000)     | 350                                               |
| Above 305 (1,000) to 458 (1,500)     | 600                                               |
| Up to 305 (1,000)                    | <sup>3</sup> 1000                                 |

<sup>1</sup> Power is given in terms of effective radiated power (ERP).

<sup>2</sup> Applicants in the Los Angeles, CA, area who demonstrate a need to serve both the downtown and fringe areas will be permitted to utilize an ERP of 1 kw at the following mountaintop sites: Santiago Park, Sierra Peak, Mount Lukens, and Mount Wilson.

<sup>3</sup> Stations with antennas below 305 m (1,000 ft) (AAT) will be restricted to a maximum power of 1 kw (ERP).

<sup>4</sup> Licensees in San Diego, CA, will be permitted to utilize an ERP of 500 watts at the following mountaintop sites: Palomar, Otay, Woodson and Miguel.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)


### 6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 23.4 °C Humidity: 49.7 % RH Atmospheric Pressure: 1000 mbar

Test mode: a: Tx mode, Keep the EUT in transmitting mode.

### 6.1.2 Test Setup Diagram



### 6.1.3 Measurement Procedure and Data

The detailed test data see: Appendix A - RF Power Output.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 6.2 Frequency Stability

Test Requirement FCC 47 CFR Part 2, §2.1055,  
FCC 47 CFR Part 22, §22.355,  
FCC 47 CFR Part 90, §90.213

Test Method: ANSI C63.26-2015

Limit:

FCC 47 CFR Part 22, §22.355

Except as otherwise provided in this part, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table C-1 of this section.

| TABLE C-1—FREQUENCY TOLERANCE FOR TRANSMITTERS IN THE PUBLIC MOBILE SERVICES |                   |                       |                       |
|------------------------------------------------------------------------------|-------------------|-----------------------|-----------------------|
| Frequency range (MHz)                                                        | Base, fixed (ppm) | Mobile >3 watts (ppm) | Mobile ≤3 watts (ppm) |
| 25 to 50                                                                     | 20.0              | 20.0                  | 50.0                  |
| 50 to 450                                                                    | 5.0               | 5.0                   | 50.0                  |
| 450 to 512                                                                   | 2.5               | 5.0                   | 5.0                   |
| 821 to 896                                                                   | 1.5               | 2.5                   | 2.5                   |
| 928 to 929                                                                   | 5.0               | n/a                   | n/a                   |
| 929 to 960                                                                   | 1.5               | n/a                   | n/a                   |
| 2110 to 2220                                                                 | 10.0              | n/a                   | n/a                   |

FCC 47 CFR Part 90, §90.213

- (a) Unless noted elsewhere, transmitters used in the services governed by this part must have a minimum frequency stability as specified in the following table.

| MINIMUM FREQUENCY STABILITY |                   |                                                   |                                                      |
|-----------------------------|-------------------|---------------------------------------------------|------------------------------------------------------|
| Frequency range (MHz)       | Base, fixed (ppm) | Mobile stations - Over 2 watts output power (ppm) | Mobile stations - 2 watts or less output power (ppm) |
| 851-854                     | 1.0               | 1.5                                               | 1.5                                                  |
| 854-869                     | 1.5               | 2.5                                               | 2.5                                                  |

### 6.2.1 E.U.T. Operation

Operating Environment:

Temperature: 23.3 °C Humidity: 49.5 % RH Atmospheric Pressure: 1000 mbar

Test mode: a: Tx mode, Keep the EUT in transmitting mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 6.2.2 Test Setup Diagram



## 6.2.3 Measurement Procedure and Data

The detailed test data see: Appendix B - Frequency Stability.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

### 6.3 Occupied Bandwidth/Emission Mask

|                  |                                                                                             |
|------------------|---------------------------------------------------------------------------------------------|
| Test Requirement | FCC 47 CFR Part 2, §2.1049(h)<br>FCC 47 CFR Part 22, §22.917<br>FCC 47 CFR Part 22, §90.210 |
| Test Method:     | ANSI C63.26-2015                                                                            |
| Limit:           |                                                                                             |

FCC 47 CFR Part 22, §22.917

26dB Reference Bandwidth

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

FCC 47 CFR Part 90, §90.210

Except as indicated elsewhere in this part, transmitters used in the radio services governed by this part must comply with the emission masks outlined in this section.

| APPLICABLE EMISSION MASKS      |                                               |                                                  |
|--------------------------------|-----------------------------------------------|--------------------------------------------------|
| Frequency band (MHz)           | Mask for equipment with audio low pass filter | Mask for equipment without audio low pass filter |
| Below 25 <sup>1</sup>          | A or B                                        | A or C                                           |
| 25-50                          | B                                             | C                                                |
| 72-76                          | B                                             | C                                                |
| 150-174 <sup>2</sup>           | B, D, or E                                    | B, D, or E                                       |
| 150 paging only                | B                                             | C                                                |
| 220-222                        | F                                             | F                                                |
| 421-512 <sup>2,5</sup>         | B, D, or E                                    | B, D, or E                                       |
| 450 paging only                | B                                             | G                                                |
| 806-809/851-854 <sup>6</sup>   | B                                             | H                                                |
| 809-824/854-869 <sup>3,5</sup> | B or D                                        | D, G                                             |
| 896-901/935-940                | I                                             | J                                                |
| 902-928                        | K                                             | K                                                |
| 929-930                        | B                                             | G                                                |
| 4940-4990 MHz                  | L or M                                        | L or M                                           |
| 5850-5925 <sup>4</sup>         |                                               |                                                  |
| All other bands                | B                                             | C                                                |

<sup>1</sup> Equipment using single sideband J3E emission must meet the requirements of Emission Mask A. Equipment using other emissions must meet the requirements of Emission Mask B or C, as applicable.

<sup>2</sup> Equipment designed to operate with a 25 kHz channel bandwidth must meet the requirements of Emission Mask B or C, as applicable. Equipment designed to operate with a 12.5 kHz channel bandwidth must meet the requirements of Emission Mask D, and equipment designed to operate with a 6.25 kHz channel bandwidth must meet the requirements of Emission Mask E.

<sup>3</sup> Equipment used in this licensed to EA or non-EA systems shall comply with the emission mask provisions of § 90.691 of this chapter.

<sup>4</sup> DSRC Roadside Units equipment in the 5850-5925 MHz band is governed under subpart M of this part.

<sup>5</sup> Equipment designed to operate on 25 kilohertz bandwidth channels must meet the requirements of either Emission Mask B or G, whichever is applicable, while equipment designed to operate on 12.5 kilohertz bandwidth channels must meet the requirements of Emission Mask D. Equipment designed to operate on 25 kilohertz bandwidth channels may alternatively meet the Adjacent Channel Power limits of § 90.221.

<sup>6</sup> Transmitters utilizing analog emissions that are equipped with an audio low-pass filter must meet Emission Mask B. All transmitters utilizing digital emissions and those transmitters using analog emissions without an audio low-pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)


### 6.3.1 E.U.T. Operation

Operating Environment:

Temperature: 23.5 °C Humidity: 49.6 % RH Atmospheric Pressure: 1000 mbar

Test mode: a: Tx mode, Keep the EUT in transmitting mode.

### 6.3.2 Test Setup Diagram



### 6.3.3 Measurement Procedure and Data

The detailed test data see: Appendix C - Occupied Bandwidth & Emission Mask.

Note:

1. Equipment designed to operate on 25 kilohertz bandwidth channels must meet the requirements of either Emission Mask B or G, whichever is applicable, while equipment designed to operate on 12.5 kilohertz bandwidth channels must meet the requirements of Emission Mask D. Equipment designed to operate on 25 kilohertz bandwidth channels may alternatively meet the Adjacent Channel Power limits of § 90.221.
2. For Adjacent Channel Power test result please refer to Appendix E.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 6.4 Adjacent Channel Power

Test Requirement FCC 47 CFR Part 90, §90.210

Test Method: ANSI C63.26-2015

Limit:

(c)(1) Maximum adjacent power levels for frequencies in the 809–824/854–869 MHz band:

| Frequency offset | Maximum ACP(dBc) for devices less than 15 watts | Maximum ACP(dBc) for devices 15 watts and above |
|------------------|-------------------------------------------------|-------------------------------------------------|
| 25kHz            | -55dBc                                          | -55dBc                                          |
| 50kHz            | -65dBc                                          | -65dBc                                          |
| 75kHz            | -65dBc                                          | -70dBc                                          |

(c)(2) In any case, no requirement in excess of -36dBm shall apply.

(d) On any frequency removed for the assigned frequency by more than 75kHz, the attenuation of any emission must be at least  $43 + 10\log(P_{\text{watts}})$  dB.


### 6.4.1 E.U.T. Operation

Operating Environment:

Temperature: 23 °C Humidity: 49.5 % RH Atmospheric Pressure: 1000 mbar

Test mode: a: Tx mode, Keep the EUT in transmitting mode.

### 6.4.2 Test Setup Diagram



### 6.4.3 Measurement Procedure and Data

The detailed test data see: Appendix E - Adjacent Channel Power.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 6.5 Conducted Spurious Emissions

Test Requirement      FCC 47 CFR Part 2, §2.1051  
                                  FCC 47 CFR Part 22, §22.917  
                                  FCC 47 CFR Part 90, §90.210

Test Method:            ANSI C63.26-2015

Limit:

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB.


### 6.5.1 E.U.T. Operation

Operating Environment:

Temperature:      23 °C                      Humidity:      49.5 % RH                      Atmospheric Pressure:      1000 mbar

Test mode:                      a: Tx mode, Keep the EUT in transmitting mode.

### 6.5.2 Test Setup Diagram



### 6.5.3 Measurement Procedure and Data

The detailed test data see: Appendix D - Conducted Spurious Emissions.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 6.6 Radiated Spurious Emissions


Test Requirement      FCC 47 CFR Part 2, §2.1053  
FCC 47 CFR Part 22, §22.917  
FCC 47 CFR Part 90, §90.210  
Test Method:          ANSI C63.26-2015  
Measurement Distance: 3m  
Limit:

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB.

### 6.6.1 E.U.T. Operation

Operating Environment:  
Temperature:      23 °C      Humidity:      49.5 % RH      Atmospheric Pressure: 1000 mbar  
Test mode:          a: Tx mode, Keep the EUT in transmitting mode.

### 6.6.2 Test Setup Diagram



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

### 6.6.3 Measurement Procedure and Data

#### Test Procedure:

- (1) On a test site, the EUT shall be placed on a turntable and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3) The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4) The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6) The transmitter shall then be rotated through 360° in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7) The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9) The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11) The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13) If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14) The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15) The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16) The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17) The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

| 25KHz, $\Pi/4$ -DQPSK modulation, Assigned Frequency: 854.125MHz, High Power |                 |                       |              |                   |
|------------------------------------------------------------------------------|-----------------|-----------------------|--------------|-------------------|
| Frequency<br>MHz                                                             | Polarity<br>H/V | Emission Level<br>dBm | Limit<br>dBm | Over Limit<br>dBm |
| 1706.7                                                                       | H               | -31.04                | -13.0        | -18.04            |
| 2564.713                                                                     | H               | -32.61                | -13.0        | -19.61            |
| 3419.491                                                                     | H               | -33.27                | -13.0        | -20.27            |
| 4267.178                                                                     | H               | -46.67                | -13.0        | -33.67            |
| 5125.515                                                                     | H               | -31.15                | -13.0        | -18.15            |
| 6833.768                                                                     | H               | -38.60                | -13.0        | -25.60            |
| 1706.7                                                                       | V               | -33.65                | -13.0        | -20.65            |
| 2564.713                                                                     | V               | -35.85                | -13.0        | -22.85            |
| 3419.491                                                                     | V               | -35.01                | -13.0        | -22.01            |
| 4267.178                                                                     | V               | -44.58                | -13.0        | -31.58            |
| 5125.515                                                                     | V               | -35.30                | -13.0        | -22.30            |
| 6833.768                                                                     | V               | -44.51                | -13.0        | -31.51            |

| 25KHz, $\Pi/4$ -DQPSK modulation, Assigned Frequency: 859.025MHz, High Power |                 |                       |              |                   |
|------------------------------------------------------------------------------|-----------------|-----------------------|--------------|-------------------|
| Frequency<br>MHz                                                             | Polarity<br>H/V | Emission Level<br>dBm | Limit<br>dBm | Over Limit<br>dBm |
| 1719.783                                                                     | H               | -34.49                | -13.0        | -21.49            |
| 2577.803                                                                     | H               | -33.80                | -13.0        | -20.80            |
| 3436.944                                                                     | H               | -38.56                | -13.0        | -25.56            |
| 4014.288                                                                     | V               | -50.34                | -13.0        | -37.34            |
| 5151.676                                                                     | V               | -34.58                | -13.0        | -21.58            |
| 6868.647                                                                     | V               | -46.33                | -13.0        | -33.33            |
| 1719.783                                                                     | H               | -33.19                | -13.0        | -20.19            |
| 2577.803                                                                     | H               | -35.86                | -13.0        | -22.86            |
| 3436.944                                                                     | H               | -36.58                | -13.0        | -23.58            |
| 4086.459                                                                     | V               | -50.71                | -13.0        | -37.71            |
| 5151.676                                                                     | V               | -33.22                | -13.0        | -20.22            |
| 6868.647                                                                     | V               | -43.26                | -13.0        | -30.26            |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

| 25KHz, $\pi/4$ -DQPSK modulation, Assigned Frequency: 868.975MHz, High Power |                 |                       |              |                   |
|------------------------------------------------------------------------------|-----------------|-----------------------|--------------|-------------------|
| Frequency<br>MHz                                                             | Polarity<br>H/V | Emission Level<br>dBm | Limit<br>dBm | Over Limit<br>dBm |
| 1728.561                                                                     | H               | -35.02                | -13.0        | -22.02            |
| 2590.961                                                                     | H               | -32.38                | -13.0        | -19.38            |
| 3454.486                                                                     | H               | -37.70                | -13.0        | -24.70            |
| 4321.837                                                                     | H               | -49.13                | -13.0        | -36.13            |
| 5177.971                                                                     | H               | -31.64                | -13.0        | -18.64            |
| 6047.776                                                                     | H               | -44.83                | -13.0        | -31.83            |
| 1728.561                                                                     | V               | -32.79                | -13.0        | -19.79            |
| 2590.961                                                                     | V               | -38.03                | -13.0        | -25.03            |
| 3454.486                                                                     | V               | -42.93                | -13.0        | -29.93            |
| 4299.89                                                                      | V               | -50.62                | -13.0        | -37.62            |
| 5177.971                                                                     | V               | -38.77                | -13.0        | -25.77            |
| 8334.7                                                                       | V               | -43.00                | -13.0        | -30.00            |

| 25KHz, $\pi/4$ -DQPSK modulation, Assigned Frequency: 869.875MHz, High Power |                 |                       |              |                   |
|------------------------------------------------------------------------------|-----------------|-----------------------|--------------|-------------------|
| Frequency<br>MHz                                                             | Polarity<br>H/V | Emission Level<br>dBm | Limit<br>dBm | Over Limit<br>dBm |
| 1741.812                                                                     | H               | -35.00                | -13.0        | -22.00            |
| 2610.823                                                                     | H               | -34.29                | -13.0        | -21.29            |
| 3480.968                                                                     | H               | -34.44                | -13.0        | -21.44            |
| 4354.967                                                                     | H               | -45.68                | -13.0        | -32.68            |
| 5217.664                                                                     | H               | -33.08                | -13.0        | -20.08            |
| 6956.627                                                                     | H               | -40.23                | -13.0        | -27.23            |
| 1741.812                                                                     | V               | -34.74                | -13.0        | -21.74            |
| 2610.823                                                                     | V               | -35.96                | -13.0        | -22.96            |
| 3480.968                                                                     | V               | -37.04                | -13.0        | -24.04            |
| 4343.896                                                                     | V               | -44.71                | -13.0        | -31.71            |
| 5217.664                                                                     | V               | -25.29                | -13.0        | -12.29            |
| 6956.627                                                                     | V               | -40.03                | -13.0        | -27.03            |

Note: the low power and high power mode have been tested and we found the high power mode has the worst test result. Only record the worst test result.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 6.7 Transient Frequency Behavior

Test Requirement FCC 47 CFR Part 90, §90.214

Test Method: ANSI C63.26-2015

Limit:

| Channel Bandwidth (kHz) | Time Intervals (Notes 1, 2) | Maximum Frequency Difference(kHz) | Transient Duration Limit (ms) |             |
|-------------------------|-----------------------------|-----------------------------------|-------------------------------|-------------|
|                         |                             |                                   | 150-174 MHz                   | 421-512 MHz |
| 25                      | t1                          | ±25                               | 5                             | 10          |
|                         | t2                          | ±12.5                             | 20                            | 25          |
|                         | t3                          | ±25                               | 5                             | 10          |
| 12.5                    | t1                          | ±12.5                             | 5                             | 10          |
|                         | t2                          | ±6.25                             | 20                            | 25          |
|                         | t3                          | ±12.5                             | 5                             | 10          |
| 6.25                    | t1                          | ±6.25                             | 5                             | 10          |
|                         | t2                          | ±3.125                            | 20                            | 25          |
|                         | t3                          | ±6.25                             | 5                             | 10          |


### 6.7.1 E.U.T. Operation

Operating Environment:

Temperature: 23 °C Humidity: 49.5 % RH Atmospheric Pressure: 1000 mbar

Test mode: a: Tx mode, Keep the EUT in transmitting mode.

### 6.7.2 Test Setup Diagram



### 6.7.3 Measurement Procedure and Data

Not Applicable.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



## 7 Test Setup Photographs

Refer to the < Test Setup photos>.

## 8 EUT Constructional Details

Refer to the < External Photos > & < Internal Photos >.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)