



| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11N40     | LCH     | Vertical     | PASS    |



| No. | Frequency  | Result   | Limit  | Margin | Limit | Margin | Remark |
|-----|------------|----------|--------|--------|-------|--------|--------|
|     | (MHz)      | (dBuV/m) | (Peak) | (Peak) | (Ave) | (Ave)  |        |
| 1   | 3194.9195  | 42.82    | 74.00  | -31.18 | 54.00 | -11.18 | peak   |
| 2   | 5247.0247  | 44.84    | 74.00  | -29.16 | 54.00 | -9.16  | peak   |
| 3   | 6481.3481  | 47.23    | 74.00  | -26.77 | 54.00 | -6.77  | peak   |
| 4   | 8105.0105  | 48.12    | 74.00  | -25.88 | 54.00 | -5.88  | peak   |
| 5   | 11821.5822 | 49.76    | 74.00  | -24.24 | 54.00 | -4.24  | peak   |
| 6   | 15597.6598 | 53.04    | 74.00  | -20.96 | 54.00 | -0.96  | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11N40     | MCH     | Horizontal   | PASS    |



| No. | Frequency  | Result    | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|-----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV /m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 3176.2176  | 41.71     | 74.00        | -32.29        | 54.00       | -12.29       | peak   |
| 2   | 4174.2174  | 44.04     | 74.00        | -29.96        | 54.00       | -9.96        | peak   |
| 3   | 5857.3857  | 46.91     | 74.00        | -27.09        | 54.00       | -7.09        | peak   |
| 4   | 9431.1431  | 47.08     | 74.00        | -26.92        | 54.00       | -6.92        | peak   |
| 5   | 12459.1459 | 49.52     | 74.00        | -24.48        | 54.00       | -4.48        | peak   |
| 6   | 15612.9613 | 52.16     | 74.00        | -21.84        | 54.00       | -1.84        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11N40     | MCH     | Vertical     | PASS    |



| No. | Frequency  | Result   | Limit              | Margin         | Limit             | Margin        | Remark |
|-----|------------|----------|--------------------|----------------|-------------------|---------------|--------|
|     | (MHz)      | (dBuV/m) | (Peak)<br>(dBuV/m) | (Peak)<br>(dB) | (Ave)<br>(dBuV/m) | (Ave)<br>(dB) |        |
| 1   | 1778.6779  | 44.81    | 74.00              | -29.19         | 54.00             | -9.19         | peak   |
| 2   | 4196.3196  | 44.63    | 74.00              | -29.37         | 54.00             | -9.37         | peak   |
| 3   | 6132.8133  | 47.04    | 74.00              | -26.96         | 54.00             | -6.96         | peak   |
| 4   | 8958.4959  | 49.41    | 74.00              | -24.59         | 54.00             | -4.59         | peak   |
| 5   | 12433.6434 | 49.77    | 74.00              | -24.23         | 54.00             | -4.23         | peak   |
| 6   | 15587.4587 | 52.49    | 74.00              | -21.51         | 54.00             | -1.51         | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11N40     | HCH     | Horizontal   | PASS    |



| No. | Frequency  | Result   | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV/m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 3036.8037  | 41.02    | 74.00        | -32.98        | 54.00       | -12.98       | peak   |
| 2   | 5141.6142  | 44.06    | 74.00        | -29.94        | 54.00       | -9.94        | peak   |
| 3   | 7909.4909  | 47.64    | 74.00        | -26.36        | 54.00       | -6.36        | peak   |
| 4   | 9222.0222  | 47.05    | 74.00        | -26.95        | 54.00       | -6.95        | peak   |
| 5   | 11503.6504 | 49.85    | 74.00        | -24.15        | 54.00       | -4.15        | peak   |
| 6   | 15595.9596 | 52.09    | 74.00        | -21.91        | 54.00       | -1.91        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11N40     | HCH     | Vertical     | PASS    |




| No. | Frequency  | Result    | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|-----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV /m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 3188.1188  | 42.93     | 74.00        | -31.07        | 54.00       | -11.07       | peak   |
| 2   | 4034.8035  | 43.95     | 74.00        | -30.05        | 54.00       | -10.05       | peak   |
| 3   | 6090.3090  | 46.72     | 74.00        | -27.28        | 54.00       | -7.28        | peak   |
| 4   | 7923.0923  | 47.39     | 74.00        | -26.61        | 54.00       | -6.61        | peak   |
| 5   | 11401.6402 | 49.76     | 74.00        | -24.24        | 54.00       | -4.24        | peak   |
| 6   | 15427.6428 | 52.09     | 74.00        | -21.91        | 54.00       | -1.91        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
|-----------|---------|--------------|---------|

|     |     |            |      |
|-----|-----|------------|------|
| 11B | LCH | Horizontal | PASS |
|-----|-----|------------|------|




| No. | Frequency  | Result   | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV/m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 2892.2892  | 41.05    | 74.00        | -32.95        | 54.00       | -12.95       | peak   |
| 2   | 4823.6824  | 44.75    | 74.00        | -29.25        | 54.00       | -9.25        | peak   |
| 3   | 6013.8014  | 47.49    | 74.00        | -26.51        | 54.00       | -6.51        | peak   |
| 4   | 7848.2848  | 47.90    | 74.00        | -26.10        | 54.00       | -6.1         | peak   |
| 5   | 11405.0405 | 48.95    | 74.00        | -25.05        | 54.00       | -5.05        | peak   |
| 6   | 15446.3446 | 51.85    | 74.00        | -22.15        | 54.00       | -2.15        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11B       | LCH     | Vertical     | PASS    |



| No. | Frequency<br>(MHz) | Result<br>(dBuV/m) | Limit<br>(Peak)<br>(dBuV/m) | Margin<br>(Peak)<br>(dB) | Limit<br>(Ave)<br>(dBuV/m) | Margin<br>(Ave)<br>(dB) | Remark |
|-----|--------------------|--------------------|-----------------------------|--------------------------|----------------------------|-------------------------|--------|
| 1   | 3047.0047          | 41.37              | 74.00                       | -32.63                   | 54.00                      | -12.63                  | peak   |
| 2   | 4823.6824          | 44.47              | 74.00                       | -29.53                   | 54.00                      | -9.53                   | peak   |
| 3   | 6182.1182          | 47.03              | 74.00                       | 26.97                    | 54.00                      | -6.97                   | peak   |
| 4   | 7730.9731          | 46.70              | 74.00                       | -27.30                   | 54.00                      | -7.3                    | peak   |
| 5   | 11581.8582         | 49.02              | 74.00                       | -24.98                   | 54.00                      | -4.98                   | peak   |
| 6   | 15572.1572         | 51.98              | 74.00                       | -22.02                   | 54.00                      | -2.02                   | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11B       | MCH     | Horizontal   | PASS    |



| No. | Frequency  | Result   | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV/m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 2683.1683  | 40.94    | 74.00        | -33.06        | 54.00       | -13.06       | peak   |
| 2   | 3788.2788  | 43.08    | 74.00        | -30.92        | 54.00       | -10.92       | peak   |
| 3   | 5209.6210  | 44.21    | 74.00        | -29.79        | 54.00       | -9.79        | peak   |
| 4   | 7836.3836  | 48.00    | 74.00        | -26.00        | 54.00       | -6           | peak   |
| 5   | 11517.2517 | 50.06    | 74.00        | -23.94        | 54.00       | -3.94        | peak   |
| 6   | 15597.6598 | 52.73    | 74.00        | -21.27        | 54.00       | -1.27        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11B       | MCH     | Vertical     | PASS    |



| No. | Frequency  | Result   | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV/m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 3959.9960  | 44.75    | 74.00        | -29.25        | 54.00       | -9.25        | peak   |
| 2   | 6139.6140  | 46.72    | 74.00        | -27.28        | 54.00       | -7.28        | peak   |
| 3   | 8084.6085  | 47.27    | 74.00        | -26.73        | 54.00       | -6.73        | peak   |
| 4   | 8949.9950  | 48.12    | 74.00        | -25.88        | 54.00       | -5.88        | peak   |
| 5   | 11575.0575 | 49.55    | 74.00        | -24.45        | 54.00       | -4.45        | peak   |
| 6   | 15606.1606 | 52.44    | 74.00        | -21.56        | 54.00       | -1.56        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11B       | HCH     | Horizontal   | PASS    |



| No. | Frequency  | Result   | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV/m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 5022.6023  | 44.00    | 74.00        | -30.00        | 54.00       | -10          | peak   |
| 2   | 6199.1199  | 47.14    | 74.00        | -26.86        | 54.00       | -6.86        | peak   |
| 3   | 7839.7840  | 47.77    | 74.00        | -26.23        | 54.00       | -6.23        | peak   |
| 4   | 8953.3953  | 47.32    | 74.00        | -26.68        | 54.00       | -6.68        | peak   |
| 5   | 11416.9417 | 49.06    | 74.00        | -24.94        | 54.00       | -4.94        | peak   |
| 6   | 15565.3565 | 52.10    | 74.00        | -21.90        | 54.00       | -1.9         | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11B       | HCH     | Vertical     | PASS    |



| No. | Frequency  | Result   | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV/m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 3625.0625  | 43.38    | 74.00        | -30.62        | 54.00       | -10.62       | peak   |
| 2   | 3959.9960  | 44.04    | 74.00        | -29.96        | 54.00       | -9.96        | peak   |
| 3   | 5689.0689  | 44.96    | 74.00        | -29.04        | 54.00       | -9.04        | peak   |
| 4   | 7921.3921  | 47.79    | 74.00        | -26.21        | 54.00       | -6.21        | peak   |
| 5   | 11396.5397 | 49.20    | 74.00        | -24.80        | 54.00       | -4.8         | peak   |
| 6   | 14021.6022 | 50.52    | 74.00        | -23.48        | 54.00       | -3.48        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11G       | LCH     | Horizontal   | PASS    |



| No. | Frequency  | Result   | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV/m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 3616.5617  | 42.65    | 74.00        | -31.35        | 54.00       | -11.35       | peak   |
| 2   | 6012.1012  | 46.12    | 74.00        | -27.88        | 54.00       | -7.88        | peak   |
| 3   | 7836.3836  | 47.03    | 74.00        | -26.97        | 54.00       | -6.97        | peak   |
| 4   | 8951.6952  | 47.36    | 74.00        | -26.64        | 54.00       | -6.64        | peak   |
| 5   | 12454.0454 | 49.34    | 74.00        | -24.66        | 54.00       | -4.66        | peak   |
| 6   | 15601.0601 | 52.25    | 74.00        | -21.75        | 54.00       | -1.75        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11G       | LCH     | Vertical     | PASS    |



| No. | Frequency  | Result    | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|-----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV /m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 2389.0389  | 40.60     | 74.00        | -33.40        | 54.00       | -13.4        | peak   |
| 2   | 3959.9960  | 43.85     | 74.00        | -30.15        | 54.00       | -10.15       | peak   |
| 3   | 6144.7145  | 46.21     | 74.00        | -27.79        | 54.00       | -7.79        | peak   |
| 4   | 8961.8962  | 47.22     | 74.00        | -26.78        | 54.00       | -6.78        | peak   |
| 5   | 11831.7832 | 48.88     | 74.00        | -25.12        | 54.00       | -5.12        | peak   |
| 6   | 15592.5593 | 51.91     | 74.00        | -22.09        | 54.00       | -2.09        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11G       | MCH     | Horizontal   | PASS    |



| No. | Frequency<br>(MHz) | Result<br>(dBuV/m) | Limit<br>(Peak)<br>(dBuV/m) | Margin<br>(Peak)<br>(dB) | Limit<br>(Ave)<br>(dBuV/m) | Margin<br>(Ave)<br>(dB) | Remark |
|-----|--------------------|--------------------|-----------------------------|--------------------------|----------------------------|-------------------------|--------|
| 1   | 3203.4203          | 41.69              | 74.00                       | -32.31                   | 54.00                      | -12.31                  | peak   |
| 2   | 6049.5050          | 47.19              | 74.00                       | -26.81                   | 54.00                      | -6.81                   | peak   |
| 3   | 8122.0122          | 47.04              | 74.00                       | -26.96                   | 54.00                      | -6.96                   | peak   |
| 4   | 11408.4408         | 49.65              | 74.00                       | -24.35                   | 54.00                      | -4.35                   | peak   |
| 5   | 14849.5850         | 50.50              | 74.00                       | -23.50                   | 54.00                      | -3.5                    | peak   |
| 6   | 15590.8591         | 51.90              | 74.00                       | -22.10                   | 54.00                      | -2.1                    | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11G       | MCH     | Vertical     | PASS    |



| No. | Frequency  | Result   | Limit  | Margin | Limit | Margin | Remark |
|-----|------------|----------|--------|--------|-------|--------|--------|
|     | (MHz)      | (dBuV/m) | (Peak) | (Peak) | (Ave) | (Ave)  |        |
| 1   | 3009.6010  | 41.53    | 74.00  | -32.47 | 54.00 | -12.47 | peak   |
| 2   | 3958.2958  | 44.71    | 74.00  | -29.29 | 54.00 | -9.29  | peak   |
| 3   | 6200.8201  | 47.21    | 74.00  | -26.79 | 54.00 | -6.79  | peak   |
| 4   | 8910.8911  | 47.13    | 74.00  | -26.87 | 54.00 | -6.87  | peak   |
| 5   | 12472.7473 | 49.02    | 74.00  | -24.98 | 54.00 | -4.98  | peak   |
| 6   | 15624.8625 | 51.72    | 74.00  | -22.28 | 54.00 | -2.28  | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11G       | HCH     | Horizontal   | PASS    |



| No. | Frequency  | Result   | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV/m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 1941.8942  | 37.99    | 74.00        | -36.01        | 54.00       | -16.01       | peak   |
| 2   | 3929.3929  | 42.99    | 74.00        | -31.01        | 54.00       | -11.01       | peak   |
| 3   | 6202.5203  | 46.45    | 74.00        | -27.55        | 54.00       | -7.55        | peak   |
| 4   | 8951.6952  | 47.56    | 74.00        | -26.44        | 54.00       | -6.44        | peak   |
| 5   | 11801.1801 | 49.00    | 74.00        | -25.00        | 54.00       | -5           | peak   |
| 6   | 15580.6581 | 53.11    | 74.00        | -20.89        | 54.00       | -0.89        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11G       | HCH     | Vertical     | PASS    |



| No. | Frequency  | Result    | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|-----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV /m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 1778.6779  | 38.16     | 74.00        | -35.84        | 54.00       | -15.84       | peak   |
| 2   | 3959.9960  | 44.33     | 74.00        | -29.67        | 54.00       | -9.67        | peak   |
| 3   | 6139.6140  | 46.86     | 74.00        | -27.14        | 54.00       | -7.14        | peak   |
| 4   | 8096.5097  | 48.76     | 74.00        | -25.24        | 54.00       | -5.24        | peak   |
| 5   | 13429.9430 | 49.99     | 74.00        | -24.01        | 54.00       | -4.01        | peak   |
| 6   | 15599.3599 | 52.78     | 74.00        | -21.22        | 54.00       | -1.22        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11NSISO20 | LCH     | Horizontal   | PASS    |



| No. | Frequency  | Result   | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV/m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 2416.2416  | 41.26    | 74.00        | -32.74        | 54.00       | -12.74       | peak   |
| 2   | 3827.3827  | 43.29    | 74.00        | -30.71        | 54.00       | -10.71       | peak   |
| 3   | 4684.2684  | 43.41    | 74.00        | -30.59        | 54.00       | -10.59       | peak   |
| 4   | 6479.6480  | 45.72    | 74.00        | -28.28        | 54.00       | -8.28        | peak   |
| 5   | 8938.0938  | 47.91    | 74.00        | -26.09        | 54.00       | -6.09        | peak   |
| 6   | 11405.0405 | 49.66    | 74.00        | -24.34        | 54.00       | -4.34        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11NSISO20 | LCH     | Vertical     | PASS    |



| No. | Frequency  | Result   | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV/m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 2873.5874  | 41.13    | 74.00        | -32.87        | 54.00       | -12.87       | peak   |
| 2   | 3959.9960  | 43.53    | 74.00        | -30.47        | 54.00       | -10.47       | peak   |
| 3   | 5643.1643  | 46.40    | 74.00        | -27.60        | 54.00       | -7.6         | peak   |
| 4   | 7798.9799  | 47.82    | 74.00        | -26.18        | 54.00       | -6.18        | peak   |
| 5   | 11824.9825 | 49.21    | 74.00        | -24.79        | 54.00       | -4.79        | peak   |
| 6   | 15604.4604 | 52.17    | 74.00        | -21.83        | 54.00       | -1.83        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11NSISO20 | MCH     | Horizontal   | PASS    |



| No. | Frequency  | Result   | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV/m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 2781.7782  | 40.29    | 74.00        | -33.71        | 54.00       | -13.71       | peak   |
| 2   | 4199.7200  | 44.03    | 74.00        | -29.97        | 54.00       | -9.97        | peak   |
| 3   | 5983.1983  | 47.18    | 74.00        | -26.82        | 54.00       | -6.82        | peak   |
| 4   | 8093.1093  | 47.29    | 74.00        | -26.71        | 54.00       | -6.71        | peak   |
| 5   | 12430.2430 | 49.83    | 74.00        | -24.17        | 54.00       | -4.17        | peak   |
| 6   | 15449.7450 | 52.35    | 74.00        | -21.65        | 54.00       | -1.65        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11NSISO20 | MCH     | Vertical     | PASS    |



| No. | Frequency  | Result   | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV/m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 2982.3982  | 40.97    | 74.00        | -33.03        | 54.00       | -13.03       | peak   |
| 2   | 3633.5634  | 43.78    | 74.00        | -30.22        | 54.00       | -10.22       | peak   |
| 3   | 5881.1881  | 45.82    | 74.00        | -28.18        | 54.00       | -8.18        | peak   |
| 4   | 7916.2916  | 47.23    | 74.00        | -26.77        | 54.00       | -6.77        | peak   |
| 5   | 11427.1427 | 48.94    | 74.00        | -25.06        | 54.00       | -5.06        | peak   |
| 6   | 15444.6445 | 52.75    | 74.00        | -21.25        | 54.00       | -1.25        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11NSISO20 | HCH     | Horizontal   | PASS    |



| No. | Frequency  | Result   | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV/m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 2684.8685  | 40.66    | 74.00        | -33.34        | 54.00       | -13.34       | peak   |
| 2   | 4233.7234  | 43.66    | 74.00        | -30.34        | 54.00       | -10.34       | peak   |
| 3   | 5598.9599  | 44.97    | 74.00        | -29.03        | 54.00       | -9.03        | peak   |
| 4   | 7827.8828  | 47.71    | 74.00        | -26.29        | 54.00       | -6.29        | peak   |
| 5   | 11512.1512 | 50.11    | 74.00        | -23.89        | 54.00       | -3.89        | peak   |
| 6   | 15585.7586 | 52.64    | 74.00        | -21.36        | 54.00       | -1.36        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11NSISO20 | HCH     | Vertical     | PASS    |




| No. | Frequency  | Result    | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|-----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV /m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 3041.9042  | 41.22     | 74.00        | -32.78        | 54.00       | -12.78       | peak   |
| 2   | 4186.1186  | 43.74     | 74.00        | -30.26        | 54.00       | -10.26       | peak   |
| 3   | 6486.4486  | 46.33     | 74.00        | -27.67        | 54.00       | -7.67        | peak   |
| 4   | 8953.3953  | 47.26     | 74.00        | -26.74        | 54.00       | -6.74        | peak   |
| 5   | 11391.4391 | 49.00     | 74.00        | -25.00        | 54.00       | -5           | peak   |
| 6   | 15514.3514 | 52.15     | 74.00        | -21.85        | 54.00       | -1.85        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

## 6.6.4.SPURIOUS EMISSIONS 18G ~ 26GHz

### SPURIOUS EMISSIONS 18GHz TO 26GHz (WORST-CASE CONFIGURATION)


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11B       | LCH     | Horizontal   | PASS    |



| No. | Frequency<br>(MHz) | Result<br>(dBuV/m) | Limit<br>(Peak)<br>(dBuV/m) | Margin<br>(Peak)<br>(dB) | Limit<br>(Ave)<br>(dBuV/m) | Margin<br>(Ave)<br>(dB) | Remark |
|-----|--------------------|--------------------|-----------------------------|--------------------------|----------------------------|-------------------------|--------|
| 1   | 18995.4495         | 36.74              | 74.00                       | -37.26                   | 54.00                      | -17.26                  | peak   |
| 2   | 20062.3062         | 38.69              | 74.00                       | -35.31                   | 54.00                      | -15.31                  | peak   |
| 3   | 21545.7046         | 37.41              | 74.00                       | -36.59                   | 54.00                      | -16.59                  | peak   |
| 4   | 22937.2937         | 38.29              | 74.00                       | -35.71                   | 54.00                      | -15.71                  | peak   |
| 5   | 24629.8130         | 43.25              | 74.00                       | -30.75                   | 54.00                      | -10.75                  | peak   |
| 6   | 26006.1006         | 43.21              | 74.00                       | -30.79                   | 54.00                      | -10.79                  | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
3. Pre-testing all test modes, find the mode of 11B which is the worst case, so only the data of the 11B mode is included in this test report.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11B       | LCH     | Vertical     | PASS    |



| No. | Frequency  | Result   | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV/m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 18971.6472 | 36.60    | 74.00        | -37.40        | 54.00       | -17.4        | peak   |
| 2   | 19931.3931 | 37.44    | 74.00        | -36.56        | 54.00       | -16.56       | peak   |
| 3   | 20908.9909 | 38.18    | 74.00        | -35.82        | 54.00       | -15.82       | peak   |
| 4   | 22241.9242 | 38.04    | 74.00        | -35.96        | 54.00       | -15.96       | peak   |
| 5   | 23805.2305 | 38.97    | 74.00        | -35.03        | 54.00       | -15.03       | peak   |
| 6   | 24845.7346 | 43.00    | 74.00        | -31.00        | 54.00       | -11          | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
3. Pre-testing all test modes, find the mode of 11B which is the worst case, so only the data of the 11B mode is included in this test report.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11B       | MCH     | Horizontal   | PASS    |



| No. | Frequency  | Result    | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|-----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV /m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 18805.0305 | 36.73     | 74.00        | -37.27        | 54.00       | -17.27       | peak   |
| 2   | 20458.4458 | 38.21     | 74.00        | -35.79        | 54.00       | -15.79       | peak   |
| 3   | 21685.9686 | 38.81     | 74.00        | -35.19        | 54.00       | -15.19       | peak   |
| 4   | 22942.3942 | 38.32     | 74.00        | -35.68        | 54.00       | -15.68       | peak   |
| 5   | 24572.8573 | 42.69     | 74.00        | -31.31        | 54.00       | -11.31       | peak   |
| 6   | 25569.1569 | 43.80     | 74.00        | -30.20        | 54.00       | -10.2        | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
3. Pre-testing all test modes, find the mode of 11B which is the worst case, so only the data of the 11B mode is included in this test report.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11B       | MCH     | Vertical     | PASS    |



| No. | Frequency<br>(MHz) | Result<br>(dBuV/m) | Limit<br>(Peak)<br>(dBuV/m) | Margin<br>(Peak)<br>(dB) | Limit<br>(Ave)<br>(dBuV/m) | Margin<br>(Ave)<br>(dB) | Remark |
|-----|--------------------|--------------------|-----------------------------|--------------------------|----------------------------|-------------------------|--------|
| 1   | 18686.0186         | 37.27              | 74.00                       | -36.73                   | 54.00                      | -16.73                  | peak   |
| 2   | 19347.3847         | 36.99              | 74.00                       | -37.01                   | 54.00                      | -17.01                  | peak   |
| 3   | 21101.9602         | 37.67              | 74.00                       | -36.33                   | 54.00                      | -16.33                  | peak   |
| 4   | 22569.2069         | 38.78              | 74.00                       | -35.22                   | 54.00                      | -15.22                  | peak   |
| 5   | 24190.3190         | 39.88              | 74.00                       | -34.12                   | 54.00                      | -14.12                  | peak   |
| 6   | 25534.3034         | 43.79              | 74.00                       | -30.21                   | 54.00                      | -10.21                  | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
3. Pre-testing all test modes, find the mode of 11B which is the worst case, so only the data of the 11B mode is included in this test report.


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11B       | HCH     | Horizontal   | PASS    |



| No. | Frequency  | Result   | Limit (Peak) | Margin (Peak) | Limit (Ave) | Margin (Ave) | Remark |
|-----|------------|----------|--------------|---------------|-------------|--------------|--------|
|     | (MHz)      | (dBuV/m) | (dBuV/m)     | (dB)          | (dBuV/m)    | (dB)         |        |
| 1   | 18697.0697 | 36.56    | 74.00        | -37.44        | 54.00       | -17.44       | peak   |
| 2   | 20159.2159 | 38.39    | 74.00        | -35.61        | 54.00       | -15.61       | peak   |
| 3   | 21053.5054 | 37.85    | 74.00        | -36.15        | 54.00       | -16.15       | peak   |
| 4   | 22354.1354 | 38.62    | 74.00        | -35.38        | 54.00       | -15.38       | peak   |
| 5   | 23613.1113 | 39.07    | 74.00        | -34.93        | 54.00       | -14.93       | peak   |
| 6   | 26011.2011 | 43.36    | 74.00        | -30.64        | 54.00       | -10.64       | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
3. Pre-testing all test modes, find the mode of 11B which is the worst case, so only the data of the 11B mode is included in this test report.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11B       | HCH     | Vertical     | PASS    |




| No. | Frequency<br>(MHz) | Result<br>(dBuV/m) | Limit<br>(Peak)<br>(dBuV/m) | Margin<br>(Peak)<br>(dB) | Limit<br>(Ave)<br>(dBuV/m) | Margin<br>(Ave)<br>(dB) | Remark |
|-----|--------------------|--------------------|-----------------------------|--------------------------|----------------------------|-------------------------|--------|
| 1   | 18749.7750         | 37.09              | 74.00                       | -36.91                   | 54.00                      | -16.91                  | peak   |
| 2   | 19748.6249         | 37.56              | 74.00                       | -36.44                   | 54.00                      | -16.44                  | peak   |
| 3   | 20860.5361         | 38.13              | 74.00                       | -35.87                   | 54.00                      | -15.87                  | peak   |
| 4   | 22445.0945         | 38.40              | 74.00                       | -35.60                   | 54.00                      | -15.6                   | peak   |
| 5   | 23394.6395         | 39.12              | 74.00                       | -34.88                   | 54.00                      | -14.88                  | peak   |
| 6   | 24582.2082         | 43.29              | 74.00                       | -30.71                   | 54.00                      | -10.71                  | peak   |

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
3. Pre-testing all test modes, find the mode of 11B which is the worst case, so only the data of the 11B mode is included in this test report.

## 6.6.5.SPURIOUS EMISSIONS 30M ~ 1GHz

### SPURIOUS EMISSIONS 30 TO 1000 MHz (WORST-CASE CONFIGURATION)


| Test Mode | Channel | Polarization         | Verdict |
|-----------|---------|----------------------|---------|
| 11B       | LCH     | Horizontal+ Vertical | PASS    |



| No. | Frequency<br>(MHz) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Polarity   | Remark |
|-----|--------------------|--------------------|-------------------|----------------|------------|--------|
| 1   | 39.1189            | 29.43              | 40.00             | -10.57         | Vertical   | QP     |
| 2   | 68.7069            | 33.26              | 40.00             | -6.74          | Vertical   | QP     |
| 3   | 103.1453           | 25.73              | 43.50             | -17.77         | Vertical   | QP     |
| 4   | 125.3605           | 23.11              | 43.50             | -20.39         | Vertical   | QP     |
| 5   | 169.8880           | 17.49              | 43.50             | -26.01         | Vertical   | QP     |
| 6   | 205.7816           | 25.42              | 43.50             | -18.08         | Vertical   | QP     |
| 7   | 304.9255           | 30.77              | 46.00             | -15.23         | Vertical   | QP     |
| 8   | 435.1125           | 24.29              | 46.00             | -21.71         | Horizontal | QP     |
| 9   | 546.7707           | 27.01              | 46.00             | -18.99         | Horizontal | QP     |
| 10  | 728.7609           | 31.08              | 46.00             | -14.92         | Horizontal | QP     |
| 11  | 828.0988           | 34.89              | 46.00             | -11.11         | Horizontal | QP     |
| 12  | 920.6461           | 35.28              | 46.00             | -10.72         | Vertical   | QP     |

- Note: 1. If Peak Result complies with QP limit, QP Result is deemed to comply with QP limit.  
2. Test setup: RBW: 120 kHz, VBW: 300 kHz, Sweep time: auto.  
3. Pre-testing all test modes, find the mode of 11B which is the worst case, so only the data of the 11B mode is included in this test report.


| Test Mode | Channel | Polarization         | Verdict |
|-----------|---------|----------------------|---------|
| 11B       | MCH     | Horizontal+ Vertical | PASS    |



| No. | Frequency (MHz) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Polarity   | Remark |
|-----|-----------------|-----------------|----------------|-------------|------------|--------|
| 1   | 37.9548         | 22.79           | 40.00          | -17.21      | Vertical   | QP     |
| 2   | 47.7528         | 22.84           | 40.00          | -17.16      | Vertical   | QP     |
| 3   | 64.7295         | 33.14           | 40.00          | -6.86       | Vertical   | QP     |
| 4   | 102.3692        | 24.37           | 43.50          | -19.13      | Vertical   | QP     |
| 5   | 127.0097        | 19.67           | 43.50          | -23.83      | Vertical   | QP     |
| 6   | 206.3636        | 26.52           | 43.50          | -16.98      | Vertical   | QP     |
| 7   | 305.7986        | 32.28           | 46.00          | -13.72      | Vertical   | QP     |
| 8   | 462.6633        | 23.36           | 46.00          | -22.64      | Horizontal | QP     |
| 9   | 569.2769        | 29.16           | 46.00          | -16.84      | Vertical   | QP     |
| 10  | 831.4941        | 34.69           | 46.00          | -11.31      | Horizontal | QP     |
| 11  | 920.9371        | 36.99           | 46.00          | -9.01       | Horizontal | QP     |

Note: 1. If Peak Result complies with QP limit, QP Result is deemed to comply with QP limit.  
2. Test setup: RBW: 120 kHz, VBW: 300 kHz, Sweep time: auto.  
3. Pre-testing all test modes, find the mode of 11B which is the worst case, so only the data of the 11B mode is included in this test report.

| Test Mode | Channel | Polarization         | Verdict |
|-----------|---------|----------------------|---------|
| 11B       | HCH     | Horizontal+ Vertical | PASS    |



| No. | Frequency<br>(MHz) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Polarity   | Remark |
|-----|--------------------|--------------------|-------------------|----------------|------------|--------|
| 1   | 37.9548            | 22.79              | 40.00             | -17.21         | Vertical   | QP     |
| 2   | 47.7528            | 22.84              | 40.00             | -17.16         | Vertical   | QP     |
| 3   | 64.7295            | 33.14              | 40.00             | -6.86          | Vertical   | QP     |
| 4   | 102.3692           | 24.37              | 43.50             | -19.13         | Vertical   | QP     |
| 5   | 127.0097           | 19.67              | 43.50             | -23.83         | Vertical   | QP     |
| 6   | 206.3636           | 26.52              | 43.50             | -16.98         | Vertical   | QP     |
| 7   | 305.7986           | 32.28              | 46.00             | -13.72         | Vertical   | QP     |
| 8   | 462.6633           | 23.36              | 46.00             | -22.64         | Horizontal | QP     |
| 9   | 569.2769           | 29.16              | 46.00             | -16.84         | Vertical   | QP     |
| 10  | 831.4941           | 34.69              | 46.00             | -11.31         | Horizontal | QP     |
| 11  | 920.9371           | 36.99              | 46.00             | -9.01          | Horizontal | QP     |

Note: 1. If Peak Result complies with QP limit, QP Result is deemed to comply with QP limit.


2. Test setup: RBW: 120 kHz, VBW: 300 kHz, Sweep time: auto.

3. Pre-testing all test modes, find the mode of 11B which is the worst case, so only the data of the 11B mode is included in this test report.

## 6.6.6.SPURIOUS EMISSIONS BELOW 30M

### SPURIOUS EMISSIONS Below 30MHz (WORST-CASE CONFIGURATION)

| Test Mode | Channel | Frequency Range | Verdict |
|-----------|---------|-----------------|---------|
| 11B       | LCH     | 9KHz~150KHz     | PASS    |




| No. | Frequency<br>(KHz) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|--------------------|-------------------|----------------|--------|
| 1   | 0.0168             | 45.76              | 123.07            | -77.31         | Peak   |
| 2   | 0.0293             | 45.06              | 118.25            | -73.19         | Peak   |
| 3   | 0.0398             | 37.86              | 115.59            | -77.73         | Peak   |
| 4   | 0.0652             | 34.87              | 111.32            | -76.45         | Peak   |
| 5   | 0.1007             | 35.82              | 107.53            | -71.71         | Peak   |
| 6   | 0.1304             | 28.45              | 105.29            | -76.84         | Peak   |

Note:

- 1.If Peak Result complies with AV and QP limit, AV and QP Result are deemed to comply with AV limit.
2. Pre-testing all test modes, find the mode of 11B which is the worst case, so only the data of the 11B mode is included in this test report.

| Test Mode | Channel | Frequency Range | Verdict |
|-----------|---------|-----------------|---------|
| 11B       | LCH     | 150KHz~30MHz    | PASS    |




| No. | Frequency<br>(MHz) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|--------------------|-------------------|----------------|--------|
| 1   | 0.2724             | 36.84              | 98.90             | -62.06         | Peak   |
| 2   | 0.9620             | 38.55              | 67.96             | -29.41         | Peak   |
| 3   | 2.8368             | 46.54              | 69.50             | -22.96         | Peak   |
| 4   | 3.6368             | 51.22              | 69.50             | -18.28         | Peak   |
| 5   | 6.6908             | 37.07              | 69.50             | -32.43         | Peak   |
| 6   | 20.5306            | 29.67              | 69.50             | -39.83         | Peak   |

Note:

- 1.If Peak Result complies with AV and QP limit, AV and QP Result are deemed to comply with AV limit.
2. Pre-testing all test modes, find the mode of 11B which is the worst case, so only the data of the 11B mode is included in this test report.

| Test Mode | Channel | Frequency Range | Verdict |
|-----------|---------|-----------------|---------|
| 11B       | MCH     | 9KHz~150KHz     | PASS    |




| No. | Frequency<br>(KHz) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|--------------------|-------------------|----------------|--------|
| 1   | 0.0163             | 46.72              | 123.35            | -76.63         | Peak   |
| 2   | 0.0294             | 44.73              | 118.23            | -73.50         | Peak   |
| 3   | 0.0438             | 36.50              | 114.75            | -78.25         | Peak   |
| 4   | 0.0587             | 36.60              | 112.23            | -75.63         | Peak   |
| 5   | 0.0742             | 32.47              | 110.18            | -77.71         | Peak   |
| 6   | 0.1007             | 34.30              | 107.53            | -73.23         | Peak   |

Note:

- 1.If Peak Result complies with AV and QP limit, AV and QP Result are deemed to comply with AV limit.
2. Pre-testing all test modes, find the mode of 11B which is the worst case, so only the data of the 11B mode is included in this test report.

| Test Mode | Channel | Frequency Range | Verdict |
|-----------|---------|-----------------|---------|
| 11B       | MCH     | 150KHz~30MHz    | PASS    |




| No. | Frequency<br>(MHz) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|--------------------|-------------------|----------------|--------|
| 1   | 0.5888             | 39.99              | 72.21             | -32.22         | Peak   |
| 2   | 0.9799             | 38.30              | 67.80             | -29.50         | Peak   |
| 3   | 3.2487             | 47.44              | 69.50             | -22.06         | Peak   |
| 4   | 3.9443             | 49.58              | 69.50             | -19.92         | Peak   |
| 5   | 6.7027             | 36.93              | 69.50             | -32.57         | Peak   |
| 6   | 20.3157            | 29.53              | 69.50             | -39.97         | Peak   |

Note:

- 1.If Peak Result complies with AV and QP limit, AV and QP Result are deemed to comply with AV limit.
2. Pre-testing all test modes, find the mode of 11B which is the worst case, so only the data of the 11B mode is included in this test report.

| Test Mode | Channel | Frequency Range | Verdict |
|-----------|---------|-----------------|---------|
| 11B       | HCH     | 9KHz~150KHz     | PASS    |




| No. | Frequency<br>(KHz) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|--------------------|-------------------|----------------|--------|
| 1   | 0.0156             | 47.62              | 123.74            | -76.12         | Peak   |
| 2   | 0.0293             | 44.08              | 118.24            | -74.16         | Peak   |
| 3   | 0.0420             | 38.32              | 115.12            | -76.80         | Peak   |
| 4   | 0.0587             | 37.51              | 112.22            | -74.71         | Peak   |
| 5   | 0.1007             | 34.66              | 107.53            | -72.87         | Peak   |
| 6   | 0.1399             | 31.31              | 104.68            | -73.37         | Peak   |

Note:

- 1.If Peak Result complies with AV and QP limit, AV and QP Result are deemed to comply with AV limit.
2. Pre-testing all test modes, find the mode of 11B which is the worst case, so only the data of the 11B mode is included in this test report.

| Test Mode | Channel | Frequency Range | Verdict |
|-----------|---------|-----------------|---------|
| 11B       | HCH     | 150KHz~30MHz    | PASS    |



| No. | Frequency<br>(MHz) | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Remark |
|-----|--------------------|--------------------|-------------------|----------------|--------|
| 1   | 0.5859             | 37.26              | 72.25             | -34.99         | Peak   |
| 2   | 0.9829             | 39.44              | 67.77             | -28.33         | Peak   |
| 3   | 3.4995             | 51.92              | 69.50             | -17.58         | Peak   |
| 4   | 3.9563             | 53.02              | 69.50             | -16.48         | Peak   |
| 5   | 6.6788             | 37.58              | 69.50             | -31.92         | Peak   |
| 6   | 18.3275            | 29.19              | 69.50             | -40.31         | Peak   |

Note:

- 1.If Peak Result complies with AV and QP limit, AV and QP Result are deemed to comply with AV limit.
2. Pre-testing all test modes, find the mode of 11B which is the worst case, so only the data of the 11B mode is included in this test report.


## 7. AC POWER LINE CONDUCTED EMISSIONS

### LIMITS

Please refer to FCC §15.207 (a)


| FREQUENCY (MHz) | Class A (dBuV) |         | Class B (dBuV) |           |
|-----------------|----------------|---------|----------------|-----------|
|                 | Quasi-peak     | Average | Quasi-peak     | Average   |
| 0.15 -0.5       | 79.00          | 66.00   | 66 - 56 *      | 56 - 46 * |
| 0.50 -5.0       | 73.00          | 60.00   | 56.00          | 46.00     |
| 5.0 -30.0       | 73.00          | 60.00   | 60.00          | 50.00     |

### TEST SETUP AND PROCEDURE



The EUT is put on a table of non-conducting material that is 80cm high. The vertical conducting wall of shielding is located 40cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9kHz.


The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

**TEST RESULTS (WORST-CASE CONFIGURATION)****For L Line:****Final Result**

| Frequency (MHz) | QuasiPeak (dBµV) | CAverage (dBµV) | Limit (dBµV) | Margin (dB) | Meas. Time (ms) | Bandwidth (kHz) | Line | Corr. (dB) |
|-----------------|------------------|-----------------|--------------|-------------|-----------------|-----------------|------|------------|
| 0.700235        | 45.79            | ---             | 56.00        | 10.21       | 1000.0          | 9.000           | L1   | 10.3       |
| 0.701230        | ---              | 37.11           | 46.00        | 8.89        | 1000.0          | 9.000           | L1   | 10.3       |
| 0.793765        | ---              | 28.38           | 46.00        | 17.62       | 1000.0          | 9.000           | L1   | 10.0       |
| 0.796750        | 37.78            | ---             | 56.00        | 18.22       | 1000.0          | 9.000           | L1   | 10.0       |
| 1.405690        | ---              | 27.84           | 46.00        | 18.16       | 1000.0          | 9.000           | L1   | 9.7        |
| 1.408675        | 37.03            | ---             | 56.00        | 18.97       | 1000.0          | 9.000           | L1   | 9.7        |
| 1.900205        | 35.10            | ---             | 56.00        | 20.90       | 1000.0          | 9.000           | L1   | 9.9        |
| 1.904185        | ---              | 26.52           | 46.00        | 19.48       | 1000.0          | 9.000           | L1   | 9.9        |
| 2.422580        | ---              | 25.35           | 46.00        | 20.65       | 1000.0          | 9.000           | L1   | 10.0       |
| 2.433525        | 34.41            | ---             | 56.00        | 21.59       | 1000.0          | 9.000           | L1   | 10.0       |
| 3.498175        | 33.84            | ---             | 56.00        | 22.16       | 1000.0          | 9.000           | L1   | 10.0       |
| 3.499170        | ---              | 23.08           | 46.00        | 22.92       | 1000.0          | 9.000           | L1   | 10.0       |

Note: 1. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.  
 2. Test setup: RBW: 200 Hz (9 kHz—150 kHz), 9 kHz (150 kHz—30 MHz).  
 3. Step size: 80Hz (0.009MHz-0.15MHz), 4 kHz (0.15MHz-30MHz), Scan time: auto.  
 4. The extension cord/outlet strip was calibrated with the LISN as required by ANSI C63.10:2013 Clause 6.2.2.

**For N Line:**



**Final Result**

| Frequency (MHz) | QuasiPeak (dBµV) | CAverage (dBµV) | Limit (dBµV) | Margin (dB) | Meas. Time (ms) | Bandwidth (kHz) | Line | Corr. (dB) |
|-----------------|------------------|-----------------|--------------|-------------|-----------------|-----------------|------|------------|
| 0.692275        | 40.21            | ---             | 56.00        | 15.79       | 1000.0          | 9.000           | N    | 9.7        |
| 0.707200        | ---              | 30.67           | 46.00        | 15.33       | 1000.0          | 9.000           | N    | 9.7        |
| 0.783815        | 34.26            | ---             | 56.00        | 21.74       | 1000.0          | 9.000           | N    | 9.7        |
| 0.803715        | ---              | 23.12           | 46.00        | 22.88       | 1000.0          | 9.000           | N    | 9.7        |
| 1.275345        | ---              | 21.13           | 46.00        | 24.87       | 1000.0          | 9.000           | N    | 9.7        |
| 1.282310        | 32.45            | ---             | 56.00        | 23.55       | 1000.0          | 9.000           | N    | 9.7        |
| 1.885280        | ---              | 20.07           | 46.00        | 25.93       | 1000.0          | 9.000           | N    | 9.8        |
| 1.909160        | 29.49            | ---             | 56.00        | 26.51       | 1000.0          | 9.000           | N    | 9.8        |
| 2.375815        | ---              | 19.33           | 46.00        | 26.67       | 1000.0          | 9.000           | N    | 9.9        |
| 2.424570        | 29.82            | ---             | 56.00        | 26.18       | 1000.0          | 9.000           | N    | 9.9        |
| 2.941970        | ---              | 18.73           | 46.00        | 27.27       | 1000.0          | 9.000           | N    | 10.0       |
| 2.951920        | 28.01            | ---             | 56.00        | 27.99       | 1000.0          | 9.000           | N    | 10.0       |

Note: 1. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.  
2. Test setup: RBW: 200 Hz (9 kHz—150 kHz), 9 kHz (150 kHz—30 MHz).  
3. Step size: 80Hz (0.009MHz-0.15MHz), 4 kHz (0.15MHz-30MHz), Scan time: auto.  
4. The extension cord/outlet strip was calibrated with the LISN as required by ANSI C63.10:2013 Clause 6.2.2.

## 8. ANTENNA REQUIREMENTS

### APPLICABLE REQUIREMENTS

Please refer to FCC §15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC §15.247(b)(4)

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### ANTENNA CONNECTOR

EUT has a EUT has a PCB Antenna.

### ANTENNA GAIN

The antenna gain of EUT is less than 6 dBi.

**END OF REPORT**