

Appendix Test Data

Report No.:	1812C60258512504-01	Test Sample No.:	1-2-2
Start Test Date:	2026-5-11	Finish Test Date:	2026-5-19
Test Engineer:	Tracy Liang	Auditor:	Justin Feng
Temperature:	24.1℃	Relative Humidity:	53.1%
Pressure:	101kPa		


Appendix A: Frequency Error

Test Result


Test Condition	Test Mode	Antenna	Frequency [MHz]	Center Freq. [MHz]	Result [ppm]	Limit [ppm]	Verdict
NTNV	CW	Ant1	5180	5179.95	-9.65251	±20	PASS
NTNV	CW	Ant1	5200	5199.959	-7.88462	±20	PASS
NTNV	CW	Ant1	5240	5239.965	-6.67939	±20	PASS
NTNV	CW	Ant1	5190	5189.985	-2.89017	±20	PASS
NTNV	CW	Ant1	5230	5229.986	-2.67686	±20	PASS
NTNV	CW	Ant1	5210	5209.988	-2.30326	±20	PASS



Test Graphs





NTNV-CW-Ant1-5180-PASS



NTNV-CW--Ant1-5200-PASS







Appendix B: Antenna Power

Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Result [mW/MHz]	Limit [mW/MHz]	Verdict
NTNV	11A	Ant1	5180	1.42	1.3868	≤10	PASS
NTNV	11A	Ant1	5200	1.17	1.3092	≤10	PASS
NTNV	11A	Ant1	5240	1.89	1.5453	≤10	PASS
NTNV	11N20SI SO	Ant1	5180	0.69	1.1722	≤10	PASS
NTNV	11N20SI SO	Ant1	5200	-0.05	0.9886	≤10	PASS
NTNV	11N20SI SO	Ant1	5240	0.95	1.2445	≤10	PASS
NTNV	11N40SI SO	Ant1	5190	1.74	1.4928	≤5	PASS
NTNV	11N40SI SO	Ant1	5230	2.20	1.6596	≤5	PASS
NTNV	11AC20S ISO	Ant1	5180	0.56	1.1376	≤10	PASS
NTNV	11AC20S ISO	Ant1	5200	0.57	1.1402	≤10	PASS
NTNV	11AC20S ISO	Ant1	5240	1.48	1.4060	≤10	PASS
NTNV	11AC40S ISO	Ant1	5190	1.44	1.3932	≤5	PASS
NTNV	11AC40S ISO	Ant1	5230	1.97	1.5740	≤5	PASS
NTNV	11AC80S ISO	Ant1	5210	-1.02	0.7907	≤2.5	PASS

Test Condition	Test Mode	Antenna	Frequency [MHz]	Power [mW/MHz]	Rated Power [mW/MHz]	Result [%]	Limit [%]	Verdict
NTNV	11A	Ant1	5180	1.3868	2	-30.66	-80 to +20	PASS
NTNV	11A	Ant1	5200	1.3092	2	-34.54	-80 to +20	PASS
NTNV	11A	Ant1	5240	1.5453	2	-22.74	-80 to +20	PASS
NTNV	11N20SI SO	Ant1	5180	1.1722	2	-41.39	-80 to +20	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com



NTNV	11N20SI SO	Ant1	5200	0.9886	2	-50.57	-80 to +20	PASS
NTNV	11N20SI SO	Ant1	5240	1.2445	2	-37.78	-80 to +20	PASS
NTNV	11N40SI SO	Ant1	5190	1.4928	2	-25.36	-80 to +20	PASS
NTNV	11N40SI SO	Ant1	5230	1.6596	2	-17.02	-80 to +20	PASS
NTNV	11AC20 SISO	Ant1	5180	1.1376	2	-43.12	-80 to +20	PASS
NTNV	11AC20 SISO	Ant1	5200	1.1402	2	-42.99	-80 to +20	PASS
NTNV	11AC20 SISO	Ant1	5240	1.406	2	-29.70	-80 to +20	PASS
NTNV	11AC40 SISO	Ant1	5190	1.3932	2	-30.34	-80 to +20	PASS
NTNV	11AC40 SISO	Ant1	5230	1.574	2	-21.30	-80 to +20	PASS
NTNV	11AC80 SISO	Ant1	5210	0.7907	2	-60.47	-80 to +20	PASS

Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [mW/MHz]	Gain [dBi]	EIRP [mW/MHz]	Limit [mW/MHz]	Verdict
NTNV	11A	Ant1	5180	1.3868	2.56	2.5003	≤10	PASS
NTNV	11A	Ant1	5200	1.3092	2.56	2.3605	≤10	PASS
NTNV	11A	Ant1	5240	1.5453	2.56	2.7861	≤10	PASS
NTNV	11N20SI SO	Ant1	5180	1.1722	2.56	2.1135	≤10	PASS
NTNV	11N20SI SO	Ant1	5200	0.9886	2.56	1.7824	≤10	PASS
NTNV	11N20SI SO	Ant1	5240	1.2445	2.56	2.2439	≤10	PASS
NTNV	11N40SI SO	Ant1	5190	1.4928	2.56	2.6915	≤5	PASS
NTNV	11N40SI SO	Ant1	5230	1.6596	2.56	2.9923	≤5	PASS
NTNV	11AC20S ISO	Ant1	5180	1.1376	2.56	2.0512	≤10	PASS
NTNV	11AC20S ISO	Ant1	5200	1.1402	2.56	2.0559	≤10	PASS
NTNV	11AC20S ISO	Ant1	5240	1.4060	2.56	2.5351	≤10	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86)0755-26066440 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com




NTNV	11AC40S ISO	Ant1	5190	1.3932	2.56	2.5119	≤5	PASS
NTNV	11AC40S ISO	Ant1	5230	1.5740	2.56	2.8379	≤5	PASS
NTNV	11AC80S ISO	Ant1	5210	0.7907	2.56	1.4256	≤2.5	PASS

Note: EIRP[dBm/MHz]=Result[dBm/MHz]+Gain(dBi)

Result [mW/MHz]=10^(Result [dBm/MHz]/10)



Test Graphs





Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com







































Appendix C: Occupied Bandwidth

Test Result


Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [MHz]	Limit [MHz]	Verdict
NTNV	11A	Ant1	5180	16.983	≤20	PASS
NTNV	11A	Ant1	5200	17.103	≤20	PASS
NTNV	11A	Ant1	5240	16.863	≤20	PASS
NTNV	11N20SI SO	Ant1	5180	18.102	≤20	PASS
NTNV	11N20SI SO	Ant1	5200	17.942	≤20	PASS
NTNV	11N20SI SO	Ant1	5240	17.902	≤20	PASS
NTNV	11N40SI SO	Ant1	5190	36.364	≤40	PASS
NTNV	11N40SI SO	Ant1	5230	36.284	≤40	PASS
NTNV	11AC20S ISO	Ant1	5180	18.062	≤20	PASS
NTNV	11AC20S ISO	Ant1	5200	18.302	≤20	PASS
NTNV	11AC20S ISO	Ant1	5240	17.982	≤20	PASS
NTNV	11AC40S ISO	Ant1	5190	36.364	≤40	PASS
NTNV	11AC40S ISO	Ant1	5230	36.284	≤40	PASS
NTNV	11AC80S ISO	Ant1	5210	76.084	≤80	PASS



Test Graphs




NTNV-11A-Ant1-5180-PASS




NTNV-11A-Ant1-5200-PASS






NTNV-11A-Ant1-5240-PASS




NTNV-11N20SISO-Ant1-5180-PASS






NTNV-11N20SISO-Ant1-5200-PASS




NTNV-11N20SISO-Ant1-5240-PASS






NTNV-11N40SISO-Ant1-5190-PASS




NTNV-11N40SISO-Ant1-5230-PASS






NTNV-11AC20SISO-Ant1-5180-PASS




NTNV-11AC20SISO-Ant1-5200-PASS






NTNV-11AC20SISO-Ant1-5240-PASS




NTNV-11AC40SISO-Ant1-5190-PASS





NTNV-11AC40SISO-Ant1-5230-PASS



NTNV-11AC80SISO-Ant1-5210-PASS



Appendix D: Spurious Emission of TX

Test Result

Test Condition	Test Mode	Antenna	Freq [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Result [μ W/MHz]	Limit [μ W/MHz]	Verdict
NTNV	11A	Ant1	5180	30~5142	5127.69	-39.49	2.56	-36.93	0.20277	≤ 2.5	PASS
NTNV	11A	Ant1	5180	5142~5150	5149.01	-26.47	2.56	-23.91	4.06443	≤ 15	PASS
NTNV	11A	Ant1	5180	5250~5251	5250.96	-43.18	2.56	-40.62	0.08670	≤ 109.6	PASS
NTNV	11A	Ant1	5180	5251~5260	5258.61	-39.35	2.56	-36.79	0.20941	≤ 21.1	PASS
NTNV	11A	Ant1	5180	5260~5266.7	5266.51	-40.30	2.56	-37.74	0.16827	≤ 2.6	PASS
NTNV	11A	Ant1	5180	5266.7~26000	17757.82	-39.00	2.56	-36.44	0.22699	≤ 2.5	PASS
NTNV	11A	Ant1	5200	30~5142	4548.50	-40.68	2.56	-38.12	0.15417	≤ 2.5	PASS
NTNV	11A	Ant1	5200	5142~5150	5148.22	-35.97	2.56	-33.41	0.45604	≤ 15	PASS
NTNV	11A	Ant1	5200	5250~5251	5250.76	-38.46	2.56	-35.90	0.25704	≤ 173.8	PASS
NTNV	11A	Ant1	5200	5251~5260	5259.10	-39.44	2.56	-36.88	0.20512	≤ 19.1	PASS
NTNV	11A	Ant1	5200	5260~5266.7	5266.53	-39.70	2.56	-37.14	0.19320	≤ 2.6	PASS
NTNV	11A	Ant1	5200	5266.7~26000	6966.14	-39.55	2.56	-36.99	0.19999	≤ 2.5	PASS
NTNV	11A	Ant1	5240	30~5142	4695.21	-41.06	2.56	-38.50	0.14125	≤ 2.5	PASS
NTNV	11A	Ant1	5240	5142~5150	5145.67	-38.97	2.56	-36.41	0.22856	≤ 15	PASS
NTNV	11A	Ant1	5240	5250~5251	5250.96	-4.78	2.56	-2.22	599.79108	≤ 109.6	See table below
NTNV	11A	Ant1	5240	5251~5260	5251.3	-4.94	2.56	-2.38	578.09605	≤ 94.0	See table below
NTNV	11A	Ant1	5240	5260~5266.7	5266.08	-24.14	2.56	-21.58	6.95024	≤ 3.0	See table

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
 Tel: (86)0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com



											below
NTNV	11A	Ant1	5240	5266.7~26000	5274.30	-38.85	2.56	-36.29	0.234 96	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5180	30~5142	5023.40	-41.08	2.56	-38.52	0.140 60	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5180	5142~5150	5148.38	-28.81	2.56	-26.25	2.371 37	≤15	PASS
NTNV	11N20SI SO	Ant1	5180	5250~5250.2	5250.18	-42.26	2.56	-39.70	0.107 15	≤713.4	PASS
NTNV	11N20SI SO	Ant1	5180	5250.2~5251	5250.93	-42.93	2.56	-40.37	0.091 83	≤117.5	PASS
NTNV	11N20SI SO	Ant1	5180	5251~5260	5259.07	-39.91	2.56	-37.35	0.184 08	≤19.2	PASS
NTNV	11N20SI SO	Ant1	5180	5260~5266.7	5266.65	-40.53	2.56	-37.97	0.159 59	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5180	5266.7~26000	6993.09	-38.82	2.56	-36.26	0.236 59	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5200	30~5142	4567.41	-40.43	2.56	-37.87	0.163 31	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5200	5142~5150	5144.42	-35.71	2.56	-33.15	0.484 17	≤15	PASS
NTNV	11N20SI SO	Ant1	5200	5250~5251	5250.98	-39.27	2.56	-36.71	0.213 30	≤104.7	PASS
NTNV	11N20SI SO	Ant1	5200	5251~5260	5259.75	-38.99	2.56	-36.43	0.227 51	≤16.7	PASS
NTNV	11N20SI SO	Ant1	5200	5260~5266.7	5266.04	-39.68	2.56	-37.12	0.194 09	≤3.0	PASS
NTNV	11N20SI SO	Ant1	5200	5266.7~26000	24762.22	-39.07	2.56	-36.51	0.223 36	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5240	30~5142	4172.76	-39.92	2.56	-37.36	0.183 65	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5240	5142~5150	5146.81	-40.04	2.56	-37.48	0.178 65	≤15	PASS
NTNV	11N20SI SO	Ant1	5240	5250~5251	5250.98	-4.18	2.56	-1.62	688.6 5230	≤104.7	See table below
NTNV	11N20SI SO	Ant1	5240	5251~5260	5251.47	-5.62	2.56	-3.06	494.3 1069	≤90.8	See table below
NTNV	11N20SI SO	Ant1	5240	5260~5266.7	5265.75	-25.75	2.56	-23.19	4.797 33	≤3.2	See table below
NTNV	11N20SI	Ant1	5240	5266.7~26000	17083.30	-39.34	2.56	-36.78	0.209	≤2.5	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com



	SO								89		
NTNV	11N40SI SO	Ant1	5190	30~5141.6	5138.02	-39.61	2.56	-37.05	0.197 24	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5190	5141.6~5150	5143.40	-27.33	2.56	-24.77	3.334 26	≤15	PASS
NTNV	11N40SI SO	Ant1	5190	5250~5251	5250.93	-39.79	2.56	-37.23	0.189 23	≤58.7	PASS
NTNV	11N40SI SO	Ant1	5190	5251~5270	5269.73	-40.39	2.56	-37.83	0.164 82	≤8.1	PASS
NTNV	11N40SI SO	Ant1	5190	5270~5278.4	5278.20	-39.64	2.56	-37.08	0.195 88	≤2.6	PASS
NTNV	11N40SI SO	Ant1	5190	5278.4~26000	16764.38	-39.69	2.56	-37.13	0.193 64	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5230	30~5141.6	3540.14	-40.66	2.56	-38.10	0.154 88	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5230	5141.6~5150	5147.55	-39.01	2.56	-36.45	0.226 46	≤15	PASS
NTNV	11N40SI SO	Ant1	5230	5250~5251	5250.99	-10.23	2.56	-7.67	171.0 0153	≤51.2	See table below
NTNV	11N40SI SO	Ant1	5230	5251~5270	5251.02	-12.23	2.56	-9.67	107.8 9467	≤49.9	See table below
NTNV	11N40SI SO	Ant1	5230	5270~5278.4	5276.73	-28.12	2.56	-25.56	2.779 71	≤3.1	See table below
NTNV	11N40SI SO	Ant1	5230	5278.4~26000	25196.69	-38.24	2.56	-35.68	0.270 40	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5180	30~5142	5018.29	-40.93	2.56	-38.37	0.145 55	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5180	5142~5150	5149.71	-27.97	2.56	-25.41	2.877 40	≤15	PASS
NTNV	11AC20 SISO	Ant1	5180	5250~5250.2	5250.19	-43.22	2.56	-40.66	0.085 90	≤670.9	PASS
NTNV	11AC20 SISO	Ant1	5180	5250.2~5251	5250.96	-43.14	2.56	-40.58	0.087 50	≤109.6	PASS
NTNV	11AC20 SISO	Ant1	5180	5251~5260	5258.97	-37.95	2.56	-35.39	0.289 07	≤19.6	PASS
NTNV	11AC20 SISO	Ant1	5180	5260~5266.7	5266.68	-40.53	2.56	-37.97	0.159 59	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5180	5266.7~26000	6894.96	-38.93	2.56	-36.37	0.230 67	≤2.5	PASS
NTNV	11AC20	Ant1	5200	30~5142	4744.80	-40.35	2.56	-37.79	0.166	≤2.5	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com



	SISO								34		
NTNV	11AC20 SISO	Ant1	5200	5142~5150	5148.37	-36.24	2.56	-33.68	0.428 55	≤15	PASS
NTNV	11AC20 SISO	Ant1	5200	5250~5250.2	5250.20	-37.61	2.56	-35.05	0.312 61	≤631.0	PASS
NTNV	11AC20 SISO	Ant1	5200	5250.2~5251	5250.97	-37.62	2.56	-35.06	0.311 89	≤107.2	PASS
NTNV	11AC20 SISO	Ant1	5200	5251~5260	5259.71	-38.18	2.56	-35.62	0.274 16	≤16.8	PASS
NTNV	11AC20 SISO	Ant1	5200	5260~5266.7	5266.28	-38.62	2.56	-36.06	0.247 74	≤2.8	PASS
NTNV	11AC20 SISO	Ant1	5200	5266.7~26000	16304.42	-38.50	2.56	-35.94	0.254 68	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5240	30~5142	4192.19	-40.48	2.56	-37.92	0.161 44	≤2.5	PASS
NTNV	11AC20 SISO	Ant1	5240	5142~5150	5146.51	-39.59	2.56	-37.03	0.198 15	≤15	PASS
NTNV	11AC20 SISO	Ant1	5240	5250~5251	5250.86	-3.48	2.56	-0.92	809.0 9590	≤138.0	See table below
NTNV	11AC20 SISO	Ant1	5240	5251~5260	5251.01	-5.39	2.56	-2.83	521.1 9471	≤99.8	See table below
NTNV	11AC20 SISO	Ant1	5240	5260~5266.7	5265.75	-23.31	2.56	-20.75	8.413 95	≤3.2	See table below
NTNV	11AC20 SISO	Ant1	5240	5266.7~26000	15577.37	-39.02	2.56	-36.46	0.225 94	≤2.5	PASS
NTNV	11AC40 SISO	Ant1	5190	30~5141.6	5139.56	-39.55	2.56	-36.99	0.199 99	≤2.5	PASS
NTNV	11AC40 SISO	Ant1	5190	5141.6~5150	5148.43	-24.89	2.56	-22.33	5.847 90	≤15	PASS
NTNV	11AC40 SISO	Ant1	5190	5250~5251	5250.96	-37.33	2.56	-34.77	0.333 43	≤54.8	PASS
NTNV	11AC40 SISO	Ant1	5190	5251~5270	5269.30	-39.58	2.56	-37.02	0.198 61	≤8.5	PASS
NTNV	11AC40 SISO	Ant1	5190	5270~5278.4	5278.37	-39.36	2.56	-36.80	0.208 93	≤2.5	PASS
NTNV	11AC40 SISO	Ant1	5190	5278.4~26000	16831.38	-39.28	2.56	-36.72	0.212 81	≤2.5	PASS
NTNV	11AC40 SISO	Ant1	5230	30~5141.6	5014.32	-40.66	2.56	-38.10	0.154 88	≤2.5	PASS
NTNV	11AC40	Ant1	5230	5141.6~5150	5147.98	-39.27	2.56	-36.71	0.213	≤15	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com



	SISO								30		
NTNV	11AC40 SISO	Ant1	5230	5250~5251	5250.79	-8.78	2.56	-6.22	238.7 8113	≤81.1	See table below
NTNV	11AC40 SISO	Ant1	5230	5251~5270	5251.55	-9.80	2.56	-7.24	188.7 9913	≤47.4	See table below
NTNV	11AC40 SISO	Ant1	5230	5270~5278.4	5278.15	-29.87	2.56	-27.31	1.857 80	≤2.6	See table below
NTNV	11AC40 SISO	Ant1	5230	5278.4~26000	17202.30	-39.31	2.56	-36.75	0.211 35	≤2.5	PASS
NTNV	11AC80 SISO	Ant1	5210	30~5123.2	4167.72	-40.50	2.56	-37.94	0.160 69	≤2.5	PASS
NTNV	11AC80 SISO	Ant1	5210	5132.5~5150	5148.36	-27.13	2.56	-24.57	3.491 40	≤15	PASS
NTNV	11AC80 SISO	Ant1	5210	5250~5251	5251	-13.52	2.56	-10.96	80.16 781	≤25.0	See table below
NTNV	11AC80 SISO	Ant1	5210	5251~5290	5251	-13.69	2.56	-11.13	77.09 035	≤25.0	See table below
NTNV	11AC80 SISO	Ant1	5210	5290~5296.7	5294.96	-31.34	2.56	-28.78	1.324 34	≤2.8	PASS
NTNV	11AC80 SISO	Ant1	5210	5296.7~26000	5298.77	-36.10	2.56	-33.54	0.442 59	≤2.5	PASS

Test Result_Step2

Test Condition	Test Mode	Antenna	Freq [MHz]	Freq. [MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Result [μW/MHz]	Limit [μW/MHz]	Verdict
NTNV	11A	Ant1	5240	5250.20	-20.70	2.56	-18.14	15.346 17	≤115	PASS
NTNV	11A	Ant1	5240	5251.30	-21.97	2.56	-19.41	11.455 13	≤91	PASS
NTNV	11A	Ant1	5240	5260.66	-44.90	2.56	-42.34	0.0583 4	≤4	PASS
NTNV	11N20SI SO	Ant1	5240	5250.04	-21.09	2.56	-18.53	14.028 14	≤120	PASS
NTNV	11N20SI SO	Ant1	5240	5251.47	-21.90	2.56	-19.34	11.641 26	≤96	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com





NTNV	11N20SI SO	Ant1	5240	5260.44	-45.04	2.56	-42.48	0.0564 9	≤8	PASS
NTNV	11N40SI SO	Ant1	5230	5250.13	-26.39	2.56	-23.83	4.1400 0	≤60	PASS
NTNV	11N40SI SO	Ant1	5230	5251.02	-26.04	2.56	-23.48	4.4874 5	≤50	PASS
NTNV	11N40SI SO	Ant1	5230	5276.73	-52.19	2.56	-49.63	0.0108 9	≤3.1	PASS
NTNV	11AC20S ISO	Ant1	5240	5250.09	-21.37	2.56	-18.81	13.152 25	≤102	PASS
NTNV	11AC20S ISO	Ant1	5240	5251.01	-22.86	2.56	-20.30	9.3325 4	≤93	PASS
NTNV	11AC20S ISO	Ant1	5240	5260.53	-47.14	2.56	-44.58	0.0348 3	≤4	PASS
NTNV	11AC40S ISO	Ant1	5230	5250.11	-26.68	2.56	-24.12	3.8725 8	≤52	PASS
NTNV	11AC40S ISO	Ant1	5230	5251.55	-26.87	2.56	-24.31	3.7068 1	≤50	PASS
NTNV	11AC80S ISO	Ant1	5210	5250.05	-29.59	2.56	-27.03	1.9815 3	≤30	PASS
NTNV	11AC80S ISO	Ant1	5210	5251.00	-29.83	2.56	-27.27	1.8749 9	≤25	PASS





Test Graphs





















NTNV-11A-Ant1-5240-5250~5251-See table below



NTNV-11A-Ant1-5240-5251~5260-See table below

