


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

02/11/2019

5825MHz_TX




EUT_Z_2TX_ANT 180
Setting 150
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64216G	65.30	74.00	-8.70	13.08	3	Vertical	67	1.71	-	52.22
AV	11.64464G	52.91	54.00	-1.09	13.08	3	Vertical	67	1.71	-	39.83
PK	17.47996G	63.44	68.20	-4.76	18.59	3	Vertical	205	1.30	-	44.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

02/11/2019

5825MHz_TX




EUT_Z_2TX_ANT 180
Setting 150
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
AV	11.6396G	49.49	54.00	-4.51	13.08	3	Horizontal	193	2.74	-	36.41			
PK	11.6524G	62.59	74.00	-11.41	13.09	3	Horizontal	193	2.74	-	49.50			
PK	17.47444G	63.42	68.20	-4.78	18.56	3	Horizontal	83	1.60	-	44.86			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5190MHz_TX




EUT_Z_2TX_ANT 180
Setting 35
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.15G	58.11	74.00	-15.89	5.50	3	Vertical	185	1.81	-	52.61			
AV	5.1496G	45.07	54.00	-8.93	5.50	3	Vertical	185	1.81	-	39.57			
PK	5.1924G	94.83	Inf	-Inf	5.62	3	Vertical	185	1.81	-	89.21			
AV	5.1936G	82.36	Inf	-Inf	5.62	3	Vertical	185	1.81	-	76.74			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5190MHz_TX




EUT_Z_2TX_ANT 180
Setting 35
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	71.88	74.00	-2.12	5.50	3	Horizontal	265	2.39	-	66.38
AV	5.1476G	53.77	54.00	-0.23	5.50	3	Horizontal	265	2.39	-	48.27
PK	5.1776G	112.11	Inf	-Inf	5.58	3	Horizontal	265	2.39	-	106.53
AV	5.194G	99.22	Inf	-Inf	5.62	3	Horizontal	265	2.39	-	93.60

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5190MHz_TX




EUT_Z_2TX_ANT 180
Setting 35
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.57348G	59.99	74.00	-14.01	14.28	3	Vertical	324	2.15	-	45.71			
AV	15.57614G	45.91	54.00	-8.09	14.26	3	Vertical	324	2.15	-	31.65			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5190MHz_TX




EUT_Z_2TX_ANT 180
Setting 35
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.56298G	59.08	74.00	-14.92	14.32	3	Horizontal	117	1.73	-	44.76			
AV	15.576G	45.98	54.00	-8.02	14.26	3	Horizontal	117	1.73	-	31.72			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5230MHz_TX




EUT Z_2TX_ANT 180
Setting 150
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.1328G	57.68	74.00	-16.32	5.45	3	Vertical	217	1.11	-	52.23			
AV	5.1472G	44.89	54.00	-9.11	5.50	3	Vertical	217	1.11	-	39.39			
PK	5.227G	99.03	Inf	-Inf	5.68	3	Vertical	217	1.11	-	93.35			
AV	5.2234G	87.21	Inf	-Inf	5.68	3	Vertical	217	1.11	-	81.53			
PK	5.3626G	58.01	74.00	-15.99	5.81	3	Vertical	217	1.11	-	52.20			
AV	5.365G	45.68	54.00	-8.32	5.81	3	Vertical	217	1.11	-	39.87			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5230MHz_TX




EUT_Z_2TX_ANT 180
Setting 150
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1448G	68.53	74.00	-5.47	5.49	3	Horizontal	264	2.64	-	63.04
AV	5.15G	53.80	54.00	-0.20	5.50	3	Horizontal	264	2.64	-	48.30
PK	5.218G	117.05	Inf	-Inf	5.67	3	Horizontal	264	2.64	-	111.38
AV	5.221G	104.81	Inf	-Inf	5.67	3	Horizontal	264	2.64	-	99.14
PK	5.3524G	63.50	74.00	-10.50	5.81	3	Horizontal	264	2.64	-	57.69
AV	5.35G	49.66	54.00	-4.34	5.81	3	Horizontal	264	2.64	-	43.85

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5230MHz_TX




EUT_Z_2TX_ANT 180
Setting 150
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.6939G	58.55	74.00	-15.45	13.85	3	Vertical	302	1.62	-	44.70			
AV	15.6935G	45.23	54.00	-8.77	13.85	3	Vertical	302	1.62	-	31.38			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5230MHz_TX




EUT_Z_2TX_ANT 180
Setting 150
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.69156G	58.41	74.00	-15.59	13.86	3	Horizontal	24	1.41	-	44.55			
AV	15.6913G	45.26	54.00	-8.74	13.86	3	Horizontal	24	1.41	-	31.40			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5270MHz_TX




EUT Z_2TX_ANT 180
Setting 133
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1218G	57.28	74.00	-16.72	5.42	3	Vertical	100	2.53	-	51.86
AV	5.1494G	44.83	54.00	-9.17	5.50	3	Vertical	100	2.53	-	39.33
PK	5.2532G	99.18	Inf	-Inf	5.72	3	Vertical	100	2.53	-	93.46
AV	5.258G	84.73	Inf	-Inf	5.73	3	Vertical	100	2.53	-	79.00
PK	5.3588G	58.32	74.00	-15.68	5.82	3	Vertical	100	2.53	-	52.50
AV	5.3732G	45.64	54.00	-8.36	5.82	3	Vertical	100	2.53	-	39.82

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5270MHz_TX




EUT Z_2TX_ANT 180
Setting 133
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1458G	61.99	74.00	-12.01	5.50	3	Horizontal	92	2.30	-	56.49
AV	5.1458G	48.26	54.00	-5.74	5.50	3	Horizontal	92	2.30	-	42.76
PK	5.2556G	115.81	Inf	-Inf	5.72	3	Horizontal	92	2.30	-	110.09
AV	5.2562G	103.42	Inf	-Inf	5.72	3	Horizontal	92	2.30	-	97.70
PK	5.35G	68.55	74.00	-5.45	5.81	3	Horizontal	92	2.30	-	62.74
AV	5.3504G	53.80	54.00	-0.20	5.81	3	Horizontal	92	2.30	-	47.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5270MHz_TX




EUT_Z_2TX_ANT 180
Setting 133
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.81592G	57.53	74.00	-16.47	13.40	3	Vertical	278	1.12	-	44.13			
AV	15.81596G	44.47	54.00	-9.53	13.39	3	Vertical	278	1.12	-	31.08			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5270MHz_TX




EUT_Z_2TX_ANT 180
Setting 133
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.81208G	57.70	74.00	-16.30	13.42	3	Horizontal	25	1.38	-	44.28			
AV	15.81203G	44.22	54.00	-9.78	13.42	3	Horizontal	25	1.38	-	30.80			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5310MHz_TX




EUT_Z_2TX_ANT 180
Setting 42
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3216G	91.82	Inf	-Inf	5.80	3	Vertical	267	2.96	-	86.02
AV	5.3208G	79.41	Inf	-Inf	5.80	3	Vertical	267	2.96	-	73.61
PK	5.37G	58.43	74.00	-15.57	5.82	3	Vertical	267	2.96	-	52.61
AV	5.3672G	45.59	54.00	-8.41	5.82	3	Vertical	267	2.96	-	39.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5310MHz_TX




EUT_Z_2TX_ANT 180
Setting 42
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2956G	111.43	Inf	-Inf	5.78	3	Horizontal	90	2.53	-	105.65
AV	5.306G	98.94	Inf	-Inf	5.80	3	Horizontal	90	2.53	-	93.14
PK	5.3532G	71.36	74.00	-2.64	5.81	3	Horizontal	90	2.53	-	65.55
AV	5.3512G	53.08	54.00	-0.92	5.81	3	Horizontal	90	2.53	-	47.27

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5310MHz_TX




EUT_Z_2TX_ANT 180
Setting 42
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.93108G	57.69	74.00	-16.31	12.99	3	Vertical	294	1.65	-	44.70			
AV	15.93102G	44.11	54.00	-9.89	12.99	3	Vertical	294	1.65	-	31.12			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5310MHz_TX




EUT_Z_2TX_ANT 180
Setting 42
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.93776G	57.37	74.00	-16.63	12.97	3	Horizontal	334	1.52	-	44.40			
AV	15.9374G	43.99	54.00	-10.01	12.97	3	Horizontal	334	1.52	-	31.02			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5510MHz_TX




EUT_Z_2TX_ANT 180
Setting 28
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.46G	59.06	74.00	-14.94	6.01	3	Vertical	189	2.75	-	53.05			
AV	5.414G	45.86	54.00	-8.14	5.88	3	Vertical	189	2.75	-	39.98			
PK	5.4624G	58.45	68.20	-9.75	6.01	3	Vertical	189	2.75	-	52.44			
PK	5.5252G	100.13	Inf	-Inf	6.13	3	Vertical	189	2.75	-	94.00			
AV	5.5256G	88.22	Inf	-Inf	6.13	3	Vertical	189	2.75	-	82.09			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5510MHz_TX




EUT Z_2TX_ANT 180
Setting 28
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.458G	63.01	74.00	-10.99	6.00	3	Horizontal	89	2.24	-	57.01			
AV	5.4588G	48.42	54.00	-5.58	6.01	3	Horizontal	89	2.24	-	42.41			
PK	5.4696G	67.39	68.20	-0.81	6.04	3	Horizontal	89	2.24	-	61.35			
PK	5.5044G	110.43	Inf	-Inf	6.13	3	Horizontal	89	2.24	-	104.30			
AV	5.518G	98.15	Inf	-Inf	6.13	3	Horizontal	89	2.24	-	92.02			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5510MHz_TX




EUT_Z_2TX_ANT 180
Setting 28
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.02116G	54.40	74.00	-19.60	12.75	3	Vertical	57	1.46	-	41.65			
AV	11.02114G	40.93	54.00	-13.07	12.75	3	Vertical	57	1.46	-	28.18			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5510MHz_TX




EUT_Z_2TX_ANT 180
Setting 28
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.0208G	55.06	74.00	-18.94	12.75	3	Horizontal	132	1.21	-	42.31			
AV	11.02056G	40.87	54.00	-13.13	12.75	3	Horizontal	132	1.21	-	28.12			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5550MHz_TX




EUT Z_2TX_ANT 180
Setting 158
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4564G	59.16	74.00	-14.84	6.00	3	Vertical	193	2.09	-	53.16
AV	5.4532G	46.13	54.00	-7.87	5.99	3	Vertical	193	2.09	-	40.14
PK	5.4692G	60.37	68.20	-7.83	6.03	3	Vertical	193	2.09	-	54.34
PK	5.562G	103.87	Inf	-Inf	6.15	3	Vertical	193	2.09	-	97.72
AV	5.5628G	92.29	Inf	-Inf	6.15	3	Vertical	193	2.09	-	86.14
PK	5.7484G	58.93	68.20	-9.27	5.86	3	Vertical	193	2.09	-	53.07

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5550MHz_TX




EUT Z_2TX_ANT 180
Setting 158
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	67.15	74.00	-6.85	6.00	3	Horizontal	89	2.99	-	61.15
AV	5.4596G	53.25	54.00	-0.75	6.01	3	Horizontal	89	2.99	-	47.24
PK	5.4692G	68.06	68.20	-0.14	6.03	3	Horizontal	89	2.99	-	62.03
PK	5.5356G	114.97	Inf	-Inf	6.14	3	Horizontal	89	2.99	-	108.83
AV	5.534G	104.10	Inf	-Inf	6.14	3	Horizontal	89	2.99	-	97.96
PK	5.746G	60.40	68.20	-7.80	5.86	3	Horizontal	89	2.99	-	54.54

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5550MHz_TX




EUT_Z_2TX_ANT 180
Setting 158
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.1G	58.46	74.00	-15.54	12.79	3	Vertical	102	1.84	-	45.67			
AV	11.1048G	43.91	54.00	-10.09	12.79	3	Vertical	102	1.84	-	31.12			
PK	16.64934G	59.41	68.20	-8.79	14.95	3	Vertical	286	1.09	-	44.46			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5550MHz_TX




EUT_Z_2TX_ANT 180
Setting 158
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.10852G	58.11	74.00	-15.89	12.80	3	Horizontal	140	1.84	-	45.31			
AV	11.10804G	43.81	54.00	-10.19	12.80	3	Horizontal	140	1.84	-	31.01			
PK	16.65906G	60.21	68.20	-7.99	14.97	3	Horizontal	341	1.97	-	45.24			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5670MHz_TX




EUT_Z_2TX_ANT 180
Setting 63
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.68G	104.28	Inf	-Inf	5.98	3	Vertical	168	2.99	-	98.30
AV	5.6808G	91.41	Inf	-Inf	5.97	3	Vertical	168	2.99	-	85.44
PK	5.728G	61.44	68.20	-6.76	5.88	3	Vertical	168	2.99	-	55.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5670MHz_TX




EUT_Z_2TX_ANT 180
Setting 63
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6776G	113.21	Inf	-Inf	5.98	3	Horizontal	87	2.99	-	107.23
AV	5.664G	101.69	Inf	-Inf	6.02	3	Horizontal	87	2.99	-	95.67
PK	5.7272G	68.11	68.20	-0.09	5.88	3	Horizontal	87	2.99	-	62.23

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5670MHz_TX




EUT_Z_2TX_ANT 180
Setting 63
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.3492G	54.59	74.00	-19.41	12.92	3	Vertical	282	1.87	-	41.67			
AV	11.35G	41.13	54.00	-12.87	12.92	3	Vertical	282	1.87	-	28.21			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5670MHz_TX




EUT_Z_2TX_ANT 180
Setting 63
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.343G	54.59	74.00	-19.41	12.93	3	Horizontal	111	1.40	-	41.66			
AV	11.343G	41.18	54.00	-12.82	12.93	3	Horizontal	111	1.40	-	28.25			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5755MHz_TX




EUT Z_2TX_ANT 180
Setting 150
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.643G	59.25	68.20	-8.95	6.07	3	Vertical	167	2.93	-	53.18
PK	5.746G	105.95	Inf	-Inf	5.86	3	Vertical	167	2.93	-	100.09
AV	5.771G	95.30	Inf	-Inf	5.83	3	Vertical	167	2.93	-	89.47
PK	5.971G	59.28	68.20	-8.92	6.31	3	Vertical	167	2.93	-	52.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5755MHz_TX




EUT Z_2TX_ANT 180
Setting 150
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.652G	67.40	69.68	-2.28	6.04	3	Horizontal	278	2.38	-	61.36
PK	5.756G	116.84	Inf	-Inf	5.85	3	Horizontal	278	2.38	-	110.99
AV	5.757G	104.50	Inf	-Inf	5.85	3	Horizontal	278	2.38	-	98.65
PK	5.931G	66.70	68.20	-1.50	6.16	3	Horizontal	278	2.38	-	60.54

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5755MHz_TX




EUT_Z_2TX_ANT 180
Setting 150
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.51G	65.77	74.00	-8.23	13.01	3	Vertical	154	2.24	-	52.76			
AV	11.51038G	50.21	54.00	-3.79	13.01	3	Vertical	154	2.24	-	37.20			
PK	17.26796G	62.07	68.20	-6.13	17.51	3	Vertical	44	1.12	-	44.56			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5755MHz_TX




EUT_Z_2TX_ANT 180
Setting 150
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.51G	65.13	74.00	-8.87	13.01	3	Horizontal	29	2.96	-	52.12			
AV	11.51032G	49.79	54.00	-4.21	13.01	3	Horizontal	29	2.96	-	36.78			
PK	17.26604G	61.60	68.20	-6.60	17.50	3	Horizontal	303	1.53	-	44.10			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5795MHz_TX




EUT_Z_2TX_ANT 180
Setting 126
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.559G	59.26	68.20	-8.94	6.14	3	Vertical	179	2.50	-	53.12
PK	5.792G	104.01	Inf	-Inf	5.79	3	Vertical	179	2.50	-	98.22
AV	5.792G	93.33	Inf	-Inf	5.79	3	Vertical	179	2.50	-	87.54
PK	5.965G	59.43	68.20	-8.77	6.29	3	Vertical	179	2.50	-	53.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5795MHz_TX




EUT_Z_2TX_ANT 180
Setting 126
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.629G	59.99	68.20	-8.21	6.10	3	Horizontal	277	2.30	-	53.89
PK	5.804G	113.61	Inf	-Inf	5.79	3	Horizontal	277	2.30	-	107.82
AV	5.8G	101.60	Inf	-Inf	5.78	3	Horizontal	277	2.30	-	95.82
PK	5.928G	67.59	68.20	-0.61	6.15	3	Horizontal	277	2.30	-	61.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5795MHz_TX




EUT_Z_2TX_ANT 180
Setting 126
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59008G	61.21	74.00	-12.79	13.05	3	Vertical	51	1.06	-	48.16
AV	11.59008G	46.17	54.00	-7.83	13.05	3	Vertical	51	1.06	-	33.12
PK	17.38532G	63.00	68.20	-5.20	18.11	3	Vertical	79	2.31	-	44.89

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

02/11/2019

5795MHz_TX




EUT_Z_2TX_ANT 180
Setting 126
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.59008G	59.46	74.00	-14.54	13.05	3	Horizontal	29	2.72	-	46.41			
AV	11.59076G	45.18	54.00	-8.82	13.05	3	Horizontal	29	2.72	-	32.13			
PK	17.3851G	62.61	68.20	-5.59	18.10	3	Horizontal	294	2.08	-	44.51			

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5210MHz_TX




EUT Z_2TX_ANT 180
Setting 42
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.142G	57.50	74.00	-16.50	5.48	3	Vertical	229	1.01	-	52.02			
AV	5.1476G	44.63	54.00	-9.37	5.50	3	Vertical	229	1.01	-	39.13			
PK	5.2284G	93.28	Inf	-Inf	5.69	3	Vertical	229	1.01	-	87.59			
AV	5.2268G	80.47	Inf	-Inf	5.68	3	Vertical	229	1.01	-	74.79			
PK	5.3716G	58.58	74.00	-15.42	5.82	3	Vertical	229	1.01	-	52.76			
AV	5.402G	45.16	54.00	-8.84	5.84	3	Vertical	229	1.01	-	39.32			

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5210MHz_TX




EUT Z_2TX_ANT 180
Setting 42
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	69.66	74.00	-4.34	5.50	3	Horizontal	262	2.60	-	64.16
AV	5.1484G	53.21	54.00	-0.79	5.50	3	Horizontal	262	2.60	-	47.71
PK	5.2196G	109.27	Inf	-Inf	5.67	3	Horizontal	262	2.60	-	103.60
AV	5.2204G	96.50	Inf	-Inf	5.67	3	Horizontal	262	2.60	-	90.83
PK	5.3652G	59.05	74.00	-14.95	5.82	3	Horizontal	262	2.60	-	53.23
AV	5.35G	46.36	54.00	-7.64	5.81	3	Horizontal	262	2.60	-	40.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5210MHz_TX




EUT_Z_2TX_ANT 180
Setting 42
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.62904G	59.50	74.00	-14.50	14.08	3	Vertical	96	2.18	-	45.42			
AV	15.62972G	44.89	54.00	-9.11	14.08	3	Vertical	96	2.18	-	30.81			

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5210MHz_TX




EUT_Z_2TX_ANT 180
Setting 42
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.63048G	58.80	74.00	-15.20	14.08	3	Horizontal	68	1.16	-	44.72			
AV	15.63008G	45.06	54.00	-8.94	14.08	3	Horizontal	68	1.16	-	30.98			

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5290MHz_TX




EUT Z_2TX_ANT 180
Setting 35
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.122G	57.16	74.00	-16.84	5.42	3	Vertical	267	1.90	-	51.74
AV	5.15G	44.32	54.00	-9.68	5.50	3	Vertical	267	1.90	-	38.82
PK	5.293G	89.84	Inf	-Inf	5.78	3	Vertical	267	1.90	-	84.06
AV	5.298G	77.36	Inf	-Inf	5.79	3	Vertical	267	1.90	-	71.57
PK	5.395G	57.80	74.00	-16.20	5.83	3	Vertical	267	1.90	-	51.97
PK	5.479G	58.43	68.20	-9.77	6.06	3	Vertical	267	1.90	-	52.37
AV	5.455G	45.16	54.00	-8.84	5.99	3	Vertical	267	1.90	-	39.17

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5290MHz_TX




EUT Z_2TX_ANT 180
Setting 35
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	58.49	74.00	-15.51	5.47	3	Horizontal	96	2.27	-	53.02
AV	5.145G	45.78	54.00	-8.22	5.50	3	Horizontal	96	2.27	-	40.28
PK	5.259G	108.84	Inf	-Inf	5.73	3	Horizontal	96	2.27	-	103.11
AV	5.294G	94.82	Inf	-Inf	5.78	3	Horizontal	96	2.27	-	89.04
PK	5.356G	71.46	74.00	-2.54	5.82	3	Horizontal	96	2.27	-	65.64
AV	5.351G	53.00	54.00	-1.00	5.81	3	Horizontal	96	2.27	-	47.19
PK	5.469G	59.21	68.20	-8.99	6.03	3	Horizontal	96	2.27	-	53.18

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5290MHz_TX




EUT_Z_2TX_ANT 180
Setting 35
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.8756G	57.77	74.00	-16.23	13.18	3	Vertical	83	2.13	-	44.59			
AV	15.87568G	43.67	54.00	-10.33	13.18	3	Vertical	83	2.13	-	30.49			

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5290MHz_TX




EUT_Z_2TX_ANT 180
Setting 35
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	15.87268G	57.96	74.00	-16.04	13.20	3	Horizontal	128	1.40	-	44.76			
AV	15.87284G	43.68	54.00	-10.32	13.20	3	Horizontal	128	1.40	-	30.48			

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5530MHz_TX




EUT Z_2TX_ANT 180
Setting 28
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.314G	57.89	68.20	-10.31	5.79	3	Vertical	194	2.59	-	52.10
PK	5.411G	58.78	74.00	-15.22	5.87	3	Vertical	194	2.59	-	52.91
PK	5.465G	57.79	68.20	-10.41	6.02	3	Vertical	194	2.59	-	51.77
AV	5.46G	45.43	54.00	-8.57	6.01	3	Vertical	194	2.59	-	39.42
PK	5.527G	97.59	Inf	-Inf	6.13	3	Vertical	194	2.59	-	91.46
AV	5.527G	85.18	Inf	-Inf	6.13	3	Vertical	194	2.59	-	79.05
PK	5.748G	58.35	68.20	-9.85	5.86	3	Vertical	194	2.59	-	52.49

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5530MHz_TX




EUT_Z_2TX_ANT 180
Setting 28
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.311G	58.63	68.20	-9.57	5.80	3	Horizontal	266	2.25	-	52.83
PK	5.454G	67.14	74.00	-6.86	5.99	3	Horizontal	266	2.25	-	61.15
AV	5.458G	49.72	54.00	-4.28	6.00	3	Horizontal	266	2.25	-	43.72
PK	5.468G	68.16	68.20	-0.04	6.03	3	Horizontal	266	2.25	-	62.13
PK	5.492G	109.09	Inf	-Inf	6.10	3	Horizontal	266	2.25	-	102.99
AV	5.519G	95.84	Inf	-Inf	6.13	3	Horizontal	266	2.25	-	89.71
PK	5.761G	58.65	68.20	-9.55	5.84	3	Horizontal	266	2.25	-	52.81

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5530MHz_TX




EUT_Z_2TX_ANT 180
Setting 28
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.0603G	54.56	74.00	-19.44	12.77	3	Vertical	127	1.92	-	41.79			
AV	11.0603G	40.64	54.00	-13.36	12.77	3	Vertical	127	1.92	-	27.87			

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5530MHz_TX




EUT_Z_2TX_ANT 180
Setting 28
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.06312G	54.51	74.00	-19.49	12.77	3	Horizontal	84	1.53	-	41.74			
AV	11.06324G	40.55	54.00	-13.45	12.77	3	Horizontal	84	1.53	-	27.78			

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

26/11/2019

5610MHz_TX




EUT Z_2TX_ANT 180
Setting 75
06-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.45G	57.61	74.00	-16.39	4.99	3	Vertical	0	2.97	-	52.62
AV	5.457G	44.91	54.00	-9.09	5.00	3	Vertical	0	2.97	-	39.91
PK	5.466G	57.73	68.20	-10.47	5.03	3	Vertical	0	2.97	-	52.70
PK	5.588G	103.21	Inf	-Inf	4.92	3	Vertical	0	2.97	-	98.29
AV	5.613G	89.82	Inf	-Inf	4.92	3	Vertical	0	2.97	-	84.90
PK	5.737G	61.56	68.20	-6.64	5.21	3	Vertical	0	2.97	-	56.35

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

26/11/2019

5610MHz_TX




EUT Z_2TX_ANT 180
Setting 75
06-S-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.452G	65.10	74.00	-8.90	4.99	3	Horizontal	81	2.38	-	60.11
PK	5.464G	66.47	68.20	-1.73	5.03	3	Horizontal	81	2.38	-	61.44
AV	5.46G	51.16	54.00	-2.84	5.02	3	Horizontal	81	2.38	-	46.14
PK	5.628G	114.01	Inf	-Inf	4.95	3	Horizontal	81	2.38	-	109.06
AV	5.619G	101.08	Inf	-Inf	4.94	3	Horizontal	81	2.38	-	96.14
PK	5.726G	67.96	68.20	-0.24	5.16	3	Horizontal	81	2.38	-	62.80

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

26/11/2019

5610MHz_TX




EUT_Z_2TX_ANT 180
Setting 75
06-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.22G	56.46	74.00	-17.54	13.78	3	Vertical	41	1.44	-	42.68			
AV	11.21712G	42.80	54.00	-11.20	13.78	3	Vertical	41	1.44	-	29.02			

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

26/11/2019

5610MHz_TX




EUT_Z_2TX_ANT 180
Setting 75
06-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.22536G	57.15	74.00	-16.85	13.76	3	Horizontal	63	1.38	-	43.39			
AV	11.22248G	42.79	54.00	-11.21	13.78	3	Horizontal	63	1.38	-	29.01			

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5775MHz_TX




EUT_Z_2TX_ANT 180
Setting 75
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	60.90	68.94	-8.04	6.04	3	Vertical	177	2.52	-	54.86
PK	5.782G	101.22	Inf	-Inf	5.80	3	Vertical	177	2.52	-	95.42
AV	5.782G	88.50	Inf	-Inf	5.80	3	Vertical	177	2.52	-	82.70
PK	5.931G	59.30	68.20	-8.90	6.16	3	Vertical	177	2.52	-	53.14

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5775MHz_TX




EUT_Z_2TX_ANT 180
Setting 75
03-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	5.642G	66.15	68.20	-2.05	6.08	3	Horizontal	268	2.38	-	60.07			
PK	5.751G	111.96	Inf	-Inf	5.85	3	Horizontal	268	2.38	-	106.11			
AV	5.758G	96.16	Inf	-Inf	5.84	3	Horizontal	268	2.38	-	90.32			
PK	5.93G	68.00	68.20	-0.20	6.16	3	Horizontal	268	2.38	-	61.84			

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5775MHz_TX




EUT_Z_2TX_ANT 180
Setting 75
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.55296G	56.23	74.00	-17.77	13.03	3	Vertical	99	1.89	-	43.20			
AV	11.55216G	41.76	54.00	-12.24	13.03	3	Vertical	99	1.89	-	28.73			

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

02/11/2019

5775MHz_TX



EUT_Z_2TX_ANT 180
Setting 75
03-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	11.55448G	54.62	74.00	-19.38	13.03	3	Horizontal	107	1.24	-	41.59			
AV	11.55412G	41.00	54.00	-13.00	13.03	3	Horizontal	107	1.24	-	27.97			