



802.11n(HT20) MCH 5200MHz Ant1 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-52.04	-51.74	-40	11.74	Pass
Adjacent	-20	20.00	-27.62	-27.32	-25	2.32	Pass
Carrier	/	20.00	-0.30	/	/	/	/
Adjacent	20	20.00	-27.15	-26.85	-25	1.85	Pass
Alternate	40	20.00	-51.06	-50.76	-40	10.76	Pass

802.11n(HT20) HCH 5240MHz Ant1 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-50.33	-52.04	-40	12.04	Pass
Adjacent	-20	20.00	-26.71	-28.42	-25	3.42	Pass
Carrier	/	20.00	1.71	/	/	/	/
Adjacent	20	20.00	-26.02	-27.73	-25	2.73	Pass
Alternate	40	20.00	-49.43	-51.14	-40	11.14	Pass

802.11n(HT40) LCH 5190MHz Ant1 NTVN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-52.98	-51.92	-40	11.92	Pass
Adjacent	-40	40.00	-34.92	-33.86	-25	8.86	Pass
Carrier	/	40.00	-1.06	/	/	/	/
Adjacent	40	40.00	-32.82	-31.76	-25	6.76	Pass
Alternate	80	40.00	-52.30	-51.24	-40	11.24	Pass

802.11n(HT40) HCH 5230MHz Ant1 NTVN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-53.27	-53.61	-40	13.61	Pass
Adjacent	-40	40.00	-33.44	-33.78	-25	8.78	Pass
Carrier	/	40.00	0.34	/	/	/	/
Adjacent	40	40.00	-30.90	-31.24	-25	6.24	Pass
Alternate	80	40.00	-51.26	-51.60	-40	11.60	Pass

802.11ac(VHT20) LCH 5180MHz Ant1 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-53.36	-52.55	-40	12.55	Pass
Adjacent	-20	20.00	-28.04	-27.23	-25	2.23	Pass
Carrier	/	20.00	-0.81	/	/	/	/
Adjacent	20	20.00	-27.94	-27.13	-25	2.13	Pass
Alternate	40	20.00	-53.73	-52.92	-40	12.92	Pass

802.11ac(VHT20) MCH 5200MHz Ant1 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-53.82	-53.50	-40	13.50	Pass
Adjacent	-20	20.00	-28.12	-27.80	-25	2.80	Pass
Carrier	/	20.00	-0.32	/	/	/	/
Adjacent	20	20.00	-27.98	-27.66	-25	2.66	Pass
Alternate	40	20.00	-52.10	-51.78	-40	11.78	Pass

802.11ac(VHT20) HCH 5240MHz Ant1 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-50.19	-51.84	-40	11.84	Pass
Adjacent	-20	20.00	-26.46	-28.11	-25	3.11	Pass
Carrier	/	20.00	1.65	/	/	/	/
Adjacent	20	20.00	-25.48	-27.13	-25	2.13	Pass
Alternate	40	20.00	-49.00	-50.65	-40	10.65	Pass

802.11ac(VHT40) LCH 5190MHz Ant1 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-52.85	-52.25	-40	12.25	Pass
Adjacent	-40	40.00	-34.09	-33.49	-25	8.49	Pass
Carrier	/	40.00	-0.60	/	/	/	/
Adjacent	40	40.00	-33.03	-32.43	-25	7.43	Pass
Alternate	80	40.00	-51.88	-51.28	-40	11.28	Pass

802.11ac(VHT40) HCH 5230MHz Ant1 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-53.91	-54.10	-40	14.10	Pass
Adjacent	-40	40.00	-34.04	-34.23	-25	9.23	Pass
Carrier	/	40.00	0.19	/	/	/	/
Adjacent	40	40.00	-31.75	-31.94	-25	6.94	Pass
Alternate	80	40.00	-52.11	-52.30	-40	12.30	Pass

802.11ac(VHT80) MCH 5210MHz Ant1 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Adjacent	-80	80.00	-38.41	-37.64	-25	12.64	Pass
Carrier	/	80.00	-0.77	/	/	/	/
Adjacent	80	80.00	-35.18	-34.41	-25	9.41	Pass

802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTVN




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-51.68	-51.63	-40	11.63	Pass
Adjacent	-20	20.00	-28.21	-28.16	-25	3.16	Pass
Carrier	/	20.00	-0.05	/	/	/	/
Adjacent	20	20.00	-29.56	-29.51	-25	4.51	Pass
Alternate	40	20.00	-51.66	-51.61	-40	11.61	Pass

802.11ax(HEW20) MCH 5200MHz SU / Ant1 NTVN




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-51.82	-51.71	-40	11.71	Pass
Adjacent	-20	20.00	-29.27	-29.16	-25	4.16	Pass
Carrier	/	20.00	-0.11	/	/	/	/
Adjacent	20	20.00	-29.87	-29.76	-25	4.76	Pass
Alternate	40	20.00	-50.60	-50.49	-40	10.49	Pass

802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTVN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-40	20.00	-50.61	-52.63	-40	12.63	Pass
Adjacent	-20	20.00	-26.69	-28.71	-25	3.71	Pass
Carrier	/	20.00	2.02	/	/	/	/
Adjacent	20	20.00	-25.75	-27.77	-25	2.77	Pass
Alternate	40	20.00	-50.01	-52.03	-40	12.03	Pass

802.11ax(HEW40) LCH 5190MHz SU / Ant1 NTVN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-53.15	-52.38	-40	12.38	Pass
Adjacent	-40	40.00	-35.62	-34.85	-25	9.85	Pass
Carrier	/	40.00	-0.77	/	/	/	/
Adjacent	40	40.00	-35.92	-35.15	-25	10.15	Pass
Alternate	80	40.00	-52.87	-52.10	-40	12.10	Pass

802.11ax(HEW40) HCH 5230MHz SU / Ant1 NTN



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Alternate	-80	40.00	-53.73	-54.79	-40	14.79	Pass
Adjacent	-40	40.00	-33.72	-34.78	-25	9.78	Pass
Carrier	/	40.00	1.06	/	/	/	/
Adjacent	40	40.00	-33.04	-34.10	-25	9.10	Pass
Alternate	80	40.00	-52.47	-53.53	-40	13.53	Pass

802.11ax(HEW80) MCH 5210MHz SU / Ant1 NTN



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Adjacent	-80	80.00	-39.48	-38.75	-25	13.75	Pass
Carrier	/	80.00	-0.73	/	/	/	/
Adjacent	80	80.00	-37.27	-36.54	-25	11.54	Pass

5. Out Of Bands Leakage Power

5.1 Test Result


5.1.1 OOB_NTNV

NTNV														
Mode	TX Type	Freq. (MHz)	RU	RU Pos	ANT	Freq. Range		Marker				Limit (uW /MHz)	Verdict	
						Start (MHz)	Stop (MHz)	Freq. (MHz)	PK EIRP (dBm /MHz)	PK EIRP (uW /MHz)	AV EIRP (dBm /MHz)			AV EIRP (uW /MHz)
802.11a	SISO	5180	/	/	1	5142	5150	5145.232	-54.88	0.003	/	/	15	Pass
						5250	5251	5250.987	-61.18	0.001	/	/	103.039	Pass
						5251	5260	5259.748	-63.55	0.000	/	/	16.688	Pass
						5260	5266.7	5266.445	-63.93	0.000	/	/	2.671	Pass
		5200	/	/	1	5142	5150	5148.832	-60.24	0.001	/	/	15	Pass
						5250	5251	5250.923	-58.20	0.002	/	/	119.399	Pass
						5251	5260	5259.271	-62.18	0.001	/	/	18.399	Pass
						5260	5266.7	5266.258	-61.84	0.001	/	/	2.812	Pass
		5240	/	/	1	5142	5150	5142.08	-57.49	0.002	/	/	15	Pass
						5250	5251	5250.963	-20.07	9.840	/	/	108.893	Pass
						5251	5260	5251.486	-22.11	6.152	/	/	90.532	Pass
						5260	5266.7	5264.556	-42.39	0.058	/	/	4.501	Pass
802.11n (HT20)	SISO	5180	/	/	1	5142	5150	5147.968	-54.95	0.003	/	/	15	Pass
						5250	5251	5250.925	-61.47	0.001	/	/	118.85	Pass
						5251	5260	5259.757	-64.03	0.000	/	/	16.657	Pass
						5260	5266.7	5266.566	-63.44	0.000	/	/	2.583	Pass
		5200	/	/	1	5142	5150	5145.408	-59.02	0.001	/	/	15	Pass
						5250	5251	5250.978	-58.23	0.002	/	/	105.196	Pass
						5251	5260	5259.586	-60.80	0.001	/	/	17.25	Pass
						5260	5266.7	5266.238	-61.69	0.001	/	/	2.828	Pass
		5240	/	/	1	5142	5150	5146.144	-58.33	0.001	/	/	15	Pass
						5250	5251	5250.983	-19.76	10.568	/	/	103.992	Pass
						5251	5260	5251.585	-21.33	7.362	/	/	88.716	Pass
						5260	5266.7	5263.39	-44.55	0.035	/	/	6.212	Pass
802.11n (HT40)	SISO	5190	/	/	1	5141.6	5150	5148.555	-50.29	0.009	/	/	15	Pass
						5250	5251	5250.984	-58.35	0.001	/	/	51.876	Pass
						5251	5270	5267.416	-62.07	0.001	/	/	10.181	Pass
						5270	5278.4	5278.232	-63.41	0.000	/	/	2.541	Pass
		5230	/	/	1	5141.6	5150	5146.976	-63.89	0.000	/	/	15	Pass
						5250	5251	5250.975	-24.20	3.802	/	/	52.963	Pass
						5251	5270	5251.646	-27.15	1.928	/	/	46.965	Pass
						5270	5278.4	5274.351	-51.36	0.007	/	/	4.344	Pass
802.11ac (VHT20)	SISO	5180	/	/	1	5142	5150	5146.568	-57.57	0.002	/	/	15	Pass
						5250	5251	5250.919	-61.84	0.001	/	/	120.504	Pass
						5251	5260	5259.154	-62.40	0.001	/	/	18.845	Pass
						5260	5266.7	5266.258	-64.30	0.000	/	/	2.812	Pass
		5200	/	/	1	5142	5150	5145.952	-60.92	0.001	/	/	15	Pass
						5250	5251	5250.639	-54.97	0.003	/	/	229.615	Pass
						5251	5260	5259.658	-61.08	0.001	/	/	16.998	Pass
						5260	5266.7	5266.573	-62.55	0.001	/	/	2.578	Pass
		5240	/	/	1	5142	5150	5144.744	-57.89	0.002	/	/	15	Pass
						5250	5251	5250.953	-19.25	11.885	/	/	111.429	Pass
						5251	5260	5251.198	-21.20	7.586	/	/	96.028	Pass
						5260	5266.7	5261.695	-42.03	0.063	/	/	9.922	Pass
802.11ac (VHT40)	SISO	5190	/	/	1	5141.6	5150	5148.933	-50.66	0.009	/	/	15	Pass
						5250	5251	5250.947	-57.74	0.002	/	/	56.49	Pass
						5251	5270	5255.788	-56.11	0.002	/	/	31.432	Pass
						5270	5278.4	5276.174	-62.07	0.001	/	/	3.377	Pass
		5230	/	/	1	5141.6	5150	5145.237	-63.36	0.000	/	/	15	Pass
						5250	5251	5250.97	-22.89	5.140	/	/	53.576	Pass


802.11ac (VHT80)	SISO	5210	/	/	1	5251	5270	5251.019	-25.01	3.155	/	/	49.908	Pass
						5270	5278.4	5277.602	-52.96	0.005	/	/	2.772	Pass
						5123.2	5150	5139.548	-51.06	0.008	/	/	15	Pass
						5250	5251	5250.906	-27.73	1.687	/	/	31.041	Pass
						5251	5290	5251.78	-30.41	0.910	/	/	24.096	Pass
802.11ax (HEW20)	SISO	5180	SU	/	1	5290	5296.7	5293.846	-49.33	0.012	/	/	3.038	Pass
						5142	5150	5145.76	-53.71	0.004	/	/	15	Pass
						5250	5250.2	5250.196	-61.93	0.001	/	/	646.646	Pass
						5250.2	5251	5250.97	-62.21	0.001	/	/	107.152	Pass
						5251	5260	5259.928	-62.10	0.001	/	/	16.084	Pass
		5200	SU	/	1	5260	5266.7	5266.231	-64.02	0.000	/	/	2.833	Pass
						5142	5150	5147.848	-58.09	0.002	/	/	15	Pass
						5250	5250.2	5250.188	-55.79	0.003	/	/	679.204	Pass
						5250.2	5251	5250.902	-57.53	0.002	/	/	125.314	Pass
						5251	5260	5260	-61.48	0.001	/	/	15.849	Pass
		5240	SU	/	1	5260	5266.7	5265.836	-60.66	0.001	/	/	3.16	Pass
						5142	5150	5148.152	-58.32	0.001	/	/	15	Pass
						5250	5250.2	5250.2	-11.50	70.795	/	/	630.957	Pass
						5250.2	5251	5250.985	-15.24	29.923	/	/	103.514	Pass
						5251	5260	5251.108	-19.04	12.474	/	/	97.814	Pass
						5260	5266.7	5260.181	-32.39	0.577	/	/	15.076	Pass
802.11ax (HEW40)	SISO	5190	SU	/	1	5141.6	5150	5148.824	-51.65	0.007	/	/	15	Pass
						5250	5251	5250.882	-58.03	0.002	/	/	65.61	Pass
						5251	5270	5269.791	-63.57	0.000	/	/	8.087	Pass
						5270	5278.4	5276.997	-62.05	0.001	/	/	3.014	Pass
		5230	SU	/	1	5141.6	5150	5142.112	-62.91	0.001	/	/	15	Pass
						5250	5251	5250.817	-21.76	6.668	/	/	76.203	Pass
						5251	5270	5251.304	-23.69	4.276	/	/	48.548	Pass
						5270	5278.4	5270.134	-47.99	0.016	/	/	7.779	Pass
802.11ax (HEW80)	SISO	5210	SU	/	1	5123.2	5150	5149.705	-45.07	0.031	/	/	15	Pass
						5250	5251	5250.948	-26.18	2.410	/	/	28.18	Pass
						5251	5290	5251.702	-30.38	0.916	/	/	24.185	Pass
						5290	5296.7	5293.129	-50.06	0.010	/	/	3.192	Pass

5.2 Test Graph

5.2.1 OOB_NTNV




802.11a HCH 5240MHz Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5142	5150	1	1	5142.080	-60.47	/	2.98	-57.49	/	-18.24	Pass
5250	5251	1	1	5250.963	-23.05	/	2.98	-20.07	/	-9.63	Pass
5251	5260	1	1	5251.486	-25.09	/	2.98	-22.11	/	-10.43	Pass
5260	5266.7	1	1	5264.556	-45.37	/	2.98	-42.39	/	-23.47	Pass

802.11n(HT20) LCH 5180MHz Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5142	5150	1	1	5147.968	-57.93	/	2.98	-54.95	/	-18.24	Pass
5250	5251	1	1	5250.925	-64.45	/	2.98	-61.47	/	-9.25	Pass
5251	5260	1	1	5259.757	-67.01	/	2.98	-64.03	/	-17.78	Pass
5260	5266.7	1	1	5266.566	-66.42	/	2.98	-63.44	/	-25.88	Pass

802.11n(HT20) MCH 5200MHz Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5142	5150	1	1	5145.408	-62.00	/	2.98	-59.02	/	-18.24	Pass
5250	5251	1	1	5250.978	-61.21	/	2.98	-58.23	/	-9.78	Pass
5251	5260	1	1	5259.586	-63.78	/	2.98	-60.80	/	-17.63	Pass
5260	5266.7	1	1	5266.238	-64.67	/	2.98	-61.69	/	-25.49	Pass

802.11n(HT20) HCH 5240MHz Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5142	5150	1	1	5146.144	-61.31	/	2.98	-58.33	/	-18.24	Pass
5250	5251	1	1	5250.983	-22.74	/	2.98	-19.76	/	-9.83	Pass
5251	5260	1	1	5251.585	-24.31	/	2.98	-21.33	/	-10.52	Pass
5260	5266.7	1	1	5263.390	-47.53	/	2.98	-44.55	/	-22.07	Pass

802.11n(HT40) LCH 5190MHz Ant1 NTVN




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5141.6	5150	1	1	5148.555	-53.27	/	2.98	-50.29	/	-18.24	Pass
5250	5251	1	1	5250.984	-61.33	/	2.98	-58.35	/	-12.85	Pass
5251	5270	1	1	5267.416	-65.05	/	2.98	-62.07	/	-19.92	Pass
5270	5278.4	1	1	5278.232	-66.39	/	2.98	-63.41	/	-25.95	Pass

802.11n(HT40) HCH 5230MHz Ant1 NTVN




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5141.6	5150	1	1	5146.976	-66.87	/	2.98	-63.89	/	-18.24	Pass
5250	5251	1	1	5250.975	-27.18	/	2.98	-24.20	/	-12.76	Pass
5251	5270	1	1	5251.646	-30.13	/	2.98	-27.15	/	-13.28	Pass
5270	5278.4	1	1	5274.351	-54.34	/	2.98	-51.36	/	-23.62	Pass

802.11ac(VHT20) LCH 5180MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5142	5150	1	1	5146.568	-60.55	/	2.98	-57.57	/	-18.24	Pass
5250	5251	1	1	5250.919	-64.82	/	2.98	-61.84	/	-9.19	Pass
5251	5260	1	1	5259.154	-65.38	/	2.98	-62.40	/	-17.25	Pass
5260	5266.7	1	1	5266.258	-67.28	/	2.98	-64.30	/	-25.51	Pass

802.11ac(VHT20) MCH 5200MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5142	5150	1	1	5145.952	-63.90	/	2.98	-60.92	/	-18.24	Pass
5250	5251	1	1	5250.639	-57.95	/	2.98	-54.97	/	-6.39	Pass
5251	5260	1	1	5259.658	-64.06	/	2.98	-61.08	/	-17.7	Pass
5260	5266.7	1	1	5266.573	-65.53	/	2.98	-62.55	/	-25.89	Pass

802.11ac(VHT20) HCH 5240MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5142	5150	1	1	5144.744	-60.87	/	2.98	-57.89	/	-18.24	Pass
5250	5251	1	1	5250.953	-22.23	/	2.98	-19.25	/	-9.53	Pass
5251	5260	1	1	5251.198	-24.18	/	2.98	-21.20	/	-10.18	Pass
5260	5266.7	1	1	5261.695	-45.01	/	2.98	-42.03	/	-20.03	Pass

802.11ac(VHT40) LCH 5190MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5141.6	5150	1	1	5148.933	-53.64	/	2.98	-50.66	/	-18.24	Pass
5250	5251	1	1	5250.947	-60.72	/	2.98	-57.74	/	-12.48	Pass
5251	5270	1	1	5255.788	-59.09	/	2.98	-56.11	/	-15.03	Pass
5270	5278.4	1	1	5276.174	-65.05	/	2.98	-62.07	/	-24.71	Pass

802.11ac(VHT40) HCH 5230MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5141.6	5150	1	1	5145.237	-66.34	/	2.98	-63.36	/	-18.24	Pass
5250	5251	1	1	5250.970	-25.87	/	2.98	-22.89	/	-12.71	Pass
5251	5270	1	1	5251.019	-27.99	/	2.98	-25.01	/	-13.02	Pass
5270	5278.4	1	1	5277.602	-55.94	/	2.98	-52.96	/	-25.57	Pass

802.11ac(VHT80) MCH 5210MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5123.2	5150	1	1	5139.548	-54.04	/	2.98	-51.06	/	-18.24	Pass
5250	5251	1	1	5250.906	-30.71	/	2.98	-27.73	/	-15.08	Pass
5251	5290	1	1	5251.780	-33.39	/	2.98	-30.41	/	-16.18	Pass
5290	5296.7	1	1	5293.846	-52.31	/	2.98	-49.33	/	-25.17	Pass

802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5142	5150	1	1	5145.760	-56.69	/	2.98	-53.71	/	-18.24	Pass
5250	5250.2	1	1	5250.196	-64.91	/	2.98	-61.93	/	-1.09	Pass
5250.2	5251	1	1	5250.970	-65.19	/	2.98	-62.21	/	-9.7	Pass
5251	5260	1	1	5259.928	-65.08	/	2.98	-62.10	/	-17.94	Pass
5260	5266.7	1	1	5266.231	-67.00	/	2.98	-64.02	/	-25.48	Pass

802.11ax(HEW20) MCH 5200MHz SU / Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5142	5150	1	1	5147.848	-61.07	/	2.98	-58.09	/	-18.24	Pass
5250	5250.2	1	1	5250.188	-58.77	/	2.98	-55.79	/	-1.68	Pass
5250.2	5251	1	1	5250.902	-60.51	/	2.98	-57.53	/	-9.02	Pass
5251	5260	1	1	5260.000	-64.46	/	2.98	-61.48	/	-18	Pass
5260	5266.7	1	1	5265.836	-63.64	/	2.98	-60.66	/	-25	Pass

802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5142	5150	1	1	5148.152	-61.30	/	2.98	-58.32	/	-18.24	Pass
5250	5250.2	1	1	5250.200	-14.48	/	2.98	-11.50	/	-2	Pass
5250.2	5251	1	1	5250.985	-18.22	/	2.98	-15.24	/	-9.85	Pass
5251	5260	1	1	5251.108	-22.02	/	2.98	-19.04	/	-10.1	Pass
5260	5266.7	1	1	5260.181	-35.37	/	2.98	-32.39	/	-18.22	Pass

802.11ax(HEW40) LCH 5190MHz SU / Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5141.6	5150	1	1	5148.824	-54.63	/	2.98	-51.65	/	-18.24	Pass
5250	5251	1	1	5250.882	-61.01	/	2.98	-58.03	/	-11.83	Pass
5251	5270	1	1	5269.791	-66.55	/	2.98	-63.57	/	-20.92	Pass
5270	5278.4	1	1	5276.997	-65.03	/	2.98	-62.05	/	-25.21	Pass

802.11ax(HEW40) HCH 5230MHz SU / Ant1 NTVN



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5141.6	5150	1	1	5142.112	-65.89	/	2.98	-62.91	/	-18.24	Pass
5250	5251	1	1	5250.817	-24.74	/	2.98	-21.76	/	-11.18	Pass
5251	5270	1	1	5251.304	-26.67	/	2.98	-23.69	/	-13.14	Pass
5270	5278.4	1	1	5270.134	-50.97	/	2.98	-47.99	/	-21.09	Pass

802.11ax(HEW80) MCH 5210MHz SU / Ant1 NTVN



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5123.2	5150	1	1	5149.705	-48.05	/	2.98	-45.07	/	-18.24	Pass
5250	5251	1	1	5250.948	-29.16	/	2.98	-26.18	/	-15.5	Pass
5251	5290	1	1	5251.702	-33.36	/	2.98	-30.38	/	-16.16	Pass
5290	5296.7	1	1	5293.129	-53.04	/	2.98	-50.06	/	-24.96	Pass

6. Transmission Burst Length


6.1 Test Result


6.1.1 Ant1_NTNV

Ant1_NTNV							
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Burst Length (ms)		Verdict
					Result	Limit	
802.11a	SISO	5180	/	/	2.040	<=8	Pass
		5200	/	/	2.040	<=8	Pass
		5240	/	/	2.040	<=8	Pass
802.11n (HT20)	SISO	5180	/	/	1.900	<=8	Pass
		5200	/	/	1.900	<=8	Pass
		5240	/	/	1.900	<=8	Pass
802.11n (HT40)	SISO	5190	/	/	0.940	<=8	Pass
		5230	/	/	0.940	<=8	Pass
802.11ac (VHT20)	SISO	5180	/	/	1.908	<=8	Pass
		5200	/	/	1.908	<=8	Pass
		5240	/	/	1.908	<=8	Pass
802.11ac (VHT40)	SISO	5190	/	/	0.944	<=8	Pass
		5230	/	/	0.944	<=8	Pass
802.11ac (VHT80)	SISO	5210	/	/	0.464	<=8	Pass
802.11ax (HEW20)	SISO	5180	SU	/	1.468	<=8	Pass
		5200	SU	/	1.468	<=8	Pass
		5240	SU	/	1.468	<=8	Pass
802.11ax (HEW40)	SISO	5190	SU	/	0.768	<=8	Pass
		5230	SU	/	0.768	<=8	Pass
802.11ax (HEW80)	SISO	5210	SU	/	0.400	<=8	Pass


6.2 Test Graph

6.2.1 Ant1_NTNV







802.11n(HT20) MCH 5200MHz Ant1 NTN




802.11n(HT20) HCH 5240MHz Ant1 NTN




802.11n(HT40) LCH 5190MHz Ant1 NTV




802.11n(HT40) HCH 5230MHz Ant1 NTV




802.11ac(VHT20) LCH 5180MHz Ant1 NTV




802.11ac(VHT20) MCH 5200MHz Ant1 NTV




802.11ac(VHT20) HCH 5240MHz Ant1 NTVN




802.11ac(VHT40) LCH 5190MHz Ant1 NTVN








802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTVN



802.11ax(HEW20) MCH 5200MHz SU / Ant1 NTVN







7. Spurious Emission Intensity


7.1 Test Result

7.1.1 TxSe_NTNV


NTNV														
Mode	TX Type	Freq. (MHz)	RU	RU Pos	ANT	Freq. Range		Marker				Limit (uW /MHz)	Verdict	
						Start (MHz)	Stop (MHz)	Freq. (MHz)	PK EIRP (dBm /MHz)	PK EIRP (uW /MHz)	AV EIRP (dBm /MHz)			AV EIRP (uW /MHz)
802.11a	SISO	5180	/	/	1	30	5142	1713.5	-55.44	0.003	/	/	2.5	Pass
						5266.7	26000	25223.883	-51.66	0.007	/	/	2.5	Pass
		5200	/	/	1	30	5142	74.5	-58.93	0.001	/	/	2.5	Pass
						5266.7	26000	25779.536	-52.06	0.006	/	/	2.5	Pass
		5240	/	/	1	30	5142	2520	-43.65	0.043	/	/	2.5	Pass
						5266.7	26000	25751.2	-44.58	0.035	/	/	2.5	Pass
802.11n (HT20)	SISO	5180	/	/	1	30	5142	75	-57.78	0.002	/	/	2.5	Pass
						5266.7	26000	24007.53	-52.48	0.006	/	/	2.5	Pass
		5200	/	/	1	30	5142	75	-57.94	0.002	/	/	2.5	Pass
						5266.7	26000	25778.154	-52.31	0.006	/	/	2.5	Pass
		5240	/	/	1	30	5142	2879.5	-54.77	0.003	/	/	2.5	Pass
						5266.7	26000	25276.408	-44.56	0.035	/	/	2.5	Pass
802.11n (HT40)	SISO	5190	/	/	1	30	5141.6	2535.049	-49.49	0.011	/	/	2.5	Pass
						5278.4	26000	25711.279	-52.06	0.006	/	/	2.5	Pass
		5230	/	/	1	30	5141.6	74.501	-58.30	0.001	/	/	2.5	Pass
						5278.4	26000	25828.011	-52.05	0.006	/	/	2.5	Pass
802.11ac (VHT20)	SISO	5180	/	/	1	30	5142	74.5	-58.94	0.001	/	/	2.5	Pass
						5266.7	26000	25261.203	-52.14	0.006	/	/	2.5	Pass
		5200	/	/	1	30	5142	2614	-42.69	0.054	/	/	2.5	Pass
						5266.7	26000	25815.474	-52.44	0.006	/	/	2.5	Pass
		5240	/	/	1	30	5142	2690.5	-55.06	0.003	/	/	2.5	Pass
						5266.7	26000	25675.178	-45.14	0.031	/	/	2.5	Pass
802.11ac (VHT40)	SISO	5190	/	/	1	30	5141.6	74.501	-58.73	0.001	/	/	2.5	Pass
						5278.4	26000	25213.961	-51.38	0.007	/	/	2.5	Pass
		5230	/	/	1	30	5141.6	2534.549	-46.49	0.022	/	/	2.5	Pass
						5278.4	26000	25753.413	-52.36	0.006	/	/	2.5	Pass
802.11ac (VHT80)	SISO	5210	/	/	1	30	5123.2	73.502	-58.34	0.001	/	/	2.5	Pass
						5296.7	26000	6475.408	-48.15	0.015	/	/	2.5	Pass
802.11ax (HEW20)	SISO	5180	SU	/	1	30	5142	2534.5	-47.72	0.017	/	/	2.5	Pass
						5266.7	26000	24728.358	-52.17	0.006	/	/	2.5	Pass
		5200	SU	/	1	30	5142	1715.5	-55.30	0.003	/	/	2.5	Pass
						5266.7	26000	25809.254	-52.21	0.006	/	/	2.5	Pass
		5240	SU	/	1	30	5142	74	-54.50	0.004	/	/	2.5	Pass
						5266.7	26000	25257.748	-45.23	0.030	/	/	2.5	Pass
802.11ax (HEW40)	SISO	5190	SU	/	1	30	5141.6	1726.033	-49.96	0.010	/	/	2.5	Pass
						5278.4	26000	6505.809	-52.02	0.006	/	/	2.5	Pass
		5230	SU	/	1	30	5141.6	1717.033	-57.02	0.002	/	/	2.5	Pass
						5278.4	26000	25738.217	-52.17	0.006	/	/	2.5	Pass
802.11ax (HEW80)	SISO	5210	SU	/	1	30	5123.2	75.502	-59.55	0.001	/	/	2.5	Pass
						5296.7	26000	6550.63	-47.99	0.016	/	/	2.5	Pass

7.2 Test Graph

7.2.1 TxSe_NTNV




802.11a HCH 5240MHz Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5142	1	1	2520.000	-46.63	/	2.98	-43.65	/	-26.02	Pass
5266.7	26000	1	1	25751.200	-47.56	/	2.98	-44.58	/	-26.02	Pass

802.11n(HT20) LCH 5180MHz Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5142	1	1	75.000	-60.76	/	2.98	-57.78	/	-26.02	Pass
5266.7	26000	1	1	24007.530	-55.46	/	2.98	-52.48	/	-26.02	Pass

802.11n(HT20) MCH 5200MHz Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5142	1	1	75.000	-60.92	f	2.98	-57.94	f	-26.02	Pass
5266.7	26000	1	1	25778.154	-55.29	f	2.98	-52.31	f	-26.02	Pass

802.11n(HT20) HCH 5240MHz Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5142	1	1	2879.500	-57.75	f	2.98	-54.77	f	-26.02	Pass
5266.7	26000	1	1	25276.408	-47.54	f	2.98	-44.56	f	-26.02	Pass

802.11n(HT40) LCH 5190MHz Ant1 NTVN




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5141.6	1	1	2535.049	-52.47	/	2.98	-49.49	/	-26.02	Pass
5278.4	26000	1	1	25711.279	-55.04	/	2.98	-52.06	/	-26.02	Pass

802.11n(HT40) HCH 5230MHz Ant1 NTVN




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5141.6	1	1	74.501	-61.28	/	2.98	-58.30	/	-26.02	Pass
5278.4	26000	1	1	25828.011	-55.03	/	2.98	-52.05	/	-26.02	Pass

802.11ac(VHT20) LCH 5180MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5142	1	1	74.500	-61.92	/	2.98	-58.94	/	-26.02	Pass
5266.7	26000	1	1	25261.203	-55.12	/	2.98	-52.14	/	-26.02	Pass

802.11ac(VHT20) MCH 5200MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5142	1	1	2614.000	-45.67	/	2.98	-42.69	/	-26.02	Pass
5266.7	26000	1	1	25815.474	-55.42	/	2.98	-52.44	/	-26.02	Pass

802.11ac(VHT20) HCH 5240MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5142	1	1	2690.500	-58.04	/	2.98	-55.06	/	-26.02	Pass
5266.7	26000	1	1	25675.178	-48.12	/	2.98	-45.14	/	-26.02	Pass

802.11ac(VHT40) LCH 5190MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5141.6	1	1	74.501	-61.71	/	2.98	-58.73	/	-26.02	Pass
5278.4	26000	1	1	25213.961	-54.36	/	2.98	-51.38	/	-26.02	Pass

802.11ac(VHT40) HCH 5230MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5141.6	1	1	2534.549	-49.47	/	2.98	-46.49	/	-26.02	Pass
5278.4	26000	1	1	25753.413	-55.34	/	2.98	-52.36	/	-26.02	Pass

802.11ac(VHT80) MCH 5210MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5123.2	1	1	73.502	-61.32	/	2.98	-58.34	/	-26.02	Pass
5296.7	26000	1	1	6475.408	-51.13	/	2.98	-48.15	/	-26.02	Pass

802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5142	1	1	2534.500	-50.70	/	2.98	-47.72	/	-26.02	Pass
5266.7	26000	1	1	24728.358	-55.15	/	2.98	-52.17	/	-26.02	Pass

802.11ax(HEW20) MCH 5200MHz SU / Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5142	1	1	1715.500	-58.28	/	2.98	-55.30	/	-26.02	Pass
5266.7	26000	1	1	25809.254	-55.19	/	2.98	-52.21	/	-26.02	Pass

802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5142	1	1	74.000	-57.48	/	2.98	-54.50	/	-26.02	Pass
5266.7	26000	1	1	25257.748	-48.21	/	2.98	-45.23	/	-26.02	Pass

802.11ax(HEW40) LCH 5190MHz SU / Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5141.6	1	1	1726.033	-52.94	/	2.98	-49.96	/	-26.02	Pass
5278.4	26000	1	1	6505.809	-55.00	/	2.98	-52.02	/	-26.02	Pass

802.11ax(HEW40) HCH 5230MHz SU / Ant1 NTVN



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5141.6	1	1	1717.033	-60.00	/	2.98	-57.02	/	-26.02	Pass
5278.4	26000	1	1	25738.217	-55.15	/	2.98	-52.17	/	-26.02	Pass

802.11ax(HEW80) MCH 5210MHz SU / Ant1 NTVN



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dB)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5123.2	1	1	75.502	-62.53	/	2.98	-59.55	/	-26.02	Pass
5296.7	26000	1	1	6550.630	-50.97	/	2.98	-47.99	/	-26.02	Pass

8. Secondary Radiated Emission


8.1 Test Result

8.1.1 RxSe_NTNV


NTNV															
Mode	TX Type	Freq. (MHz)	RU	RU Pos	ANT	Freq. Range		Marker					Limit (nW)	Verdict	
						Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)	AV Power (nW)			
802.11a	SISO	5180	/	/	1	30	1000	74	-73.81	0.042	/	/	4	Pass	
						1000	26500	25252.2	-55.27	2.972	/	/	20	Pass	
		5200	/	/	1	30	1000	73.95	-72.55	0.056	/	/	4	Pass	
						1000	26500	25789.4	-54.43	3.606	/	/	20	Pass	
		5240	/	/	1	30	1000	73.2	-74.16	0.038	/	/	4	Pass	
						1000	26500	25174	-55.63	2.735	/	/	20	Pass	
802.11n (HT20)	SISO	5180	/	/	1	30	1000	74.6	-74.25	0.038	/	/	4	Pass	
						1000	26500	25276.85	-54.70	3.388	/	/	20	Pass	
		5200	/	/	1	30	1000	73.2	-73.53	0.044	/	/	4	Pass	
						1000	26500	23695.85	-53.86	4.111	/	/	20	Pass	
		5240	/	/	1	30	1000	73.9	-73.34	0.046	/	/	4	Pass	
						1000	26500	24680.15	-54.68	3.404	/	/	20	Pass	
802.11n (HT40)	SISO	5190	/	/	1	30	1000	72.4	-74.32	0.037	/	/	4	Pass	
						1000	26500	25268.35	-54.39	3.639	/	/	20	Pass	
		5230	/	/	1	30	1000	71.2	-73.41	0.046	/	/	4	Pass	
						1000	26500	25796.2	-55.44	2.858	/	/	20	Pass	
802.11ac (VHT20)	SISO	5180	/	/	1	30	1000	73.2	-73.95	0.040	/	/	4	Pass	
						1000	26500	25734.15	-55.20	3.020	/	/	20	Pass	
		5200	/	/	1	30	1000	73.15	-72.48	0.056	/	/	4	Pass	
						1000	26500	25215.65	-55.66	2.716	/	/	20	Pass	
		5240	/	/	1	30	1000	72.4	-75.03	0.031	/	/	4	Pass	
						1000	26500	25776.65	-54.32	3.698	/	/	20	Pass	
802.11ac (VHT40)	SISO	5190	/	/	1	30	1000	72.35	-73.60	0.044	/	/	4	Pass	
						1000	26500	25282.8	-55.16	3.048	/	/	20	Pass	
		5230	/	/	1	30	1000	73.2	-73.45	0.045	/	/	4	Pass	
						1000	26500	25769.85	-54.52	3.532	/	/	20	Pass	
802.11ac (VHT80)	SISO	5210	/	/	1	30	1000	73.2	-72.30	0.059	/	/	4	Pass	
						1000	26500	25744.35	-55.04	3.133	/	/	20	Pass	
802.11ax (HEW20)	SISO	5180	SU	/	1	30	1000	74.55	-73.47	0.045	/	/	4	Pass	
						1000	26500	25233.5	-54.81	3.304	/	/	20	Pass	
		5200	SU	/	1	30	1000	73.25	-73.44	0.045	/	/	4	Pass	
						1000	26500	25761.35	-55.34	2.924	/	/	20	Pass	
		5240	SU	/	1	30	1000	73.95	-74.18	0.038	/	/	4	Pass	
						1000	26500	23706.05	-55.34	2.924	/	/	20	Pass	
802.11ax (HEW40)	SISO	5190	SU	/	1	30	1000	73.7	-72.93	0.051	/	/	4	Pass	
						1000	26500	24222.85	-55.71	2.685	/	/	20	Pass	
		5230	SU	/	1	30	1000	73.15	-72.53	0.056	/	/	4	Pass	
						1000	26500	25223.3	-55.03	3.141	/	/	20	Pass	
802.11ax (HEW80)	SISO	5210	SU	/	1	30	1000	73.2	-72.89	0.051	/	/	4	Pass	
						1000	26500	25265.8	-55.21	3.013	/	/	20	Pass	

8.2 Test Graph

8.2.1 RxSe_NTNV




802.11a HCH 5240MHz Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	73.200	-74.16	/	-54	Pass
1000	26500	1	1	25174.000	-55.63	/	-47	Pass

802.11n(HT20) LCH 5180MHz Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	74.600	-74.25	/	-54	Pass
1000	26500	1	1	25276.850	-54.70	/	-47	Pass

802.11n(HT20) MCH 5200MHz Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	73.200	-73.53	/	-54	Pass
1000	26500	1	1	23695.850	-53.86	/	-47	Pass

802.11n(HT20) HCH 5240MHz Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	73.900	-73.34	/	-54	Pass
1000	26500	1	1	24680.150	-54.68	/	-47	Pass

802.11n(HT40) LCH 5190MHz Ant1 NTVN




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	72.400	-74.32	/	-54	Pass
1000	26500	1	1	25268.350	-54.39	/	-47	Pass

802.11n(HT40) HCH 5230MHz Ant1 NTVN




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	71.200	-73.41	/	-54	Pass
1000	26500	1	1	25796.200	-55.44	/	-47	Pass

802.11ac(VHT20) LCH 5180MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	73.200	-73.95	/	-54	Pass
1000	26500	1	1	25734.150	-55.20	/	-47	Pass

802.11ac(VHT20) MCH 5200MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	73.150	-72.48	/	-54	Pass
1000	26500	1	1	25215.650	-55.66	/	-47	Pass

802.11ac(VHT20) HCH 5240MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	72.400	-75.03	/	-54	Pass
1000	26500	1	1	25776.650	-54.32	/	-47	Pass

802.11ac(VHT40) LCH 5190MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	72.350	-73.60	/	-54	Pass
1000	26500	1	1	25282.800	-55.16	/	-47	Pass

802.11ac(VHT40) HCH 5230MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	73.200	-73.45	/	-54	Pass
1000	26500	1	1	25769.850	-54.52	/	-47	Pass

802.11ac(VHT80) MCH 5210MHz Ant1 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	73.200	-72.30	/	-54	Pass
1000	26500	1	1	25744.350	-55.04	/	-47	Pass

802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	74.550	-73.47	/	-54	Pass
1000	26500	1	1	25233.500	-54.81	/	-47	Pass

802.11ax(HEW20) MCH 5200MHz SU / Ant1 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	73.250	-73.44	/	-54	Pass
1000	26500	1	1	25761.350	-55.34	/	-47	Pass

802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTVN




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	73.950	-74.18	/	-54	Pass
1000	26500	1	1	23706.050	-55.34	/	-47	Pass

802.11ax(HEW40) LCH 5190MHz SU / Ant1 NTVN




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	73.700	-72.93	/	-54	Pass
1000	26500	1	1	24222.850	-55.71	/	-47	Pass

802.11ax(HEW40) HCH 5230MHz SU / Ant1 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	73.150	-72.53	/	-54	Pass
1000	26500	1	1	25223.300	-55.03	/	-47	Pass

802.11ax(HEW80) MCH 5210MHz SU / Ant1 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	73.200	-72.89	/	-54	Pass
1000	26500	1	1	25265.800	-55.21	/	-47	Pass

*****End of report*****