

Test Model: TMR-A9WT, Test Wireless Module: LBEE5ZZ1PJ
 Test Mode: 20MHz, Test Frequency: 5500MHz

附錄二:1，共 120

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	89.9	19	914		94.188
2	2	52.9	12	1337		467.001
3	3	61.1	16	1786	1531	365.422
4	2	95.7	10	1252		457.473
5	2	96	17	1861		299.454
6	2	95.4	12	1817		113.415
7	1	72.7	19			360.736
8	3	85.7	20	924	1314	423.027
9	1	96.5	8			114.268
10	3	69.8	6	1432	1632	177.929
11	3	94	17	1765	1652	442.291
12	2	59.8	10	1094		588.022
13	2	90.4	12	1824		188.043
14	1	82.6	16			493.144
15	1	68.9	14			499.695
16	1	94.9	19			161.946
17	2	53.5	16	1786		53.037
18	3	81.5	5	1837	1030	331.858
19	1	54.8	11			113.379

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	1	93.9	16			437.788
2	2	71.1	6	1367		272.486
3	1	57.9	19			562.107
4	1	79.8	20			237.21
5	3	82	19	1365	977	406.823
6	2	63.3	10	991		137.687
7	3	57.6	18	1348	1491	326.25
8	2	51.9	11	1805		600.553
9	1	93.3	17			495.707
10	2	65.5	16	1481		250.4
11	3	50.5	14	1499	1585	523.843
12	2	70.9	15	1124		581.247
13	2	94.3	12	1020		188.62
14	1	60.4	17			204.013
15	2	89.8	6	1826		113.777
16	3	84.6	6	1668	926	54
17	1	79.3	20			607.433
18	2	86.4	8	1126		654.867

--

TYPE 5 PARAMETER SHEET

Rohde & Schwarz
Pulse Sequencer

Trial Number : 10

Bursts in Trial: 8

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	3	69.6	16	1699	1394	479.863
2	1	79.6	19			580.81
3	1	89.9	9			606.61
4	3	94.9	11	1284	1163	747.67
5	2	70.1	10	1519		1184.08
6	3	62.3	10	1058	1529	905.22
7	2	75.3	15	1456		658.31
8	2	69.6	7	1714		529.89
9	2	51.5	16	1279		742.9
10	3	59.2	7	1786	1523	781.5

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	3	55	9	1559	1685	144.122
2	1	73.3	7			485.74
3	2	94	9	938		595.61
4	3	97.5	12	1701	1400	693.58
5	3	80.9	13	1365	950	297.18
6	1	86.3	18			84.44
7	2	55.8	15	1322		396.25
8	2	94.4	7	1532		66.32
9	3	67.4	8	1670	1687	11.26
10	1	70.3	6			334.6
11	2	72.5	9	1309		525.73
12	2	60.6	12	1420		468.3
13	2	70.8	12	1353		334.67
14	2	69.9	15	1208		147.62
15	2	52.9	14	1710		325.6
16	2	92.2	11	1441		340.7

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	70.9	9	1847		369.304
2	3	79.2	20	1837	1890	244.417
3	1	83.3	16			325.284
4	2	70.1	6	1453		785.491
5	2	85.5	12	1531		815.679
6	2	59.2	18	1258		5.606
7	1	94.2	16			55.323
8	3	59.7	15	1878	1784	712.41
9	2	90.5	8	1500		514.467
10	1	84.5	12			61.404
11	3	87.4	8	1170	1153	36.291
12	1	97.6	14			252.109
13	3	64.2	19	1110	1747	401.586
14	1	96.6	16			223.643

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	3	76.5	12	1062	1536	192.997
2	3	61	18	1664	1487	757.17
3	3	95.3	13	1327	1077	434.63
4	2	60.6	12	1855		470.92
5	3	93.5	6	995	1695	134.29
6	3	90	16	1178	1437	366.23
7	2	98.9	10	994		166.42
8	2	86.9	19	1589		615.47
9	1	59.1	5			787.24
10	2	79	8	1788		351.29
11	2	72.1	6	1728		276.47
12	2	93.2	9	1661		488.19
13	3	57.6	9	1041	1346	724.5
14	2	74.8	8	978		76.4
15	3	92	5	978	1760	156.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	84.4	7	1124		130.834
2	3	57.3	5	1439	1765	616.731
3	2	73	7	1921		135.372
4	2	81.9	7	1827		603.243
5	2	96.2	6	1628		111.104
6	1	54.1	5			86.565
7	2	86.4	10	1169		612.556
8	2	85.4	14	1239		479.177
9	2	66	10	975		172.268
10	3	65.1	14	1853	1562	568.869
11	2	66.6	18	1367		257.111
12	2	59.5	9	1096		441.792
13	3	82	15	1720	1214	553.713
14	2	75.1	16	1631		562.794
15	3	51.7	19	1587	1804	527.515
16	2	88.3	8	1431		406.456
17	2	73.7	6	1717		160.537
18	3	96.4	6	1151	1141	61.558
19	3	81.8	13	1550	1321	500.179

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	75.9	8	1018		506.219
2	1	65.1	9			341.978
3	2	71.9	13	1224		679.265
4	2	72.8	8	1312		462.813
5	2	57.1	6	1040		79.171
6	2	83	16	1621		695.778
7	1	73.5	20			659.166
8	2	87.8	20	1440		325.414
9	1	85.5	5			76.241
10	2	82.2	11	1194		689.439
11	2	73.3	19	1491		698.946
12	2	67.3	16	1057		659.224
13	2	57.9	6	1638		282.792
14	3	64.2	11	1197	1529	323.339
15	1	79.4	6			90.557
16	3	72.9	11	1008	1794	93.265
17	3	87.3	11	954	1709	83.082

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	3	67.4	16	1360	1286	367.309
2	1	90.4	8			201.69
3	2	79.7	19	1314		73.402
4	3	54.4	16	1483	1302	574.913
5	2	70.4	16	1345		364.494
6	2	71.2	7	1664		360.935
7	1	81.9	10			171.896
8	1	70.1	9			385.037
9	1	56	11			534.248
10	1	91.6	6			473.479
11	2	64.2	7	1888		397.151
12	2	52.7	14	1784		305.332
13	3	92.7	19	1271	1447	49.563
14	2	99.8	19	1374		474.074
15	2	81.8	7	1067		324.375
16	1	83.9	6			440.646
17	1	71.2	11			605.137
18	1	65.7	10			122.258
19	2	59.3	16	1702		449.379

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	85.6	9	915		373.236
2	2	62.7	11	1443		821.963
3	2	51.1	11	1309		616.826
4	1	82.1	12			332.479
5	2	91.4	14	1156		635.272
6	3	72.1	20	1374	1072	396.675
7	2	86.4	9	1905		326.608
8	2	56.4	13	957		562.852
9	2	76.4	14	1734		315.345
10	1	89.3	8			753.298
11	1	94.8	15			31.271
12	2	93.5	15	1186		86.754
13	1	58.8	11			166.277

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µ sec)	Pulse 2-to-3 Spacing (µ sec)	Start Location Within Interval (msec)
1	1	55.7	12			851.572
2	1	62.9	5			1003.411
3	1	72	8			877.292
4	2	66	11	1694		964.323
5	1	92.8	14			494.804
6	1	69.2	5			558.795
7	3	64.6	7	1828	1525	807.535
8	2	54.8	18	1727		680.656
9	3	85.3	5	1729	1313	877.427
10	1	66	16			399.218
11	3	84.3	17	1039	1238	38.309

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	3	89.9	9	1342	1438	616.906
2	2	61	10	1897		258.659
3	1	72.4	6			185.492
4	2	95	5	1683		469.403
5	3	57.9	12	1858	1889	161.524
6	1	51.1	20			322.425
7	1	82.9	10			513.176
8	2	97.8	10	1901		614.007
9	1	74.9	11			85.708
10	1	93.3	15			405.359
11	2	87.5	14	1539		81.661
12	1	77.2	18			60.082
13	2	78.2	20	1427		310.233
14	2	52.3	19	1470		79.394
15	2	54.7	15	1149		511.225
16	1	78.2	5			619.916
17	1	87.2	18			49.437
18	1	74.2	8			253.458
19	2	90.1	6	1344		593.479

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	92	17	1658		582.232
2	1	98	16			240.221
3	1	82.3	16			7.2
4	1	94.7	11			370.7
5	2	83.1	8	1638		384.45
6	1	59	13			185.27
7	2	93.6	6	1077		275.83
8	2	50.2	7	1569		129.2
9	3	97.5	14	1623	1279	21.69
10	1	59.8	20			351.63
11	2	92	8	1260		438.06
12	1	89.4	7			174.97
13	2	83.9	8	1358		280.73
14	2	82.7	18	1451		318.9
15	3	95.2	10	1714	1283	419.82
16	2	86	17	1272		310.36
17	1	88.6	9			94.34
18	2	63.7	14	1279		183
19	2	59.6	19	1058		353.3
20	3	95.3	18	1539	1294	211.7

--

Trial Number : 27

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	3	93.1	18	1231	1443	506.333
2	2	82.4	18	1590		90.212
3	1	52.1	16			441.46
4	2	73.2	5	1187		367.12
5	1	62.2	7			360.05
6	1	58.4	15			96.61
7	3	87.3	18	1737	1854	105.06
8	3	71.5	19	1845	1370	496.9
9	2	57.1	6	1653		339.78
10	2	73	9	1288		368.21
11	3	92.4	12	1353	1560	290.07
12	1	98.9	5			496.01
13	3	83.3	8	1595	1623	137.26
14	2	89	12	1834		72.21
15	3	61.5	11	1328	957	81.92
16	3	70.9	11	1589	1034	80.69
17	2	70.8	12	969		95.17
18	3	53.2	16	1939	1947	61.3
19	2	77.3	13	965		137.3
20	2	69.3	9	1822		247.1

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	70.9	8	1839		18.024
2	2	54	5	1864		44.354
3	3	94.8	6	1640	1886	362.102
4	2	74.3	5	1549		86.863
5	2	77.3	20	1202		600.384
6	2	73.9	18	1421		206.845
7	2	63.1	12	1095		128.406
8	2	50.4	8	1860		509.497
9	3	55.7	13	1572	1319	262.498
10	2	86.2	11	1912		466.309
11	2	60.3	9	1898		279.231
12	1	77.7	13			59.292
13	3	79.6	12	1430	1573	188.083
14	1	83.5	17			592.474
15	2	75.7	7	1179		519.235
16	1	71.9	18			554.216
17	2	94.7	16	908		80.337
18	1	54.6	16			308.058
19	2	62.3	13	1389		475.379

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	55.7	10	963		267.434
2	2	91.7	14	1010		106.179
3	1	91.3	8			182.522
4	1	56.1	9			252.523
5	2	65.2	13	1745		254.544
6	1	86.2	13			593.155
7	2	84	16	1862		29.046
8	3	80.7	6	1167	1468	332.277
9	2	82.7	15	929		126.758
10	3	73.5	14	1330	1030	12.129
11	2	84.6	13	1254		346.981
12	1	81.8	17			281.952
13	3	57.2	9	1933	1903	304.453
14	3	65.9	14	1174	1753	368.074
15	2	69.9	16	1142		102.995
16	2	98.3	18	1439		304.786
17	3	87.7	14	1775	1399	328.937
18	2	97.4	14	1472		611.058
19	2	83	12	1591		580.779

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µ sec)	Pulse 2-to-3 Spacing (µ sec)	Start Location Within Interval (msec)
1	2	50.1	16	1757		484.566
2	3	78.7	15	1893	1426	731.81
3	2	56.6	19	1185		86.43
4	3	98.5	12	1640	1609	532.47
5	3	52.2	16	1414	1275	338.02
6	2	98.6	16	1187		736.8
7	1	56.1	9			474.45
8	3	92.8	9	1247	1545	605.48
9	1	51.7	5			168.36
10	1	92	5			190.37
11	3	93	11	1543	1878	717.59
12	2	56.9	14	1017		720.12
13	3	92.6	19	1393	1891	621.27
14	3	91.2	20	1459	1493	225.94
15	2	89.6	9	1645		434.3
16	3	69.2	11	1916	1060	531.9

--

Bursts in Trial: 8

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	63.3	16	1034		886.324
2	3	77.2	16	1450	1840	1045.261
3	2	56.8	8	1155		267.942
4	2	63.8	6	1475		388.933
5	3	97.8	20	1529	1506	765.394
6	2	82.2	20	1783		883.355
7	1	68.2	15			128.475
8	1	70	17			880.826
9	1	75.5	10			469.167
10	2	66.1	6	1854		503.618
11	2	76	10	1344		825.809

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	65.6	9	1269		221.28
2	2	66.6	17	1596		520.85
3	3	100	15	1327	1426	416.11
4	3	59.3	10	1631	1097	70.48
5	1	76.7	16			287.83
6	3	74.5	13	1415	1790	495.4
7	3	92.2	6	1769	1109	442.94
8	3	97	11	1105	1575	533.19
9	2	75.1	19	1397		58.53
10	3	93	8	1209	1849	553.14
11	1	53	5			2.71
12	2	89.1	15	1866		573.33
13	1	85.9	16			79.57
14	2	93.7	15	927		154.05
15	1	75.6	20			283.27
16	2	88.4	18	1135		538.79
17	3	61	11	1839	1616	66.5
18	2	68.6	17	1011		360.6
19	3	70.1	10	1231	1090	415.6
20	2	95.3	5	1538		130.6

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	57.8	9	1290		995.792
2	2	87	15	1912		640.551
3	2	94.5	10	1293		958.942
4	1	63.1	10			362.103
5	3	91.8	20	1665	1789	134.574
6	3	59	5	1874	1165	879.575
7	2	94.5	19	1818		577.225
8	2	55.5	20	1723		119.946
9	2	71.3	9	1189		693.377
10	3	93.4	10	1122	1709	1019.818
11	2	57.7	19	1119		557.509

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	75.8	14	1027		59.32
2	2	90.9	9	1425		212.207
3	2	88.4	17	1420		172.727
4	1	82.7	5			39.11
5	2	67.1	8	969		40.453
6	3	88	10	956	1215	278.247
7	2	92.2	15	1484		40.82
8	3	89.8	14	1890	1698	368.563
9	2	90.9	12	1300		557.457
10	3	69.9	18	1304	1081	603.96
11	3	85.5	20	1747	1477	38.003
12	2	80.4	5	1428		448.757
13	2	65.6	10	1213		206.8
14	1	72.6	15			365.743
15	2	78.3	6	1104		433.287
16	2	68.4	15	1091		239.5
17	3	76.5	13	1256	1528	602.233
18	1	80.3	6			7.567

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µ sec)	Pulse 2-to-3 Spacing (µ sec)	Start Location Within Interval (msec)
1	3	61.7	17	1279	1427	899.39
2	2	51	12	1221		35.23
3	2	64.7	9	1400		418.1
4	1	76.8	5			552.16
5	2	84.7	17	999		125.4
6	3	85.1	20	1455	1266	270.63
7	3	62.2	7	1036	1077	544.27
8	1	79.4	13			545.64
9	2	93.1	15	1388		261.19
10	1	95.7	7			978.29
11	3	75.7	11	1078	1212	674.7
12	3	58	9	1420	1091	520.6

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	81	5	1690		469.058
2	3	91.6	17	1004	1054	337.733
3	2	85.9	14	1777		313.212
4	2	78.4	5	1224		51.083
5	1	55.2	7			256.444
6	1	76.7	10			9.035
7	2	96.3	5	1462		41.536
8	2	87.4	18	1603		256.087
9	3	50.1	17	1155	1924	540.578
10	1	89.5	13			133.379
11	3	79.1	18	1732	1793	228.841
12	1	60.5	6			351.822
13	2	76.3	14	1103		26.053
14	1	87.7	12			597.874
15	2	54.4	6	1834		346.155
16	2	65.7	15	1799		359.976
17	1	74.2	18			139.337
18	2	75.7	12	1833		473.058
19	2	79.7	16	1093		274.279

--

Bursts in Trial: 8

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	1	74	20			253.345
2	1	57.5	10			101.892
3	1	74.2	15			421.95
4	1	92.9	14			600.59
5	2	80.3	19	1774		781.64
6	2	59.4	18	1592		193.71
7	3	71.1	6	933	1428	328.51
8	2	80.5	20	1240		416.84
9	1	91.6	14			426.42
10	1	81.8	15			701.98
11	2	91	7	1113		433.58
12	3	70.9	16	1894	1591	64.67
13	3	85.5	12	1667	1851	13.89
14	1	98.7	7			406.1
15	1	80.8	7			208.5

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	1	88	5			1140.8
2	1	73.1	10			1100.59
3	2	68.7	15	1885		368.01
4	3	63.7	17	1495	1123	997.92
5	1	89.6	15			480.23
6	2	82.4	10	1580		629.9
7	1	62.5	19			1093.67
8	2	70.8	5	1410		117.69
9	2	91.6	18	925		1171.6
10	2	84.9	12	1642		25.3

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	3	95.5	12	1250	1863	873.188
2	1	99.7	15			1189.67
3	3	68.4	16	1641	1890	86.87
4	2	98.9	13	1123		1165.55
5	1	84.3	6			1044.06
6	2	94.2	13	1473		309.05
7	2	61.5	15	1762		620.37
8	2	81.4	13	1030		471.14
9	3	52.1	13	958	1162	1121.5
10	3	94.2	12	1574	1672	772.8

--

TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.626	20	
2	5.5	5.558	20	
3	5.5	5.562	20	
4	5.5	5.452	20	
5	5.5	5.601	20	
6	5.5	5.468	20	
7	5.5	5.553	20	
8	5.5	5.28	20	
9	5.5	5.515	20	
10	5.5	5.584	20	
11	5.5	5.696	20	
12	5.5	5.296	20	
13	5.5	5.644	20	
14	5.5	5.713	20	
15	5.5	5.373	20	
16	5.5	5.412	20	
17	5.5	5.302	20	
18	5.5	5.529	20	
19	5.5	5.269	20	
20	5.5	5.306	20	
21	5.5	5.326	20	
22	5.5	5.573	20	
23	5.5	5.598	20	
24	5.5	5.691	20	
25	5.5	5.629	20	
26	5.5	5.274	20	
27	5.5	5.475	20	
28	5.5	5.519	20	
29	5.5	5.605	20	
30	5.5	5.402	20	
31	5.5	5.39	20	
32	5.5	5.324	20	
33	5.5	5.681	20	
34	5.5	5.583	20	
35	5.5	5.346	20	
36	5.5	5.448	20	
37	5.5	5.427	20	
38	5.5	5.379	20	
39	5.5	5.272	20	
40	5.5	5.491	20	*
41	5.5	5.365	20	
42	5.5	5.534	20	
43	5.5	5.608	20	
44	5.5	5.487	20	
45	5.5	5.695	20	
46	5.5	5.668	20	
47	5.5	5.363	20	
48	5.5	5.663	20	
49	5.5	5.705	20	
50	5.5	5.444	20	
51	5.5	5.664	20	
52	5.5	5.645	20	
53	5.5	5.426	20	
54	5.5	5.632	20	
55	5.5	5.551	20	
56	5.5	5.421	20	
57	5.5	5.635	20	
58	5.5	5.38	20	
59	5.5	5.627	20	
60	5.5	5.473	20	
61	5.5	5.651	20	
62	5.5	5.407	20	
63	5.5	5.36	20	
64	5.5	5.375	20	
65	5.5	5.478	20	
66	5.5	5.416	20	
67	5.5	5.548	20	
68	5.5	5.593	20	
69	5.5	5.575	20	
70	5.5	5.279	20	
71	5.5	5.425	20	
72	5.5	5.722	20	
73	5.5	5.277	20	
74	5.5	5.661	20	
75	5.5	5.411	20	
76	5.5	5.474	20	
77	5.5	5.293	20	
78	5.5	5.332	20	
79	5.5	5.337	20	
80	5.5	5.354	20	
81	5.5	5.704	20	
82	5.5	5.61	20	
83	5.5	5.65	20	
84	5.5	5.433	20	
85	5.5	5.252	20	
86	5.5	5.35	20	
87	5.5	5.321	20	
88	5.5	5.437	20	
89	5.5	5.64	20	
90	5.5	5.657	20	
91	5.5	5.574	20	
92	5.5	5.585	20	
93	5.5	5.352	20	
94	5.5	5.68	20	
95	5.5	5.592	20	
96	5.5	5.4	20	
97	5.5	5.308	20	
98	5.5	5.438	20	
99	5.5	5.603	20	
100	5.5	5.556	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.321	20	
2	5.5	5.32	20	
3	5.5	5.433	20	
4	5.5	5.61	20	
5	5.5	5.683	20	
6	5.5	5.553	20	
7	5.5	5.663	20	
8	5.5	5.637	20	
9	5.5	5.65	20	
10	5.5	5.436	20	
11	5.5	5.586	20	
12	5.5	5.28	20	
13	5.5	5.552	20	
14	5.5	5.698	20	
15	5.5	5.388	20	
16	5.5	5.263	20	
17	5.5	5.672	20	
18	5.5	5.695	20	
19	5.5	5.426	20	
20	5.5	5.584	20	
21	5.5	5.464	20	
22	5.5	5.355	20	
23	5.5	5.501	20	*
24	5.5	5.562	20	
25	5.5	5.294	20	
26	5.5	5.622	20	
27	5.5	5.342	20	
28	5.5	5.638	20	
29	5.5	5.262	20	
30	5.5	5.395	20	
31	5.5	5.458	20	
32	5.5	5.313	20	
33	5.5	5.722	20	
34	5.5	5.266	20	
35	5.5	5.336	20	
36	5.5	5.488	20	
37	5.5	5.676	20	
38	5.5	5.409	20	
39	5.5	5.697	20	
40	5.5	5.574	20	
41	5.5	5.682	20	
42	5.5	5.295	20	
43	5.5	5.401	20	
44	5.5	5.278	20	
45	5.5	5.363	20	
46	5.5	5.575	20	
47	5.5	5.643	20	
48	5.5	5.642	20	
49	5.5	5.258	20	
50	5.5	5.344	20	
51	5.5	5.494	20	*
52	5.5	5.666	20	
53	5.5	5.515	20	
54	5.5	5.314	20	
55	5.5	5.446	20	
56	5.5	5.306	20	
57	5.5	5.534	20	
58	5.5	5.292	20	
59	5.5	5.478	20	
60	5.5	5.41	20	
61	5.5	5.383	20	
62	5.5	5.624	20	
63	5.5	5.389	20	
64	5.5	5.567	20	
65	5.5	5.49	20	*
66	5.5	5.664	20	
67	5.5	5.329	20	
68	5.5	5.707	20	
69	5.5	5.441	20	
70	5.5	5.322	20	
71	5.5	5.26	20	
72	5.5	5.544	20	
73	5.5	5.298	20	
74	5.5	5.486	20	
75	5.5	5.625	20	
76	5.5	5.519	20	
77	5.5	5.398	20	
78	5.5	5.704	20	
79	5.5	5.5	20	*
80	5.5	5.381	20	
81	5.5	5.63	20	
82	5.5	5.457	20	
83	5.5	5.577	20	
84	5.5	5.257	20	
85	5.5	5.703	20	
86	5.5	5.462	20	
87	5.5	5.29	20	
88	5.5	5.375	20	
89	5.5	5.56	20	
90	5.5	5.35	20	
91	5.5	5.259	20	
92	5.5	5.359	20	
93	5.5	5.588	20	
94	5.5	5.535	20	
95	5.5	5.485	20	
96	5.5	5.684	20	
97	5.5	5.713	20	
98	5.5	5.581	20	
99	5.5	5.326	20	
100	5.5	5.352	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.594	20	
2	5.5	5.49	20	*
3	5.5	5.298	20	
4	5.5	5.724	20	
5	5.5	5.605	20	
6	5.5	5.375	20	
7	5.5	5.325	20	
8	5.5	5.518	20	
9	5.5	5.51	20	*
10	5.5	5.587	20	
11	5.5	5.331	20	
12	5.5	5.262	20	
13	5.5	5.526	20	
14	5.5	5.71	20	
15	5.5	5.386	20	
16	5.5	5.44	20	
17	5.5	5.638	20	
18	5.5	5.303	20	
19	5.5	5.691	20	
20	5.5	5.625	20	
21	5.5	5.304	20	
22	5.5	5.657	20	
23	5.5	5.55	20	
24	5.5	5.589	20	
25	5.5	5.377	20	
26	5.5	5.516	20	
27	5.5	5.334	20	
28	5.5	5.251	20	
29	5.5	5.584	20	
30	5.5	5.613	20	
31	5.5	5.674	20	
32	5.5	5.615	20	
33	5.5	5.572	20	
34	5.5	5.671	20	
35	5.5	5.373	20	
36	5.5	5.551	20	
37	5.5	5.292	20	
38	5.5	5.308	20	
39	5.5	5.722	20	
40	5.5	5.664	20	
41	5.5	5.604	20	
42	5.5	5.593	20	
43	5.5	5.65	20	
44	5.5	5.327	20	
45	5.5	5.708	20	
46	5.5	5.282	20	
47	5.5	5.284	20	
48	5.5	5.646	20	
49	5.5	5.321	20	
50	5.5	5.561	20	
51	5.5	5.259	20	
52	5.5	5.473	20	
53	5.5	5.506	20	*
54	5.5	5.68	20	
55	5.5	5.571	20	
56	5.5	5.574	20	
57	5.5	5.655	20	
58	5.5	5.501	20	*
59	5.5	5.675	20	
60	5.5	5.352	20	
61	5.5	5.541	20	
62	5.5	5.295	20	
63	5.5	5.423	20	
64	5.5	5.536	20	
65	5.5	5.289	20	
66	5.5	5.528	20	
67	5.5	5.378	20	
68	5.5	5.562	20	
69	5.5	5.45	20	
70	5.5	5.474	20	
71	5.5	5.538	20	
72	5.5	5.637	20	
73	5.5	5.312	20	
74	5.5	5.33	20	
75	5.5	5.557	20	
76	5.5	5.586	20	
77	5.5	5.534	20	
78	5.5	5.649	20	
79	5.5	5.702	20	
80	5.5	5.483	20	
81	5.5	5.313	20	
82	5.5	5.346	20	
83	5.5	5.609	20	
84	5.5	5.689	20	
85	5.5	5.576	20	
86	5.5	5.476	20	
87	5.5	5.264	20	
88	5.5	5.523	20	
89	5.5	5.345	20	
90	5.5	5.269	20	
91	5.5	5.548	20	
92	5.5	5.482	20	
93	5.5	5.531	20	
94	5.5	5.616	20	
95	5.5	5.517	20	
96	5.5	5.696	20	
97	5.5	5.619	20	
98	5.5	5.429	20	
99	5.5	5.6	20	
100	5.5	5.29	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.523	20	
2	5.5	5.661	20	
3	5.5	5.366	20	
4	5.5	5.405	20	
5	5.5	5.482	20	
6	5.5	5.488	20	
7	5.5	5.585	20	
8	5.5	5.561	20	
9	5.5	5.635	20	
10	5.5	5.673	20	
11	5.5	5.363	20	
12	5.5	5.613	20	
13	5.5	5.623	20	
14	5.5	5.51	20	*
15	5.5	5.54	20	
16	5.5	5.285	20	
17	5.5	5.46	20	
18	5.5	5.67	20	
19	5.5	5.687	20	
20	5.5	5.683	20	
21	5.5	5.404	20	
22	5.5	5.577	20	
23	5.5	5.64	20	
24	5.5	5.559	20	
25	5.5	5.602	20	
26	5.5	5.305	20	
27	5.5	5.503	20	*
28	5.5	5.415	20	
29	5.5	5.355	20	
30	5.5	5.315	20	
31	5.5	5.7	20	
32	5.5	5.271	20	
33	5.5	5.409	20	
34	5.5	5.292	20	
35	5.5	5.298	20	
36	5.5	5.297	20	
37	5.5	5.519	20	
38	5.5	5.427	20	
39	5.5	5.346	20	
40	5.5	5.576	20	
41	5.5	5.462	20	
42	5.5	5.671	20	
43	5.5	5.424	20	
44	5.5	5.638	20	
45	5.5	5.311	20	
46	5.5	5.656	20	
47	5.5	5.358	20	
48	5.5	5.289	20	
49	5.5	5.41	20	
50	5.5	5.718	20	
51	5.5	5.395	20	
52	5.5	5.275	20	
53	5.5	5.375	20	
54	5.5	5.322	20	
55	5.5	5.38	20	
56	5.5	5.469	20	
57	5.5	5.421	20	
58	5.5	5.256	20	
59	5.5	5.323	20	
60	5.5	5.611	20	
61	5.5	5.278	20	
62	5.5	5.287	20	
63	5.5	5.371	20	
64	5.5	5.636	20	
65	5.5	5.251	20	
66	5.5	5.504	20	*
67	5.5	5.702	20	
68	5.5	5.524	20	
69	5.5	5.521	20	
70	5.5	5.598	20	
71	5.5	5.47	20	
72	5.5	5.649	20	
73	5.5	5.566	20	
74	5.5	5.486	20	
75	5.5	5.528	20	
76	5.5	5.335	20	
77	5.5	5.721	20	
78	5.5	5.295	20	
79	5.5	5.342	20	
80	5.5	5.418	20	
81	5.5	5.463	20	
82	5.5	5.265	20	
83	5.5	5.545	20	
84	5.5	5.263	20	
85	5.5	5.637	20	
86	5.5	5.446	20	
87	5.5	5.299	20	
88	5.5	5.475	20	
89	5.5	5.597	20	
90	5.5	5.696	20	
91	5.5	5.68	20	
92	5.5	5.501	20	*
93	5.5	5.502	20	*
94	5.5	5.319	20	
95	5.5	5.474	20	
96	5.5	5.485	20	
97	5.5	5.303	20	
98	5.5	5.267	20	
99	5.5	5.694	20	
100	5.5	5.3	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.718	20	
2	5.5	5.534	20	
3	5.5	5.437	20	
4	5.5	5.469	20	
5	5.5	5.565	20	
6	5.5	5.63	20	
7	5.5	5.263	20	
8	5.5	5.46	20	
9	5.5	5.595	20	
10	5.5	5.611	20	
11	5.5	5.35	20	
12	5.5	5.566	20	
13	5.5	5.691	20	
14	5.5	5.496	20	*
15	5.5	5.683	20	
16	5.5	5.311	20	
17	5.5	5.384	20	
18	5.5	5.456	20	
19	5.5	5.463	20	
20	5.5	5.362	20	
21	5.5	5.365	20	
22	5.5	5.667	20	
23	5.5	5.591	20	
24	5.5	5.337	20	
25	5.5	5.358	20	
26	5.5	5.636	20	
27	5.5	5.411	20	
28	5.5	5.339	20	
29	5.5	5.465	20	
30	5.5	5.504	20	*
31	5.5	5.298	20	
32	5.5	5.54	20	
33	5.5	5.464	20	
34	5.5	5.418	20	
35	5.5	5.587	20	
36	5.5	5.366	20	
37	5.5	5.656	20	
38	5.5	5.453	20	
39	5.5	5.57	20	
40	5.5	5.314	20	
41	5.5	5.4	20	
42	5.5	5.343	20	
43	5.5	5.573	20	
44	5.5	5.284	20	
45	5.5	5.338	20	
46	5.5	5.522	20	
47	5.5	5.454	20	
48	5.5	5.328	20	
49	5.5	5.379	20	
50	5.5	5.503	20	*
51	5.5	5.588	20	
52	5.5	5.72	20	
53	5.5	5.452	20	
54	5.5	5.618	20	
55	5.5	5.268	20	
56	5.5	5.426	20	
57	5.5	5.483	20	
58	5.5	5.31	20	
59	5.5	5.292	20	
60	5.5	5.56	20	
61	5.5	5.512	20	
62	5.5	5.427	20	
63	5.5	5.689	20	
64	5.5	5.45	20	
65	5.5	5.559	20	
66	5.5	5.39	20	
67	5.5	5.361	20	
68	5.5	5.301	20	
69	5.5	5.408	20	
70	5.5	5.672	20	
71	5.5	5.267	20	
72	5.5	5.547	20	
73	5.5	5.438	20	
74	5.5	5.318	20	
75	5.5	5.383	20	
76	5.5	5.561	20	
77	5.5	5.533	20	
78	5.5	5.544	20	
79	5.5	5.596	20	
80	5.5	5.577	20	
81	5.5	5.363	20	
82	5.5	5.466	20	
83	5.5	5.628	20	
84	5.5	5.712	20	
85	5.5	5.261	20	
86	5.5	5.527	20	
87	5.5	5.419	20	
88	5.5	5.582	20	
89	5.5	5.53	20	
90	5.5	5.441	20	
91	5.5	5.686	20	
92	5.5	5.721	20	
93	5.5	5.372	20	
94	5.5	5.687	20	
95	5.5	5.678	20	
96	5.5	5.369	20	
97	5.5	5.251	20	
98	5.5	5.509	20	*
99	5.5	5.274	20	
100	5.5	5.442	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.694	20	
2	5.5	5.499	20	*
3	5.5	5.627	20	
4	5.5	5.472	20	
5	5.5	5.685	20	
6	5.5	5.56	20	
7	5.5	5.397	20	
8	5.5	5.425	20	
9	5.5	5.259	20	
10	5.5	5.378	20	
11	5.5	5.348	20	
12	5.5	5.276	20	
13	5.5	5.536	20	
14	5.5	5.453	20	
15	5.5	5.64	20	
16	5.5	5.639	20	
17	5.5	5.631	20	
18	5.5	5.718	20	
19	5.5	5.613	20	
20	5.5	5.676	20	
21	5.5	5.704	20	
22	5.5	5.662	20	
23	5.5	5.708	20	
24	5.5	5.304	20	
25	5.5	5.467	20	
26	5.5	5.528	20	
27	5.5	5.67	20	
28	5.5	5.495	20	*
29	5.5	5.325	20	
30	5.5	5.614	20	
31	5.5	5.501	20	*
32	5.5	5.294	20	
33	5.5	5.691	20	
34	5.5	5.489	20	
35	5.5	5.429	20	
36	5.5	5.652	20	
37	5.5	5.446	20	
38	5.5	5.607	20	
39	5.5	5.372	20	
40	5.5	5.366	20	
41	5.5	5.479	20	
42	5.5	5.402	20	
43	5.5	5.379	20	
44	5.5	5.548	20	
45	5.5	5.318	20	
46	5.5	5.562	20	
47	5.5	5.525	20	
48	5.5	5.311	20	
49	5.5	5.541	20	
50	5.5	5.516	20	
51	5.5	5.317	20	
52	5.5	5.635	20	
53	5.5	5.308	20	
54	5.5	5.585	20	
55	5.5	5.616	20	
56	5.5	5.624	20	
57	5.5	5.25	20	
58	5.5	5.692	20	
59	5.5	5.684	20	
60	5.5	5.583	20	
61	5.5	5.265	20	
62	5.5	5.309	20	
63	5.5	5.468	20	
64	5.5	5.663	20	
65	5.5	5.683	20	
66	5.5	5.324	20	
67	5.5	5.298	20	
68	5.5	5.533	20	
69	5.5	5.628	20	
70	5.5	5.369	20	
71	5.5	5.347	20	
72	5.5	5.307	20	
73	5.5	5.579	20	
74	5.5	5.423	20	
75	5.5	5.398	20	
76	5.5	5.395	20	
77	5.5	5.273	20	
78	5.5	5.706	20	
79	5.5	5.286	20	
80	5.5	5.722	20	
81	5.5	5.587	20	
82	5.5	5.653	20	
83	5.5	5.697	20	
84	5.5	5.688	20	
85	5.5	5.68	20	
86	5.5	5.37	20	
87	5.5	5.256	20	
88	5.5	5.33	20	
89	5.5	5.62	20	
90	5.5	5.335	20	
91	5.5	5.376	20	
92	5.5	5.544	20	
93	5.5	5.487	20	
94	5.5	5.649	20	
95	5.5	5.63	20	
96	5.5	5.546	20	
97	5.5	5.261	20	
98	5.5	5.336	20	
99	5.5	5.664	20	
100	5.5	5.459	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.393	20	
2	5.5	5.449	20	
3	5.5	5.461	20	
4	5.5	5.356	20	
5	5.5	5.653	20	
6	5.5	5.695	20	
7	5.5	5.472	20	
8	5.5	5.675	20	
9	5.5	5.396	20	
10	5.5	5.444	20	
11	5.5	5.67	20	
12	5.5	5.46	20	
13	5.5	5.334	20	
14	5.5	5.321	20	
15	5.5	5.332	20	
16	5.5	5.363	20	
17	5.5	5.419	20	
18	5.5	5.278	20	
19	5.5	5.268	20	
20	5.5	5.583	20	
21	5.5	5.474	20	
22	5.5	5.612	20	
23	5.5	5.711	20	
24	5.5	5.634	20	
25	5.5	5.312	20	
26	5.5	5.365	20	
27	5.5	5.546	20	
28	5.5	5.442	20	
29	5.5	5.486	20	
30	5.5	5.68	20	
31	5.5	5.333	20	
32	5.5	5.669	20	
33	5.5	5.284	20	
34	5.5	5.434	20	
35	5.5	5.341	20	
36	5.5	5.462	20	
37	5.5	5.608	20	
38	5.5	5.267	20	
39	5.5	5.323	20	
40	5.5	5.259	20	
41	5.5	5.648	20	
42	5.5	5.266	20	
43	5.5	5.411	20	
44	5.5	5.702	20	
45	5.5	5.478	20	
46	5.5	5.5	20	*
47	5.5	5.256	20	
48	5.5	5.272	20	
49	5.5	5.453	20	
50	5.5	5.47	20	
51	5.5	5.704	20	
52	5.5	5.318	20	
53	5.5	5.33	20	
54	5.5	5.27	20	
55	5.5	5.481	20	
56	5.5	5.348	20	
57	5.5	5.507	20	*
58	5.5	5.255	20	
59	5.5	5.296	20	
60	5.5	5.467	20	
61	5.5	5.375	20	
62	5.5	5.316	20	
63	5.5	5.328	20	
64	5.5	5.539	20	
65	5.5	5.628	20	
66	5.5	5.664	20	
67	5.5	5.687	20	
68	5.5	5.705	20	
69	5.5	5.253	20	
70	5.5	5.429	20	
71	5.5	5.521	20	
72	5.5	5.633	20	
73	5.5	5.716	20	
74	5.5	5.275	20	
75	5.5	5.415	20	
76	5.5	5.512	20	
77	5.5	5.508	20	*
78	5.5	5.432	20	
79	5.5	5.694	20	
80	5.5	5.656	20	
81	5.5	5.644	20	
82	5.5	5.593	20	
83	5.5	5.672	20	
84	5.5	5.586	20	
85	5.5	5.488	20	
86	5.5	5.614	20	
87	5.5	5.64	20	
88	5.5	5.469	20	
89	5.5	5.261	20	
90	5.5	5.643	20	
91	5.5	5.527	20	
92	5.5	5.484	20	
93	5.5	5.603	20	
94	5.5	5.441	20	
95	5.5	5.597	20	
96	5.5	5.606	20	
97	5.5	5.645	20	
98	5.5	5.364	20	
99	5.5	5.589	20	
100	5.5	5.44	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.472	20	
2	5.5	5.669	20	
3	5.5	5.406	20	
4	5.5	5.598	20	
5	5.5	5.334	20	
6	5.5	5.571	20	
7	5.5	5.404	20	
8	5.5	5.351	20	
9	5.5	5.332	20	
10	5.5	5.628	20	
11	5.5	5.678	20	
12	5.5	5.41	20	
13	5.5	5.474	20	
14	5.5	5.393	20	
15	5.5	5.681	20	
16	5.5	5.466	20	
17	5.5	5.324	20	
18	5.5	5.394	20	
19	5.5	5.584	20	
20	5.5	5.453	20	
21	5.5	5.257	20	
22	5.5	5.477	20	
23	5.5	5.359	20	
24	5.5	5.632	20	
25	5.5	5.59	20	
26	5.5	5.353	20	
27	5.5	5.566	20	
28	5.5	5.382	20	
29	5.5	5.661	20	
30	5.5	5.459	20	
31	5.5	5.724	20	
32	5.5	5.545	20	
33	5.5	5.263	20	
34	5.5	5.34	20	
35	5.5	5.675	20	
36	5.5	5.33	20	
37	5.5	5.717	20	
38	5.5	5.329	20	
39	5.5	5.626	20	
40	5.5	5.412	20	
41	5.5	5.651	20	
42	5.5	5.484	20	
43	5.5	5.723	20	
44	5.5	5.579	20	
45	5.5	5.371	20	
46	5.5	5.273	20	
47	5.5	5.5	20	*
48	5.5	5.383	20	
49	5.5	5.305	20	
50	5.5	5.308	20	
51	5.5	5.388	20	
52	5.5	5.422	20	
53	5.5	5.709	20	
54	5.5	5.52	20	
55	5.5	5.555	20	
56	5.5	5.671	20	
57	5.5	5.591	20	
58	5.5	5.339	20	
59	5.5	5.381	20	
60	5.5	5.618	20	
61	5.5	5.593	20	
62	5.5	5.521	20	
63	5.5	5.252	20	
64	5.5	5.268	20	
65	5.5	5.61	20	
66	5.5	5.343	20	
67	5.5	5.495	20	*
68	5.5	5.315	20	
69	5.5	5.281	20	
70	5.5	5.367	20	
71	5.5	5.416	20	
72	5.5	5.256	20	
73	5.5	5.467	20	
74	5.5	5.296	20	
75	5.5	5.435	20	
76	5.5	5.605	20	
77	5.5	5.48	20	
78	5.5	5.363	20	
79	5.5	5.285	20	
80	5.5	5.342	20	
81	5.5	5.405	20	
82	5.5	5.415	20	
83	5.5	5.498	20	*
84	5.5	5.609	20	
85	5.5	5.335	20	
86	5.5	5.455	20	
87	5.5	5.309	20	
88	5.5	5.375	20	
89	5.5	5.563	20	
90	5.5	5.392	20	
91	5.5	5.596	20	
92	5.5	5.328	20	
93	5.5	5.565	20	
94	5.5	5.354	20	
95	5.5	5.649	20	
96	5.5	5.688	20	
97	5.5	5.314	20	
98	5.5	5.662	20	
99	5.5	5.516	20	
100	5.5	5.639	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.541	20	
2	5.5	5.356	20	
3	5.5	5.71	20	
4	5.5	5.445	20	
5	5.5	5.287	20	
6	5.5	5.622	20	
7	5.5	5.297	20	
8	5.5	5.652	20	
9	5.5	5.539	20	
10	5.5	5.721	20	
11	5.5	5.39	20	
12	5.5	5.641	20	
13	5.5	5.321	20	
14	5.5	5.27	20	
15	5.5	5.567	20	
16	5.5	5.437	20	
17	5.5	5.375	20	
18	5.5	5.514	20	
19	5.5	5.404	20	
20	5.5	5.548	20	
21	5.5	5.624	20	
22	5.5	5.67	20	
23	5.5	5.371	20	
24	5.5	5.438	20	
25	5.5	5.552	20	
26	5.5	5.298	20	
27	5.5	5.656	20	
28	5.5	5.5	20	*
29	5.5	5.316	20	
30	5.5	5.383	20	
31	5.5	5.307	20	
32	5.5	5.293	20	
33	5.5	5.686	20	
34	5.5	5.715	20	
35	5.5	5.474	20	
36	5.5	5.634	20	
37	5.5	5.349	20	
38	5.5	5.54	20	
39	5.5	5.462	20	
40	5.5	5.452	20	
41	5.5	5.381	20	
42	5.5	5.63	20	
43	5.5	5.503	20	*
44	5.5	5.696	20	
45	5.5	5.32	20	
46	5.5	5.366	20	
47	5.5	5.374	20	
48	5.5	5.385	20	
49	5.5	5.405	20	
50	5.5	5.386	20	
51	5.5	5.389	20	
52	5.5	5.569	20	
53	5.5	5.529	20	
54	5.5	5.501	20	*
55	5.5	5.318	20	
56	5.5	5.265	20	
57	5.5	5.694	20	
58	5.5	5.593	20	
59	5.5	5.426	20	
60	5.5	5.34	20	
61	5.5	5.595	20	
62	5.5	5.431	20	
63	5.5	5.578	20	
64	5.5	5.458	20	
65	5.5	5.572	20	
66	5.5	5.343	20	
67	5.5	5.344	20	
68	5.5	5.638	20	
69	5.5	5.626	20	
70	5.5	5.335	20	
71	5.5	5.434	20	
72	5.5	5.362	20	
73	5.5	5.463	20	
74	5.5	5.33	20	
75	5.5	5.723	20	
76	5.5	5.422	20	
77	5.5	5.589	20	
78	5.5	5.446	20	
79	5.5	5.257	20	
80	5.5	5.348	20	
81	5.5	5.272	20	
82	5.5	5.488	20	
83	5.5	5.271	20	
84	5.5	5.66	20	
85	5.5	5.382	20	
86	5.5	5.603	20	
87	5.5	5.672	20	
88	5.5	5.701	20	
89	5.5	5.289	20	
90	5.5	5.687	20	
91	5.5	5.581	20	
92	5.5	5.504	20	*
93	5.5	5.526	20	
94	5.5	5.376	20	
95	5.5	5.658	20	
96	5.5	5.522	20	
97	5.5	5.717	20	
98	5.5	5.498	20	*
99	5.5	5.566	20	
100	5.5	5.41	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.648	20	
2	5.5	5.258	20	
3	5.5	5.472	20	
4	5.5	5.483	20	
5	5.5	5.563	20	
6	5.5	5.626	20	
7	5.5	5.591	20	
8	5.5	5.62	20	
9	5.5	5.57	20	
10	5.5	5.282	20	
11	5.5	5.309	20	
12	5.5	5.654	20	
13	5.5	5.254	20	
14	5.5	5.331	20	
15	5.5	5.266	20	
16	5.5	5.5	20	*
17	5.5	5.502	20	*
18	5.5	5.384	20	
19	5.5	5.634	20	
20	5.5	5.498	20	*
21	5.5	5.351	20	
22	5.5	5.489	20	
23	5.5	5.34	20	
24	5.5	5.533	20	
25	5.5	5.621	20	
26	5.5	5.549	20	
27	5.5	5.322	20	
28	5.5	5.334	20	
29	5.5	5.525	20	
30	5.5	5.583	20	
31	5.5	5.632	20	
32	5.5	5.252	20	
33	5.5	5.403	20	
34	5.5	5.465	20	
35	5.5	5.658	20	
36	5.5	5.4	20	
37	5.5	5.43	20	
38	5.5	5.279	20	
39	5.5	5.457	20	
40	5.5	5.707	20	
41	5.5	5.488	20	
42	5.5	5.28	20	
43	5.5	5.354	20	
44	5.5	5.326	20	
45	5.5	5.675	20	
46	5.5	5.665	20	
47	5.5	5.347	20	
48	5.5	5.363	20	
49	5.5	5.538	20	
50	5.5	5.423	20	
51	5.5	5.485	20	
52	5.5	5.699	20	
53	5.5	5.283	20	
54	5.5	5.615	20	
55	5.5	5.685	20	
56	5.5	5.272	20	
57	5.5	5.688	20	
58	5.5	5.705	20	
59	5.5	5.534	20	
60	5.5	5.293	20	
61	5.5	5.641	20	
62	5.5	5.308	20	
63	5.5	5.359	20	
64	5.5	5.255	20	
65	5.5	5.7	20	
66	5.5	5.669	20	
67	5.5	5.72	20	
68	5.5	5.394	20	
69	5.5	5.341	20	
70	5.5	5.64	20	
71	5.5	5.653	20	
72	5.5	5.428	20	
73	5.5	5.464	20	
74	5.5	5.536	20	
75	5.5	5.319	20	
76	5.5	5.692	20	
77	5.5	5.603	20	
78	5.5	5.598	20	
79	5.5	5.704	20	
80	5.5	5.609	20	
81	5.5	5.572	20	
82	5.5	5.316	20	
83	5.5	5.276	20	
84	5.5	5.349	20	
85	5.5	5.339	20	
86	5.5	5.355	20	
87	5.5	5.661	20	
88	5.5	5.55	20	
89	5.5	5.298	20	
90	5.5	5.453	20	
91	5.5	5.433	20	
92	5.5	5.545	20	
93	5.5	5.593	20	
94	5.5	5.343	20	
95	5.5	5.709	20	
96	5.5	5.651	20	
97	5.5	5.404	20	
98	5.5	5.623	20	
99	5.5	5.362	20	
100	5.5	5.604	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.69	20	
2	5.5	5.309	20	
3	5.5	5.657	20	
4	5.5	5.421	20	
5	5.5	5.482	20	
6	5.5	5.372	20	
7	5.5	5.389	20	
8	5.5	5.507	20	*
9	5.5	5.661	20	
10	5.5	5.261	20	
11	5.5	5.313	20	
12	5.5	5.361	20	
13	5.5	5.434	20	
14	5.5	5.272	20	
15	5.5	5.554	20	
16	5.5	5.435	20	
17	5.5	5.27	20	
18	5.5	5.538	20	
19	5.5	5.71	20	
20	5.5	5.318	20	
21	5.5	5.495	20	*
22	5.5	5.337	20	
23	5.5	5.603	20	
24	5.5	5.654	20	
25	5.5	5.422	20	
26	5.5	5.471	20	
27	5.5	5.68	20	
28	5.5	5.579	20	
29	5.5	5.456	20	
30	5.5	5.264	20	
31	5.5	5.651	20	
32	5.5	5.634	20	
33	5.5	5.591	20	
34	5.5	5.311	20	
35	5.5	5.398	20	
36	5.5	5.601	20	
37	5.5	5.698	20	
38	5.5	5.38	20	
39	5.5	5.493	20	*
40	5.5	5.632	20	
41	5.5	5.691	20	
42	5.5	5.251	20	
43	5.5	5.478	20	
44	5.5	5.374	20	
45	5.5	5.363	20	
46	5.5	5.451	20	
47	5.5	5.609	20	
48	5.5	5.519	20	
49	5.5	5.615	20	
50	5.5	5.423	20	
51	5.5	5.366	20	
52	5.5	5.462	20	
53	5.5	5.665	20	
54	5.5	5.413	20	
55	5.5	5.295	20	
56	5.5	5.375	20	
57	5.5	5.704	20	
58	5.5	5.474	20	
59	5.5	5.299	20	
60	5.5	5.599	20	
61	5.5	5.658	20	
62	5.5	5.321	20	
63	5.5	5.483	20	
64	5.5	5.481	20	
65	5.5	5.294	20	
66	5.5	5.352	20	
67	5.5	5.402	20	
68	5.5	5.649	20	
69	5.5	5.454	20	
70	5.5	5.692	20	
71	5.5	5.666	20	
72	5.5	5.509	20	*
73	5.5	5.573	20	
74	5.5	5.28	20	
75	5.5	5.581	20	
76	5.5	5.517	20	
77	5.5	5.718	20	
78	5.5	5.334	20	
79	5.5	5.266	20	
80	5.5	5.39	20	
81	5.5	5.315	20	
82	5.5	5.403	20	
83	5.5	5.569	20	
84	5.5	5.43	20	
85	5.5	5.564	20	
86	5.5	5.373	20	
87	5.5	5.694	20	
88	5.5	5.516	20	
89	5.5	5.508	20	*
90	5.5	5.611	20	
91	5.5	5.343	20	
92	5.5	5.291	20	
93	5.5	5.533	20	
94	5.5	5.524	20	
95	5.5	5.655	20	
96	5.5	5.293	20	
97	5.5	5.426	20	
98	5.5	5.433	20	
99	5.5	5.286	20	
100	5.5	5.285	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.666	20	
2	5.5	5.282	20	
3	5.5	5.589	20	
4	5.5	5.316	20	
5	5.5	5.564	20	
6	5.5	5.46	20	
7	5.5	5.561	20	
8	5.5	5.673	20	
9	5.5	5.271	20	
10	5.5	5.674	20	
11	5.5	5.672	20	
12	5.5	5.533	20	
13	5.5	5.576	20	
14	5.5	5.688	20	
15	5.5	5.344	20	
16	5.5	5.617	20	
17	5.5	5.339	20	
18	5.5	5.352	20	
19	5.5	5.325	20	
20	5.5	5.686	20	
21	5.5	5.628	20	
22	5.5	5.664	20	
23	5.5	5.594	20	
24	5.5	5.642	20	
25	5.5	5.502	20	*
26	5.5	5.571	20	
27	5.5	5.646	20	
28	5.5	5.654	20	
29	5.5	5.718	20	
30	5.5	5.534	20	
31	5.5	5.531	20	
32	5.5	5.711	20	
33	5.5	5.637	20	
34	5.5	5.599	20	
35	5.5	5.426	20	
36	5.5	5.387	20	
37	5.5	5.31	20	
38	5.5	5.707	20	
39	5.5	5.372	20	
40	5.5	5.36	20	
41	5.5	5.32	20	
42	5.5	5.375	20	
43	5.5	5.671	20	
44	5.5	5.521	20	
45	5.5	5.478	20	
46	5.5	5.423	20	
47	5.5	5.621	20	
48	5.5	5.307	20	
49	5.5	5.269	20	
50	5.5	5.45	20	
51	5.5	5.453	20	
52	5.5	5.428	20	
53	5.5	5.427	20	
54	5.5	5.715	20	
55	5.5	5.396	20	
56	5.5	5.477	20	
57	5.5	5.277	20	
58	5.5	5.257	20	
59	5.5	5.587	20	
60	5.5	5.553	20	
61	5.5	5.633	20	
62	5.5	5.541	20	
63	5.5	5.685	20	
64	5.5	5.448	20	
65	5.5	5.719	20	
66	5.5	5.286	20	
67	5.5	5.609	20	
68	5.5	5.285	20	
69	5.5	5.404	20	
70	5.5	5.499	20	*
71	5.5	5.647	20	
72	5.5	5.291	20	
73	5.5	5.444	20	
74	5.5	5.667	20	
75	5.5	5.308	20	
76	5.5	5.33	20	
77	5.5	5.64	20	
78	5.5	5.363	20	
79	5.5	5.652	20	
80	5.5	5.357	20	
81	5.5	5.306	20	
82	5.5	5.522	20	
83	5.5	5.288	20	
84	5.5	5.434	20	
85	5.5	5.6	20	
86	5.5	5.678	20	
87	5.5	5.335	20	
88	5.5	5.616	20	
89	5.5	5.279	20	
90	5.5	5.364	20	
91	5.5	5.556	20	
92	5.5	5.501	20	*
93	5.5	5.278	20	
94	5.5	5.411	20	
95	5.5	5.468	20	
96	5.5	5.585	20	
97	5.5	5.273	20	
98	5.5	5.251	20	
99	5.5	5.455	20	
100	5.5	5.714	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.575	20	
2	5.5	5.309	20	
3	5.5	5.544	20	
4	5.5	5.424	20	
5	5.5	5.627	20	
6	5.5	5.331	20	
7	5.5	5.706	20	
8	5.5	5.368	20	
9	5.5	5.388	20	
10	5.5	5.348	20	
11	5.5	5.372	20	
12	5.5	5.344	20	
13	5.5	5.473	20	
14	5.5	5.32	20	
15	5.5	5.541	20	
16	5.5	5.279	20	
17	5.5	5.486	20	
18	5.5	5.709	20	
19	5.5	5.428	20	
20	5.5	5.533	20	
21	5.5	5.31	20	
22	5.5	5.707	20	
23	5.5	5.276	20	
24	5.5	5.366	20	
25	5.5	5.591	20	
26	5.5	5.384	20	
27	5.5	5.563	20	
28	5.5	5.382	20	
29	5.5	5.671	20	
30	5.5	5.695	20	
31	5.5	5.669	20	
32	5.5	5.686	20	
33	5.5	5.562	20	
34	5.5	5.589	20	
35	5.5	5.381	20	
36	5.5	5.476	20	
37	5.5	5.472	20	
38	5.5	5.708	20	
39	5.5	5.599	20	
40	5.5	5.51	20	*
41	5.5	5.414	20	
42	5.5	5.647	20	
43	5.5	5.39	20	
44	5.5	5.519	20	
45	5.5	5.34	20	
46	5.5	5.411	20	
47	5.5	5.423	20	
48	5.5	5.656	20	
49	5.5	5.564	20	
50	5.5	5.311	20	
51	5.5	5.616	20	
52	5.5	5.461	20	
53	5.5	5.329	20	
54	5.5	5.289	20	
55	5.5	5.42	20	
56	5.5	5.518	20	
57	5.5	5.314	20	
58	5.5	5.474	20	
59	5.5	5.552	20	
60	5.5	5.43	20	
61	5.5	5.483	20	
62	5.5	5.422	20	
63	5.5	5.694	20	
64	5.5	5.47	20	
65	5.5	5.491	20	*
66	5.5	5.252	20	
67	5.5	5.513	20	
68	5.5	5.503	20	*
69	5.5	5.375	20	
70	5.5	5.535	20	
71	5.5	5.66	20	
72	5.5	5.555	20	
73	5.5	5.469	20	
74	5.5	5.313	20	
75	5.5	5.254	20	
76	5.5	5.28	20	
77	5.5	5.631	20	
78	5.5	5.547	20	
79	5.5	5.379	20	
80	5.5	5.525	20	
81	5.5	5.676	20	
82	5.5	5.394	20	
83	5.5	5.678	20	
84	5.5	5.672	20	
85	5.5	5.332	20	
86	5.5	5.294	20	
87	5.5	5.398	20	
88	5.5	5.666	20	
89	5.5	5.325	20	
90	5.5	5.522	20	
91	5.5	5.3	20	
92	5.5	5.446	20	
93	5.5	5.514	20	
94	5.5	5.475	20	
95	5.5	5.495	20	*
96	5.5	5.316	20	
97	5.5	5.477	20	
98	5.5	5.362	20	
99	5.5	5.421	20	
100	5.5	5.412	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.635	20	
2	5.5	5.343	20	
3	5.5	5.376	20	
4	5.5	5.304	20	
5	5.5	5.691	20	
6	5.5	5.515	20	
7	5.5	5.366	20	
8	5.5	5.653	20	
9	5.5	5.411	20	
10	5.5	5.428	20	
11	5.5	5.504	20	*
12	5.5	5.675	20	
13	5.5	5.255	20	
14	5.5	5.286	20	
15	5.5	5.476	20	
16	5.5	5.478	20	
17	5.5	5.641	20	
18	5.5	5.333	20	
19	5.5	5.574	20	
20	5.5	5.666	20	
21	5.5	5.337	20	
22	5.5	5.507	20	*
23	5.5	5.716	20	
24	5.5	5.559	20	
25	5.5	5.388	20	
26	5.5	5.445	20	
27	5.5	5.381	20	
28	5.5	5.591	20	
29	5.5	5.477	20	
30	5.5	5.466	20	
31	5.5	5.338	20	
32	5.5	5.384	20	
33	5.5	5.622	20	
34	5.5	5.718	20	
35	5.5	5.296	20	
36	5.5	5.665	20	
37	5.5	5.555	20	
38	5.5	5.585	20	
39	5.5	5.686	20	
40	5.5	5.407	20	
41	5.5	5.44	20	
42	5.5	5.467	20	
43	5.5	5.607	20	
44	5.5	5.551	20	
45	5.5	5.672	20	
46	5.5	5.314	20	
47	5.5	5.657	20	
48	5.5	5.554	20	
49	5.5	5.454	20	
50	5.5	5.306	20	
51	5.5	5.664	20	
52	5.5	5.474	20	
53	5.5	5.323	20	
54	5.5	5.31	20	
55	5.5	5.36	20	
56	5.5	5.295	20	
57	5.5	5.624	20	
58	5.5	5.65	20	
59	5.5	5.282	20	
60	5.5	5.488	20	
61	5.5	5.649	20	
62	5.5	5.254	20	
63	5.5	5.389	20	
64	5.5	5.632	20	
65	5.5	5.677	20	
66	5.5	5.575	20	
67	5.5	5.329	20	
68	5.5	5.394	20	
69	5.5	5.324	20	
70	5.5	5.47	20	
71	5.5	5.676	20	
72	5.5	5.253	20	
73	5.5	5.258	20	
74	5.5	5.721	20	
75	5.5	5.566	20	
76	5.5	5.696	20	
77	5.5	5.52	20	
78	5.5	5.272	20	
79	5.5	5.581	20	
80	5.5	5.502	20	*
81	5.5	5.529	20	
82	5.5	5.577	20	
83	5.5	5.431	20	
84	5.5	5.617	20	
85	5.5	5.565	20	
86	5.5	5.364	20	
87	5.5	5.406	20	
88	5.5	5.713	20	
89	5.5	5.374	20	
90	5.5	5.714	20	
91	5.5	5.699	20	
92	5.5	5.457	20	
93	5.5	5.638	20	
94	5.5	5.521	20	
95	5.5	5.72	20	
96	5.5	5.552	20	
97	5.5	5.382	20	
98	5.5	5.503	20	*
99	5.5	5.557	20	
100	5.5	5.25	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.449	20	
2	5.5	5.705	20	
3	5.5	5.424	20	
4	5.5	5.562	20	
5	5.5	5.433	20	
6	5.5	5.269	20	
7	5.5	5.622	20	
8	5.5	5.533	20	
9	5.5	5.711	20	
10	5.5	5.554	20	
11	5.5	5.581	20	
12	5.5	5.435	20	
13	5.5	5.523	20	
14	5.5	5.479	20	
15	5.5	5.374	20	
16	5.5	5.58	20	
17	5.5	5.364	20	
18	5.5	5.354	20	
19	5.5	5.522	20	
20	5.5	5.397	20	
21	5.5	5.45	20	
22	5.5	5.505	20	*
23	5.5	5.342	20	
24	5.5	5.381	20	
25	5.5	5.558	20	
26	5.5	5.324	20	
27	5.5	5.356	20	
28	5.5	5.553	20	
29	5.5	5.563	20	
30	5.5	5.474	20	
31	5.5	5.695	20	
32	5.5	5.514	20	
33	5.5	5.564	20	
34	5.5	5.668	20	
35	5.5	5.639	20	
36	5.5	5.309	20	
37	5.5	5.585	20	
38	5.5	5.698	20	
39	5.5	5.26	20	
40	5.5	5.426	20	
41	5.5	5.642	20	
42	5.5	5.406	20	
43	5.5	5.69	20	
44	5.5	5.718	20	
45	5.5	5.546	20	
46	5.5	5.419	20	
47	5.5	5.293	20	
48	5.5	5.252	20	
49	5.5	5.536	20	
50	5.5	5.679	20	
51	5.5	5.32	20	
52	5.5	5.438	20	
53	5.5	5.542	20	
54	5.5	5.578	20	
55	5.5	5.436	20	
56	5.5	5.284	20	
57	5.5	5.653	20	
58	5.5	5.65	20	
59	5.5	5.359	20	
60	5.5	5.473	20	
61	5.5	5.667	20	
62	5.5	5.387	20	
63	5.5	5.262	20	
64	5.5	5.348	20	
65	5.5	5.307	20	
66	5.5	5.7	20	
67	5.5	5.547	20	
68	5.5	5.345	20	
69	5.5	5.286	20	
70	5.5	5.527	20	
71	5.5	5.478	20	
72	5.5	5.609	20	
73	5.5	5.294	20	
74	5.5	5.674	20	
75	5.5	5.441	20	
76	5.5	5.29	20	
77	5.5	5.623	20	
78	5.5	5.271	20	
79	5.5	5.509	20	*
80	5.5	5.66	20	
81	5.5	5.427	20	
82	5.5	5.352	20	
83	5.5	5.384	20	
84	5.5	5.3	20	
85	5.5	5.53	20	
86	5.5	5.289	20	
87	5.5	5.567	20	
88	5.5	5.392	20	
89	5.5	5.663	20	
90	5.5	5.388	20	
91	5.5	5.532	20	
92	5.5	5.686	20	
93	5.5	5.555	20	
94	5.5	5.402	20	
95	5.5	5.251	20	
96	5.5	5.648	20	
97	5.5	5.672	20	
98	5.5	5.635	20	
99	5.5	5.597	20	
100	5.5	5.417	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.276	20	
2	5.5	5.411	20	
3	5.5	5.363	20	
4	5.5	5.67	20	
5	5.5	5.515	20	
6	5.5	5.683	20	
7	5.5	5.453	20	
8	5.5	5.288	20	
9	5.5	5.401	20	
10	5.5	5.611	20	
11	5.5	5.634	20	
12	5.5	5.384	20	
13	5.5	5.709	20	
14	5.5	5.322	20	
15	5.5	5.519	20	
16	5.5	5.305	20	
17	5.5	5.499	20	*
18	5.5	5.415	20	
19	5.5	5.504	20	*
20	5.5	5.293	20	
21	5.5	5.556	20	
22	5.5	5.601	20	
23	5.5	5.641	20	
24	5.5	5.495	20	*
25	5.5	5.338	20	
26	5.5	5.332	20	
27	5.5	5.385	20	
28	5.5	5.503	20	*
29	5.5	5.655	20	
30	5.5	5.71	20	
31	5.5	5.264	20	
32	5.5	5.665	20	
33	5.5	5.33	20	
34	5.5	5.621	20	
35	5.5	5.298	20	
36	5.5	5.705	20	
37	5.5	5.703	20	
38	5.5	5.263	20	
39	5.5	5.638	20	
40	5.5	5.619	20	
41	5.5	5.626	20	
42	5.5	5.353	20	
43	5.5	5.669	20	
44	5.5	5.449	20	
45	5.5	5.357	20	
46	5.5	5.595	20	
47	5.5	5.576	20	
48	5.5	5.629	20	
49	5.5	5.313	20	
50	5.5	5.439	20	
51	5.5	5.464	20	
52	5.5	5.273	20	
53	5.5	5.417	20	
54	5.5	5.684	20	
55	5.5	5.602	20	
56	5.5	5.552	20	
57	5.5	5.348	20	
58	5.5	5.468	20	
59	5.5	5.434	20	
60	5.5	5.405	20	
61	5.5	5.659	20	
62	5.5	5.713	20	
63	5.5	5.473	20	
64	5.5	5.283	20	
65	5.5	5.578	20	
66	5.5	5.251	20	
67	5.5	5.342	20	
68	5.5	5.57	20	
69	5.5	5.624	20	
70	5.5	5.326	20	
71	5.5	5.382	20	
72	5.5	5.714	20	
73	5.5	5.704	20	
74	5.5	5.623	20	
75	5.5	5.331	20	
76	5.5	5.419	20	
77	5.5	5.59	20	
78	5.5	5.445	20	
79	5.5	5.657	20	
80	5.5	5.447	20	
81	5.5	5.427	20	
82	5.5	5.324	20	
83	5.5	5.466	20	
84	5.5	5.581	20	
85	5.5	5.391	20	
86	5.5	5.646	20	
87	5.5	5.637	20	
88	5.5	5.541	20	
89	5.5	5.418	20	
90	5.5	5.529	20	
91	5.5	5.32	20	
92	5.5	5.337	20	
93	5.5	5.323	20	
94	5.5	5.542	20	
95	5.5	5.559	20	
96	5.5	5.501	20	*
97	5.5	5.617	20	
98	5.5	5.722	20	
99	5.5	5.29	20	
100	5.5	5.569	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.326	20	
2	5.5	5.274	20	
3	5.5	5.436	20	
4	5.5	5.507	20	*
5	5.5	5.688	20	
6	5.5	5.362	20	
7	5.5	5.647	20	
8	5.5	5.712	20	
9	5.5	5.336	20	
10	5.5	5.258	20	
11	5.5	5.525	20	
12	5.5	5.51	20	*
13	5.5	5.382	20	
14	5.5	5.455	20	
15	5.5	5.58	20	
16	5.5	5.286	20	
17	5.5	5.596	20	
18	5.5	5.33	20	
19	5.5	5.287	20	
20	5.5	5.599	20	
21	5.5	5.451	20	
22	5.5	5.606	20	
23	5.5	5.573	20	
24	5.5	5.467	20	
25	5.5	5.429	20	
26	5.5	5.361	20	
27	5.5	5.319	20	
28	5.5	5.643	20	
29	5.5	5.414	20	
30	5.5	5.448	20	
31	5.5	5.272	20	
32	5.5	5.449	20	
33	5.5	5.562	20	
34	5.5	5.579	20	
35	5.5	5.678	20	
36	5.5	5.629	20	
37	5.5	5.648	20	
38	5.5	5.658	20	
39	5.5	5.393	20	
40	5.5	5.474	20	
41	5.5	5.709	20	
42	5.5	5.259	20	
43	5.5	5.379	20	
44	5.5	5.586	20	
45	5.5	5.594	20	
46	5.5	5.715	20	
47	5.5	5.656	20	
48	5.5	5.349	20	
49	5.5	5.527	20	
50	5.5	5.534	20	
51	5.5	5.682	20	
52	5.5	5.512	20	
53	5.5	5.547	20	
54	5.5	5.71	20	
55	5.5	5.65	20	
56	5.5	5.478	20	
57	5.5	5.355	20	
58	5.5	5.626	20	
59	5.5	5.419	20	
60	5.5	5.399	20	
61	5.5	5.501	20	*
62	5.5	5.59	20	
63	5.5	5.256	20	
64	5.5	5.587	20	
65	5.5	5.323	20	
66	5.5	5.332	20	
67	5.5	5.722	20	
68	5.5	5.305	20	
69	5.5	5.697	20	
70	5.5	5.635	20	
71	5.5	5.475	20	
72	5.5	5.689	20	
73	5.5	5.595	20	
74	5.5	5.644	20	
75	5.5	5.557	20	
76	5.5	5.488	20	
77	5.5	5.408	20	
78	5.5	5.646	20	
79	5.5	5.588	20	
80	5.5	5.384	20	
81	5.5	5.377	20	
82	5.5	5.328	20	
83	5.5	5.372	20	
84	5.5	5.63	20	
85	5.5	5.617	20	
86	5.5	5.316	20	
87	5.5	5.633	20	
88	5.5	5.4	20	
89	5.5	5.68	20	
90	5.5	5.628	20	
91	5.5	5.555	20	
92	5.5	5.673	20	
93	5.5	5.681	20	
94	5.5	5.34	20	
95	5.5	5.624	20	
96	5.5	5.452	20	
97	5.5	5.432	20	
98	5.5	5.535	20	
99	5.5	5.327	20	
100	5.5	5.607	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.413	20	
2	5.5	5.371	20	
3	5.5	5.518	20	
4	5.5	5.494	20	*
5	5.5	5.423	20	
6	5.5	5.668	20	
7	5.5	5.553	20	
8	5.5	5.293	20	
9	5.5	5.381	20	
10	5.5	5.628	20	
11	5.5	5.426	20	
12	5.5	5.515	20	
13	5.5	5.69	20	
14	5.5	5.594	20	
15	5.5	5.455	20	
16	5.5	5.537	20	
17	5.5	5.486	20	
18	5.5	5.549	20	
19	5.5	5.449	20	
20	5.5	5.658	20	
21	5.5	5.72	20	
22	5.5	5.462	20	
23	5.5	5.678	20	
24	5.5	5.386	20	
25	5.5	5.348	20	
26	5.5	5.344	20	
27	5.5	5.657	20	
28	5.5	5.286	20	
29	5.5	5.579	20	
30	5.5	5.6	20	
31	5.5	5.273	20	
32	5.5	5.337	20	
33	5.5	5.636	20	
34	5.5	5.674	20	
35	5.5	5.4	20	
36	5.5	5.263	20	
37	5.5	5.307	20	
38	5.5	5.683	20	
39	5.5	5.454	20	
40	5.5	5.571	20	
41	5.5	5.639	20	
42	5.5	5.303	20	
43	5.5	5.556	20	
44	5.5	5.411	20	
45	5.5	5.483	20	
46	5.5	5.451	20	
47	5.5	5.419	20	
48	5.5	5.679	20	
49	5.5	5.532	20	
50	5.5	5.536	20	
51	5.5	5.372	20	
52	5.5	5.723	20	
53	5.5	5.507	20	*
54	5.5	5.465	20	
55	5.5	5.511	20	
56	5.5	5.519	20	
57	5.5	5.292	20	
58	5.5	5.45	20	
59	5.5	5.724	20	
60	5.5	5.526	20	
61	5.5	5.497	20	*
62	5.5	5.641	20	
63	5.5	5.375	20	
64	5.5	5.437	20	
65	5.5	5.615	20	
66	5.5	5.356	20	
67	5.5	5.567	20	
68	5.5	5.439	20	
69	5.5	5.673	20	
70	5.5	5.635	20	
71	5.5	5.473	20	
72	5.5	5.645	20	
73	5.5	5.712	20	
74	5.5	5.334	20	
75	5.5	5.271	20	
76	5.5	5.573	20	
77	5.5	5.35	20	
78	5.5	5.25	20	
79	5.5	5.42	20	
80	5.5	5.453	20	
81	5.5	5.617	20	
82	5.5	5.391	20	
83	5.5	5.328	20	
84	5.5	5.558	20	
85	5.5	5.308	20	
86	5.5	5.576	20	
87	5.5	5.315	20	
88	5.5	5.525	20	
89	5.5	5.252	20	
90	5.5	5.638	20	
91	5.5	5.406	20	
92	5.5	5.317	20	
93	5.5	5.623	20	
94	5.5	5.269	20	
95	5.5	5.368	20	
96	5.5	5.267	20	
97	5.5	5.387	20	
98	5.5	5.589	20	
99	5.5	5.625	20	
100	5.5	5.294	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.634	20	
2	5.5	5.508	20	*
3	5.5	5.557	20	
4	5.5	5.417	20	
5	5.5	5.349	20	
6	5.5	5.462	20	
7	5.5	5.525	20	
8	5.5	5.518	20	
9	5.5	5.294	20	
10	5.5	5.254	20	
11	5.5	5.328	20	
12	5.5	5.312	20	
13	5.5	5.447	20	
14	5.5	5.552	20	
15	5.5	5.578	20	
16	5.5	5.684	20	
17	5.5	5.59	20	
18	5.5	5.553	20	
19	5.5	5.424	20	
20	5.5	5.404	20	
21	5.5	5.396	20	
22	5.5	5.449	20	
23	5.5	5.551	20	
24	5.5	5.689	20	
25	5.5	5.329	20	
26	5.5	5.352	20	
27	5.5	5.395	20	
28	5.5	5.48	20	
29	5.5	5.346	20	
30	5.5	5.716	20	
31	5.5	5.512	20	
32	5.5	5.659	20	
33	5.5	5.411	20	
34	5.5	5.466	20	
35	5.5	5.292	20	
36	5.5	5.257	20	
37	5.5	5.421	20	
38	5.5	5.574	20	
39	5.5	5.608	20	
40	5.5	5.701	20	
41	5.5	5.39	20	
42	5.5	5.367	20	
43	5.5	5.387	20	
44	5.5	5.517	20	
45	5.5	5.379	20	
46	5.5	5.305	20	
47	5.5	5.635	20	
48	5.5	5.343	20	
49	5.5	5.365	20	
50	5.5	5.479	20	
51	5.5	5.339	20	
52	5.5	5.565	20	
53	5.5	5.397	20	
54	5.5	5.72	20	
55	5.5	5.669	20	
56	5.5	5.438	20	
57	5.5	5.358	20	
58	5.5	5.316	20	
59	5.5	5.584	20	
60	5.5	5.628	20	
61	5.5	5.389	20	
62	5.5	5.284	20	
63	5.5	5.453	20	
64	5.5	5.364	20	
65	5.5	5.385	20	
66	5.5	5.723	20	
67	5.5	5.262	20	
68	5.5	5.41	20	
69	5.5	5.504	20	*
70	5.5	5.356	20	
71	5.5	5.623	20	
72	5.5	5.536	20	
73	5.5	5.255	20	
74	5.5	5.7	20	
75	5.5	5.422	20	
76	5.5	5.469	20	
77	5.5	5.483	20	
78	5.5	5.275	20	
79	5.5	5.437	20	
80	5.5	5.435	20	
81	5.5	5.645	20	
82	5.5	5.679	20	
83	5.5	5.664	20	
84	5.5	5.523	20	
85	5.5	5.256	20	
86	5.5	5.37	20	
87	5.5	5.371	20	
88	5.5	5.265	20	
89	5.5	5.444	20	
90	5.5	5.676	20	
91	5.5	5.654	20	
92	5.5	5.403	20	
93	5.5	5.614	20	
94	5.5	5.47	20	
95	5.5	5.303	20	
96	5.5	5.432	20	
97	5.5	5.687	20	
98	5.5	5.643	20	
99	5.5	5.592	20	
100	5.5	5.486	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.307	20	
2	5.5	5.254	20	
3	5.5	5.595	20	
4	5.5	5.673	20	
5	5.5	5.495	20	*
6	5.5	5.281	20	
7	5.5	5.322	20	
8	5.5	5.634	20	
9	5.5	5.321	20	
10	5.5	5.488	20	
11	5.5	5.47	20	
12	5.5	5.253	20	
13	5.5	5.405	20	
14	5.5	5.469	20	
15	5.5	5.607	20	
16	5.5	5.369	20	
17	5.5	5.536	20	
18	5.5	5.385	20	
19	5.5	5.25	20	
20	5.5	5.508	20	*
21	5.5	5.537	20	
22	5.5	5.501	20	*
23	5.5	5.703	20	
24	5.5	5.531	20	
25	5.5	5.436	20	
26	5.5	5.463	20	
27	5.5	5.286	20	
28	5.5	5.465	20	
29	5.5	5.532	20	
30	5.5	5.699	20	
31	5.5	5.456	20	
32	5.5	5.564	20	
33	5.5	5.424	20	
34	5.5	5.596	20	
35	5.5	5.48	20	
36	5.5	5.252	20	
37	5.5	5.343	20	
38	5.5	5.416	20	
39	5.5	5.567	20	
40	5.5	5.449	20	
41	5.5	5.646	20	
42	5.5	5.545	20	
43	5.5	5.548	20	
44	5.5	5.271	20	
45	5.5	5.493	20	*
46	5.5	5.494	20	*
47	5.5	5.519	20	
48	5.5	5.507	20	*
49	5.5	5.644	20	
50	5.5	5.579	20	
51	5.5	5.54	20	
52	5.5	5.577	20	
53	5.5	5.603	20	
54	5.5	5.295	20	
55	5.5	5.327	20	
56	5.5	5.633	20	
57	5.5	5.557	20	
58	5.5	5.563	20	
59	5.5	5.317	20	
60	5.5	5.694	20	
61	5.5	5.584	20	
62	5.5	5.422	20	
63	5.5	5.51	20	*
64	5.5	5.479	20	
65	5.5	5.627	20	
66	5.5	5.543	20	
67	5.5	5.365	20	
68	5.5	5.716	20	
69	5.5	5.665	20	
70	5.5	5.375	20	
71	5.5	5.621	20	
72	5.5	5.363	20	
73	5.5	5.606	20	
74	5.5	5.278	20	
75	5.5	5.652	20	
76	5.5	5.572	20	
77	5.5	5.554	20	
78	5.5	5.574	20	
79	5.5	5.611	20	
80	5.5	5.541	20	
81	5.5	5.285	20	
82	5.5	5.353	20	
83	5.5	5.526	20	
84	5.5	5.663	20	
85	5.5	5.489	20	
86	5.5	5.551	20	
87	5.5	5.293	20	
88	5.5	5.714	20	
89	5.5	5.635	20	
90	5.5	5.518	20	
91	5.5	5.346	20	
92	5.5	5.457	20	
93	5.5	5.415	20	
94	5.5	5.255	20	
95	5.5	5.389	20	
96	5.5	5.687	20	
97	5.5	5.521	20	
98	5.5	5.591	20	
99	5.5	5.41	20	
100	5.5	5.401	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.3	20	
2	5.5	5.38	20	
3	5.5	5.503	20	*
4	5.5	5.521	20	
5	5.5	5.5	20	*
6	5.5	5.332	20	
7	5.5	5.345	20	
8	5.5	5.666	20	
9	5.5	5.625	20	
10	5.5	5.356	20	
11	5.5	5.699	20	
12	5.5	5.477	20	
13	5.5	5.319	20	
14	5.5	5.532	20	
15	5.5	5.305	20	
16	5.5	5.507	20	*
17	5.5	5.329	20	
18	5.5	5.373	20	
19	5.5	5.315	20	
20	5.5	5.476	20	
21	5.5	5.669	20	
22	5.5	5.689	20	
23	5.5	5.515	20	
24	5.5	5.342	20	
25	5.5	5.598	20	
26	5.5	5.25	20	
27	5.5	5.624	20	
28	5.5	5.545	20	
29	5.5	5.724	20	
30	5.5	5.429	20	
31	5.5	5.595	20	
32	5.5	5.425	20	
33	5.5	5.536	20	
34	5.5	5.267	20	
35	5.5	5.461	20	
36	5.5	5.312	20	
37	5.5	5.551	20	
38	5.5	5.61	20	
39	5.5	5.617	20	
40	5.5	5.54	20	
41	5.5	5.473	20	
42	5.5	5.509	20	*
43	5.5	5.469	20	
44	5.5	5.569	20	
45	5.5	5.524	20	
46	5.5	5.275	20	
47	5.5	5.336	20	
48	5.5	5.485	20	
49	5.5	5.602	20	
50	5.5	5.379	20	
51	5.5	5.706	20	
52	5.5	5.324	20	
53	5.5	5.633	20	
54	5.5	5.496	20	*
55	5.5	5.307	20	
56	5.5	5.697	20	
57	5.5	5.436	20	
58	5.5	5.431	20	
59	5.5	5.56	20	
60	5.5	5.405	20	
61	5.5	5.368	20	
62	5.5	5.52	20	
63	5.5	5.36	20	
64	5.5	5.637	20	
65	5.5	5.438	20	
66	5.5	5.397	20	
67	5.5	5.505	20	*
68	5.5	5.609	20	
69	5.5	5.611	20	
70	5.5	5.504	20	*
71	5.5	5.695	20	
72	5.5	5.288	20	
73	5.5	5.393	20	
74	5.5	5.677	20	
75	5.5	5.441	20	
76	5.5	5.452	20	
77	5.5	5.261	20	
78	5.5	5.48	20	
79	5.5	5.483	20	
80	5.5	5.684	20	
81	5.5	5.586	20	
82	5.5	5.683	20	
83	5.5	5.423	20	
84	5.5	5.316	20	
85	5.5	5.721	20	
86	5.5	5.539	20	
87	5.5	5.464	20	
88	5.5	5.374	20	
89	5.5	5.601	20	
90	5.5	5.495	20	*
91	5.5	5.328	20	
92	5.5	5.398	20	
93	5.5	5.58	20	
94	5.5	5.658	20	
95	5.5	5.349	20	
96	5.5	5.654	20	
97	5.5	5.322	20	
98	5.5	5.582	20	
99	5.5	5.415	20	
100	5.5	5.644	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.503	20	*
2	5.5	5.283	20	
3	5.5	5.57	20	
4	5.5	5.559	20	
5	5.5	5.713	20	
6	5.5	5.452	20	
7	5.5	5.535	20	
8	5.5	5.51	20	*
9	5.5	5.631	20	
10	5.5	5.604	20	
11	5.5	5.593	20	
12	5.5	5.551	20	
13	5.5	5.574	20	
14	5.5	5.68	20	
15	5.5	5.606	20	
16	5.5	5.478	20	
17	5.5	5.33	20	
18	5.5	5.432	20	
19	5.5	5.554	20	
20	5.5	5.369	20	
21	5.5	5.671	20	
22	5.5	5.611	20	
23	5.5	5.326	20	
24	5.5	5.703	20	
25	5.5	5.32	20	
26	5.5	5.538	20	
27	5.5	5.257	20	
28	5.5	5.71	20	
29	5.5	5.462	20	
30	5.5	5.524	20	
31	5.5	5.607	20	
32	5.5	5.64	20	
33	5.5	5.332	20	
34	5.5	5.72	20	
35	5.5	5.26	20	
36	5.5	5.362	20	
37	5.5	5.603	20	
38	5.5	5.525	20	
39	5.5	5.329	20	
40	5.5	5.629	20	
41	5.5	5.259	20	
42	5.5	5.537	20	
43	5.5	5.682	20	
44	5.5	5.52	20	
45	5.5	5.343	20	
46	5.5	5.293	20	
47	5.5	5.655	20	
48	5.5	5.719	20	
49	5.5	5.521	20	
50	5.5	5.465	20	
51	5.5	5.487	20	
52	5.5	5.349	20	
53	5.5	5.636	20	
54	5.5	5.37	20	
55	5.5	5.34	20	
56	5.5	5.313	20	
57	5.5	5.689	20	
58	5.5	5.516	20	
59	5.5	5.595	20	
60	5.5	5.573	20	
61	5.5	5.305	20	
62	5.5	5.309	20	
63	5.5	5.687	20	
64	5.5	5.289	20	
65	5.5	5.578	20	
66	5.5	5.422	20	
67	5.5	5.686	20	
68	5.5	5.481	20	
69	5.5	5.499	20	*
70	5.5	5.371	20	
71	5.5	5.416	20	
72	5.5	5.366	20	
73	5.5	5.475	20	
74	5.5	5.402	20	
75	5.5	5.667	20	
76	5.5	5.274	20	
77	5.5	5.435	20	
78	5.5	5.534	20	
79	5.5	5.624	20	
80	5.5	5.382	20	
81	5.5	5.519	20	
82	5.5	5.583	20	
83	5.5	5.517	20	
84	5.5	5.651	20	
85	5.5	5.61	20	
86	5.5	5.277	20	
87	5.5	5.471	20	
88	5.5	5.666	20	
89	5.5	5.515	20	
90	5.5	5.613	20	
91	5.5	5.451	20	
92	5.5	5.345	20	
93	5.5	5.567	20	
94	5.5	5.545	20	
95	5.5	5.701	20	
96	5.5	5.426	20	
97	5.5	5.317	20	
98	5.5	5.674	20	
99	5.5	5.373	20	
100	5.5	5.312	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.593	20	
2	5.5	5.327	20	
3	5.5	5.697	20	
4	5.5	5.302	20	
5	5.5	5.652	20	
6	5.5	5.258	20	
7	5.5	5.28	20	
8	5.5	5.477	20	
9	5.5	5.286	20	
10	5.5	5.504	20	*
11	5.5	5.631	20	
12	5.5	5.529	20	
13	5.5	5.263	20	
14	5.5	5.503	20	*
15	5.5	5.346	20	
16	5.5	5.603	20	
17	5.5	5.555	20	
18	5.5	5.291	20	
19	5.5	5.621	20	
20	5.5	5.476	20	
21	5.5	5.607	20	
22	5.5	5.676	20	
23	5.5	5.712	20	
24	5.5	5.696	20	
25	5.5	5.683	20	
26	5.5	5.56	20	
27	5.5	5.587	20	
28	5.5	5.71	20	
29	5.5	5.297	20	
30	5.5	5.475	20	
31	5.5	5.606	20	
32	5.5	5.535	20	
33	5.5	5.323	20	
34	5.5	5.342	20	
35	5.5	5.717	20	
36	5.5	5.339	20	
37	5.5	5.399	20	
38	5.5	5.491	20	*
39	5.5	5.374	20	
40	5.5	5.309	20	
41	5.5	5.533	20	
42	5.5	5.471	20	
43	5.5	5.534	20	
44	5.5	5.497	20	*
45	5.5	5.459	20	
46	5.5	5.465	20	
47	5.5	5.287	20	
48	5.5	5.384	20	
49	5.5	5.313	20	
50	5.5	5.613	20	
51	5.5	5.695	20	
52	5.5	5.7	20	
53	5.5	5.494	20	*
54	5.5	5.443	20	
55	5.5	5.257	20	
56	5.5	5.388	20	
57	5.5	5.379	20	
58	5.5	5.678	20	
59	5.5	5.72	20	
60	5.5	5.455	20	
61	5.5	5.417	20	
62	5.5	5.325	20	
63	5.5	5.672	20	
64	5.5	5.34	20	
65	5.5	5.396	20	
66	5.5	5.67	20	
67	5.5	5.483	20	
68	5.5	5.252	20	
69	5.5	5.636	20	
70	5.5	5.294	20	
71	5.5	5.372	20	
72	5.5	5.47	20	
73	5.5	5.684	20	
74	5.5	5.615	20	
75	5.5	5.322	20	
76	5.5	5.359	20	
77	5.5	5.271	20	
78	5.5	5.381	20	
79	5.5	5.348	20	
80	5.5	5.273	20	
81	5.5	5.317	20	
82	5.5	5.389	20	
83	5.5	5.576	20	
84	5.5	5.264	20	
85	5.5	5.488	20	
86	5.5	5.619	20	
87	5.5	5.633	20	
88	5.5	5.33	20	
89	5.5	5.548	20	
90	5.5	5.663	20	
91	5.5	5.48	20	
92	5.5	5.642	20	
93	5.5	5.559	20	
94	5.5	5.666	20	
95	5.5	5.378	20	
96	5.5	5.335	20	
97	5.5	5.691	20	
98	5.5	5.341	20	
99	5.5	5.425	20	
100	5.5	5.261	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.621	20	
2	5.5	5.393	20	
3	5.5	5.421	20	
4	5.5	5.277	20	
5	5.5	5.575	20	
6	5.5	5.557	20	
7	5.5	5.259	20	
8	5.5	5.694	20	
9	5.5	5.717	20	
10	5.5	5.36	20	
11	5.5	5.322	20	
12	5.5	5.665	20	
13	5.5	5.684	20	
14	5.5	5.702	20	
15	5.5	5.384	20	
16	5.5	5.3	20	
17	5.5	5.45	20	
18	5.5	5.438	20	
19	5.5	5.714	20	
20	5.5	5.623	20	
21	5.5	5.688	20	
22	5.5	5.649	20	
23	5.5	5.687	20	
24	5.5	5.337	20	
25	5.5	5.592	20	
26	5.5	5.433	20	
27	5.5	5.308	20	
28	5.5	5.64	20	
29	5.5	5.334	20	
30	5.5	5.335	20	
31	5.5	5.374	20	
32	5.5	5.389	20	
33	5.5	5.525	20	
34	5.5	5.258	20	
35	5.5	5.261	20	
36	5.5	5.262	20	
37	5.5	5.417	20	
38	5.5	5.588	20	
39	5.5	5.663	20	
40	5.5	5.292	20	
41	5.5	5.647	20	
42	5.5	5.672	20	
43	5.5	5.701	20	
44	5.5	5.445	20	
45	5.5	5.637	20	
46	5.5	5.443	20	
47	5.5	5.284	20	
48	5.5	5.309	20	
49	5.5	5.347	20	
50	5.5	5.624	20	
51	5.5	5.25	20	
52	5.5	5.648	20	
53	5.5	5.619	20	
54	5.5	5.671	20	
55	5.5	5.358	20	
56	5.5	5.568	20	
57	5.5	5.646	20	
58	5.5	5.494	20	*
59	5.5	5.682	20	
60	5.5	5.548	20	
61	5.5	5.405	20	
62	5.5	5.387	20	
63	5.5	5.567	20	
64	5.5	5.414	20	
65	5.5	5.676	20	
66	5.5	5.471	20	
67	5.5	5.449	20	
68	5.5	5.589	20	
69	5.5	5.689	20	
70	5.5	5.599	20	
71	5.5	5.569	20	
72	5.5	5.673	20	
73	5.5	5.298	20	
74	5.5	5.604	20	
75	5.5	5.425	20	
76	5.5	5.44	20	
77	5.5	5.43	20	
78	5.5	5.522	20	
79	5.5	5.317	20	
80	5.5	5.581	20	
81	5.5	5.498	20	*
82	5.5	5.328	20	
83	5.5	5.669	20	
84	5.5	5.344	20	
85	5.5	5.268	20	
86	5.5	5.495	20	*
87	5.5	5.336	20	
88	5.5	5.503	20	*
89	5.5	5.48	20	
90	5.5	5.527	20	
91	5.5	5.457	20	
92	5.5	5.441	20	
93	5.5	5.62	20	
94	5.5	5.331	20	
95	5.5	5.436	20	
96	5.5	5.377	20	
97	5.5	5.357	20	
98	5.5	5.537	20	
99	5.5	5.523	20	
100	5.5	5.674	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.556	20	
2	5.5	5.661	20	
3	5.5	5.312	20	
4	5.5	5.696	20	
5	5.5	5.461	20	
6	5.5	5.472	20	
7	5.5	5.51	20	*
8	5.5	5.533	20	
9	5.5	5.294	20	
10	5.5	5.637	20	
11	5.5	5.635	20	
12	5.5	5.336	20	
13	5.5	5.324	20	
14	5.5	5.266	20	
15	5.5	5.4	20	
16	5.5	5.496	20	*
17	5.5	5.476	20	
18	5.5	5.646	20	
19	5.5	5.693	20	
20	5.5	5.452	20	
21	5.5	5.537	20	
22	5.5	5.292	20	
23	5.5	5.501	20	*
24	5.5	5.506	20	*
25	5.5	5.565	20	
26	5.5	5.612	20	
27	5.5	5.61	20	
28	5.5	5.582	20	
29	5.5	5.697	20	
30	5.5	5.39	20	
31	5.5	5.319	20	
32	5.5	5.671	20	
33	5.5	5.381	20	
34	5.5	5.484	20	
35	5.5	5.371	20	
36	5.5	5.589	20	
37	5.5	5.684	20	
38	5.5	5.385	20	
39	5.5	5.342	20	
40	5.5	5.497	20	*
41	5.5	5.295	20	
42	5.5	5.613	20	
43	5.5	5.498	20	*
44	5.5	5.541	20	
45	5.5	5.583	20	
46	5.5	5.514	20	
47	5.5	5.508	20	*
48	5.5	5.474	20	
49	5.5	5.522	20	
50	5.5	5.503	20	*
51	5.5	5.459	20	
52	5.5	5.686	20	
53	5.5	5.366	20	
54	5.5	5.327	20	
55	5.5	5.559	20	
56	5.5	5.643	20	
57	5.5	5.458	20	
58	5.5	5.415	20	
59	5.5	5.263	20	
60	5.5	5.576	20	
61	5.5	5.378	20	
62	5.5	5.273	20	
63	5.5	5.594	20	
64	5.5	5.468	20	
65	5.5	5.665	20	
66	5.5	5.644	20	
67	5.5	5.629	20	
68	5.5	5.704	20	
69	5.5	5.632	20	
70	5.5	5.595	20	
71	5.5	5.547	20	
72	5.5	5.377	20	
73	5.5	5.332	20	
74	5.5	5.322	20	
75	5.5	5.618	20	
76	5.5	5.656	20	
77	5.5	5.318	20	
78	5.5	5.321	20	
79	5.5	5.695	20	
80	5.5	5.562	20	
81	5.5	5.5	20	*
82	5.5	5.391	20	
83	5.5	5.442	20	
84	5.5	5.316	20	
85	5.5	5.546	20	
86	5.5	5.402	20	
87	5.5	5.418	20	
88	5.5	5.417	20	
89	5.5	5.718	20	
90	5.5	5.673	20	
91	5.5	5.423	20	
92	5.5	5.369	20	
93	5.5	5.626	20	
94	5.5	5.699	20	
95	5.5	5.365	20	
96	5.5	5.571	20	
97	5.5	5.473	20	
98	5.5	5.293	20	
99	5.5	5.451	20	
100	5.5	5.647	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.66	20	
2	5.5	5.555	20	
3	5.5	5.5	20	*
4	5.5	5.394	20	
5	5.5	5.697	20	
6	5.5	5.617	20	
7	5.5	5.675	20	
8	5.5	5.56	20	
9	5.5	5.589	20	
10	5.5	5.416	20	
11	5.5	5.388	20	
12	5.5	5.724	20	
13	5.5	5.717	20	
14	5.5	5.481	20	
15	5.5	5.282	20	
16	5.5	5.691	20	
17	5.5	5.373	20	
18	5.5	5.496	20	*
19	5.5	5.63	20	
20	5.5	5.341	20	
21	5.5	5.536	20	
22	5.5	5.475	20	
23	5.5	5.547	20	
24	5.5	5.332	20	
25	5.5	5.252	20	
26	5.5	5.508	20	*
27	5.5	5.571	20	
28	5.5	5.679	20	
29	5.5	5.673	20	
30	5.5	5.325	20	
31	5.5	5.469	20	
32	5.5	5.541	20	
33	5.5	5.598	20	
34	5.5	5.351	20	
35	5.5	5.514	20	
36	5.5	5.559	20	
37	5.5	5.688	20	
38	5.5	5.461	20	
39	5.5	5.588	20	
40	5.5	5.294	20	
41	5.5	5.581	20	
42	5.5	5.55	20	
43	5.5	5.271	20	
44	5.5	5.642	20	
45	5.5	5.708	20	
46	5.5	5.646	20	
47	5.5	5.281	20	
48	5.5	5.58	20	
49	5.5	5.424	20	
50	5.5	5.289	20	
51	5.5	5.333	20	
52	5.5	5.273	20	
53	5.5	5.279	20	
54	5.5	5.703	20	
55	5.5	5.261	20	
56	5.5	5.423	20	
57	5.5	5.657	20	
58	5.5	5.544	20	
59	5.5	5.662	20	
60	5.5	5.623	20	
61	5.5	5.494	20	*
62	5.5	5.432	20	
63	5.5	5.303	20	
64	5.5	5.649	20	
65	5.5	5.418	20	
66	5.5	5.359	20	
67	5.5	5.42	20	
68	5.5	5.257	20	
69	5.5	5.551	20	
70	5.5	5.575	20	
71	5.5	5.256	20	
72	5.5	5.25	20	
73	5.5	5.356	20	
74	5.5	5.466	20	
75	5.5	5.398	20	
76	5.5	5.706	20	
77	5.5	5.506	20	*
78	5.5	5.272	20	
79	5.5	5.667	20	
80	5.5	5.553	20	
81	5.5	5.334	20	
82	5.5	5.684	20	
83	5.5	5.525	20	
84	5.5	5.608	20	
85	5.5	5.478	20	
86	5.5	5.34	20	
87	5.5	5.304	20	
88	5.5	5.712	20	
89	5.5	5.439	20	
90	5.5	5.277	20	
91	5.5	5.285	20	
92	5.5	5.291	20	
93	5.5	5.677	20	
94	5.5	5.661	20	
95	5.5	5.638	20	
96	5.5	5.368	20	
97	5.5	5.328	20	
98	5.5	5.498	20	*
99	5.5	5.39	20	
100	5.5	5.267	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.707	20	
2	5.5	5.496	20	*
3	5.5	5.408	20	
4	5.5	5.494	20	*
5	5.5	5.527	20	
6	5.5	5.519	20	
7	5.5	5.265	20	
8	5.5	5.31	20	
9	5.5	5.668	20	
10	5.5	5.482	20	
11	5.5	5.306	20	
12	5.5	5.633	20	
13	5.5	5.493	20	*
14	5.5	5.398	20	
15	5.5	5.631	20	
16	5.5	5.692	20	
17	5.5	5.427	20	
18	5.5	5.491	20	*
19	5.5	5.537	20	
20	5.5	5.48	20	
21	5.5	5.497	20	*
22	5.5	5.656	20	
23	5.5	5.472	20	
24	5.5	5.294	20	
25	5.5	5.567	20	
26	5.5	5.321	20	
27	5.5	5.253	20	
28	5.5	5.599	20	
29	5.5	5.416	20	
30	5.5	5.699	20	
31	5.5	5.428	20	
32	5.5	5.615	20	
33	5.5	5.619	20	
34	5.5	5.355	20	
35	5.5	5.703	20	
36	5.5	5.717	20	
37	5.5	5.622	20	
38	5.5	5.333	20	
39	5.5	5.373	20	
40	5.5	5.466	20	
41	5.5	5.546	20	
42	5.5	5.471	20	
43	5.5	5.687	20	
44	5.5	5.38	20	
45	5.5	5.374	20	
46	5.5	5.507	20	*
47	5.5	5.582	20	
48	5.5	5.702	20	
49	5.5	5.33	20	
50	5.5	5.704	20	
51	5.5	5.639	20	
52	5.5	5.27	20	
53	5.5	5.667	20	
54	5.5	5.681	20	
55	5.5	5.715	20	
56	5.5	5.506	20	*
57	5.5	5.514	20	
58	5.5	5.621	20	
59	5.5	5.538	20	
60	5.5	5.642	20	
61	5.5	5.377	20	
62	5.5	5.328	20	
63	5.5	5.251	20	
64	5.5	5.59	20	
65	5.5	5.347	20	
66	5.5	5.683	20	
67	5.5	5.544	20	
68	5.5	5.583	20	
69	5.5	5.51	20	*
70	5.5	5.553	20	
71	5.5	5.574	20	
72	5.5	5.504	20	*
73	5.5	5.381	20	
74	5.5	5.66	20	
75	5.5	5.637	20	
76	5.5	5.352	20	
77	5.5	5.288	20	
78	5.5	5.566	20	
79	5.5	5.393	20	
80	5.5	5.449	20	
81	5.5	5.391	20	
82	5.5	5.367	20	
83	5.5	5.458	20	
84	5.5	5.329	20	
85	5.5	5.576	20	
86	5.5	5.543	20	
87	5.5	5.269	20	
88	5.5	5.315	20	
89	5.5	5.316	20	
90	5.5	5.474	20	
91	5.5	5.372	20	
92	5.5	5.286	20	
93	5.5	5.628	20	
94	5.5	5.444	20	
95	5.5	5.363	20	
96	5.5	5.547	20	
97	5.5	5.375	20	
98	5.5	5.58	20	
99	5.5	5.568	20	
100	5.5	5.26	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.623	20	
2	5.5	5.714	20	
3	5.5	5.525	20	
4	5.5	5.477	20	
5	5.5	5.323	20	
6	5.5	5.612	20	
7	5.5	5.377	20	
8	5.5	5.659	20	
9	5.5	5.533	20	
10	5.5	5.472	20	
11	5.5	5.682	20	
12	5.5	5.266	20	
13	5.5	5.616	20	
14	5.5	5.478	20	
15	5.5	5.415	20	
16	5.5	5.676	20	
17	5.5	5.265	20	
18	5.5	5.311	20	
19	5.5	5.491	20	*
20	5.5	5.28	20	
21	5.5	5.516	20	
22	5.5	5.486	20	
23	5.5	5.312	20	
24	5.5	5.387	20	
25	5.5	5.697	20	
26	5.5	5.44	20	
27	5.5	5.471	20	
28	5.5	5.468	20	
29	5.5	5.722	20	
30	5.5	5.401	20	
31	5.5	5.325	20	
32	5.5	5.27	20	
33	5.5	5.583	20	
34	5.5	5.559	20	
35	5.5	5.618	20	
36	5.5	5.671	20	
37	5.5	5.668	20	
38	5.5	5.445	20	
39	5.5	5.709	20	
40	5.5	5.322	20	
41	5.5	5.396	20	
42	5.5	5.611	20	
43	5.5	5.633	20	
44	5.5	5.475	20	
45	5.5	5.649	20	
46	5.5	5.522	20	
47	5.5	5.424	20	
48	5.5	5.67	20	
49	5.5	5.568	20	
50	5.5	5.603	20	
51	5.5	5.563	20	
52	5.5	5.5	20	*
53	5.5	5.684	20	
54	5.5	5.257	20	
55	5.5	5.316	20	
56	5.5	5.584	20	
57	5.5	5.639	20	
58	5.5	5.463	20	
59	5.5	5.389	20	
60	5.5	5.421	20	
61	5.5	5.606	20	
62	5.5	5.366	20	
63	5.5	5.509	20	*
64	5.5	5.502	20	*
65	5.5	5.527	20	
66	5.5	5.419	20	
67	5.5	5.601	20	
68	5.5	5.461	20	
69	5.5	5.411	20	
70	5.5	5.57	20	
71	5.5	5.518	20	
72	5.5	5.504	20	*
73	5.5	5.417	20	
74	5.5	5.289	20	
75	5.5	5.545	20	
76	5.5	5.663	20	
77	5.5	5.526	20	
78	5.5	5.269	20	
79	5.5	5.268	20	
80	5.5	5.464	20	
81	5.5	5.71	20	
82	5.5	5.506	20	*
83	5.5	5.361	20	
84	5.5	5.529	20	
85	5.5	5.575	20	
86	5.5	5.372	20	
87	5.5	5.32	20	
88	5.5	5.261	20	
89	5.5	5.37	20	
90	5.5	5.365	20	
91	5.5	5.613	20	
92	5.5	5.597	20	
93	5.5	5.56	20	
94	5.5	5.422	20	
95	5.5	5.306	20	
96	5.5	5.567	20	
97	5.5	5.658	20	
98	5.5	5.528	20	
99	5.5	5.459	20	
100	5.5	5.724	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.527	20	
2	5.5	5.294	20	
3	5.5	5.599	20	
4	5.5	5.425	20	
5	5.5	5.623	20	
6	5.5	5.448	20	
7	5.5	5.305	20	
8	5.5	5.372	20	
9	5.5	5.473	20	
10	5.5	5.376	20	
11	5.5	5.58	20	
12	5.5	5.653	20	
13	5.5	5.36	20	
14	5.5	5.426	20	
15	5.5	5.262	20	
16	5.5	5.445	20	
17	5.5	5.712	20	
18	5.5	5.579	20	
19	5.5	5.304	20	
20	5.5	5.68	20	
21	5.5	5.693	20	
22	5.5	5.505	20	*
23	5.5	5.469	20	
24	5.5	5.546	20	
25	5.5	5.548	20	
26	5.5	5.489	20	
27	5.5	5.586	20	
28	5.5	5.422	20	
29	5.5	5.357	20	
30	5.5	5.671	20	
31	5.5	5.295	20	
32	5.5	5.518	20	
33	5.5	5.463	20	
34	5.5	5.585	20	
35	5.5	5.502	20	*
36	5.5	5.359	20	
37	5.5	5.261	20	
38	5.5	5.65	20	
39	5.5	5.485	20	
40	5.5	5.31	20	
41	5.5	5.587	20	
42	5.5	5.667	20	
43	5.5	5.607	20	
44	5.5	5.665	20	
45	5.5	5.276	20	
46	5.5	5.539	20	
47	5.5	5.651	20	
48	5.5	5.605	20	
49	5.5	5.417	20	
50	5.5	5.699	20	
51	5.5	5.496	20	*
52	5.5	5.724	20	
53	5.5	5.553	20	
54	5.5	5.324	20	
55	5.5	5.706	20	
56	5.5	5.669	20	
57	5.5	5.72	20	
58	5.5	5.556	20	
59	5.5	5.622	20	
60	5.5	5.439	20	
61	5.5	5.468	20	
62	5.5	5.649	20	
63	5.5	5.383	20	
64	5.5	5.696	20	
65	5.5	5.593	20	
66	5.5	5.302	20	
67	5.5	5.567	20	
68	5.5	5.33	20	
69	5.5	5.362	20	
70	5.5	5.318	20	
71	5.5	5.589	20	
72	5.5	5.55	20	
73	5.5	5.542	20	
74	5.5	5.675	20	
75	5.5	5.677	20	
76	5.5	5.344	20	
77	5.5	5.698	20	
78	5.5	5.251	20	
79	5.5	5.515	20	
80	5.5	5.41	20	
81	5.5	5.697	20	
82	5.5	5.287	20	
83	5.5	5.647	20	
84	5.5	5.601	20	
85	5.5	5.659	20	
86	5.5	5.451	20	
87	5.5	5.367	20	
88	5.5	5.423	20	
89	5.5	5.427	20	
90	5.5	5.718	20	
91	5.5	5.525	20	
92	5.5	5.51	20	*
93	5.5	5.393	20	
94	5.5	5.25	20	
95	5.5	5.577	20	
96	5.5	5.309	20	
97	5.5	5.332	20	
98	5.5	5.406	20	
99	5.5	5.26	20	
100	5.5	5.436	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.325	20	
2	5.5	5.326	20	
3	5.5	5.666	20	
4	5.5	5.433	20	
5	5.5	5.287	20	
6	5.5	5.681	20	
7	5.5	5.509	20	*
8	5.5	5.511	20	
9	5.5	5.694	20	
10	5.5	5.72	20	
11	5.5	5.264	20	
12	5.5	5.589	20	
13	5.5	5.515	20	
14	5.5	5.437	20	
15	5.5	5.4	20	
16	5.5	5.7	20	
17	5.5	5.62	20	
18	5.5	5.473	20	
19	5.5	5.377	20	
20	5.5	5.333	20	
21	5.5	5.338	20	
22	5.5	5.576	20	
23	5.5	5.708	20	
24	5.5	5.613	20	
25	5.5	5.483	20	
26	5.5	5.544	20	
27	5.5	5.399	20	
28	5.5	5.557	20	
29	5.5	5.449	20	
30	5.5	5.691	20	
31	5.5	5.361	20	
32	5.5	5.289	20	
33	5.5	5.568	20	
34	5.5	5.487	20	
35	5.5	5.476	20	
36	5.5	5.48	20	
37	5.5	5.502	20	*
38	5.5	5.494	20	*
39	5.5	5.6	20	
40	5.5	5.49	20	*
41	5.5	5.34	20	
42	5.5	5.373	20	
43	5.5	5.315	20	
44	5.5	5.651	20	
45	5.5	5.322	20	
46	5.5	5.645	20	
47	5.5	5.347	20	
48	5.5	5.492	20	*
49	5.5	5.354	20	
50	5.5	5.279	20	
51	5.5	5.385	20	
52	5.5	5.712	20	
53	5.5	5.586	20	
54	5.5	5.384	20	
55	5.5	5.633	20	
56	5.5	5.255	20	
57	5.5	5.671	20	
58	5.5	5.51	20	*
59	5.5	5.41	20	
60	5.5	5.65	20	
61	5.5	5.482	20	
62	5.5	5.353	20	
63	5.5	5.594	20	
64	5.5	5.317	20	
65	5.5	5.468	20	
66	5.5	5.475	20	
67	5.5	5.606	20	
68	5.5	5.259	20	
69	5.5	5.344	20	
70	5.5	5.37	20	
71	5.5	5.479	20	
72	5.5	5.405	20	
73	5.5	5.488	20	
74	5.5	5.39	20	
75	5.5	5.29	20	
76	5.5	5.485	20	
77	5.5	5.267	20	
78	5.5	5.288	20	
79	5.5	5.465	20	
80	5.5	5.657	20	
81	5.5	5.362	20	
82	5.5	5.496	20	*
83	5.5	5.36	20	
84	5.5	5.721	20	
85	5.5	5.513	20	
86	5.5	5.688	20	
87	5.5	5.508	20	*
88	5.5	5.547	20	
89	5.5	5.274	20	
90	5.5	5.592	20	
91	5.5	5.697	20	
92	5.5	5.472	20	
93	5.5	5.517	20	
94	5.5	5.61	20	
95	5.5	5.478	20	
96	5.5	5.474	20	
97	5.5	5.281	20	
98	5.5	5.374	20	
99	5.5	5.631	20	
100	5.5	5.253	20	

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	86.3	18	1154		438.743
2	1	62.1	16			292.466
3	2	81.9	17	1750		204.317
4	1	96.7	18			564.51
5	2	56.8	8	1180		286.543
6	2	73.5	5	1622		291.697
7	1	70.6	7			464.82
8	2	97.7	8	925		327.083
9	2	76.8	9	1252		376.317
10	2	72.7	19	1687		589.18
11	1	53.1	20			18.643
12	2	76.5	20	1754		417.997
13	2	58	5	1347		632.64
14	3	57.6	13	1167	1725	334.933
15	2	57.4	11	945		495.947
16	2	54	14	1080		3.2
17	1	51.5	16			379.333
18	2	99.6	7	1189		576.567

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	3	68.4	13	1370	1560	280.737
2	1	60.4	6			644.623
3	3	55.7	20	1666	1748	245.087
4	1	74.3	5			396.08
5	1	91.8	12			344.393
6	2	53.6	6	1665		335.107
7	2	61.8	18	1899		501.86
8	3	82.2	7	1089	1464	451.823
9	1	89.9	8			535.027
10	2	72.8	17	1158		80.86
11	2	82.8	19	1173		528.083
12	1	93.4	6			249.957
13	3	63.5	20	1643	1509	261.25
14	2	84.7	14	1182		273.523
15	1	88.1	12			121.877
16	3	82.4	14	1756	1325	224.3
17	2	93.4	17	1653		390.633
18	3	52.9	13	1604	1544	19.667

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	3	69.9	18	1302	1711	142.34
2	3	59.5	9	969	1173	556.66
3	2	97.8	10	1055		71.39
4	2	85.9	18	1568		555.97
5	1	68.1	15			313.14
6	3	68.4	15	1207	1829	590.78
7	2	80.5	12	1039		170.41
8	1	95.2	15			4.17
9	1	74.6	16			513.15
10	2	56.3	11	1307		716.8
11	2	52.2	15	999		417.16
12	1	59	5			399.75
13	3	65.6	14	1496	1502	154.36
14	2	87.4	19	997		655.9
15	1	62.4	19			276.2
16	2	90.9	5	979		589.9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	3	77.5	19	1823	1247	521.282
2	3	93.9	16	1200	1684	239.319
3	1	97.8	7			591.595
4	2	97.9	17	1862		255.473
5	1	89.1	16			582.611
6	3	73.7	15	1471	1880	636.678
7	2	75.3	5	1847		235.126
8	2	68.6	16	934		570.084
9	2	76.3	7	1821		425.731
10	2	96.1	11	1420		65.889
11	1	76.5	13			548.706
12	3	66.4	12	1377	1741	681.424
13	3	78.7	17	1862	1243	557.762
14	2	64.6	12	1286		284.169
15	2	81.3	13	1268		195.147
16	3	84.7	10	1412	1748	188.765
17	1	84.9	17			315.082

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	69.3	15	1427		532.939
2	3	87.8	8	1873	1775	346.6
3	2	93.1	16	1136		601.34
4	2	88.7	5	1690		97.33
5	3	64.3	6	1673	1158	82.75
6	1	71.2	9			458.91
7	1	77.4	5			323.35
8	2	78.7	7	1303		321.09
9	3	97.2	16	1599	1026	502.82
10	2	88.4	16	1775		4.89
11	2	68.9	18	1362		287.97
12	3	87.8	7	1753	1428	154.92
13	2	99.1	10	1631		287.98
14	1	89.8	20			349.3
15	1	95.3	5			147.1
16	1	77.3	11			371.1

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µ sec)	Pulse 2-to-3 Spacing (µ sec)	Start Location Within Interval (msec)
1	2	52.6	10	1597		298.156
2	3	95.6	12	1187	905	512.993
3	1	94.1	14			75.877
4	2	92.1	8	1393		127.49
5	2	93.4	19	1794		533.173
6	2	95	10	1575		246.407
7	2	82.2	5	1478		38.86
8	1	83.1	12			391.143
9	2	58.7	19	1560		562.577
10	3	63.2	18	1763	1288	309.03
11	1	84.9	16			456.813
12	3	60.3	11	1913	1010	88.317
13	3	53.2	13	1178	1872	165.75
14	3	81.3	20	963	959	445.763
15	2	76	10	1185		77.877
16	2	54.1	11	1348		181.3
17	2	86	20	1815		454.133
18	2	94.4	20	1262		463.167

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	1	63.6	18			32.593
2	1	72.4	12			55.609
3	2	66.9	19	1203		424.04
4	3	67	14	1221	1235	271.28
5	3	59.1	10	1784	1178	568.3
6	3	61.2	20	1584	1729	388.24
7	2	88.6	17	1864		297.41
8	2	72.9	13	952		584.13
9	3	66.4	19	1742	1122	685.36
10	3	63.6	9	1504	974	185.01
11	1	65.5	13			88.6
12	3	95.5	13	916	1732	204.85
13	3	58.8	17	1385	1254	395.27
14	2	89.1	8	1660		136.5
15	2	61.5	12	1922		591.4
16	2	69.7	15	1127		610.2

--

Trial Number : 8
Bursts in Trial: 9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	60.5	16	1558		1170.44
2	1	84.8	15			377.59
3	1	74.1	14			560.39
4	2	87.3	13	1867		891.36
5	1	54.6	15			1076.4
6	2	66.3	8	1223		971.57
7	2	99.3	18	1101		698.75
8	1	90.4	6			321.37
9	2	72.3	17	970		1161.1
10	2	50.7	12	1847		681.1

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	3	97.3	8	1058	1705	770.762
2	1	93	6			516.833
3	3	66.2	9	1206	1130	79.096
4	1	99.9	17			702.609
5	2	57.5	16	1083		620.132
6	2	70.4	13	1500		597.995
7	2	59.5	16	1263		296.708
8	2	78.3	8	944		892.872
9	2	75.4	12	1582		234.895
10	2	85.4	15	1113		507.028
11	3	93.7	7	1878	1061	21.621
12	2	50.4	11	1737		792.154
13	2	61.6	14	1867		722.377

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	3	56.8	16	1097	1339	108.215
2	2	95.4	12	1065		363.31
3	2	76.1	13	1171		445.37
4	2	76.6	20	1418		208.23
5	2	85.7	5	1228		453.81
6	3	81.8	17	1038	1652	263.44
7	3	70	6	1887	1592	655.37
8	2	65.5	20	1795		580.88
9	3	78.1	7	1681	1778	183.32
10	1	76.1	7			773.64
11	3	96.6	17	1326	1022	689.42
12	2	73.6	19	1294		483.6
13	2	77.2	17	1160		768.3
14	2	77.5	7	1250		208.7
15	2	66.7	14	1498		731

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	52	16	1289		726.176
2	3	59.6	5	978	1624	567.24
3	2	55.5	7	1271		240.59
4	3	94.5	11	1157	1468	252.03
5	2	77.2	12	1294		509.38
6	2	86.4	13	1511		477.53
7	2	56	14	1065		844.02
8	3	93.6	6	1777	1506	167.5
9	2	57.1	18	1749		513.46
10	2	90.1	15	1652		510.44
11	2	88.7	14	1143		606.9
12	2	52.2	11	1599		12.7

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	93.8	5	1210		566.864
2	1	63.7	19			59.627
3	2	91.3	12	1459		78.86
4	3	51.5	12	1462	1733	489.01
5	3	94.2	16	1239	1468	465.53
6	1	95	15			253.32
7	2	98.5	14	1003		422.06
8	3	52.7	8	1684	1355	232.07
9	2	97.7	10	1513		404.87
10	2	97.7	11	1169		566.46
11	3	71.5	15	1591	957	161.7
12	3	64.3	10	1212	1292	142.14
13	3	77.2	15	1071	1853	137.68
14	3	75.7	15	1133	1180	357.93
15	1	67.7	11			113.6
16	3	77.5	20	1175	1180	397.58
17	2	93.8	16	1063		589.8
18	3	65.2	16	1219	1416	382.3
19	2	58.2	7	1567		466.7
20	2	58.7	13	1932		146.6

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µ sec)	Pulse 2-to-3 Spacing (µ sec)	Start Location Within Interval (msec)
1	2	61.1	20	1074		455.438
2	2	57.7	16	1364		107.186
3	2	55.4	20	1641		123.595
4	3	64.1	11	1836	1925	171.813
5	2	89.2	20	1003		189.981
6	2	87.6	7	1442		681.338
7	2	92	7	1091		679.296
8	2	88.5	10	1636		99.054
9	1	58.4	9			453.971
10	1	68.7	6			685.829
11	3	88.3	13	1750	1794	280.506
12	1	84.5	9			537.654
13	2	89.4	19	921		356.042
14	2	99	18	1455		347.279
15	1	52.7	5			445.747
16	3	78.2	11	1058	1622	241.065
17	1	91.8	11			363.882

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	1	56	19			739.421
2	3	68.7	6	1887	1203	545.087
3	2	93.3	13	1308		662.384
4	2	78.3	20	1099		389.471
5	1	53.4	13			736.379
6	1	82.9	19			527.836
7	2	61.3	15	1657		304.063
8	2	77.7	9	1073		844.75
9	1	86.3	6			768.177
10	2	62.2	7	1560		570.294
11	1	68	14			299.451
12	3	82.5	13	1778	1782	438.949
13	3	92.4	17	1898	1308	819.386
14	2	90.6	10	1606		391.343

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	1	77.3	13			1088.53
2	2	93.3	10	913		838.35
3	2	75.6	20	1744		151.86
4	3	65.4	13	1443	1176	39.97
5	3	65.1	12	1146	1768	565.83
6	1	97.2	19			250.48
7	3	78.7	10	1191	1218	418.26
8	2	82.3	19	1703		101.87
9	3	67	13	1756	979	1063
10	2	97.3	11	1737		1110

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	3	70.5	15	994	1271	583.578
2	2	86	16	1550		255.56
3	3	92.7	16	987	1151	215.23
4	3	75.8	6	1911	1122	345.73
5	2	74.3	18	1817		471.01
6	3	58.2	17	1600	1925	319.87
7	1	79.8	19			91.32
8	3	72.7	15	1367	1228	306.72
9	3	70.6	13	1306	1621	412.69
10	2	87.7	15	1583		236.24
11	2	82	20	1334		326.67
12	2	67.2	8	1683		331.38
13	1	56.3	18			257.69
14	2	83.1	10	1780		433.8
15	2	68.3	7	1225		711.8
16	1	62.9	8			298.6

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	65.5	18	1145		957.3
2	3	80.8	12	1760	1057	825.88
3	3	97.2	17	1039	1655	490.34
4	2	82	10	1159		949.98
5	2	78.2	18	1892		85.78
6	3	51.4	7	1820	1835	963.09
7	2	72.1	7	1818		745.7
8	2	63.4	12	983		779.03
9	2	63.7	9	1255		632.11
10	2	84.3	8	920		511.61
11	2	79.6	15	1421		383
12	3	68.4	5	1397	1120	944.4

--

Bursts in Trial: 9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	1	96.1	9			410.704
2	2	63.3	8	1668		145.281
3	2	75.3	6	1919		555.205
4	2	74.3	12	1525		340.863
5	1	95.8	17			303.181
6	3	54.1	12	1348	1195	159.138
7	2	67.1	20	1220		354.176
8	2	72.8	13	1855		94.064
9	2	73	10	1724		188.161
10	1	97.5	14			427.469
11	2	92.7	10	1845		141.026
12	3	56	9	1589	1331	157.354
13	2	91.8	9	1378		349.932
14	2	70.5	13	1069		669.759
15	2	95.5	5	1018		95.357
16	1	96.2	12			113.165
17	3	88.4	9	1671	1694	593.182

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	83.4	20	1631		362.606
2	2	51.7	6	1210		139.959
3	3	83.5	19	1195	1493	309.02
4	2	52.2	11	1074		537.39
5	3	55.7	12	1554	1937	637.47
6	3	65.1	9	1323	1139	516.23
7	3	79.7	14	1021	1608	196.96
8	3	80.8	17	1894	1760	24.95
9	2	90.1	14	1268		306.58
10	1	58.8	10			199.19
11	1	96.8	9			68.85
12	3	61.9	19	1910	1709	95.87
13	2	81.4	6	1512		572.01
14	2	96.2	7	1737		611.4
15	2	79.2	18	1258		509.7
16	3	62	18	991	1002	271.4

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	1	71.9	13			380.95
2	3	92.1	15	1788	1503	613.951
3	1	88.5	16			8.562
4	3	73.5	5	1111	992	409.433
5	2	53.7	9	1542		113.894
6	2	71.1	18	1109		393.215
7	2	61	7	1898		73.586
8	1	95.5	17			108.617
9	3	70.9	6	1645	1929	386.158
10	3	92.8	15	1067	1436	201.069
11	2	59.8	18	1475		462.321
12	3	71.1	5	1826	1545	508.102
13	3	73.9	10	1507	1434	302.523
14	1	88.7	5			185.744
15	2	86.5	6	1030		293.105
16	2	73.2	13	1281		546.016
17	2	75.6	16	1286		55.037
18	2	52.3	8	1594		313.258
19	1	70	11			600.979

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	82.2	15	955		272.813
2	2	96.9	15	1743		158.167
3	2	54.4	18	1677		120.834
4	2	67.6	19	1584		611.011
5	2	96.3	14	1702		77.859
6	2	74.9	7	1249		772.636
7	2	72.3	14	1707		582.613
8	1	55.3	13			668.92
9	1	68.7	6			223.737
10	1	66.4	15			64.154
11	1	51	20			87.151
12	2	76.7	15	1676		55.729
13	3	66.8	16	1244	1445	574.086
14	2	71.2	12	959		516.643

--

Trial Number : 24
Bursts in Trial: 10

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	89.4	11	1050		339.504
2	3	57	9	1781	1770	579.511
3	3	70.6	7	1240	1014	159.192
4	2	51.5	7	967		600.513
5	1	59.8	8			488.044
6	1	62.8	9			389.865
7	2	90.4	19	1136		278.026
8	1	87.1	7			595.407
9	2	51.2	11	1455		465.568
10	3	66.2	12	1720	1805	370.389
11	1	71	20			334.591
12	2	84.5	5	1047		517.072
13	3	94.3	8	1725	1347	443.813
14	2	75.8	16	1870		523.644
15	2	67.7	11	1716		357.225
16	2	68.6	10	1732		243.156
17	3	56.6	6	1379	1188	557.137
18	2	66.7	8	976		200.258
19	2	76.2	9	1085		507.879

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	2	71.2	12	1030		482.206
2	3	94.4	13	964	1764	261.71
3	2	98.9	16	1378		507.677
4	2	81.1	14	1582		19.96
5	1	88.7	9			596.813
6	3	98.3	16	1273	1764	299.037
7	2	72.6	20	949		569.08
8	2	81.6	8	925		10.873
9	2	68.7	6	1798		487.377
10	2	60.4	5	1120		528.58
11	1	68.8	17			531.633
12	2	84.8	15	1581		34.577
13	1	64.2	8			320.82
14	3	51.4	10	1794	1072	191.093
15	1	51.2	6			23.037
16	2	98.8	7	1575		322.6
17	3	65.5	16	1221	1769	593.933
18	1	52.1	5			546.567

--

Trial Number : 27

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	3	75	16	1352	1625	170.259
2	3	89.9	9	1516	938	332.952
3	3	62.1	20	1052	1234	546.8
4	2	99.4	17	1188		559.85
5	1	53	10			338.19
6	3	54.5	7	1250	1186	20.59
7	2	67.3	14	1823		394.48
8	3	89.4	18	1476	1677	184.74
9	2	66	18	1604		359.12
10	2	88.6	8	1656		149.31
11	2	63.2	5	1073		369.09
12	3	97.6	8	1019	1262	13.35
13	3	64.6	14	1091	1689	187.82
14	2	97.5	8	1155		333.97
15	1	88	5			443.77
16	2	77	18	1823		317.36
17	2	67.9	12	1083		475.5
18	1	50.1	7			101.5
19	1	77.3	13			346.3
20	2	97.3	10	1729		252.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	1	82	5			68.826
2	1	91.9	6			163.491
3	2	98.7	20	1450		247.522
4	1	57.3	9			497.963
5	3	84.5	19	1046	1589	467.434
6	2	55.6	19	1886		518.935
7	3	67.5	20	1219	961	284.585
8	2	50.1	6	960		139.436
9	1	75.3	10			940.647
10	2	71.4	16	1573		750.318
11	2	82	19	1386		118.109

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Start Location Within Interval (msec)
1	1	94.8	19			527.975
2	2	76.1	6	1243		443.983
3	3	50.6	6	1129	1798	535.897
4	3	52.8	13	1690	1435	124.07
5	2	83.8	7	1390		293.453
6	3	88.1	19	932	1823	225.387
7	2	57.1	11	1874		11.08
8	3	57.7	7	1883	1167	356.553
9	3	59.6	14	1585	1440	254.757
10	1	67	20			155.7
11	1	79.3	13			161.233
12	1	78.2	15			214.427
13	2	68.6	11	1294		522.32
14	2	78.1	8	1240		264.933
15	1	77.4	10			349.597
16	2	94.6	12	1066		13.8
17	2	79.1	5	1689		554.333
18	2	78.7	19	1308		506.767

--

TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.659	20	
2	5.51	5.478	20	
3	5.51	5.363	20	
4	5.51	5.58	20	
5	5.51	5.434	20	
6	5.51	5.395	20	
7	5.51	5.483	20	
8	5.51	5.624	20	
9	5.51	5.633	20	
10	5.51	5.287	20	
11	5.51	5.516	20	*
12	5.51	5.713	20	
13	5.51	5.487	20	
14	5.51	5.568	20	
15	5.51	5.688	20	
16	5.51	5.476	20	
17	5.51	5.48	20	
18	5.51	5.55	20	
19	5.51	5.626	20	
20	5.51	5.262	20	
21	5.51	5.443	20	
22	5.51	5.53	20	
23	5.51	5.591	20	
24	5.51	5.455	20	
25	5.51	5.256	20	
26	5.51	5.36	20	
27	5.51	5.316	20	
28	5.51	5.324	20	
29	5.51	5.456	20	
30	5.51	5.603	20	
31	5.51	5.627	20	
32	5.51	5.694	20	
33	5.51	5.419	20	
34	5.51	5.616	20	
35	5.51	5.416	20	
36	5.51	5.697	20	
37	5.51	5.424	20	
38	5.51	5.511	20	*
39	5.51	5.421	20	
40	5.51	5.631	20	
41	5.51	5.687	20	
42	5.51	5.422	20	
43	5.51	5.429	20	
44	5.51	5.291	20	
45	5.51	5.38	20	
46	5.51	5.409	20	
47	5.51	5.594	20	
48	5.51	5.716	20	
49	5.51	5.371	20	
50	5.51	5.341	20	
51	5.51	5.513	20	*
52	5.51	5.671	20	
53	5.51	5.47	20	
54	5.51	5.643	20	
55	5.51	5.295	20	
56	5.51	5.312	20	
57	5.51	5.33	20	
58	5.51	5.608	20	
59	5.51	5.377	20	
60	5.51	5.548	20	
61	5.51	5.522	20	
62	5.51	5.708	20	
63	5.51	5.715	20	
64	5.51	5.619	20	
65	5.51	5.552	20	
66	5.51	5.497	20	
67	5.51	5.391	20	
68	5.51	5.682	20	
69	5.51	5.364	20	
70	5.51	5.415	20	
71	5.51	5.479	20	
72	5.51	5.481	20	
73	5.51	5.265	20	
74	5.51	5.705	20	
75	5.51	5.668	20	
76	5.51	5.323	20	
77	5.51	5.334	20	
78	5.51	5.293	20	
79	5.51	5.515	20	*
80	5.51	5.466	20	
81	5.51	5.538	20	
82	5.51	5.661	20	
83	5.51	5.458	20	
84	5.51	5.723	20	
85	5.51	5.672	20	
86	5.51	5.685	20	
87	5.51	5.558	20	
88	5.51	5.307	20	
89	5.51	5.578	20	
90	5.51	5.451	20	
91	5.51	5.565	20	
92	5.51	5.569	20	
93	5.51	5.464	20	
94	5.51	5.27	20	
95	5.51	5.59	20	
96	5.51	5.349	20	
97	5.51	5.525	20	
98	5.51	5.586	20	
99	5.51	5.67	20	
100	5.51	5.31	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.423	20	
2	5.51	5.513	20	*
3	5.51	5.693	20	
4	5.51	5.656	20	
5	5.51	5.648	20	
6	5.51	5.462	20	
7	5.51	5.401	20	
8	5.51	5.554	20	
9	5.51	5.545	20	
10	5.51	5.375	20	
11	5.51	5.575	20	
12	5.51	5.31	20	
13	5.51	5.369	20	
14	5.51	5.334	20	
15	5.51	5.433	20	
16	5.51	5.358	20	
17	5.51	5.26	20	
18	5.51	5.639	20	
19	5.51	5.429	20	
20	5.51	5.663	20	
21	5.51	5.678	20	
22	5.51	5.61	20	
23	5.51	5.709	20	
24	5.51	5.592	20	
25	5.51	5.353	20	
26	5.51	5.499	20	
27	5.51	5.415	20	
28	5.51	5.706	20	
29	5.51	5.579	20	
30	5.51	5.539	20	
31	5.51	5.346	20	
32	5.51	5.296	20	
33	5.51	5.289	20	
34	5.51	5.417	20	
35	5.51	5.33	20	
36	5.51	5.629	20	
37	5.51	5.316	20	
38	5.51	5.497	20	
39	5.51	5.304	20	
40	5.51	5.408	20	
41	5.51	5.301	20	
42	5.51	5.523	20	
43	5.51	5.558	20	
44	5.51	5.695	20	
45	5.51	5.724	20	
46	5.51	5.671	20	
47	5.51	5.448	20	
48	5.51	5.341	20	
49	5.51	5.431	20	
50	5.51	5.252	20	
51	5.51	5.503	20	*
52	5.51	5.418	20	
53	5.51	5.27	20	
54	5.51	5.331	20	
55	5.51	5.614	20	
56	5.51	5.623	20	
57	5.51	5.484	20	
58	5.51	5.339	20	
59	5.51	5.344	20	
60	5.51	5.696	20	
61	5.51	5.275	20	
62	5.51	5.384	20	
63	5.51	5.368	20	
64	5.51	5.382	20	
65	5.51	5.66	20	
66	5.51	5.7	20	
67	5.51	5.264	20	
68	5.51	5.654	20	
69	5.51	5.627	20	
70	5.51	5.543	20	
71	5.51	5.622	20	
72	5.51	5.311	20	
73	5.51	5.312	20	
74	5.51	5.571	20	
75	5.51	5.409	20	
76	5.51	5.55	20	
77	5.51	5.59	20	
78	5.51	5.658	20	
79	5.51	5.283	20	
80	5.51	5.681	20	
81	5.51	5.641	20	
82	5.51	5.699	20	
83	5.51	5.459	20	
84	5.51	5.466	20	
85	5.51	5.506	20	*
86	5.51	5.449	20	
87	5.51	5.551	20	
88	5.51	5.439	20	
89	5.51	5.494	20	
90	5.51	5.315	20	
91	5.51	5.262	20	
92	5.51	5.474	20	
93	5.51	5.261	20	
94	5.51	5.524	20	
95	5.51	5.45	20	
96	5.51	5.475	20	
97	5.51	5.47	20	
98	5.51	5.626	20	
99	5.51	5.49	20	
100	5.51	5.722	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.574	20	
2	5.51	5.657	20	
3	5.51	5.599	20	
4	5.51	5.576	20	
5	5.51	5.633	20	
6	5.51	5.719	20	
7	5.51	5.517	20	*
8	5.51	5.6	20	
9	5.51	5.552	20	
10	5.51	5.541	20	
11	5.51	5.697	20	
12	5.51	5.539	20	
13	5.51	5.411	20	
14	5.51	5.546	20	
15	5.51	5.426	20	
16	5.51	5.61	20	
17	5.51	5.46	20	
18	5.51	5.511	20	*
19	5.51	5.698	20	
20	5.51	5.278	20	
21	5.51	5.641	20	
22	5.51	5.514	20	*
23	5.51	5.462	20	
24	5.51	5.711	20	
25	5.51	5.677	20	
26	5.51	5.478	20	
27	5.51	5.536	20	
28	5.51	5.649	20	
29	5.51	5.318	20	
30	5.51	5.611	20	
31	5.51	5.376	20	
32	5.51	5.545	20	
33	5.51	5.369	20	
34	5.51	5.706	20	
35	5.51	5.389	20	
36	5.51	5.327	20	
37	5.51	5.387	20	
38	5.51	5.437	20	
39	5.51	5.405	20	
40	5.51	5.565	20	
41	5.51	5.636	20	
42	5.51	5.534	20	
43	5.51	5.538	20	
44	5.51	5.262	20	
45	5.51	5.298	20	
46	5.51	5.454	20	
47	5.51	5.54	20	
48	5.51	5.451	20	
49	5.51	5.598	20	
50	5.51	5.361	20	
51	5.51	5.483	20	
52	5.51	5.669	20	
53	5.51	5.37	20	
54	5.51	5.446	20	
55	5.51	5.442	20	
56	5.51	5.366	20	
57	5.51	5.264	20	
58	5.51	5.639	20	
59	5.51	5.487	20	
60	5.51	5.587	20	
61	5.51	5.317	20	
62	5.51	5.68	20	
63	5.51	5.635	20	
64	5.51	5.325	20	
65	5.51	5.277	20	
66	5.51	5.251	20	
67	5.51	5.644	20	
68	5.51	5.484	20	
69	5.51	5.626	20	
70	5.51	5.589	20	
71	5.51	5.34	20	
72	5.51	5.491	20	
73	5.51	5.407	20	
74	5.51	5.4	20	
75	5.51	5.688	20	
76	5.51	5.612	20	
77	5.51	5.305	20	
78	5.51	5.682	20	
79	5.51	5.69	20	
80	5.51	5.653	20	
81	5.51	5.622	20	
82	5.51	5.309	20	
83	5.51	5.689	20	
84	5.51	5.285	20	
85	5.51	5.47	20	
86	5.51	5.362	20	
87	5.51	5.548	20	
88	5.51	5.284	20	
89	5.51	5.452	20	
90	5.51	5.607	20	
91	5.51	5.27	20	
92	5.51	5.524	20	
93	5.51	5.665	20	
94	5.51	5.322	20	
95	5.51	5.642	20	
96	5.51	5.648	20	
97	5.51	5.676	20	
98	5.51	5.615	20	
99	5.51	5.673	20	
100	5.51	5.338	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.258	20	
2	5.51	5.317	20	
3	5.51	5.491	20	
4	5.51	5.501	20	*
5	5.51	5.606	20	
6	5.51	5.413	20	
7	5.51	5.53	20	
8	5.51	5.581	20	
9	5.51	5.702	20	
10	5.51	5.376	20	
11	5.51	5.671	20	
12	5.51	5.549	20	
13	5.51	5.394	20	
14	5.51	5.518	20	*
15	5.51	5.327	20	
16	5.51	5.352	20	
17	5.51	5.633	20	
18	5.51	5.631	20	
19	5.51	5.498	20	
20	5.51	5.628	20	
21	5.51	5.592	20	
22	5.51	5.618	20	
23	5.51	5.658	20	
24	5.51	5.477	20	
25	5.51	5.254	20	
26	5.51	5.286	20	
27	5.51	5.704	20	
28	5.51	5.512	20	*
29	5.51	5.697	20	
30	5.51	5.29	20	
31	5.51	5.274	20	
32	5.51	5.67	20	
33	5.51	5.657	20	
34	5.51	5.302	20	
35	5.51	5.499	20	
36	5.51	5.719	20	
37	5.51	5.314	20	
38	5.51	5.345	20	
39	5.51	5.511	20	*
40	5.51	5.44	20	
41	5.51	5.404	20	
42	5.51	5.435	20	
43	5.51	5.57	20	
44	5.51	5.343	20	
45	5.51	5.296	20	
46	5.51	5.576	20	
47	5.51	5.589	20	
48	5.51	5.278	20	
49	5.51	5.706	20	
50	5.51	5.613	20	
51	5.51	5.396	20	
52	5.51	5.684	20	
53	5.51	5.297	20	
54	5.51	5.375	20	
55	5.51	5.529	20	
56	5.51	5.677	20	
57	5.51	5.34	20	
58	5.51	5.678	20	
59	5.51	5.717	20	
60	5.51	5.659	20	
61	5.51	5.473	20	
62	5.51	5.508	20	*
63	5.51	5.608	20	
64	5.51	5.497	20	
65	5.51	5.507	20	*
66	5.51	5.455	20	
67	5.51	5.666	20	
68	5.51	5.676	20	
69	5.51	5.484	20	
70	5.51	5.377	20	
71	5.51	5.669	20	
72	5.51	5.31	20	
73	5.51	5.565	20	
74	5.51	5.3	20	
75	5.51	5.43	20	
76	5.51	5.421	20	
77	5.51	5.261	20	
78	5.51	5.451	20	
79	5.51	5.268	20	
80	5.51	5.403	20	
81	5.51	5.56	20	
82	5.51	5.687	20	
83	5.51	5.424	20	
84	5.51	5.393	20	
85	5.51	5.649	20	
86	5.51	5.566	20	
87	5.51	5.537	20	
88	5.51	5.712	20	
89	5.51	5.334	20	
90	5.51	5.661	20	
91	5.51	5.703	20	
92	5.51	5.461	20	
93	5.51	5.675	20	
94	5.51	5.493	20	
95	5.51	5.26	20	
96	5.51	5.528	20	
97	5.51	5.282	20	
98	5.51	5.611	20	
99	5.51	5.363	20	
100	5.51	5.616	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.66	20	
2	5.51	5.683	20	
3	5.51	5.576	20	
4	5.51	5.511	20	*
5	5.51	5.311	20	
6	5.51	5.51	20	*
7	5.51	5.62	20	
8	5.51	5.701	20	
9	5.51	5.503	20	*
10	5.51	5.363	20	
11	5.51	5.447	20	
12	5.51	5.656	20	
13	5.51	5.422	20	
14	5.51	5.476	20	
15	5.51	5.549	20	
16	5.51	5.343	20	
17	5.51	5.661	20	
18	5.51	5.266	20	
19	5.51	5.705	20	
20	5.51	5.397	20	
21	5.51	5.514	20	*
22	5.51	5.282	20	
23	5.51	5.583	20	
24	5.51	5.607	20	
25	5.51	5.434	20	
26	5.51	5.39	20	
27	5.51	5.616	20	
28	5.51	5.309	20	
29	5.51	5.638	20	
30	5.51	5.561	20	
31	5.51	5.389	20	
32	5.51	5.283	20	
33	5.51	5.254	20	
34	5.51	5.416	20	
35	5.51	5.512	20	*
36	5.51	5.482	20	
37	5.51	5.653	20	
38	5.51	5.681	20	
39	5.51	5.559	20	
40	5.51	5.291	20	
41	5.51	5.603	20	
42	5.51	5.325	20	
43	5.51	5.585	20	
44	5.51	5.293	20	
45	5.51	5.537	20	
46	5.51	5.717	20	
47	5.51	5.715	20	
48	5.51	5.453	20	
49	5.51	5.322	20	
50	5.51	5.498	20	
51	5.51	5.5	20	*
52	5.51	5.391	20	
53	5.51	5.577	20	
54	5.51	5.334	20	
55	5.51	5.556	20	
56	5.51	5.358	20	
57	5.51	5.499	20	
58	5.51	5.565	20	
59	5.51	5.629	20	
60	5.51	5.252	20	
61	5.51	5.406	20	
62	5.51	5.337	20	
63	5.51	5.582	20	
64	5.51	5.364	20	
65	5.51	5.466	20	
66	5.51	5.417	20	
67	5.51	5.666	20	
68	5.51	5.462	20	
69	5.51	5.393	20	
70	5.51	5.672	20	
71	5.51	5.25	20	
72	5.51	5.299	20	
73	5.51	5.338	20	
74	5.51	5.649	20	
75	5.51	5.536	20	
76	5.51	5.617	20	
77	5.51	5.28	20	
78	5.51	5.317	20	
79	5.51	5.693	20	
80	5.51	5.257	20	
81	5.51	5.697	20	
82	5.51	5.392	20	
83	5.51	5.587	20	
84	5.51	5.533	20	
85	5.51	5.387	20	
86	5.51	5.339	20	
87	5.51	5.621	20	
88	5.51	5.571	20	
89	5.51	5.548	20	
90	5.51	5.574	20	
91	5.51	5.44	20	
92	5.51	5.518	20	*
93	5.51	5.7	20	
94	5.51	5.423	20	
95	5.51	5.29	20	
96	5.51	5.394	20	
97	5.51	5.67	20	
98	5.51	5.344	20	
99	5.51	5.277	20	
100	5.51	5.31	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.711	20	
2	5.51	5.585	20	
3	5.51	5.718	20	
4	5.51	5.629	20	
5	5.51	5.317	20	
6	5.51	5.547	20	
7	5.51	5.601	20	
8	5.51	5.608	20	
9	5.51	5.665	20	
10	5.51	5.634	20	
11	5.51	5.31	20	
12	5.51	5.386	20	
13	5.51	5.478	20	
14	5.51	5.622	20	
15	5.51	5.499	20	
16	5.51	5.689	20	
17	5.51	5.493	20	
18	5.51	5.459	20	
19	5.51	5.61	20	
20	5.51	5.522	20	
21	5.51	5.352	20	
22	5.51	5.489	20	
23	5.51	5.573	20	
24	5.51	5.269	20	
25	5.51	5.369	20	
26	5.51	5.325	20	
27	5.51	5.627	20	
28	5.51	5.323	20	
29	5.51	5.561	20	
30	5.51	5.29	20	
31	5.51	5.469	20	
32	5.51	5.486	20	
33	5.51	5.666	20	
34	5.51	5.457	20	
35	5.51	5.368	20	
36	5.51	5.37	20	
37	5.51	5.598	20	
38	5.51	5.505	20	*
39	5.51	5.307	20	
40	5.51	5.72	20	
41	5.51	5.681	20	
42	5.51	5.476	20	
43	5.51	5.638	20	
44	5.51	5.556	20	
45	5.51	5.268	20	
46	5.51	5.724	20	
47	5.51	5.438	20	
48	5.51	5.456	20	
49	5.51	5.33	20	
50	5.51	5.482	20	
51	5.51	5.422	20	
52	5.51	5.537	20	
53	5.51	5.293	20	
54	5.51	5.412	20	
55	5.51	5.494	20	
56	5.51	5.616	20	
57	5.51	5.657	20	
58	5.51	5.524	20	
59	5.51	5.448	20	
60	5.51	5.492	20	
61	5.51	5.309	20	
62	5.51	5.277	20	
63	5.51	5.695	20	
64	5.51	5.431	20	
65	5.51	5.358	20	
66	5.51	5.334	20	
67	5.51	5.487	20	
68	5.51	5.643	20	
69	5.51	5.506	20	*
70	5.51	5.632	20	
71	5.51	5.569	20	
72	5.51	5.308	20	
73	5.51	5.257	20	
74	5.51	5.363	20	
75	5.51	5.645	20	
76	5.51	5.445	20	
77	5.51	5.286	20	
78	5.51	5.535	20	
79	5.51	5.536	20	
80	5.51	5.631	20	
81	5.51	5.311	20	
82	5.51	5.392	20	
83	5.51	5.46	20	
84	5.51	5.382	20	
85	5.51	5.443	20	
86	5.51	5.278	20	
87	5.51	5.295	20	
88	5.51	5.559	20	
89	5.51	5.607	20	
90	5.51	5.705	20	
91	5.51	5.577	20	
92	5.51	5.673	20	
93	5.51	5.589	20	
94	5.51	5.563	20	
95	5.51	5.516	20	*
96	5.51	5.693	20	
97	5.51	5.468	20	
98	5.51	5.357	20	
99	5.51	5.464	20	
100	5.51	5.611	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.437	20	
2	5.51	5.313	20	
3	5.51	5.262	20	
4	5.51	5.601	20	
5	5.51	5.389	20	
6	5.51	5.494	20	
7	5.51	5.541	20	
8	5.51	5.712	20	
9	5.51	5.595	20	
10	5.51	5.457	20	
11	5.51	5.616	20	
12	5.51	5.55	20	
13	5.51	5.575	20	
14	5.51	5.568	20	
15	5.51	5.343	20	
16	5.51	5.603	20	
17	5.51	5.701	20	
18	5.51	5.637	20	
19	5.51	5.657	20	
20	5.51	5.522	20	
21	5.51	5.409	20	
22	5.51	5.435	20	
23	5.51	5.397	20	
24	5.51	5.38	20	
25	5.51	5.303	20	
26	5.51	5.464	20	
27	5.51	5.425	20	
28	5.51	5.264	20	
29	5.51	5.459	20	
30	5.51	5.523	20	
31	5.51	5.534	20	
32	5.51	5.621	20	
33	5.51	5.322	20	
34	5.51	5.371	20	
35	5.51	5.444	20	
36	5.51	5.64	20	
37	5.51	5.717	20	
38	5.51	5.391	20	
39	5.51	5.402	20	
40	5.51	5.649	20	
41	5.51	5.469	20	
42	5.51	5.488	20	
43	5.51	5.449	20	
44	5.51	5.569	20	
45	5.51	5.49	20	
46	5.51	5.404	20	
47	5.51	5.381	20	
48	5.51	5.581	20	
49	5.51	5.269	20	
50	5.51	5.348	20	
51	5.51	5.574	20	
52	5.51	5.47	20	
53	5.51	5.611	20	
54	5.51	5.46	20	
55	5.51	5.263	20	
56	5.51	5.394	20	
57	5.51	5.454	20	
58	5.51	5.579	20	
59	5.51	5.463	20	
60	5.51	5.61	20	
61	5.51	5.324	20	
62	5.51	5.507	20	*
63	5.51	5.423	20	
64	5.51	5.37	20	
65	5.51	5.543	20	
66	5.51	5.589	20	
67	5.51	5.666	20	
68	5.51	5.312	20	
69	5.51	5.387	20	
70	5.51	5.639	20	
71	5.51	5.545	20	
72	5.51	5.352	20	
73	5.51	5.512	20	*
74	5.51	5.539	20	
75	5.51	5.662	20	
76	5.51	5.623	20	
77	5.51	5.367	20	
78	5.51	5.408	20	
79	5.51	5.376	20	
80	5.51	5.716	20	
81	5.51	5.719	20	
82	5.51	5.614	20	
83	5.51	5.646	20	
84	5.51	5.638	20	
85	5.51	5.395	20	
86	5.51	5.378	20	
87	5.51	5.668	20	
88	5.51	5.656	20	
89	5.51	5.627	20	
90	5.51	5.446	20	
91	5.51	5.518	20	*
92	5.51	5.334	20	
93	5.51	5.549	20	
94	5.51	5.515	20	*
95	5.51	5.578	20	
96	5.51	5.43	20	
97	5.51	5.292	20	
98	5.51	5.495	20	
99	5.51	5.308	20	
100	5.51	5.516	20	*

TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.414	20	
2	5.51	5.332	20	
3	5.51	5.477	20	
4	5.51	5.34	20	
5	5.51	5.72	20	
6	5.51	5.58	20	
7	5.51	5.583	20	
8	5.51	5.502	20	*
9	5.51	5.392	20	
10	5.51	5.391	20	
11	5.51	5.644	20	
12	5.51	5.486	20	
13	5.51	5.389	20	
14	5.51	5.686	20	
15	5.51	5.537	20	
16	5.51	5.434	20	
17	5.51	5.494	20	
18	5.51	5.579	20	
19	5.51	5.53	20	
20	5.51	5.345	20	
21	5.51	5.447	20	
22	5.51	5.642	20	
23	5.51	5.272	20	
24	5.51	5.661	20	
25	5.51	5.379	20	
26	5.51	5.563	20	
27	5.51	5.281	20	
28	5.51	5.594	20	
29	5.51	5.405	20	
30	5.51	5.442	20	
31	5.51	5.386	20	
32	5.51	5.623	20	
33	5.51	5.478	20	
34	5.51	5.354	20	
35	5.51	5.302	20	
36	5.51	5.671	20	
37	5.51	5.309	20	
38	5.51	5.709	20	
39	5.51	5.495	20	
40	5.51	5.274	20	
41	5.51	5.482	20	
42	5.51	5.603	20	
43	5.51	5.424	20	
44	5.51	5.516	20	*
45	5.51	5.719	20	
46	5.51	5.398	20	
47	5.51	5.581	20	
48	5.51	5.428	20	
49	5.51	5.417	20	
50	5.51	5.648	20	
51	5.51	5.679	20	
52	5.51	5.415	20	
53	5.51	5.375	20	
54	5.51	5.61	20	
55	5.51	5.602	20	
56	5.51	5.35	20	
57	5.51	5.512	20	*
58	5.51	5.451	20	
59	5.51	5.322	20	
60	5.51	5.596	20	
61	5.51	5.27	20	
62	5.51	5.374	20	
63	5.51	5.566	20	
64	5.51	5.318	20	
65	5.51	5.36	20	
66	5.51	5.501	20	*
67	5.51	5.6	20	
68	5.51	5.517	20	*
69	5.51	5.716	20	
70	5.51	5.343	20	
71	5.51	5.325	20	
72	5.51	5.618	20	
73	5.51	5.585	20	
74	5.51	5.685	20	
75	5.51	5.431	20	
76	5.51	5.418	20	
77	5.51	5.353	20	
78	5.51	5.678	20	
79	5.51	5.607	20	
80	5.51	5.624	20	
81	5.51	5.524	20	
82	5.51	5.536	20	
83	5.51	5.264	20	
84	5.51	5.413	20	
85	5.51	5.587	20	
86	5.51	5.697	20	
87	5.51	5.689	20	
88	5.51	5.468	20	
89	5.51	5.315	20	
90	5.51	5.592	20	
91	5.51	5.499	20	
92	5.51	5.481	20	
93	5.51	5.659	20	
94	5.51	5.702	20	
95	5.51	5.545	20	
96	5.51	5.568	20	
97	5.51	5.339	20	
98	5.51	5.529	20	
99	5.51	5.251	20	
100	5.51	5.396	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.68	20	
2	5.51	5.662	20	
3	5.51	5.417	20	
4	5.51	5.691	20	
5	5.51	5.461	20	
6	5.51	5.45	20	
7	5.51	5.616	20	
8	5.51	5.613	20	
9	5.51	5.448	20	
10	5.51	5.276	20	
11	5.51	5.399	20	
12	5.51	5.505	20	*
13	5.51	5.49	20	
14	5.51	5.607	20	
15	5.51	5.632	20	
16	5.51	5.599	20	
17	5.51	5.452	20	
18	5.51	5.604	20	
19	5.51	5.634	20	
20	5.51	5.367	20	
21	5.51	5.295	20	
22	5.51	5.422	20	
23	5.51	5.516	20	*
24	5.51	5.684	20	
25	5.51	5.623	20	
26	5.51	5.327	20	
27	5.51	5.484	20	
28	5.51	5.348	20	
29	5.51	5.39	20	
30	5.51	5.532	20	
31	5.51	5.672	20	
32	5.51	5.405	20	
33	5.51	5.433	20	
34	5.51	5.25	20	
35	5.51	5.501	20	*
36	5.51	5.497	20	
37	5.51	5.319	20	
38	5.51	5.46	20	
39	5.51	5.699	20	
40	5.51	5.647	20	
41	5.51	5.704	20	
42	5.51	5.685	20	
43	5.51	5.583	20	
44	5.51	5.653	20	
45	5.51	5.513	20	*
46	5.51	5.402	20	
47	5.51	5.578	20	
48	5.51	5.365	20	
49	5.51	5.66	20	
50	5.51	5.621	20	
51	5.51	5.437	20	
52	5.51	5.412	20	
53	5.51	5.617	20	
54	5.51	5.492	20	
55	5.51	5.261	20	
56	5.51	5.702	20	
57	5.51	5.538	20	
58	5.51	5.508	20	*
59	5.51	5.645	20	
60	5.51	5.543	20	
61	5.51	5.468	20	
62	5.51	5.694	20	
63	5.51	5.537	20	
64	5.51	5.688	20	
65	5.51	5.441	20	
66	5.51	5.611	20	
67	5.51	5.37	20	
68	5.51	5.4	20	
69	5.51	5.34	20	
70	5.51	5.707	20	
71	5.51	5.277	20	
72	5.51	5.363	20	
73	5.51	5.576	20	
74	5.51	5.524	20	
75	5.51	5.36	20	
76	5.51	5.471	20	
77	5.51	5.486	20	
78	5.51	5.572	20	
79	5.51	5.42	20	
80	5.51	5.266	20	
81	5.51	5.72	20	
82	5.51	5.326	20	
83	5.51	5.345	20	
84	5.51	5.682	20	
85	5.51	5.629	20	
86	5.51	5.526	20	
87	5.51	5.6	20	
88	5.51	5.628	20	
89	5.51	5.408	20	
90	5.51	5.453	20	
91	5.51	5.651	20	
92	5.51	5.48	20	
93	5.51	5.687	20	
94	5.51	5.61	20	
95	5.51	5.378	20	
96	5.51	5.495	20	
97	5.51	5.498	20	
98	5.51	5.382	20	
99	5.51	5.265	20	
100	5.51	5.317	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.462	20	
2	5.51	5.71	20	
3	5.51	5.632	20	
4	5.51	5.262	20	
5	5.51	5.368	20	
6	5.51	5.652	20	
7	5.51	5.511	20	*
8	5.51	5.429	20	
9	5.51	5.294	20	
10	5.51	5.563	20	
11	5.51	5.293	20	
12	5.51	5.646	20	
13	5.51	5.712	20	
14	5.51	5.379	20	
15	5.51	5.573	20	
16	5.51	5.627	20	
17	5.51	5.598	20	
18	5.51	5.256	20	
19	5.51	5.561	20	
20	5.51	5.606	20	
21	5.51	5.431	20	
22	5.51	5.559	20	
23	5.51	5.568	20	
24	5.51	5.503	20	*
25	5.51	5.267	20	
26	5.51	5.364	20	
27	5.51	5.648	20	
28	5.51	5.547	20	
29	5.51	5.643	20	
30	5.51	5.307	20	
31	5.51	5.565	20	
32	5.51	5.358	20	
33	5.51	5.348	20	
34	5.51	5.403	20	
35	5.51	5.435	20	
36	5.51	5.517	20	*
37	5.51	5.585	20	
38	5.51	5.61	20	
39	5.51	5.345	20	
40	5.51	5.612	20	
41	5.51	5.689	20	
42	5.51	5.33	20	
43	5.51	5.409	20	
44	5.51	5.446	20	
45	5.51	5.521	20	
46	5.51	5.339	20	
47	5.51	5.455	20	
48	5.51	5.416	20	
49	5.51	5.645	20	
50	5.51	5.653	20	
51	5.51	5.331	20	
52	5.51	5.513	20	*
53	5.51	5.663	20	
54	5.51	5.623	20	
55	5.51	5.46	20	
56	5.51	5.371	20	
57	5.51	5.433	20	
58	5.51	5.318	20	
59	5.51	5.562	20	
60	5.51	5.363	20	
61	5.51	5.445	20	
62	5.51	5.669	20	
63	5.51	5.554	20	
64	5.51	5.391	20	
65	5.51	5.493	20	
66	5.51	5.389	20	
67	5.51	5.354	20	
68	5.51	5.527	20	
69	5.51	5.638	20	
70	5.51	5.707	20	
71	5.51	5.404	20	
72	5.51	5.454	20	
73	5.51	5.65	20	
74	5.51	5.347	20	
75	5.51	5.631	20	
76	5.51	5.366	20	
77	5.51	5.487	20	
78	5.51	5.412	20	
79	5.51	5.659	20	
80	5.51	5.693	20	
81	5.51	5.705	20	
82	5.51	5.407	20	
83	5.51	5.657	20	
84	5.51	5.326	20	
85	5.51	5.668	20	
86	5.51	5.437	20	
87	5.51	5.353	20	
88	5.51	5.405	20	
89	5.51	5.396	20	
90	5.51	5.581	20	
91	5.51	5.701	20	
92	5.51	5.453	20	
93	5.51	5.644	20	
94	5.51	5.275	20	
95	5.51	5.49	20	
96	5.51	5.276	20	
97	5.51	5.464	20	
98	5.51	5.382	20	
99	5.51	5.29	20	
100	5.51	5.538	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.671	20	
2	5.51	5.394	20	
3	5.51	5.601	20	
4	5.51	5.354	20	
5	5.51	5.699	20	
6	5.51	5.614	20	
7	5.51	5.626	20	
8	5.51	5.264	20	
9	5.51	5.294	20	
10	5.51	5.262	20	
11	5.51	5.412	20	
12	5.51	5.492	20	
13	5.51	5.719	20	
14	5.51	5.615	20	
15	5.51	5.34	20	
16	5.51	5.267	20	
17	5.51	5.525	20	
18	5.51	5.378	20	
19	5.51	5.26	20	
20	5.51	5.612	20	
21	5.51	5.374	20	
22	5.51	5.678	20	
23	5.51	5.359	20	
24	5.51	5.389	20	
25	5.51	5.347	20	
26	5.51	5.648	20	
27	5.51	5.517	20	*
28	5.51	5.405	20	
29	5.51	5.554	20	
30	5.51	5.415	20	
31	5.51	5.679	20	
32	5.51	5.616	20	
33	5.51	5.665	20	
34	5.51	5.694	20	
35	5.51	5.358	20	
36	5.51	5.566	20	
37	5.51	5.289	20	
38	5.51	5.716	20	
39	5.51	5.258	20	
40	5.51	5.632	20	
41	5.51	5.342	20	
42	5.51	5.324	20	
43	5.51	5.376	20	
44	5.51	5.602	20	
45	5.51	5.46	20	
46	5.51	5.411	20	
47	5.51	5.71	20	
48	5.51	5.381	20	
49	5.51	5.474	20	
50	5.51	5.597	20	
51	5.51	5.255	20	
52	5.51	5.272	20	
53	5.51	5.409	20	
54	5.51	5.715	20	
55	5.51	5.397	20	
56	5.51	5.53	20	
57	5.51	5.67	20	
58	5.51	5.263	20	
59	5.51	5.668	20	
60	5.51	5.503	20	*
61	5.51	5.511	20	*
62	5.51	5.321	20	
63	5.51	5.52	20	*
64	5.51	5.44	20	
65	5.51	5.261	20	
66	5.51	5.712	20	
67	5.51	5.494	20	
68	5.51	5.673	20	
69	5.51	5.419	20	
70	5.51	5.666	20	
71	5.51	5.292	20	
72	5.51	5.408	20	
73	5.51	5.575	20	
74	5.51	5.507	20	*
75	5.51	5.477	20	
76	5.51	5.328	20	
77	5.51	5.475	20	
78	5.51	5.448	20	
79	5.51	5.421	20	
80	5.51	5.633	20	
81	5.51	5.377	20	
82	5.51	5.549	20	
83	5.51	5.658	20	
84	5.51	5.329	20	
85	5.51	5.35	20	
86	5.51	5.39	20	
87	5.51	5.595	20	
88	5.51	5.384	20	
89	5.51	5.485	20	
90	5.51	5.705	20	
91	5.51	5.25	20	
92	5.51	5.528	20	
93	5.51	5.432	20	
94	5.51	5.404	20	
95	5.51	5.651	20	
96	5.51	5.395	20	
97	5.51	5.698	20	
98	5.51	5.457	20	
99	5.51	5.402	20	
100	5.51	5.266	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.54	20	
2	5.51	5.288	20	
3	5.51	5.692	20	
4	5.51	5.612	20	
5	5.51	5.629	20	
6	5.51	5.499	20	
7	5.51	5.286	20	
8	5.51	5.393	20	
9	5.51	5.358	20	
10	5.51	5.264	20	
11	5.51	5.655	20	
12	5.51	5.394	20	
13	5.51	5.632	20	
14	5.51	5.527	20	
15	5.51	5.43	20	
16	5.51	5.25	20	
17	5.51	5.339	20	
18	5.51	5.566	20	
19	5.51	5.269	20	
20	5.51	5.57	20	
21	5.51	5.628	20	
22	5.51	5.312	20	
23	5.51	5.553	20	
24	5.51	5.444	20	
25	5.51	5.415	20	
26	5.51	5.602	20	
27	5.51	5.427	20	
28	5.51	5.599	20	
29	5.51	5.683	20	
30	5.51	5.601	20	
31	5.51	5.435	20	
32	5.51	5.4	20	
33	5.51	5.319	20	
34	5.51	5.709	20	
35	5.51	5.492	20	
36	5.51	5.448	20	
37	5.51	5.621	20	
38	5.51	5.346	20	
39	5.51	5.419	20	
40	5.51	5.518	20	*
41	5.51	5.342	20	
42	5.51	5.526	20	
43	5.51	5.533	20	
44	5.51	5.382	20	
45	5.51	5.511	20	*
46	5.51	5.686	20	
47	5.51	5.594	20	
48	5.51	5.596	20	
49	5.51	5.292	20	
50	5.51	5.253	20	
51	5.51	5.416	20	
52	5.51	5.697	20	
53	5.51	5.539	20	
54	5.51	5.396	20	
55	5.51	5.411	20	
56	5.51	5.661	20	
57	5.51	5.694	20	
58	5.51	5.53	20	
59	5.51	5.304	20	
60	5.51	5.352	20	
61	5.51	5.324	20	
62	5.51	5.409	20	
63	5.51	5.425	20	
64	5.51	5.274	20	
65	5.51	5.548	20	
66	5.51	5.413	20	
67	5.51	5.668	20	
68	5.51	5.257	20	
69	5.51	5.714	20	
70	5.51	5.498	20	
71	5.51	5.61	20	
72	5.51	5.432	20	
73	5.51	5.614	20	
74	5.51	5.598	20	
75	5.51	5.555	20	
76	5.51	5.506	20	*
77	5.51	5.658	20	
78	5.51	5.681	20	
79	5.51	5.645	20	
80	5.51	5.424	20	
81	5.51	5.615	20	
82	5.51	5.407	20	
83	5.51	5.693	20	
84	5.51	5.51	20	*
85	5.51	5.357	20	
86	5.51	5.471	20	
87	5.51	5.268	20	
88	5.51	5.466	20	
89	5.51	5.291	20	
90	5.51	5.483	20	
91	5.51	5.33	20	
92	5.51	5.459	20	
93	5.51	5.609	20	
94	5.51	5.301	20	
95	5.51	5.38	20	
96	5.51	5.372	20	
97	5.51	5.62	20	
98	5.51	5.468	20	
99	5.51	5.295	20	
100	5.51	5.337	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.323	20	
2	5.51	5.414	20	
3	5.51	5.466	20	
4	5.51	5.562	20	
5	5.51	5.304	20	
6	5.51	5.386	20	
7	5.51	5.535	20	
8	5.51	5.524	20	
9	5.51	5.705	20	
10	5.51	5.574	20	
11	5.51	5.537	20	
12	5.51	5.666	20	
13	5.51	5.541	20	
14	5.51	5.461	20	
15	5.51	5.502	20	*
16	5.51	5.531	20	
17	5.51	5.52	20	*
18	5.51	5.628	20	
19	5.51	5.553	20	
20	5.51	5.298	20	
21	5.51	5.438	20	
22	5.51	5.273	20	
23	5.51	5.338	20	
24	5.51	5.642	20	
25	5.51	5.387	20	
26	5.51	5.439	20	
27	5.51	5.371	20	
28	5.51	5.62	20	
29	5.51	5.696	20	
30	5.51	5.643	20	
31	5.51	5.457	20	
32	5.51	5.55	20	
33	5.51	5.613	20	
34	5.51	5.498	20	
35	5.51	5.694	20	
36	5.51	5.514	20	*
37	5.51	5.255	20	
38	5.51	5.376	20	
39	5.51	5.283	20	
40	5.51	5.257	20	
41	5.51	5.359	20	
42	5.51	5.409	20	
43	5.51	5.538	20	
44	5.51	5.253	20	
45	5.51	5.668	20	
46	5.51	5.682	20	
47	5.51	5.49	20	
48	5.51	5.453	20	
49	5.51	5.691	20	
50	5.51	5.28	20	
51	5.51	5.724	20	
52	5.51	5.722	20	
53	5.51	5.329	20	
54	5.51	5.481	20	
55	5.51	5.297	20	
56	5.51	5.335	20	
57	5.51	5.552	20	
58	5.51	5.657	20	
59	5.51	5.325	20	
60	5.51	5.611	20	
61	5.51	5.309	20	
62	5.51	5.262	20	
63	5.51	5.25	20	
64	5.51	5.299	20	
65	5.51	5.341	20	
66	5.51	5.288	20	
67	5.51	5.316	20	
68	5.51	5.567	20	
69	5.51	5.351	20	
70	5.51	5.495	20	
71	5.51	5.622	20	
72	5.51	5.618	20	
73	5.51	5.695	20	
74	5.51	5.349	20	
75	5.51	5.692	20	
76	5.51	5.334	20	
77	5.51	5.449	20	
78	5.51	5.346	20	
79	5.51	5.467	20	
80	5.51	5.683	20	
81	5.51	5.7	20	
82	5.51	5.549	20	
83	5.51	5.3	20	
84	5.51	5.383	20	
85	5.51	5.508	20	*
86	5.51	5.395	20	
87	5.51	5.368	20	
88	5.51	5.281	20	
89	5.51	5.659	20	
90	5.51	5.462	20	
91	5.51	5.296	20	
92	5.51	5.646	20	
93	5.51	5.391	20	
94	5.51	5.518	20	*
95	5.51	5.482	20	
96	5.51	5.521	20	
97	5.51	5.4	20	
98	5.51	5.425	20	
99	5.51	5.664	20	
100	5.51	5.407	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.388	20	
2	5.51	5.459	20	
3	5.51	5.553	20	
4	5.51	5.631	20	
5	5.51	5.632	20	
6	5.51	5.467	20	
7	5.51	5.323	20	
8	5.51	5.527	20	
9	5.51	5.64	20	
10	5.51	5.367	20	
11	5.51	5.312	20	
12	5.51	5.387	20	
13	5.51	5.564	20	
14	5.51	5.33	20	
15	5.51	5.346	20	
16	5.51	5.53	20	
17	5.51	5.578	20	
18	5.51	5.501	20	*
19	5.51	5.651	20	
20	5.51	5.609	20	
21	5.51	5.461	20	
22	5.51	5.7	20	
23	5.51	5.253	20	
24	5.51	5.406	20	
25	5.51	5.26	20	
26	5.51	5.444	20	
27	5.51	5.266	20	
28	5.51	5.704	20	
29	5.51	5.681	20	
30	5.51	5.298	20	
31	5.51	5.574	20	
32	5.51	5.633	20	
33	5.51	5.294	20	
34	5.51	5.56	20	
35	5.51	5.562	20	
36	5.51	5.485	20	
37	5.51	5.666	20	
38	5.51	5.416	20	
39	5.51	5.374	20	
40	5.51	5.552	20	
41	5.51	5.596	20	
42	5.51	5.635	20	
43	5.51	5.413	20	
44	5.51	5.355	20	
45	5.51	5.503	20	*
46	5.51	5.3	20	
47	5.51	5.709	20	
48	5.51	5.366	20	
49	5.51	5.314	20	
50	5.51	5.291	20	
51	5.51	5.353	20	
52	5.51	5.712	20	
53	5.51	5.498	20	
54	5.51	5.519	20	*
55	5.51	5.439	20	
56	5.51	5.462	20	
57	5.51	5.483	20	
58	5.51	5.537	20	
59	5.51	5.396	20	
60	5.51	5.569	20	
61	5.51	5.698	20	
62	5.51	5.261	20	
63	5.51	5.363	20	
64	5.51	5.579	20	
65	5.51	5.469	20	
66	5.51	5.669	20	
67	5.51	5.28	20	
68	5.51	5.492	20	
69	5.51	5.581	20	
70	5.51	5.548	20	
71	5.51	5.484	20	
72	5.51	5.358	20	
73	5.51	5.667	20	
74	5.51	5.68	20	
75	5.51	5.52	20	*
76	5.51	5.605	20	
77	5.51	5.289	20	
78	5.51	5.722	20	
79	5.51	5.426	20	
80	5.51	5.544	20	
81	5.51	5.723	20	
82	5.51	5.286	20	
83	5.51	5.708	20	
84	5.51	5.474	20	
85	5.51	5.453	20	
86	5.51	5.417	20	
87	5.51	5.619	20	
88	5.51	5.322	20	
89	5.51	5.434	20	
90	5.51	5.276	20	
91	5.51	5.523	20	
92	5.51	5.541	20	
93	5.51	5.354	20	
94	5.51	5.502	20	*
95	5.51	5.421	20	
96	5.51	5.641	20	
97	5.51	5.252	20	
98	5.51	5.423	20	
99	5.51	5.465	20	
100	5.51	5.349	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.656	20	
2	5.51	5.509	20	*
3	5.51	5.474	20	
4	5.51	5.508	20	*
5	5.51	5.619	20	
6	5.51	5.549	20	
7	5.51	5.265	20	
8	5.51	5.531	20	
9	5.51	5.467	20	
10	5.51	5.519	20	*
11	5.51	5.606	20	
12	5.51	5.695	20	
13	5.51	5.307	20	
14	5.51	5.714	20	
15	5.51	5.295	20	
16	5.51	5.428	20	
17	5.51	5.723	20	
18	5.51	5.542	20	
19	5.51	5.382	20	
20	5.51	5.431	20	
21	5.51	5.53	20	
22	5.51	5.497	20	
23	5.51	5.518	20	*
24	5.51	5.326	20	
25	5.51	5.716	20	
26	5.51	5.488	20	
27	5.51	5.4	20	
28	5.51	5.469	20	
29	5.51	5.717	20	
30	5.51	5.505	20	*
31	5.51	5.362	20	
32	5.51	5.707	20	
33	5.51	5.599	20	
34	5.51	5.321	20	
35	5.51	5.401	20	
36	5.51	5.417	20	
37	5.51	5.719	20	
38	5.51	5.668	20	
39	5.51	5.528	20	
40	5.51	5.513	20	*
41	5.51	5.492	20	
42	5.51	5.423	20	
43	5.51	5.651	20	
44	5.51	5.691	20	
45	5.51	5.371	20	
46	5.51	5.614	20	
47	5.51	5.32	20	
48	5.51	5.384	20	
49	5.51	5.374	20	
50	5.51	5.331	20	
51	5.51	5.64	20	
52	5.51	5.337	20	
53	5.51	5.256	20	
54	5.51	5.298	20	
55	5.51	5.561	20	
56	5.51	5.302	20	
57	5.51	5.447	20	
58	5.51	5.435	20	
59	5.51	5.285	20	
60	5.51	5.711	20	
61	5.51	5.429	20	
62	5.51	5.605	20	
63	5.51	5.686	20	
64	5.51	5.569	20	
65	5.51	5.596	20	
66	5.51	5.478	20	
67	5.51	5.637	20	
68	5.51	5.625	20	
69	5.51	5.664	20	
70	5.51	5.489	20	
71	5.51	5.473	20	
72	5.51	5.33	20	
73	5.51	5.352	20	
74	5.51	5.589	20	
75	5.51	5.698	20	
76	5.51	5.445	20	
77	5.51	5.547	20	
78	5.51	5.682	20	
79	5.51	5.418	20	
80	5.51	5.304	20	
81	5.51	5.379	20	
82	5.51	5.557	20	
83	5.51	5.552	20	
84	5.51	5.325	20	
85	5.51	5.424	20	
86	5.51	5.346	20	
87	5.51	5.679	20	
88	5.51	5.356	20	
89	5.51	5.667	20	
90	5.51	5.591	20	
91	5.51	5.353	20	
92	5.51	5.553	20	
93	5.51	5.527	20	
94	5.51	5.402	20	
95	5.51	5.278	20	
96	5.51	5.481	20	
97	5.51	5.28	20	
98	5.51	5.642	20	
99	5.51	5.595	20	
100	5.51	5.412	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.631	20	
2	5.51	5.588	20	
3	5.51	5.609	20	
4	5.51	5.548	20	
5	5.51	5.647	20	
6	5.51	5.557	20	
7	5.51	5.336	20	
8	5.51	5.273	20	
9	5.51	5.546	20	
10	5.51	5.317	20	
11	5.51	5.352	20	
12	5.51	5.292	20	
13	5.51	5.527	20	
14	5.51	5.689	20	
15	5.51	5.696	20	
16	5.51	5.629	20	
17	5.51	5.49	20	
18	5.51	5.587	20	
19	5.51	5.363	20	
20	5.51	5.45	20	
21	5.51	5.419	20	
22	5.51	5.271	20	
23	5.51	5.655	20	
24	5.51	5.625	20	
25	5.51	5.659	20	
26	5.51	5.306	20	
27	5.51	5.477	20	
28	5.51	5.429	20	
29	5.51	5.314	20	
30	5.51	5.282	20	
31	5.51	5.646	20	
32	5.51	5.593	20	
33	5.51	5.531	20	
34	5.51	5.415	20	
35	5.51	5.399	20	
36	5.51	5.341	20	
37	5.51	5.431	20	
38	5.51	5.716	20	
39	5.51	5.345	20	
40	5.51	5.635	20	
41	5.51	5.6	20	
42	5.51	5.253	20	
43	5.51	5.709	20	
44	5.51	5.498	20	
45	5.51	5.574	20	
46	5.51	5.312	20	
47	5.51	5.653	20	
48	5.51	5.643	20	
49	5.51	5.554	20	
50	5.51	5.565	20	
51	5.51	5.38	20	
52	5.51	5.607	20	
53	5.51	5.365	20	
54	5.51	5.33	20	
55	5.51	5.507	20	*
56	5.51	5.651	20	
57	5.51	5.582	20	
58	5.51	5.424	20	
59	5.51	5.504	20	*
60	5.51	5.632	20	
61	5.51	5.7	20	
62	5.51	5.448	20	
63	5.51	5.29	20	
64	5.51	5.446	20	
65	5.51	5.395	20	
66	5.51	5.503	20	*
67	5.51	5.52	20	*
68	5.51	5.679	20	
69	5.51	5.447	20	
70	5.51	5.425	20	
71	5.51	5.319	20	
72	5.51	5.532	20	
73	5.51	5.251	20	
74	5.51	5.474	20	
75	5.51	5.639	20	
76	5.51	5.379	20	
77	5.51	5.332	20	
78	5.51	5.466	20	
79	5.51	5.274	20	
80	5.51	5.687	20	
81	5.51	5.322	20	
82	5.51	5.453	20	
83	5.51	5.473	20	
84	5.51	5.64	20	
85	5.51	5.454	20	
86	5.51	5.378	20	
87	5.51	5.536	20	
88	5.51	5.325	20	
89	5.51	5.417	20	
90	5.51	5.544	20	
91	5.51	5.591	20	
92	5.51	5.626	20	
93	5.51	5.692	20	
94	5.51	5.449	20	
95	5.51	5.633	20	
96	5.51	5.605	20	
97	5.51	5.604	20	
98	5.51	5.465	20	
99	5.51	5.265	20	
100	5.51	5.307	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.284	20	
2	5.51	5.462	20	
3	5.51	5.522	20	
4	5.51	5.298	20	
5	5.51	5.471	20	
6	5.51	5.493	20	
7	5.51	5.325	20	
8	5.51	5.558	20	
9	5.51	5.567	20	
10	5.51	5.313	20	
11	5.51	5.28	20	
12	5.51	5.398	20	
13	5.51	5.684	20	
14	5.51	5.619	20	
15	5.51	5.413	20	
16	5.51	5.699	20	
17	5.51	5.629	20	
18	5.51	5.428	20	
19	5.51	5.453	20	
20	5.51	5.369	20	
21	5.51	5.367	20	
22	5.51	5.649	20	
23	5.51	5.32	20	
24	5.51	5.315	20	
25	5.51	5.595	20	
26	5.51	5.559	20	
27	5.51	5.376	20	
28	5.51	5.259	20	
29	5.51	5.402	20	
30	5.51	5.41	20	
31	5.51	5.7	20	
32	5.51	5.538	20	
33	5.51	5.431	20	
34	5.51	5.695	20	
35	5.51	5.59	20	
36	5.51	5.327	20	
37	5.51	5.481	20	
38	5.51	5.349	20	
39	5.51	5.57	20	
40	5.51	5.294	20	
41	5.51	5.434	20	
42	5.51	5.573	20	
43	5.51	5.601	20	
44	5.51	5.704	20	
45	5.51	5.715	20	
46	5.51	5.561	20	
47	5.51	5.33	20	
48	5.51	5.373	20	
49	5.51	5.281	20	
50	5.51	5.696	20	
51	5.51	5.586	20	
52	5.51	5.566	20	
53	5.51	5.355	20	
54	5.51	5.45	20	
55	5.51	5.339	20	
56	5.51	5.353	20	
57	5.51	5.539	20	
58	5.51	5.64	20	
59	5.51	5.648	20	
60	5.51	5.278	20	
61	5.51	5.272	20	
62	5.51	5.651	20	
63	5.51	5.547	20	
64	5.51	5.674	20	
65	5.51	5.407	20	
66	5.51	5.664	20	
67	5.51	5.637	20	
68	5.51	5.371	20	
69	5.51	5.702	20	
70	5.51	5.445	20	
71	5.51	5.656	20	
72	5.51	5.604	20	
73	5.51	5.301	20	
74	5.51	5.308	20	
75	5.51	5.31	20	
76	5.51	5.528	20	
77	5.51	5.707	20	
78	5.51	5.312	20	
79	5.51	5.51	20	*
80	5.51	5.636	20	
81	5.51	5.309	20	
82	5.51	5.514	20	*
83	5.51	5.588	20	
84	5.51	5.593	20	
85	5.51	5.426	20	
86	5.51	5.303	20	
87	5.51	5.401	20	
88	5.51	5.399	20	
89	5.51	5.433	20	
90	5.51	5.523	20	
91	5.51	5.54	20	
92	5.51	5.505	20	*
93	5.51	5.657	20	
94	5.51	5.675	20	
95	5.51	5.27	20	
96	5.51	5.712	20	
97	5.51	5.631	20	
98	5.51	5.549	20	
99	5.51	5.44	20	
100	5.51	5.326	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.711	20	
2	5.51	5.615	20	
3	5.51	5.707	20	
4	5.51	5.649	20	
5	5.51	5.312	20	
6	5.51	5.724	20	
7	5.51	5.688	20	
8	5.51	5.432	20	
9	5.51	5.611	20	
10	5.51	5.555	20	
11	5.51	5.334	20	
12	5.51	5.309	20	
13	5.51	5.266	20	
14	5.51	5.448	20	
15	5.51	5.267	20	
16	5.51	5.451	20	
17	5.51	5.319	20	
18	5.51	5.257	20	
19	5.51	5.376	20	
20	5.51	5.3	20	
21	5.51	5.272	20	
22	5.51	5.479	20	
23	5.51	5.701	20	
24	5.51	5.423	20	
25	5.51	5.367	20	
26	5.51	5.415	20	
27	5.51	5.315	20	
28	5.51	5.307	20	
29	5.51	5.498	20	
30	5.51	5.5	20	*
31	5.51	5.57	20	
32	5.51	5.361	20	
33	5.51	5.568	20	
34	5.51	5.565	20	
35	5.51	5.629	20	
36	5.51	5.38	20	
37	5.51	5.509	20	*
38	5.51	5.304	20	
39	5.51	5.39	20	
40	5.51	5.51	20	*
41	5.51	5.7	20	
42	5.51	5.672	20	
43	5.51	5.284	20	
44	5.51	5.429	20	
45	5.51	5.398	20	
46	5.51	5.326	20	
47	5.51	5.642	20	
48	5.51	5.32	20	
49	5.51	5.715	20	
50	5.51	5.678	20	
51	5.51	5.336	20	
52	5.51	5.401	20	
53	5.51	5.529	20	
54	5.51	5.533	20	
55	5.51	5.536	20	
56	5.51	5.666	20	
57	5.51	5.393	20	
58	5.51	5.405	20	
59	5.51	5.325	20	
60	5.51	5.403	20	
61	5.51	5.366	20	
62	5.51	5.591	20	
63	5.51	5.37	20	
64	5.51	5.664	20	
65	5.51	5.299	20	
66	5.51	5.692	20	
67	5.51	5.465	20	
68	5.51	5.489	20	
69	5.51	5.599	20	
70	5.51	5.544	20	
71	5.51	5.539	20	
72	5.51	5.619	20	
73	5.51	5.484	20	
74	5.51	5.333	20	
75	5.51	5.478	20	
76	5.51	5.374	20	
77	5.51	5.488	20	
78	5.51	5.652	20	
79	5.51	5.638	20	
80	5.51	5.458	20	
81	5.51	5.583	20	
82	5.51	5.318	20	
83	5.51	5.305	20	
84	5.51	5.635	20	
85	5.51	5.594	20	
86	5.51	5.386	20	
87	5.51	5.503	20	*
88	5.51	5.516	20	*
89	5.51	5.658	20	
90	5.51	5.321	20	
91	5.51	5.418	20	
92	5.51	5.604	20	
93	5.51	5.293	20	
94	5.51	5.542	20	
95	5.51	5.584	20	
96	5.51	5.387	20	
97	5.51	5.495	20	
98	5.51	5.506	20	*
99	5.51	5.68	20	
100	5.51	5.416	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.281	20	
2	5.51	5.657	20	
3	5.51	5.331	20	
4	5.51	5.49	20	
5	5.51	5.386	20	
6	5.51	5.302	20	
7	5.51	5.42	20	
8	5.51	5.414	20	
9	5.51	5.608	20	
10	5.51	5.359	20	
11	5.51	5.553	20	
12	5.51	5.575	20	
13	5.51	5.314	20	
14	5.51	5.441	20	
15	5.51	5.685	20	
16	5.51	5.39	20	
17	5.51	5.639	20	
18	5.51	5.458	20	
19	5.51	5.364	20	
20	5.51	5.255	20	
21	5.51	5.351	20	
22	5.51	5.559	20	
23	5.51	5.389	20	
24	5.51	5.326	20	
25	5.51	5.55	20	
26	5.51	5.525	20	
27	5.51	5.398	20	
28	5.51	5.299	20	
29	5.51	5.568	20	
30	5.51	5.298	20	
31	5.51	5.671	20	
32	5.51	5.417	20	
33	5.51	5.564	20	
34	5.51	5.658	20	
35	5.51	5.268	20	
36	5.51	5.492	20	
37	5.51	5.296	20	
38	5.51	5.54	20	
39	5.51	5.598	20	
40	5.51	5.62	20	
41	5.51	5.256	20	
42	5.51	5.524	20	
43	5.51	5.674	20	
44	5.51	5.308	20	
45	5.51	5.498	20	
46	5.51	5.603	20	
47	5.51	5.263	20	
48	5.51	5.275	20	
49	5.51	5.272	20	
50	5.51	5.677	20	
51	5.51	5.367	20	
52	5.51	5.416	20	
53	5.51	5.538	20	
54	5.51	5.509	20	*
55	5.51	5.711	20	
56	5.51	5.396	20	
57	5.51	5.384	20	
58	5.51	5.505	20	*
59	5.51	5.56	20	
60	5.51	5.289	20	
61	5.51	5.447	20	
62	5.51	5.339	20	
63	5.51	5.363	20	
64	5.51	5.566	20	
65	5.51	5.293	20	
66	5.51	5.258	20	
67	5.51	5.695	20	
68	5.51	5.387	20	
69	5.51	5.587	20	
70	5.51	5.619	20	
71	5.51	5.522	20	
72	5.51	5.602	20	
73	5.51	5.647	20	
74	5.51	5.274	20	
75	5.51	5.721	20	
76	5.51	5.625	20	
77	5.51	5.562	20	
78	5.51	5.497	20	
79	5.51	5.601	20	
80	5.51	5.678	20	
81	5.51	5.388	20	
82	5.51	5.7	20	
83	5.51	5.679	20	
84	5.51	5.361	20	
85	5.51	5.604	20	
86	5.51	5.276	20	
87	5.51	5.368	20	
88	5.51	5.712	20	
89	5.51	5.374	20	
90	5.51	5.523	20	
91	5.51	5.479	20	
92	5.51	5.551	20	
93	5.51	5.426	20	
94	5.51	5.556	20	
95	5.51	5.552	20	
96	5.51	5.362	20	
97	5.51	5.654	20	
98	5.51	5.542	20	
99	5.51	5.34	20	
100	5.51	5.701	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.566	20	
2	5.51	5.462	20	
3	5.51	5.545	20	
4	5.51	5.448	20	
5	5.51	5.359	20	
6	5.51	5.506	20	*
7	5.51	5.55	20	
8	5.51	5.521	20	
9	5.51	5.443	20	
10	5.51	5.421	20	
11	5.51	5.305	20	
12	5.51	5.614	20	
13	5.51	5.681	20	
14	5.51	5.688	20	
15	5.51	5.718	20	
16	5.51	5.433	20	
17	5.51	5.558	20	
18	5.51	5.575	20	
19	5.51	5.608	20	
20	5.51	5.603	20	
21	5.51	5.436	20	
22	5.51	5.434	20	
23	5.51	5.345	20	
24	5.51	5.409	20	
25	5.51	5.285	20	
26	5.51	5.563	20	
27	5.51	5.408	20	
28	5.51	5.69	20	
29	5.51	5.373	20	
30	5.51	5.363	20	
31	5.51	5.647	20	
32	5.51	5.702	20	
33	5.51	5.67	20	
34	5.51	5.671	20	
35	5.51	5.625	20	
36	5.51	5.262	20	
37	5.51	5.516	20	*
38	5.51	5.622	20	
39	5.51	5.595	20	
40	5.51	5.557	20	
41	5.51	5.674	20	
42	5.51	5.394	20	
43	5.51	5.453	20	
44	5.51	5.678	20	
45	5.51	5.623	20	
46	5.51	5.655	20	
47	5.51	5.637	20	
48	5.51	5.481	20	
49	5.51	5.392	20	
50	5.51	5.642	20	
51	5.51	5.429	20	
52	5.51	5.679	20	
53	5.51	5.418	20	
54	5.51	5.422	20	
55	5.51	5.382	20	
56	5.51	5.699	20	
57	5.51	5.445	20	
58	5.51	5.45	20	
59	5.51	5.611	20	
60	5.51	5.621	20	
61	5.51	5.635	20	
62	5.51	5.643	20	
63	5.51	5.596	20	
64	5.51	5.544	20	
65	5.51	5.361	20	
66	5.51	5.62	20	
67	5.51	5.591	20	
68	5.51	5.312	20	
69	5.51	5.534	20	
70	5.51	5.588	20	
71	5.51	5.704	20	
72	5.51	5.34	20	
73	5.51	5.668	20	
74	5.51	5.585	20	
75	5.51	5.507	20	*
76	5.51	5.287	20	
77	5.51	5.353	20	
78	5.51	5.317	20	
79	5.51	5.491	20	
80	5.51	5.538	20	
81	5.51	5.492	20	
82	5.51	5.629	20	
83	5.51	5.322	20	
84	5.51	5.533	20	
85	5.51	5.633	20	
86	5.51	5.677	20	
87	5.51	5.378	20	
88	5.51	5.552	20	
89	5.51	5.319	20	
90	5.51	5.607	20	
91	5.51	5.449	20	
92	5.51	5.42	20	
93	5.51	5.424	20	
94	5.51	5.627	20	
95	5.51	5.278	20	
96	5.51	5.292	20	
97	5.51	5.341	20	
98	5.51	5.615	20	
99	5.51	5.335	20	
100	5.51	5.587	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.634	20	
2	5.51	5.337	20	
3	5.51	5.267	20	
4	5.51	5.408	20	
5	5.51	5.585	20	
6	5.51	5.545	20	
7	5.51	5.304	20	
8	5.51	5.628	20	
9	5.51	5.636	20	
10	5.51	5.527	20	
11	5.51	5.605	20	
12	5.51	5.356	20	
13	5.51	5.465	20	
14	5.51	5.252	20	
15	5.51	5.387	20	
16	5.51	5.41	20	
17	5.51	5.286	20	
18	5.51	5.483	20	
19	5.51	5.313	20	
20	5.51	5.563	20	
21	5.51	5.393	20	
22	5.51	5.692	20	
23	5.51	5.486	20	
24	5.51	5.452	20	
25	5.51	5.279	20	
26	5.51	5.58	20	
27	5.51	5.556	20	
28	5.51	5.543	20	
29	5.51	5.536	20	
30	5.51	5.65	20	
31	5.51	5.44	20	
32	5.51	5.482	20	
33	5.51	5.419	20	
34	5.51	5.558	20	
35	5.51	5.539	20	
36	5.51	5.575	20	
37	5.51	5.549	20	
38	5.51	5.389	20	
39	5.51	5.519	20	*
40	5.51	5.542	20	
41	5.51	5.671	20	
42	5.51	5.266	20	
43	5.51	5.316	20	
44	5.51	5.501	20	*
45	5.51	5.695	20	
46	5.51	5.535	20	
47	5.51	5.29	20	
48	5.51	5.699	20	
49	5.51	5.343	20	
50	5.51	5.254	20	
51	5.51	5.709	20	
52	5.51	5.376	20	
53	5.51	5.495	20	
54	5.51	5.499	20	
55	5.51	5.383	20	
56	5.51	5.586	20	
57	5.51	5.721	20	
58	5.51	5.388	20	
59	5.51	5.651	20	
60	5.51	5.578	20	
61	5.51	5.364	20	
62	5.51	5.277	20	
63	5.51	5.72	20	
64	5.51	5.498	20	
65	5.51	5.619	20	
66	5.51	5.473	20	
67	5.51	5.39	20	
68	5.51	5.436	20	
69	5.51	5.491	20	
70	5.51	5.355	20	
71	5.51	5.312	20	
72	5.51	5.373	20	
73	5.51	5.305	20	
74	5.51	5.689	20	
75	5.51	5.643	20	
76	5.51	5.322	20	
77	5.51	5.64	20	
78	5.51	5.319	20	
79	5.51	5.593	20	
80	5.51	5.307	20	
81	5.51	5.5	20	*
82	5.51	5.378	20	
83	5.51	5.547	20	
84	5.51	5.421	20	
85	5.51	5.713	20	
86	5.51	5.435	20	
87	5.51	5.53	20	
88	5.51	5.511	20	*
89	5.51	5.428	20	
90	5.51	5.367	20	
91	5.51	5.525	20	
92	5.51	5.282	20	
93	5.51	5.69	20	
94	5.51	5.469	20	
95	5.51	5.429	20	
96	5.51	5.402	20	
97	5.51	5.635	20	
98	5.51	5.673	20	
99	5.51	5.504	20	*
100	5.51	5.333	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.278	20	
2	5.51	5.258	20	
3	5.51	5.662	20	
4	5.51	5.304	20	
5	5.51	5.291	20	
6	5.51	5.646	20	
7	5.51	5.287	20	
8	5.51	5.351	20	
9	5.51	5.582	20	
10	5.51	5.424	20	
11	5.51	5.361	20	
12	5.51	5.634	20	
13	5.51	5.519	20	*
14	5.51	5.695	20	
15	5.51	5.673	20	
16	5.51	5.641	20	
17	5.51	5.526	20	
18	5.51	5.468	20	
19	5.51	5.656	20	
20	5.51	5.6	20	
21	5.51	5.308	20	
22	5.51	5.632	20	
23	5.51	5.55	20	
24	5.51	5.704	20	
25	5.51	5.589	20	
26	5.51	5.322	20	
27	5.51	5.702	20	
28	5.51	5.7	20	
29	5.51	5.532	20	
30	5.51	5.379	20	
31	5.51	5.373	20	
32	5.51	5.252	20	
33	5.51	5.363	20	
34	5.51	5.718	20	
35	5.51	5.607	20	
36	5.51	5.427	20	
37	5.51	5.707	20	
38	5.51	5.469	20	
39	5.51	5.371	20	
40	5.51	5.488	20	
41	5.51	5.388	20	
42	5.51	5.593	20	
43	5.51	5.542	20	
44	5.51	5.316	20	
45	5.51	5.681	20	
46	5.51	5.624	20	
47	5.51	5.436	20	
48	5.51	5.314	20	
49	5.51	5.52	20	*
50	5.51	5.491	20	
51	5.51	5.494	20	
52	5.51	5.449	20	
53	5.51	5.583	20	
54	5.51	5.709	20	
55	5.51	5.575	20	
56	5.51	5.713	20	
57	5.51	5.635	20	
58	5.51	5.279	20	
59	5.51	5.645	20	
60	5.51	5.553	20	
61	5.51	5.403	20	
62	5.51	5.355	20	
63	5.51	5.65	20	
64	5.51	5.514	20	*
65	5.51	5.56	20	
66	5.51	5.282	20	
67	5.51	5.665	20	
68	5.51	5.335	20	
69	5.51	5.306	20	
70	5.51	5.692	20	
71	5.51	5.679	20	
72	5.51	5.444	20	
73	5.51	5.591	20	
74	5.51	5.28	20	
75	5.51	5.565	20	
76	5.51	5.467	20	
77	5.51	5.36	20	
78	5.51	5.313	20	
79	5.51	5.454	20	
80	5.51	5.432	20	
81	5.51	5.397	20	
82	5.51	5.376	20	
83	5.51	5.423	20	
84	5.51	5.584	20	
85	5.51	5.611	20	
86	5.51	5.344	20	
87	5.51	5.527	20	
88	5.51	5.477	20	
89	5.51	5.644	20	
90	5.51	5.419	20	
91	5.51	5.324	20	
92	5.51	5.459	20	
93	5.51	5.42	20	
94	5.51	5.332	20	
95	5.51	5.67	20	
96	5.51	5.522	20	
97	5.51	5.686	20	
98	5.51	5.683	20	
99	5.51	5.541	20	
100	5.51	5.395	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.376	20	
2	5.51	5.624	20	
3	5.51	5.349	20	
4	5.51	5.262	20	
5	5.51	5.456	20	
6	5.51	5.323	20	
7	5.51	5.581	20	
8	5.51	5.374	20	
9	5.51	5.529	20	
10	5.51	5.561	20	
11	5.51	5.335	20	
12	5.51	5.411	20	
13	5.51	5.28	20	
14	5.51	5.301	20	
15	5.51	5.447	20	
16	5.51	5.513	20	*
17	5.51	5.263	20	
18	5.51	5.565	20	
19	5.51	5.666	20	
20	5.51	5.469	20	
21	5.51	5.41	20	
22	5.51	5.407	20	
23	5.51	5.542	20	
24	5.51	5.699	20	
25	5.51	5.315	20	
26	5.51	5.25	20	
27	5.51	5.463	20	
28	5.51	5.608	20	
29	5.51	5.322	20	
30	5.51	5.383	20	
31	5.51	5.251	20	
32	5.51	5.682	20	
33	5.51	5.492	20	
34	5.51	5.496	20	
35	5.51	5.354	20	
36	5.51	5.46	20	
37	5.51	5.37	20	
38	5.51	5.584	20	
39	5.51	5.639	20	
40	5.51	5.717	20	
41	5.51	5.499	20	
42	5.51	5.56	20	
43	5.51	5.348	20	
44	5.51	5.488	20	
45	5.51	5.603	20	
46	5.51	5.479	20	
47	5.51	5.257	20	
48	5.51	5.532	20	
49	5.51	5.466	20	
50	5.51	5.36	20	
51	5.51	5.461	20	
52	5.51	5.255	20	
53	5.51	5.705	20	
54	5.51	5.574	20	
55	5.51	5.361	20	
56	5.51	5.601	20	
57	5.51	5.277	20	
58	5.51	5.286	20	
59	5.51	5.45	20	
60	5.51	5.657	20	
61	5.51	5.459	20	
62	5.51	5.406	20	
63	5.51	5.51	20	*
64	5.51	5.287	20	
65	5.51	5.381	20	
66	5.51	5.258	20	
67	5.51	5.289	20	
68	5.51	5.437	20	
69	5.51	5.355	20	
70	5.51	5.642	20	
71	5.51	5.556	20	
72	5.51	5.528	20	
73	5.51	5.523	20	
74	5.51	5.444	20	
75	5.51	5.595	20	
76	5.51	5.302	20	
77	5.51	5.546	20	
78	5.51	5.318	20	
79	5.51	5.477	20	
80	5.51	5.625	20	
81	5.51	5.679	20	
82	5.51	5.264	20	
83	5.51	5.452	20	
84	5.51	5.482	20	
85	5.51	5.285	20	
86	5.51	5.3	20	
87	5.51	5.493	20	
88	5.51	5.448	20	
89	5.51	5.284	20	
90	5.51	5.49	20	
91	5.51	5.362	20	
92	5.51	5.291	20	
93	5.51	5.672	20	
94	5.51	5.533	20	
95	5.51	5.391	20	
96	5.51	5.267	20	
97	5.51	5.326	20	
98	5.51	5.414	20	
99	5.51	5.55	20	
100	5.51	5.332	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.465	20	
2	5.51	5.598	20	
3	5.51	5.563	20	
4	5.51	5.522	20	
5	5.51	5.373	20	
6	5.51	5.272	20	
7	5.51	5.477	20	
8	5.51	5.5	20	*
9	5.51	5.722	20	
10	5.51	5.388	20	
11	5.51	5.451	20	
12	5.51	5.606	20	
13	5.51	5.661	20	
14	5.51	5.647	20	
15	5.51	5.515	20	*
16	5.51	5.28	20	
17	5.51	5.267	20	
18	5.51	5.359	20	
19	5.51	5.442	20	
20	5.51	5.643	20	
21	5.51	5.617	20	
22	5.51	5.357	20	
23	5.51	5.362	20	
24	5.51	5.313	20	
25	5.51	5.558	20	
26	5.51	5.556	20	
27	5.51	5.508	20	*
28	5.51	5.368	20	
29	5.51	5.657	20	
30	5.51	5.611	20	
31	5.51	5.573	20	
32	5.51	5.636	20	
33	5.51	5.36	20	
34	5.51	5.644	20	
35	5.51	5.72	20	
36	5.51	5.312	20	
37	5.51	5.437	20	
38	5.51	5.475	20	
39	5.51	5.285	20	
40	5.51	5.659	20	
41	5.51	5.723	20	
42	5.51	5.521	20	
43	5.51	5.264	20	
44	5.51	5.443	20	
45	5.51	5.65	20	
46	5.51	5.371	20	
47	5.51	5.715	20	
48	5.51	5.355	20	
49	5.51	5.687	20	
50	5.51	5.542	20	
51	5.51	5.4	20	
52	5.51	5.295	20	
53	5.51	5.526	20	
54	5.51	5.256	20	
55	5.51	5.528	20	
56	5.51	5.679	20	
57	5.51	5.375	20	
58	5.51	5.62	20	
59	5.51	5.39	20	
60	5.51	5.473	20	
61	5.51	5.261	20	
62	5.51	5.531	20	
63	5.51	5.674	20	
64	5.51	5.631	20	
65	5.51	5.595	20	
66	5.51	5.277	20	
67	5.51	5.671	20	
68	5.51	5.698	20	
69	5.51	5.683	20	
70	5.51	5.478	20	
71	5.51	5.48	20	
72	5.51	5.281	20	
73	5.51	5.583	20	
74	5.51	5.419	20	
75	5.51	5.714	20	
76	5.51	5.251	20	
77	5.51	5.255	20	
78	5.51	5.462	20	
79	5.51	5.649	20	
80	5.51	5.614	20	
81	5.51	5.592	20	
82	5.51	5.258	20	
83	5.51	5.505	20	*
84	5.51	5.466	20	
85	5.51	5.376	20	
86	5.51	5.423	20	
87	5.51	5.324	20	
88	5.51	5.41	20	
89	5.51	5.554	20	
90	5.51	5.358	20	
91	5.51	5.709	20	
92	5.51	5.69	20	
93	5.51	5.61	20	
94	5.51	5.582	20	
95	5.51	5.352	20	
96	5.51	5.444	20	
97	5.51	5.396	20	
98	5.51	5.512	20	*
99	5.51	5.506	20	*
100	5.51	5.425	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.346	20	
2	5.51	5.284	20	
3	5.51	5.455	20	
4	5.51	5.672	20	
5	5.51	5.438	20	
6	5.51	5.364	20	
7	5.51	5.539	20	
8	5.51	5.352	20	
9	5.51	5.661	20	
10	5.51	5.575	20	
11	5.51	5.459	20	
12	5.51	5.34	20	
13	5.51	5.32	20	
14	5.51	5.285	20	
15	5.51	5.582	20	
16	5.51	5.416	20	
17	5.51	5.429	20	
18	5.51	5.577	20	
19	5.51	5.347	20	
20	5.51	5.702	20	
21	5.51	5.312	20	
22	5.51	5.653	20	
23	5.51	5.643	20	
24	5.51	5.709	20	
25	5.51	5.279	20	
26	5.51	5.343	20	
27	5.51	5.293	20	
28	5.51	5.473	20	
29	5.51	5.4	20	
30	5.51	5.363	20	
31	5.51	5.551	20	
32	5.51	5.447	20	
33	5.51	5.603	20	
34	5.51	5.253	20	
35	5.51	5.303	20	
36	5.51	5.496	20	
37	5.51	5.512	20	*
38	5.51	5.382	20	
39	5.51	5.581	20	
40	5.51	5.35	20	
41	5.51	5.641	20	
42	5.51	5.7	20	
43	5.51	5.682	20	
44	5.51	5.414	20	
45	5.51	5.304	20	
46	5.51	5.507	20	*
47	5.51	5.491	20	
48	5.51	5.388	20	
49	5.51	5.608	20	
50	5.51	5.407	20	
51	5.51	5.612	20	
52	5.51	5.36	20	
53	5.51	5.618	20	
54	5.51	5.586	20	
55	5.51	5.674	20	
56	5.51	5.55	20	
57	5.51	5.383	20	
58	5.51	5.313	20	
59	5.51	5.578	20	
60	5.51	5.58	20	
61	5.51	5.468	20	
62	5.51	5.385	20	
63	5.51	5.275	20	
64	5.51	5.326	20	
65	5.51	5.701	20	
66	5.51	5.675	20	
67	5.51	5.272	20	
68	5.51	5.552	20	
69	5.51	5.356	20	
70	5.51	5.323	20	
71	5.51	5.563	20	
72	5.51	5.554	20	
73	5.51	5.332	20	
74	5.51	5.573	20	
75	5.51	5.723	20	
76	5.51	5.482	20	
77	5.51	5.606	20	
78	5.51	5.402	20	
79	5.51	5.294	20	
80	5.51	5.483	20	
81	5.51	5.607	20	
82	5.51	5.334	20	
83	5.51	5.508	20	*
84	5.51	5.328	20	
85	5.51	5.515	20	*
86	5.51	5.6	20	
87	5.51	5.306	20	
88	5.51	5.499	20	
89	5.51	5.707	20	
90	5.51	5.286	20	
91	5.51	5.566	20	
92	5.51	5.597	20	
93	5.51	5.691	20	
94	5.51	5.696	20	
95	5.51	5.693	20	
96	5.51	5.694	20	
97	5.51	5.49	20	
98	5.51	5.329	20	
99	5.51	5.521	20	
100	5.51	5.595	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.691	20	
2	5.51	5.325	20	
3	5.51	5.533	20	
4	5.51	5.621	20	
5	5.51	5.489	20	
6	5.51	5.616	20	
7	5.51	5.262	20	
8	5.51	5.562	20	
9	5.51	5.47	20	
10	5.51	5.721	20	
11	5.51	5.331	20	
12	5.51	5.549	20	
13	5.51	5.651	20	
14	5.51	5.705	20	
15	5.51	5.319	20	
16	5.51	5.431	20	
17	5.51	5.7	20	
18	5.51	5.467	20	
19	5.51	5.412	20	
20	5.51	5.477	20	
21	5.51	5.5	20	*
22	5.51	5.582	20	
23	5.51	5.421	20	
24	5.51	5.384	20	
25	5.51	5.454	20	
26	5.51	5.44	20	
27	5.51	5.337	20	
28	5.51	5.615	20	
29	5.51	5.349	20	
30	5.51	5.282	20	
31	5.51	5.641	20	
32	5.51	5.404	20	
33	5.51	5.265	20	
34	5.51	5.595	20	
35	5.51	5.488	20	
36	5.51	5.511	20	*
37	5.51	5.381	20	
38	5.51	5.654	20	
39	5.51	5.563	20	
40	5.51	5.362	20	
41	5.51	5.575	20	
42	5.51	5.631	20	
43	5.51	5.628	20	
44	5.51	5.464	20	
45	5.51	5.28	20	
46	5.51	5.405	20	
47	5.51	5.547	20	
48	5.51	5.519	20	*
49	5.51	5.696	20	
50	5.51	5.496	20	
51	5.51	5.544	20	
52	5.51	5.259	20	
53	5.51	5.446	20	
54	5.51	5.63	20	
55	5.51	5.622	20	
56	5.51	5.596	20	
57	5.51	5.344	20	
58	5.51	5.707	20	
59	5.51	5.312	20	
60	5.51	5.685	20	
61	5.51	5.299	20	
62	5.51	5.642	20	
63	5.51	5.355	20	
64	5.51	5.514	20	*
65	5.51	5.551	20	
66	5.51	5.365	20	
67	5.51	5.578	20	
68	5.51	5.683	20	
69	5.51	5.659	20	
70	5.51	5.263	20	
71	5.51	5.347	20	
72	5.51	5.332	20	
73	5.51	5.45	20	
74	5.51	5.271	20	
75	5.51	5.474	20	
76	5.51	5.376	20	
77	5.51	5.537	20	
78	5.51	5.385	20	
79	5.51	5.522	20	
80	5.51	5.342	20	
81	5.51	5.486	20	
82	5.51	5.484	20	
83	5.51	5.324	20	
84	5.51	5.506	20	*
85	5.51	5.455	20	
86	5.51	5.525	20	
87	5.51	5.681	20	
88	5.51	5.554	20	
89	5.51	5.434	20	
90	5.51	5.269	20	
91	5.51	5.515	20	*
92	5.51	5.52	20	*
93	5.51	5.253	20	
94	5.51	5.609	20	
95	5.51	5.296	20	
96	5.51	5.363	20	
97	5.51	5.407	20	
98	5.51	5.383	20	
99	5.51	5.335	20	
100	5.51	5.574	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.528	20	
2	5.51	5.261	20	
3	5.51	5.537	20	
4	5.51	5.706	20	
5	5.51	5.679	20	
6	5.51	5.649	20	
7	5.51	5.429	20	
8	5.51	5.633	20	
9	5.51	5.476	20	
10	5.51	5.534	20	
11	5.51	5.291	20	
12	5.51	5.265	20	
13	5.51	5.511	20	*
14	5.51	5.651	20	
15	5.51	5.305	20	
16	5.51	5.556	20	
17	5.51	5.436	20	
18	5.51	5.413	20	
19	5.51	5.307	20	
20	5.51	5.463	20	
21	5.51	5.555	20	
22	5.51	5.548	20	
23	5.51	5.521	20	
24	5.51	5.301	20	
25	5.51	5.672	20	
26	5.51	5.569	20	
27	5.51	5.588	20	
28	5.51	5.339	20	
29	5.51	5.671	20	
30	5.51	5.446	20	
31	5.51	5.455	20	
32	5.51	5.356	20	
33	5.51	5.696	20	
34	5.51	5.659	20	
35	5.51	5.269	20	
36	5.51	5.487	20	
37	5.51	5.554	20	
38	5.51	5.529	20	
39	5.51	5.695	20	
40	5.51	5.453	20	
41	5.51	5.34	20	
42	5.51	5.722	20	
43	5.51	5.306	20	
44	5.51	5.353	20	
45	5.51	5.496	20	
46	5.51	5.694	20	
47	5.51	5.564	20	
48	5.51	5.577	20	
49	5.51	5.448	20	
50	5.51	5.53	20	
51	5.51	5.571	20	
52	5.51	5.685	20	
53	5.51	5.358	20	
54	5.51	5.344	20	
55	5.51	5.65	20	
56	5.51	5.35	20	
57	5.51	5.468	20	
58	5.51	5.504	20	*
59	5.51	5.63	20	
60	5.51	5.319	20	
61	5.51	5.563	20	
62	5.51	5.674	20	
63	5.51	5.622	20	
64	5.51	5.572	20	
65	5.51	5.349	20	
66	5.51	5.573	20	
67	5.51	5.434	20	
68	5.51	5.298	20	
69	5.51	5.708	20	
70	5.51	5.539	20	
71	5.51	5.379	20	
72	5.51	5.61	20	
73	5.51	5.313	20	
74	5.51	5.652	20	
75	5.51	5.355	20	
76	5.51	5.442	20	
77	5.51	5.615	20	
78	5.51	5.292	20	
79	5.51	5.408	20	
80	5.51	5.465	20	
81	5.51	5.418	20	
82	5.51	5.293	20	
83	5.51	5.553	20	
84	5.51	5.411	20	
85	5.51	5.542	20	
86	5.51	5.543	20	
87	5.51	5.37	20	
88	5.51	5.532	20	
89	5.51	5.515	20	*
90	5.51	5.416	20	
91	5.51	5.325	20	
92	5.51	5.44	20	
93	5.51	5.656	20	
94	5.51	5.711	20	
95	5.51	5.481	20	
96	5.51	5.374	20	
97	5.51	5.43	20	
98	5.51	5.703	20	
99	5.51	5.516	20	*
100	5.51	5.321	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.613	20	
2	5.51	5.402	20	
3	5.51	5.724	20	
4	5.51	5.548	20	
5	5.51	5.592	20	
6	5.51	5.709	20	
7	5.51	5.33	20	
8	5.51	5.417	20	
9	5.51	5.393	20	
10	5.51	5.384	20	
11	5.51	5.564	20	
12	5.51	5.703	20	
13	5.51	5.385	20	
14	5.51	5.399	20	
15	5.51	5.449	20	
16	5.51	5.478	20	
17	5.51	5.4	20	
18	5.51	5.559	20	
19	5.51	5.309	20	
20	5.51	5.655	20	
21	5.51	5.424	20	
22	5.51	5.324	20	
23	5.51	5.55	20	
24	5.51	5.467	20	
25	5.51	5.483	20	
26	5.51	5.336	20	
27	5.51	5.57	20	
28	5.51	5.41	20	
29	5.51	5.488	20	
30	5.51	5.676	20	
31	5.51	5.331	20	
32	5.51	5.294	20	
33	5.51	5.723	20	
34	5.51	5.648	20	
35	5.51	5.327	20	
36	5.51	5.506	20	*
37	5.51	5.341	20	
38	5.51	5.445	20	
39	5.51	5.662	20	
40	5.51	5.672	20	
41	5.51	5.263	20	
42	5.51	5.554	20	
43	5.51	5.604	20	
44	5.51	5.413	20	
45	5.51	5.291	20	
46	5.51	5.36	20	
47	5.51	5.25	20	
48	5.51	5.422	20	
49	5.51	5.566	20	
50	5.51	5.441	20	
51	5.51	5.52	20	*
52	5.51	5.557	20	
53	5.51	5.415	20	
54	5.51	5.668	20	
55	5.51	5.523	20	
56	5.51	5.268	20	
57	5.51	5.525	20	
58	5.51	5.667	20	
59	5.51	5.651	20	
60	5.51	5.697	20	
61	5.51	5.669	20	
62	5.51	5.454	20	
63	5.51	5.675	20	
64	5.51	5.351	20	
65	5.51	5.587	20	
66	5.51	5.585	20	
67	5.51	5.447	20	
68	5.51	5.63	20	
69	5.51	5.396	20	
70	5.51	5.71	20	
71	5.51	5.556	20	
72	5.51	5.406	20	
73	5.51	5.365	20	
74	5.51	5.456	20	
75	5.51	5.61	20	
76	5.51	5.387	20	
77	5.51	5.444	20	
78	5.51	5.705	20	
79	5.51	5.586	20	
80	5.51	5.289	20	
81	5.51	5.512	20	*
82	5.51	5.367	20	
83	5.51	5.267	20	
84	5.51	5.303	20	
85	5.51	5.313	20	
86	5.51	5.602	20	
87	5.51	5.342	20	
88	5.51	5.407	20	
89	5.51	5.715	20	
90	5.51	5.545	20	
91	5.51	5.408	20	
92	5.51	5.599	20	
93	5.51	5.475	20	
94	5.51	5.386	20	
95	5.51	5.319	20	
96	5.51	5.528	20	
97	5.51	5.354	20	
98	5.51	5.591	20	
99	5.51	5.509	20	*
100	5.51	5.513	20	*

TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.604	20	
2	5.51	5.477	20	
3	5.51	5.668	20	
4	5.51	5.488	20	
5	5.51	5.465	20	
6	5.51	5.554	20	
7	5.51	5.425	20	
8	5.51	5.282	20	
9	5.51	5.528	20	
10	5.51	5.591	20	
11	5.51	5.326	20	
12	5.51	5.589	20	
13	5.51	5.59	20	
14	5.51	5.525	20	
15	5.51	5.587	20	
16	5.51	5.481	20	
17	5.51	5.406	20	
18	5.51	5.285	20	
19	5.51	5.598	20	
20	5.51	5.454	20	
21	5.51	5.319	20	
22	5.51	5.69	20	
23	5.51	5.345	20	
24	5.51	5.551	20	
25	5.51	5.273	20	
26	5.51	5.305	20	
27	5.51	5.715	20	
28	5.51	5.302	20	
29	5.51	5.548	20	
30	5.51	5.308	20	
31	5.51	5.515	20	*
32	5.51	5.676	20	
33	5.51	5.265	20	
34	5.51	5.349	20	
35	5.51	5.624	20	
36	5.51	5.475	20	
37	5.51	5.316	20	
38	5.51	5.621	20	
39	5.51	5.628	20	
40	5.51	5.534	20	
41	5.51	5.639	20	
42	5.51	5.445	20	
43	5.51	5.615	20	
44	5.51	5.301	20	
45	5.51	5.409	20	
46	5.51	5.47	20	
47	5.51	5.38	20	
48	5.51	5.451	20	
49	5.51	5.472	20	
50	5.51	5.395	20	
51	5.51	5.44	20	
52	5.51	5.562	20	
53	5.51	5.536	20	
54	5.51	5.633	20	
55	5.51	5.382	20	
56	5.51	5.613	20	
57	5.51	5.461	20	
58	5.51	5.697	20	
59	5.51	5.538	20	
60	5.51	5.61	20	
61	5.51	5.58	20	
62	5.51	5.421	20	
63	5.51	5.504	20	*
64	5.51	5.298	20	
65	5.51	5.315	20	
66	5.51	5.54	20	
67	5.51	5.432	20	
68	5.51	5.323	20	
69	5.51	5.501	20	*
70	5.51	5.588	20	
71	5.51	5.368	20	
72	5.51	5.568	20	
73	5.51	5.574	20	
74	5.51	5.363	20	
75	5.51	5.675	20	
76	5.51	5.616	20	
77	5.51	5.287	20	
78	5.51	5.516	20	*
79	5.51	5.377	20	
80	5.51	5.678	20	
81	5.51	5.36	20	
82	5.51	5.371	20	
83	5.51	5.388	20	
84	5.51	5.511	20	*
85	5.51	5.366	20	
86	5.51	5.332	20	
87	5.51	5.418	20	
88	5.51	5.581	20	
89	5.51	5.426	20	
90	5.51	5.645	20	
91	5.51	5.412	20	
92	5.51	5.404	20	
93	5.51	5.682	20	
94	5.51	5.466	20	
95	5.51	5.416	20	
96	5.51	5.666	20	
97	5.51	5.703	20	
98	5.51	5.39	20	
99	5.51	5.716	20	
100	5.51	5.479	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.651	20	
2	5.51	5.345	20	
3	5.51	5.606	20	
4	5.51	5.713	20	
5	5.51	5.571	20	
6	5.51	5.252	20	
7	5.51	5.48	20	
8	5.51	5.435	20	
9	5.51	5.289	20	
10	5.51	5.559	20	
11	5.51	5.368	20	
12	5.51	5.354	20	
13	5.51	5.722	20	
14	5.51	5.475	20	
15	5.51	5.718	20	
16	5.51	5.502	20	*
17	5.51	5.633	20	
18	5.51	5.62	20	
19	5.51	5.26	20	
20	5.51	5.385	20	
21	5.51	5.694	20	
22	5.51	5.64	20	
23	5.51	5.699	20	
24	5.51	5.568	20	
25	5.51	5.314	20	
26	5.51	5.496	20	
27	5.51	5.484	20	
28	5.51	5.387	20	
29	5.51	5.618	20	
30	5.51	5.35	20	
31	5.51	5.587	20	
32	5.51	5.61	20	
33	5.51	5.589	20	
34	5.51	5.53	20	
35	5.51	5.395	20	
36	5.51	5.39	20	
37	5.51	5.505	20	*
38	5.51	5.292	20	
39	5.51	5.274	20	
40	5.51	5.418	20	
41	5.51	5.342	20	
42	5.51	5.442	20	
43	5.51	5.645	20	
44	5.51	5.429	20	
45	5.51	5.649	20	
46	5.51	5.471	20	
47	5.51	5.709	20	
48	5.51	5.331	20	
49	5.51	5.346	20	
50	5.51	5.445	20	
51	5.51	5.492	20	
52	5.51	5.415	20	
53	5.51	5.624	20	
54	5.51	5.408	20	
55	5.51	5.538	20	
56	5.51	5.392	20	
57	5.51	5.667	20	
58	5.51	5.34	20	
59	5.51	5.634	20	
60	5.51	5.451	20	
61	5.51	5.364	20	
62	5.51	5.698	20	
63	5.51	5.693	20	
64	5.51	5.608	20	
65	5.51	5.419	20	
66	5.51	5.316	20	
67	5.51	5.611	20	
68	5.51	5.326	20	
69	5.51	5.324	20	
70	5.51	5.627	20	
71	5.51	5.486	20	
72	5.51	5.313	20	
73	5.51	5.56	20	
74	5.51	5.688	20	
75	5.51	5.343	20	
76	5.51	5.297	20	
77	5.51	5.388	20	
78	5.51	5.369	20	
79	5.51	5.299	20	
80	5.51	5.632	20	
81	5.51	5.277	20	
82	5.51	5.629	20	
83	5.51	5.269	20	
84	5.51	5.625	20	
85	5.51	5.642	20	
86	5.51	5.49	20	
87	5.51	5.322	20	
88	5.51	5.676	20	
89	5.51	5.393	20	
90	5.51	5.635	20	
91	5.51	5.407	20	
92	5.51	5.562	20	
93	5.51	5.617	20	
94	5.51	5.609	20	
95	5.51	5.294	20	
96	5.51	5.652	20	
97	5.51	5.266	20	
98	5.51	5.353	20	
99	5.51	5.495	20	
100	5.51	5.298	20	