






NTLV-2DH5-Ant1-2441-30~1000-PASS



NTNV-2DH5-Ant1-2441-30~1000-PASS




NTHV-2DH5-Ant1-2441-30~1000-PASS







NTLV-2DH5-Ant1-2441-1000~2387-PASS



NTNV-2DH5-Ant1-2441-1000~2387-PASS




NTHV-2DH5-Ant1-2441-1000~2387-PASS







NTLV-2DH5-Ant1-2441-2387~2400-PASS



NTNV-2DH5-Ant1-2441-2387~2400-PASS




NTHV-2DH5-Ant1-2441-2387~2400-PASS







NTLV-2DH5-Ant1-2441-2483.5~2496.5-PASS



NTNV-2DH5-Ant1-2441-2483.5~2496.5-PASS




NTHV-2DH5-Ant1-2441-2483.5~2496.5-PASS







NTLV-2DH5-Ant1-2441-2496.5~13000-PASS



NTNV-2DH5-Ant1-2441-2496.5~13000-PASS




NTHV-2DH5-Ant1-2441-2496.5~13000-PASS




Dongguan DN Testing Co., Ltd.




NTLV-2DH5-Ant1-2480-30~1000-PASS



NTNV-2DH5-Ant1-2480-30~1000-PASS




NTHV-2DH5-Ant1-2480-30~1000-PASS







NTLV-2DH5-Ant1-2480-1000~2387-PASS



NTNV-2DH5-Ant1-2480-1000~2387-PASS




NTHV-2DH5-Ant1-2480-1000~2387-See table below







NTLV-2DH5-Ant1-2480-2387~2400-PASS



NTNV-2DH5-Ant1-2480-2387~2400-PASS




NTHV-2DH5-Ant1-2480-2387~2400-PASS







NTLV-2DH5-Ant1-2480-2483.5~2496.5-PASS



NTNV-2DH5-Ant1-2480-2483.5~2496.5-PASS




NTHV-2DH5-Ant1-2480-2483.5~2496.5-PASS







NTLV-2DH5-Ant1-2480-2496.5~13000-PASS



NTNV-2DH5-Ant1-2480-2496.5~13000-PASS




NTHV-2DH5-Ant1-2480-2496.5~13000-PASS







NTLV-3DH5-Ant1-2402-30~1000-PASS



NTNV-3DH5-Ant1-2402-30~1000-PASS




NTHV-3DH5-Ant1-2402-30~1000-PASS







NTLV-3DH5-Ant1-2402-1000~2387-PASS



NTNV-3DH5-Ant1-2402-1000~2387-PASS




NTHV-3DH5-Ant1-2402-1000~2387-PASS







NTLV-3DH5-Ant1-2402-2387~2400-PASS



NTNV-3DH5-Ant1-2402-2387~2400-PASS




NTHV-3DH5-Ant1-2402-2387~2400-PASS







NTLV-3DH5-Ant1-2402-2483.5~2496.5-PASS



NTNV-3DH5-Ant1-2402-2483.5~2496.5-PASS




NTHV-3DH5-Ant1-2402-2483.5~2496.5-PASS







NTLV-3DH5-Ant1-2402-2496.5~13000-PASS



NTNV-3DH5-Ant1-2402-2496.5~13000-PASS




NTHV-3DH5-Ant1-2402-2496.5~13000-PASS







NTLV-3DH5-Ant1-2441-30~1000-PASS



NTNV-3DH5-Ant1-2441-30~1000-PASS




NTHV-3DH5-Ant1-2441-30~1000-PASS







NTLV-3DH5-Ant1-2441-1000~2387-PASS



NTNV-3DH5-Ant1-2441-1000~2387-PASS




NTHV-3DH5-Ant1-2441-1000~2387-PASS







NTLV-3DH5-Ant1-2441-2387~2400-PASS



NTNV-3DH5-Ant1-2441-2387~2400-PASS




NTHV-3DH5-Ant1-2441-2387~2400-PASS







NTLV-3DH5-Ant1-2441-2483.5~2496.5-PASS



NTNV-3DH5-Ant1-2441-2483.5~2496.5-PASS




NTHV-3DH5-Ant1-2441-2483.5~2496.5-PASS







NTLV-3DH5-Ant1-2441-2496.5~13000-PASS



NTNV-3DH5-Ant1-2441-2496.5~13000-PASS




NTHV-3DH5-Ant1-2441-2496.5~13000-PASS







NTLV-3DH5-Ant1-2480-30~1000-PASS



NTNV-3DH5-Ant1-2480-30~1000-PASS




NTHV-3DH5-Ant1-2480-30~1000-PASS







NTLV-3DH5-Ant1-2480-1000~2387-PASS



NTNV-3DH5-Ant1-2480-1000~2387-PASS




NTHV-3DH5-Ant1-2480-1000~2387-PASS







NTLV-3DH5-Ant1-2480-2387~2400-PASS



NTNV-3DH5-Ant1-2480-2387~2400-PASS




NTHV-3DH5-Ant1-2480-2387~2400-PASS







NTLV-3DH5-Ant1-2480-2483.5~2496.5-PASS



NTNV-3DH5-Ant1-2480-2483.5~2496.5-PASS




NTHV-3DH5-Ant1-2480-2483.5~2496.5-PASS







NTLV-3DH5-Ant1-2480-2496.5~13000-PASS



NTNV-3DH5-Ant1-2480-2496.5~13000-PASS





NTHV-3DH5-Ant1-2480-2496.5~13000-PASS







Test Graphs 2

NTNV-DH5-Ant1-2402-1000~2387-PASS



NTHV-2DH5-Ant1-2480-1000~2387-PASS





Note: SA set to from 2.4965GHz to 13GHz, plot shows from 2.497GHz to 13GHz as of SA' s default format.

**Appendix G: Spurious Emission of RX****Test Result**

Test Condition	Test Mode	Antenna	Freq(MHz)	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTLV	DH5	Ant1	2402	30~1000	64.92	-79.99	≤-54	0.01002	≤4	PASS
NTNV	DH5	Ant1	2402	30~1000	64.92	-80.40	≤-54	0.00912	≤4	PASS
NTHV	DH5	Ant1	2402	30~1000	64.92	-80.09	≤-54	0.00979	≤4	PASS
NTLV	DH5	Ant1	2402	1000~12500	3628.33	-63.78	≤-47	0.41879	≤20	PASS
NTNV	DH5	Ant1	2402	1000~12500	3639.83	-62.97	≤-47	0.50466	≤20	PASS
NTHV	DH5	Ant1	2402	1000~12500	3614.53	-62.59	≤-47	0.55081	≤20	PASS
NTLV	DH5	Ant1	2441	30~1000	569.81	-78.84	≤-54	0.01306	≤4	PASS
NTNV	DH5	Ant1	2441	30~1000	64.92	-80.00	≤-54	0.01000	≤4	PASS
NTHV	DH5	Ant1	2441	30~1000	64.92	-79.82	≤-54	0.01042	≤4	PASS
NTLV	DH5	Ant1	2441	1000~12500	5362.53	-63.34	≤-47	0.46345	≤20	PASS
NTNV	DH5	Ant1	2441	1000~12500	3615.68	-63.35	≤-47	0.46238	≤20	PASS
NTHV	DH5	Ant1	2441	1000~12500	3649.60	-62.94	≤-47	0.50816	≤20	PASS
NTLV	DH5	Ant1	2480	30~1000	64.92	-80.20	≤-54	0.00955	≤4	PASS
NTNV	DH5	Ant1	2480	30~1000	65.41	-77.42	≤-54	0.01811	≤4	PASS
NTHV	DH5	Ant1	2480	30~1000	65.41	-79.08	≤-54	0.01236	≤4	PASS
NTLV	DH5	Ant1	2480	1000~12500	3600.15	-62.00	≤-47	0.63096	≤20	PASS
NTNV	DH5	Ant1	2480	1000~12500	3627.75	-62.95	≤-47	0.50699	≤20	PASS
NTHV	DH5	Ant1	2480	1000~12500	3605.33	-62.38	≤-47	0.57810	≤20	PASS
NTLV	2DH5	Ant1	2402	30~1000	65.41	-79.60	≤-54	0.01096	≤4	PASS
NTNV	2DH5	Ant1	2402	30~1000	64.92	-76.69	≤-54	0.02143	≤4	PASS
NTHV	2DH5	Ant1	2402	30~1000	64.92	-79.36	≤-54	0.01159	≤4	PASS
NTLV	2DH5	Ant1	2402	1000~12500	4827.20	-63.16	≤-47	0.48306	≤20	PASS
NTNV	2DH5	Ant1	2402	1000~12500	4057.28	-62.62	≤-47	0.54702	≤20	PASS
NTHV	2DH5	Ant1	2402	1000~12500	4123.40	-62.43	≤-47	0.57148	≤20	PASS
NTLV	2DH5	Ant1	2441	30~1000	65.41	-77.42	≤-54	0.01811	≤4	PASS
NTNV	2DH5	Ant1	2441	30~1000	65.41	-78.37	≤-54	0.01455	≤4	PASS
NTHV	2DH5	Ant1	2441	30~1000	64.92	-78.94	≤-54	0.01276	≤4	PASS
NTLV	2DH5	Ant1	2441	1000~12500	3634.08	-63.26	≤-47	0.47206	≤20	PASS
NTNV	2DH5	Ant1	2441	1000~12500	4878.95	-63.48	≤-47	0.44875	≤20	PASS
NTHV	2DH5	Ant1	2441	1000~12500	3617.98	-63.59	≤-47	0.43752	≤20	PASS
NTLV	2DH5	Ant1	2480	30~1000	65.41	-78.67	≤-54	0.01358	≤4	PASS
NTNV	2DH5	Ant1	2480	30~1000	64.92	-77.50	≤-54	0.01778	≤4	PASS
NTHV	2DH5	Ant1	2480	30~1000	64.92	-78.30	≤-54	0.01479	≤4	PASS
NTLV	2DH5	Ant1	2480	1000~12500	4849.63	-62.67	≤-47	0.54075	≤20	PASS
NTNV	2DH5	Ant1	2480	1000~12500	5365.98	-63.58	≤-47	0.43853	≤20	PASS
NTHV	2DH5	Ant1	2480	1000~12500	3643.28	-62.96	≤-47	0.50582	≤20	PASS
NTLV	3DH5	Ant1	2402	30~1000	64.92	-78.78	≤-54	0.01324	≤4	PASS
NTNV	3DH5	Ant1	2402	30~1000	64.92	-79.33	≤-54	0.01167	≤4	PASS

Dongguan DN Testing Co., Ltd.



Report No.: DNT2603311046R01937-02424

Date: April 10, 2026

Page: 107 / 125

NTHV	3DH5	Ant1	2402	30~1000	64.92	-78.06	≤ -54	0.01563	≤ 4	PASS
NTLV	3DH5	Ant1	2402	1000~12500	3629.48	-62.30	≤ -47	0.58884	≤ 20	PASS
NTNV	3DH5	Ant1	2402	1000~12500	4142.38	-63.41	≤ -47	0.45604	≤ 20	PASS
NTHV	3DH5	Ant1	2402	1000~12500	3631.20	-63.30	≤ -47	0.46774	≤ 20	PASS
NTLV	3DH5	Ant1	2441	30~1000	64.92	-78.22	≤ -54	0.01507	≤ 4	PASS
NTNV	3DH5	Ant1	2441	30~1000	64.92	-78.22	≤ -54	0.01507	≤ 4	PASS
NTHV	3DH5	Ant1	2441	30~1000	64.92	-78.14	≤ -54	0.01535	≤ 4	PASS
NTLV	3DH5	Ant1	2441	1000~12500	3692.15	-63.41	≤ -47	0.45604	≤ 20	PASS
NTNV	3DH5	Ant1	2441	1000~12500	3699.05	-63.52	≤ -47	0.44463	≤ 20	PASS
NTHV	3DH5	Ant1	2441	1000~12500	4851.35	-62.64	≤ -47	0.54450	≤ 20	PASS
NTLV	3DH5	Ant1	2480	30~1000	64.92	-77.91	≤ -54	0.01618	≤ 4	PASS
NTNV	3DH5	Ant1	2480	30~1000	65.41	-77.96	≤ -54	0.01600	≤ 4	PASS
NTHV	3DH5	Ant1	2480	30~1000	64.92	-79.36	≤ -54	0.01159	≤ 4	PASS
NTLV	3DH5	Ant1	2480	1000~12500	4842.15	-62.80	≤ -47	0.52481	≤ 20	PASS
NTNV	3DH5	Ant1	2480	1000~12500	4850.78	-63.81	≤ -47	0.41591	≤ 20	PASS
NTHV	3DH5	Ant1	2480	1000~12500	4859.40	-63.52	≤ -47	0.44463	≤ 20	PASS


Dongguan DN Testing Co., Ltd.

Add: No. 1, West Fourth Street, Xingfa South Road, Wusha Community, Chang 'an Town, Dongguan City, Guangdong P.R.China
Web: www.dn-testing.com Tel: +86-769-88087383 E-mail: service@dn-testing.com




Test Graphs


NTLV-DH5-Ant1-2402-30~1000-PASS



NTNV-DH5-Ant1-2402-30~1000-PASS




NTHV-DH5-Ant1-2402-30~1000-PASS




Dongguan DN Testing Co., Ltd.




NTLV-DH5-Ant1-2402-1000~12500-PASS



NTNV-DH5-Ant1-2402-1000~12500-PASS




NTHV-DH5-Ant1-2402-1000~12500-PASS







NTLV-DH5-Ant1-2441-1000~12500-PASS



NTNV-DH5-Ant1-2441-1000~12500-PASS




NTHV-DH5-Ant1-2441-1000~12500-PASS







NTLV-DH5-Ant1-2480-30~1000-PASS



NTNV-DH5-Ant1-2480-30~1000-PASS




NTHV-DH5-Ant1-2480-30~1000-PASS







NTLV-DH5-Ant1-2480-1000~12500-PASS



NTNV-DH5-Ant1-2480-1000~12500-PASS




NTHV-DH5-Ant1-2480-1000~12500-PASS







NTLV-2DH5-Ant1-2402-30~1000-PASS



NTNV-2DH5-Ant1-2402-30~1000-PASS




NTHV-2DH5-Ant1-2402-30~1000-PASS







NTLV-2DH5-Ant1-2402-1000~12500-PASS



NTNV-2DH5-Ant1-2402-1000~12500-PASS




NTHV-2DH5-Ant1-2402-1000~12500-PASS







NTLV-2DH5-Ant1-2441-30~1000-PASS



NTNV-2DH5-Ant1-2441-30~1000-PASS




NTHV-2DH5-Ant1-2441-30~1000-PASS







NTLV-2DH5-Ant1-2441-1000~12500-PASS



NTNV-2DH5-Ant1-2441-1000~12500-PASS




NTHV-2DH5-Ant1-2441-1000~12500-PASS







NTLV-2DH5-Ant1-2480-30~1000-PASS



NTNV-2DH5-Ant1-2480-30~1000-PASS




NTHV-2DH5-Ant1-2480-30~1000-PASS







NTLV-2DH5-Ant1-2480-1000~12500-PASS



NTNV-2DH5-Ant1-2480-1000~12500-PASS




NTHV-2DH5-Ant1-2480-1000~12500-PASS







NTLV-3DH5-Ant1-2402-30~1000-PASS



NTNV-3DH5-Ant1-2402-30~1000-PASS




NTHV-3DH5-Ant1-2402-30~1000-PASS







NTLV-3DH5-Ant1-2402-1000~12500-PASS



NTNV-3DH5-Ant1-2402-1000~12500-PASS




NTHV-3DH5-Ant1-2402-1000~12500-PASS







NTLV-3DH5-Ant1-2441-30~1000-PASS



NTNV-3DH5-Ant1-2441-30~1000-PASS




NTHV-3DH5-Ant1-2441-30~1000-PASS







NTLV-3DH5-Ant1-2441-1000~12500-PASS



NTNV-3DH5-Ant1-2441-1000~12500-PASS




NTHV-3DH5-Ant1-2441-1000~12500-PASS







NTLV-3DH5-Ant1-2480-30~1000-PASS



NTNV-3DH5-Ant1-2480-30~1000-PASS




NTHV-3DH5-Ant1-2480-30~1000-PASS







NTLV-3DH5-Ant1-2480-1000~12500-PASS



NTNV-3DH5-Ant1-2480-1000~12500-PASS



NTHV-3DH5-Ant1-2480-1000~12500-PASS



---END REPORT---

Dongguan DN Testing Co., Ltd.